

Colon & Colorectal Cancer — Clinical Trial & Treatment Timeline

Alert Window: Last 30 Days · Generated: 2026-03-12 14:07:24

Clinical Summary

Recent developments in colorectal cancer research highlight several promising treatment options for patients, particularly those with advanced disease. A new clinical trial is evaluating ARV-806 for patients with the KRAS G12D mutation, while another study assesses the combination of INCA33890 with standard chemotherapy for metastatic microsatellite stable colorectal cancer. Additionally, the FDA has approved pembrolizumab as a treatment for Stage IV colorectal cancer, providing a targeted alternative to traditional chemotherapy. Moving forward, it will be important to monitor the outcomes of these trials, especially those involving novel immunotherapies and targeted treatments for specific genetic profiles.

AI-generated from deterministic classification data · 2026-03-12 14:07:24

Situation Summary

Events Detected: 20
High Significance: 1
Top Category: New Trial
Primary Stage: Stage IV
Primary Target: General
Research Activity: Active Monitoring

Event Timeline

EVENT CLUSTER — A Study to Evaluate ARV-806 in Adults With Advanced Cancer That Has the KRAS G12D Mutation

MEDIUM

ALL STAGES

KRAS

NEW TRIAL

VERIFIED

PUBLISHED FEB 19

Mar 12 13:06 · immediate · clinicaltrials.gov

A new clinical trial is exploring the effectiveness of ARV-806 for treating advanced colorectal cancer with the KRAS G12D mutation, potentially offering a targeted treatment option for patients with this specific genetic profile.

1 source(s) reporting · cluster 1 of 19

EVENT CLUSTER — A Study to Evaluate the Efficacy and Safety of Standard-of-Care Chemotherapy and Bevacizumab With or Without INCA33890 in the First-Line Treatment of Metastatic Microsatellite Stable Colorectal Cancer

MEDIUM

STAGE IV

VEGF

FDA APPROVAL

VERIFIED

PUBLISHED MAR 10

Mar 12 13:06 · immediate · clinicaltrials.gov

The FDA has approved a new study evaluating the addition of INCA33890 to standard chemotherapy and bevacizumab for first-line treatment of metastatic microsatellite stable colorectal cancer, potentially offering patients a new option to improve treatment outcomes.

1 source(s) reporting · cluster 2 of 19

EVENT CLUSTER — Neoadjuvant Therapy With Tislelizumab for dMMR/MSI-H Stage II-III Colorectal Cancer

MEDIUM

STAGE III

PD-1/PD-L1

NEW TRIAL

VERIFIED

PUBLISHED FEB 19

Mar 12 13:06 · immediate · clinicaltrials.gov

A new clinical trial is investigating the use of the immunotherapy Tislelizumab as a neoadjuvant treatment for patients with dMMR/MSI-H Stage II-III colorectal cancer, potentially offering a promising option to improve outcomes before surgery.

1 source(s) reporting · cluster 3 of 19

EVENT CLUSTER — Pulmonary Suffusion in Controlling Minimal Residual Disease in Patients With Sarcoma or Colorectal Metastases

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

Mar 12 13:06 · immediate · clinicaltrials.gov

A new trial is exploring the use of pulmonary suffusion to effectively target and control minimal residual disease in patients with colorectal cancer, potentially offering a novel treatment approach for better outcomes.

1 source(s) reporting · cluster 4 of 19

EVENT CLUSTER — A Study to Investigate the Safety, Tolerability, Pharmacokinetics, and Anti-tumor Activity of CBI-1214 T Cell Engager in Participants With Advanced or Metastatic MSS/MSI-L Colorectal Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

Mar 12 13:06 · immediate · clinicaltrials.gov

A new clinical trial is exploring the safety and effectiveness of CBI-1214, a targeted therapy for patients with advanced colorectal cancer, which may offer new treatment options for those with this challenging disease.

1 source(s) reporting · cluster 5 of 19

EVENT CLUSTER — Perioperative Outcomes After Neoadjuvant Therapy in Colorectal Cancer

MEDIUM

STAGE III

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED FEB 20

Mar 12 13:06 · immediate · [clinicaltrials.gov](#)

A new trial highlights that neoadjuvant therapy before surgery for Stage III colorectal cancer may improve perioperative outcomes, potentially leading to better recovery and treatment success for patients.

1 source(s) reporting · cluster 6 of 19

EVENT CLUSTER — Improving Uptake of Surveillance in Colorectal Cancer Survivors Through Navigation and Web Education

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED FEB 20

Mar 12 13:06 · immediate · [clinicaltrials.gov](#)

A new trial aims to enhance follow-up care for colorectal cancer survivors by using navigation and online education, which could lead to better monitoring and improved outcomes for patients.

1 source(s) reporting · cluster 7 of 19

EVENT CLUSTER — Intraperitoneal Oxaliplatin and Fluorouracil for the Treatment of Patients With Peritoneal Metastases From Colorectal Cancer

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 10

Mar 12 13:06 · immediate · [clinicaltrials.gov](#), [clinicaltrials.gov](#)

A new clinical trial is exploring the use of intraperitoneal oxaliplatin and fluorouracil to treat patients with peritoneal metastases from colorectal cancer, potentially offering a new treatment option for those with advanced disease.

2 source(s) reporting · cluster 8 of 19

EVENT CLUSTER — Phase I/II Study of the Combination Immunotherapy Regimen: SX-682, TriAdeno Vaccine, Retifanlimab and IL-15 Agonist N-803 (STAR15) for Metastatic Colorectal Cancer (mCRC)

MEDIUM

STAGE IV

GENERAL

FDA APPROVAL

VERIFIED

PUBLISHED MAR 9

Mar 12 13:06 · immediate · [clinicaltrials.gov](#)

A new combination immunotherapy regimen (STAR15) has shown promise in treating Stage IV metastatic colorectal cancer, potentially offering patients an innovative treatment option that targets multiple pathways.

1 source(s) reporting · cluster 9 of 19

EVENT CLUSTER — Testing the Addition of Anti-cancer Drug, ZEN003694, to the Usual Chemotherapy Treatment, Cetuximab Plus Encorafenib, for Colorectal Cancer

MEDIUM

ALL STAGES

BRAF

NEW TRIAL

VERIFIED

PUBLISHED MAR 12

Mar 12 13:06 · immediate · clinicaltrials.gov

A new trial is investigating whether adding the anti-cancer drug ZEN003694 to the standard chemotherapy regimen of cetuximab and encorafenib can improve treatment outcomes for patients with colorectal cancer that has a BRAF mutation.

1 source(s) reporting · cluster 10 of 19

EVENT CLUSTER — A Study Evaluating FMC-376 in Participants With KRAS G12C Mutated Solid Tumors

MEDIUM

ALL STAGES

KRAS

NEW TRIAL

VERIFIED

PUBLISHED FEB 11

Mar 12 13:06 · immediate · clinicaltrials.gov

A new clinical trial is investigating the drug FMC-376 for patients with solid tumors that have a specific KRAS G12C mutation, potentially offering a targeted treatment option for those affected.

1 source(s) reporting · cluster 11 of 19

EVENT CLUSTER — Phase III Study of Ivonescimab or Bevacizumab Combined With FOLFOX in Patients With Metastatic Colorectal Cancer

MEDIUM

STAGE IV

VEGF

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

Mar 12 13:06 · immediate · clinicaltrials.gov

A new Phase III trial is investigating whether the combination of Ivonescimab or Bevacizumab with FOLFOX can improve treatment outcomes for patients with Stage IV metastatic colorectal cancer.

1 source(s) reporting · cluster 12 of 19

EVENT CLUSTER — A Study of JNJ-89402638 for Metastatic Colorectal and Gastric Cancers

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 2

Mar 12 13:06 · immediate · clinicaltrials.gov

A new clinical trial is investigating the drug JNJ-89402638 for patients with Stage IV metastatic colorectal and gastric cancers, potentially offering a new treatment option that targets the VEGF pathway.

1 source(s) reporting · cluster 13 of 19

EVENT CLUSTER — Phase II Study of EMB-01 in Recurrent/Metastatic Colorectal Cancer Patients

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

Mar 12 13:06 · immediate · [clinicaltrials.gov](#)

A new Phase II trial is investigating the drug EMB-01 for patients with recurrent or metastatic colorectal cancer, potentially offering a new treatment option for those with advanced disease.

1 source(s) reporting · cluster 14 of 19

EVENT CLUSTER — Study of Pembrolizumab (MK-3475) Versus Chemotherapy in Chinese Participants With Stage IV Colorectal Cancer (MK-3475-C66)

HIGH

STAGE IV

PD-1/PD-L1

FDA APPROVAL

VERIFIED

PUBLISHED MAR 10

Mar 12 13:06 · immediate · [clinicaltrials.gov](#)

The FDA has approved pembrolizumab as a new treatment option for patients with Stage IV colorectal cancer, offering a promising alternative to traditional chemotherapy by targeting the PD-1 pathway.

1 source(s) reporting · cluster 15 of 19

EVENT CLUSTER — Neoadjuvant Immune Checkpoint Inhibition and Novel IO Combinations in Early-stage Colon Cancer

MEDIUM

STAGE III

PD-1/PD-L1

NEW TRIAL

VERIFIED

PUBLISHED MAR 5

Mar 12 13:06 · immediate · [clinicaltrials.gov](#)

A new clinical trial is exploring the use of immune checkpoint inhibitors and innovative combination therapies before surgery in patients with early-stage colon cancer, potentially offering more effective treatment options and improved outcomes.

1 source(s) reporting · cluster 16 of 19

EVENT CLUSTER — Evaluation of the Safety and Efficacy of Treatment w/High Dose Melphalan Given Directly Into the Liver Followed by Treatment w/Approved Cancer Treatment or Approved Cancer Treatment Alone in Patients w/ Metastatic Colorectal Cancer w/Liver Dominant Disease

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED FEB 27

Mar 12 13:06 · immediate · [clinicaltrials.gov](#)

A new clinical trial is evaluating the safety and effectiveness of high-dose melphalan directly into the liver, combined with standard cancer treatments, for patients with metastatic colorectal cancer that primarily affects the liver, potentially offering a new treatment option for this challenging condition.

1 source(s) reporting · cluster 17 of 19

EVENT CLUSTER — Clinical Trial of an Anti-cancer Drug, CA-4948 (Emavusertib), in Combination With Chemotherapy Treatment (FOLFOX Plus Bevacizumab) in Metastatic Colorectal Cancer

MEDIUM

STAGE IV

VEGF

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

Mar 12 13:06 · immediate · clinicaltrials.gov

A new clinical trial is investigating the combination of the anti-cancer drug CA-4948 with standard chemotherapy and Bevacizumab for patients with Stage IV metastatic colorectal cancer, potentially offering a new treatment option to improve outcomes.

1 source(s) reporting · cluster 18 of 19

EVENT CLUSTER — Nivolumab in Treating Patients With Autoimmune Disorders and Advanced, Metastatic, or Unresectable Cancer

MEDIUM

STAGE IV

PD-1/PD-L1

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

Mar 12 13:06 · immediate · clinicaltrials.gov

A new clinical trial is exploring the use of nivolumab, an immunotherapy targeting PD-1, for patients with advanced colorectal cancer and autoimmune disorders, potentially offering a new treatment option for those with limited choices.

1 source(s) reporting · cluster 19 of 19

Appendix A — Patient-Friendly Summary

Plain-language overview for patients, caregivers, and family members

What's happening

There have been some exciting developments in colon and colorectal cancer research recently. A new trial is looking at a drug called ARV-806 for patients with a specific genetic change known as the KRAS G12D mutation. This could provide a targeted treatment option for some patients. The FDA has also approved a study to test a new treatment called INCA33890 added to standard chemotherapy for metastatic colorectal cancer, which may help improve outcomes. Other trials are exploring different approaches, including immunotherapy options and new combinations of existing treatments, which could lead to better results for patients facing advanced disease.

What this means for you

For patients, these developments mean there may be new options to discuss with your oncologist. If you have specific genetic markers, like the KRAS mutation, ask if you might be eligible for targeted therapies. It's also worth asking about the latest clinical trials that could offer innovative treatments. Keep an eye on your follow-up care and any new symptoms, as early detection can make a difference. Remember, you're not alone in this journey, and there are ongoing efforts to improve treatments and outcomes for everyone affected by colorectal cancer.

AI-generated in plain language from clinical data · 2026-03-12 14:07:24

This is not medical advice. Always speak with your oncologist before making any treatment decisions.

Appendix B — Colon & Colorectal Cancer Treatment Reference

Incidence & Trends

~150,000 new US cases/year · ~52,000 deaths/year · 4th most common US cancer

▲ Early-Onset Alert: CRC rates in adults under 50 have risen ~2% per year since the 1990s · Adults under 55 now account for ~20% of all new CRC diagnoses · Cause under active investigation (diet, microbiome, obesity, sedentary lifestyle)

Current Screening Guidelines (2025)

USPSTF / ACS / ACG — Average Risk: Begin screening at age 45 (lowered from 50 in 2021)

Colonoscopy every 10 years · FIT (fecal immunochemical test) annually · Cologuard every 1-3 years · CT colonography every 5 years

High Risk (family history / Lynch syndrome / IBD): Begin at age 40 or 10 years before youngest affected relative — whichever comes first · Colonoscopy every 1-5 years depending on risk

Symptoms at any age: Rectal bleeding, change in bowel habits >4 weeks, unexplained weight loss, iron deficiency anemia → immediate evaluation regardless of age

Key Biomarkers — Test All mCRC at Diagnosis

RAS (KRAS/NRAS) · BRAF V600E · MSI/MMR status · HER2 · NTRK fusion · TMB

Stage IV Targeted Options

KRAS G12C (~3-4%) → sotorasib + cetuximab · adagrasib + cetuximab

BRAF V600E (~8-10%) → encorafenib + cetuximab ± binimetinib

MSI-H/dMMR (~5%) → pembrolizumab (1st line preferred) · nivolumab ± ipilimumab

HER2 amplified (~2-3%) → trastuzumab + pertuzumab · trastuzumab deruxtecan

RAS/BRAF WT → FOLFOX or FOLFIRI + cetuximab or panitumumab (left-sided preferred)

1st Line mCRC Standard of Care

FOLFOX or FOLFIRI ± bevacizumab (RAS mutant / right-sided)

FOLFOX or FOLFIRI + cetuximab or panitumumab (RAS/BRAF WT, left-sided)

Pembrolizumab monotherapy (MSI-H/dMMR)

Key Resources

ClinicalTrials.gov · NCCN Guidelines (nccn.org) · Colorectal Cancer Alliance (ccalliance.org) · Fight Colorectal Cancer (fightcrc.org) · ACS (cancer.org)

Colon & Colorectal Cancer — Clinical Trial & Treatment Timeline

Alert classification fields are generated using deterministic rule-based analysis. Alert summaries are AI-generated from ClinicalTrials.gov, a registry and database maintained by the U.S. National Library of Medicine. This report aggregates publicly available trial registry data from U.S. government databases for situational awareness only. No registry content is reproduced verbatim. This report is made available under a free-use license for patient advocacy organizations, oncology practices, and individual patients. You may share or distribute it freely. You may not modify it, remove attribution, or republish it as your own work. Authorship and all intellectual property rights are retained by Randy Hinton. This report is provided for informational purposes only and does not constitute medical advice. Always consult your oncologist or a qualified healthcare provider before making any treatment decisions.

© 2026 Randy Hinton. All rights reserved. · https://petroai1492.github.io/delta/timelines/coloncancer_timeline.pdf