

Colon & Colorectal Cancer — Clinical Trial & Treatment Timeline

Alert Window: Last 30 Days · Generated: 2026-03-15 11:07:54

Clinical Summary

The dataset reveals a predominant focus on Phase 1 and Phase 2 clinical trials, particularly those exploring combination therapies and novel treatment strategies for colorectal cancer. Notable trials include the evaluation of Tolecizumab combined with chemoimmunotherapy for pMMR/MSS locally advanced colon adenocarcinoma and a Phase II/III trial of RC148 plus chemotherapy for unresectable or metastatic colorectal cancer. Patient populations frequently represented in these trials include those with advanced colorectal cancer, particularly those with pMMR/MSS status and various mutations such as KRAS. Other significant themes include the use of innovative imaging techniques, such as molecular imaging of fibroblast activation protein expression, and the exploration of non-invasive monitoring methods for assessing cancer risks. The main research themes visible in the trials listed focus on combination therapies, novel imaging techniques, and personalized treatment approaches for advanced colorectal cancer.

AI-generated from deterministic classification data · 2026-03-15 11:07:54

Situation Summary

Trial Activity	37 new registrations	30-day window
Stage IV Trials	8 of 37	
Biomarker-Targeted	5 trials	VEGF (2) · PD-1/PD-L1 (1) · KRAS (1) · EGFR (1)
pMMR/MSS Focus	4 trials	hardest-to-treat subtype · active research
Cell Therapy	1 trial	CAR-NK / CAR-T
Phase Distribution	Phase I: 1 · Phase II: 1	
Breakthrough Signals	4 trials scored ≥ 4	
Research Activity	Active Monitoring	

⚡ Trials to Watch

Trials with elevated breakthrough scores based on biomarker, therapy class, and phase signals. Higher scores indicate greater scientific significance. Always discuss with your oncologist.

Dual-Target CAR-NK Cells for Biomarker-Selected Advanced Colorectal Cancer

STAGE IV PD-1/PD-L1 ⚡ Score 7 PUBLISHED MAR 10 NCT07462650

This study evaluates Dual-Target CAR-NK Cells for Biomarker-Selected Advanced Colorectal Cancer.

Rollover Study for Participants Who Have Been Treated With and Are Continuing to Benefit From Opnurasib as a Single Agent or in Combination With Other Study Treatments

ALL STAGES GENERAL ⚡ Score 6 PUBLISHED MAR 12 NCT07468071

This study evaluates a Rollover Study for Participants Who Have Been Treated With and Are Continuing to Benefit From Opnurasib as a Single Agent or in Combination With Other Study Treatments.

Combination of High and Low-Dose Radiotherapy With Immune Therapy and TKI in Advanced Colorectal Cancer: A Phase II Study

STAGE IV GENERAL ⚡ Score 4 PUBLISHED MAR 12 NCT07467590

This study evaluates the combination of high and low-dose radiotherapy with immune therapy and TKI in advanced colorectal cancer.

A Phase 1 Dose-escalation Trial of KST-6051 in Participants With Advanced Solid Tumors With Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS) Mutation

ALL STAGES KRAS ⚡ Score 4 PUBLISHED MAR 9 NCT07458347

This study evaluates a Phase 1 dose-escalation trial of KST-6051 in participants with advanced solid tumors with Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS) mutation.

Event Timeline

Optimal Surveillance Strategy After Positive FIT and Negative Colonoscopy

MEDIUM ALL STAGES GENERAL NEW TRIAL VERIFIED PUBLISHED MAR 13 NCT07470658

clinicaltrials.gov

This study evaluates the optimal surveillance strategy after positive FIT and negative colonoscopy.

Evaluation of 'WAYMED Endo CL CS' for Automated Detection and Diagnosis of Colorectal Adenoma and Non-Adenoma Lesions

MEDIUM ALL STAGES GENERAL NEW TRIAL VERIFIED PUBLISHED MAR 13 NCT07470827

clinicaltrials.gov

This study evaluates 'WAYMED Endo CL CS' for automated detection and diagnosis of colorectal adenoma and non-adenoma lesions.

A Study of Biological, Genetic, and Constitutional Factors and Non-invasive Monitoring to Assess Personal Cancer Risks

MEDIUM ALL STAGES GENERAL NEW TRIAL VERIFIED PUBLISHED MAR 13 NCT07469709

clinicaltrials.gov

This study evaluates biological, genetic, and constitutional factors and non-invasive monitoring to assess personal cancer risks.

Tolecizumab Plus Chemoimmunotherapy for pMMR/MSS Locally Advanced Colon Adenocarcinoma

MEDIUM STAGE III GENERAL IMMUNOTHERAPY VERIFIED PUBLISHED MAR 12 NCT07468630

clinicaltrials.gov

This study evaluates Tolecizumab Plus Chemoimmunotherapy for pMMR/MSS Locally Advanced Colon Adenocarcinoma.

Combination of High and Low-Dose Radiotherapy With Immune Therapy and TKI in Advanced Colorectal Cancer: A Phase II Study

MEDIUM STAGE IV GENERAL NEW TRIAL VERIFIED PUBLISHED MAR 12 ⚡ 4 NCT07467590

clinicaltrials.gov

This study evaluates the combination of high and low-dose radiotherapy with immune therapy and TKI in advanced colorectal cancer.

FOLFIRINOX Induction Chemotherapy for Synchronous Liver Metastases

MEDIUM ALL STAGES GENERAL NEW TRIAL VERIFIED PUBLISHED MAR 12 NCT07467434

clinicaltrials.gov

This study evaluates FOLFIRINOX Induction Chemotherapy for Synchronous Liver Metastases.

Rollover Study for Participants Who Have Been Treated With and Are Continuing to Benefit From Opnurasib as a Single Agent or in Combination With Other Study Treatments

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 12

⚡ 6

NCT07468071

clinicaltrials.gov

This study evaluates a Rollover Study for Participants Who Have Been Treated With and Are Continuing to Benefit From Opnurasib as a Single Agent or in Combination With Other Study Treatments.

Molecular Imaging of Fibroblast Activation Protein Expression Using Labeled Technetium-99m HYNIC-FAPI

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 12

NCT07457541

clinicaltrials.gov

This study evaluates molecular imaging of fibroblast activation protein expression using labeled technetium-99m HYNIC-FAPI.

Construction and Evaluation of a Flipped Discharge Model for Stomates With Colorectal Cancer

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07463690

clinicaltrials.gov

This study evaluates the construction and evaluation of a flipped discharge model for stomates with colorectal cancer.

Improving Clinic Delivery of HIV-related Anal Health Services

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07464236

clinicaltrials.gov

This study evaluates improving clinic delivery of HIV-related anal health services.

REsults of LOW Anterior Resections With or Without Preventive Stoma in Nonemergency Department

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07463261

clinicaltrials.gov

This study evaluates the results of low anterior resections with or without preventive stoma in a nonemergency department.

Compression Therapy of Hands and Feet for the Prevention of Taxane- or Oxaliplatin-induced Peripheral Neuropathy

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07464769

clinicaltrials.gov

This study evaluates Compression Therapy of Hands and Feet for the Prevention of Taxane- or Oxaliplatin-induced Peripheral Neuropathy.

Safety and Efficacy of Tegavivint in Patients With Metastatic Colorectal Carcinoma

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07463599

clinicaltrials.gov

This study evaluates the safety and efficacy of Tegavivint in patients with metastatic colorectal carcinoma.

Virtual vs Physical Art Therapy for Anxiety, Psychological Well-being, and Sleep Quality in Colorectal Cancer Patients

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07464626

clinicaltrials.gov

This study evaluates Virtual vs Physical Art Therapy for Anxiety, Psychological Well-being, and Sleep Quality in Colorectal Cancer Patients.

A Phase II/III Clinical Trial of RC148 Plus Chemotherapy as 1L Therapy for Unresectable or Metastatic Colorectal Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 10

NCT07462143

clinicaltrials.gov

This study evaluates a Phase II/III clinical trial of RC148 plus chemotherapy as 1L therapy for unresectable or metastatic colorectal cancer.

Concentrated Complex Plant Dietary Elements for Chemotherapy-Induced Diarrhea

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 10

NCT07460596

clinicaltrials.gov

This study evaluates Concentrated Complex Plant Dietary Elements for Chemotherapy-Induced Diarrhea.

Familial Adenomatous Poliposis Italian Network (Rete Italiana Poliposi Adenomatosa Familiare)

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 10

NCT07461246

clinicaltrials.gov

This study evaluates the Familial Adenomatous Poliposis Italian Network (Rete Italiana Poliposi Adenomatosa Familiare).

Dual-Target CAR-NK Cells for Biomarker-Selected Advanced Colorectal Cancer

MEDIUM

STAGE IV

PD-1/PD-L1

CELL THERAPY

VERIFIED

PUBLISHED MAR 10

⚡ 7

NCT07462650

clinicaltrials.gov

This study evaluates Dual-Target CAR-NK Cells for Biomarker-Selected Advanced Colorectal Cancer.

Neoadjuvant Chemoradiotherapy Plus Tislelizumab With or Without Probio-M9 in pMMR/MSS Locally Advanced Rectal Cancer

MEDIUM

STAGE III

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 10

NCT07458529

clinicaltrials.gov

This study evaluates neoadjuvant chemoradiotherapy plus Tislelizumab with or without Probio-M9 in pMMR/MSS locally advanced rectal cancer.

The Effect of Music During Colonoscopy

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 10

NCT07454993

clinicaltrials.gov

This study evaluates the effect of music during colonoscopy.

EHealth Educational Intervention to Improve Self-Management and Coping Behaviors Among Cancer Patients

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 9

NCT07457112

clinicaltrials.gov

This study evaluates an eHealth educational intervention to improve self-management and coping behaviors among cancer patients.

A Phase 1 Dose-escalation Trial of KST-6051 in Participants With Advanced Solid Tumors With Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS) Mutation

LOW **ALL STAGES** **KRAS** **NEW TRIAL** **VERIFIED** **PUBLISHED MAR 9** ⚡ 4 **NCT07458347**

clinicaltrials.gov

This study evaluates a Phase 1 dose-escalation trial of KST-6051 in participants with advanced solid tumors with Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS) mutation.

The Application of Sentire Surgical System Plus Patient Side Single Arm in Robotic Colorectal Surgery

MEDIUM **ALL STAGES** **GENERAL** **NEW TRIAL** **VERIFIED** **PUBLISHED MAR 9** **NCT07453706**

clinicaltrials.gov

This study evaluates the application of Sentire Surgical System Plus Patient Side in robotic colorectal surgery.

LDRT Sequential NIPS Immunochemotherapy for Peritoneal Metastasis of Gastric and Colorectal Cancer

MEDIUM **ALL STAGES** **GENERAL** **NEW TRIAL** **VERIFIED** **PUBLISHED MAR 6** **NCT07453875**

clinicaltrials.gov

This study evaluates LDRT Sequential NIPS Immunochemotherapy for Peritoneal Metastasis of Gastric and Colorectal Cancer.

A Prospective Study Assessing ActivSight Imaging for Intraoperative Perfusion Evaluation in Left-Sided Colectomy

MEDIUM **ALL STAGES** **GENERAL** **NEW TRIAL** **VERIFIED** **PUBLISHED MAR 6** **NCT07453797**

clinicaltrials.gov

This study evaluates ActivSight Imaging for intraoperative perfusion evaluation in left-sided colectomy.

Ventral Hernias Following Cytoreductive Surgery : Incidence, Risk Factors and Surgical Management.

MEDIUM **ALL STAGES** **GENERAL** **NEW TRIAL** **VERIFIED** **PUBLISHED MAR 5** **NCT07451483**

clinicaltrials.gov

This study evaluates ventral hernias following cytoreductive surgery, focusing on incidence, risk factors, and surgical management.

Low-Dose Radiotherapy to Sensitize Pucotenlimab Plus CAPEOX for pMMR Locally Advanced Rectal Cancer

MEDIUM

STAGE III

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 4

NCT07448142

clinicaltrials.gov

This study evaluates low-dose radiotherapy to sensitize pucotenlimab plus CAPEOX for pMMR locally advanced rectal cancer.

Liquid Biopsy and Machine Learning for Early Colorectal Cancer, Adenomas, Lynch Cancers, and Residual Disease Detection

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 4

NCT07450612

clinicaltrials.gov

This study evaluates Liquid Biopsy and Machine Learning for Early Colorectal Cancer, Adenomas, Lynch Cancers, and Residual Disease Detection.

Local Treatment Strategies for Brain Metastases of Colorectal Cancer

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 4

NCT07448662

clinicaltrials.gov

This study evaluates Local Treatment Strategies for Brain Metastases of Colorectal Cancer.

FOLFIRI and Bevacizumab With or Without Pelareorep for Second-Line Treatment of Metastatic RAS-Mutated, Microsatellite-Stable Colorectal Cancer

MEDIUM

STAGE IV

VEGF

NEW TRIAL

VERIFIED

PUBLISHED MAR 4

NCT07446322

clinicaltrials.gov

This study evaluates FOLFIRI and Bevacizumab with or without Pelareorep for second-line treatment of metastatic RAS-mutated, microsatellite-stable colorectal cancer.

Efficacy of Tunlametinib in Combination With Anti-EGFR Monoclonal Antibody in Patients With RAS-Mutated Advanced Gastrointestinal Malignancies

MEDIUM

ALL STAGES

EGFR

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

NCT07446270

clinicaltrials.gov

This study evaluates the efficacy of Tunlametinib in combination with anti-EGFR monoclonal antibody in patients with RAS-mutated advanced gastrointestinal malignancies.

Evaluation of Capsule Colonoscopy in Patients With Lynch Syndrome

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

NCT07445828

clinicaltrials.gov

This study evaluates Capsule Colonoscopy in Patients With Lynch Syndrome.

A Clinical Study of Iparomlimab and Tuvonralimab Combined With Bevacizumab and Alternating Triweekly CAPOX/mCAPIRI Regimen as First-line Treatment for Unresectable Advanced Colorectal Cancer

MEDIUM

STAGE IV

VEGF

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

NCT07446387

clinicaltrials.gov

This study evaluates a clinical study of Iparomlimab and Tuvonralimab combined with Bevacizumab and alternating triweekly CAPOX/mCAPIRI regimen as first-line treatment for unresectable advanced colorectal cancer.

Piecemeal Resection and Advanced Histology Independently Predict Local Recurrence After Colorectal Snare-based Endoscopic Resection: a Time-to-event Cohort Study

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

NCT07445178

clinicaltrials.gov

This study evaluates the independent prediction of local recurrence after colorectal snare-based endoscopic resection by piecemeal resection and advanced histology in a time-to-event cohort study.

Riluzole For Preventing Cognitive Dysfunction in Ca Pts Receiving Chemo (REFOCUS): Pilot Trial

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

NCT07447050

clinicaltrials.gov

This study evaluates Riluzole for preventing cognitive dysfunction in cancer patients receiving chemotherapy in a pilot trial.

FOLFOX Chemotherapy Combined With Fruquintinib and Serplulimab as First-Line Conversion Therapy for Initially Unresectable pMMR/MSS Colorectal Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

NCT07446465

clinicaltrials.gov

This study evaluates FOLFOX chemotherapy combined with Fruquintinib and Serplulimab as first-line conversion therapy for initially unresectable pMMR/MSS colorectal cancer.

Abemaciclib Combined With FOLFOX/FOLFIRI Regimen in Patients With Advanced Colorectal Liver Metastases Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 2

NCT07441369

clinicaltrials.gov

This study evaluates Abemaciclib combined with FOLFOX/FOLFIRI regimen in patients with advanced colorectal liver metastases cancer.

Appendix A — Patient-Friendly Summary

Plain-language overview for patients, caregivers, and family members

What's happening

Right now, there are several important studies underway that could impact how colon and colorectal cancer are treated. One notable trial is looking at Tolecizumab combined with chemotherapy for patients with a specific tumor type called pMMR/MSS, which can be challenging to treat. Another study is testing Dual-Target CAR-NK cells, which use modified immune cells to target cancer, specifically for advanced colorectal cancer that has certain biomarkers. Additionally, researchers are exploring KST-6051 for patients with a KRAS mutation, a common mutation in colorectal cancer that has been hard to treat in the past.

What this means for you

For patients, these trials could lead to new options, especially if you have specific genetic markers or advanced disease. If you are eligible for one of these studies, it might provide access to cutting-edge treatments not widely available yet. It's important to discuss with your oncologist whether you might benefit from participating in these trials or if any of these new approaches are suitable for you. For example, ask about the trial involving Tolecizumab and chemotherapy if you have pMMR/MSS cancer.

AI-generated in plain language from clinical data · 2026-03-15 11:07:54

This is not medical advice. Always speak with your oncologist before making any treatment decisions.

Appendix B — Colon & Colorectal Cancer Treatment Reference

Incidence & Trends

~150,000 new US cases/year · ~52,000 deaths/year · 4th most common US cancer

▲ Early-Onset Alert: CRC rates in adults under 50 have risen ~2% per year since the 1990s · Adults under 55 now account for ~20% of all new CRC diagnoses · Cause under active investigation (diet, microbiome, obesity, sedentary lifestyle)

Current Screening Guidelines (2025)

USPSTF / ACS / ACG — Average Risk: Begin screening at age 45 (lowered from 50 in 2021)

Colonoscopy every 10 years · FIT (fecal immunochemical test) annually · Cologuard every 1-3 years · CT colonography every 5 years

High Risk (family history / Lynch syndrome / IBD): Begin at age 40 or 10 years before youngest affected relative — whichever comes first · Colonoscopy every 1-5 years depending on risk

Symptoms at any age: Rectal bleeding, change in bowel habits >4 weeks, unexplained weight loss, iron deficiency anemia → immediate evaluation regardless of age

Key Biomarkers — Test All mCRC at Diagnosis

RAS (KRAS/NRAS) · BRAF V600E · MSI/MMR status · HER2 · NTRK fusion · TMB

Stage IV Targeted Options

KRAS G12C (~3-4%) → sotorasib + cetuximab · adagrasib + cetuximab

BRAF V600E (~8-10%) → encorafenib + cetuximab ± binimetinib

MSI-H/dMMR (~5%) → pembrolizumab (1st line preferred) · nivolumab ± ipilimumab

HER2 amplified (~2-3%) → trastuzumab + pertuzumab · trastuzumab deruxtecan

RAS/BRAF WT → FOLFOX or FOLFIRI + cetuximab or panitumumab (left-sided preferred)

1st Line mCRC Standard of Care

FOLFOX or FOLFIRI ± bevacizumab (RAS mutant / right-sided)

FOLFOX or FOLFIRI + cetuximab or panitumumab (RAS/BRAF WT, left-sided)

Pembrolizumab monotherapy (MSI-H/dMMR)

Key Resources

ClinicalTrials.gov · NCCN Guidelines (nccn.org) · Colorectal Cancer Alliance (ccalliance.org) · Fight Colorectal Cancer (fightcrc.org) · ACS (cancer.org)

Colon & Colorectal Cancer — Clinical Trial & Treatment Timeline

Alert classification fields are generated using deterministic rule-based analysis. Alert summaries are AI-generated from ClinicalTrials.gov, a registry and database maintained by the U.S. National Library of Medicine. This report aggregates publicly available trial registry data from U.S. government databases for situational awareness only. No registry content is reproduced verbatim. This report is made available under a free-use license for patient advocacy organizations, oncology practices, and individual patients. You may share or distribute it freely. You may not modify it, remove attribution, or republish it as your own work. Authorship and all intellectual property rights are retained by Randy Hinton. This report is provided for informational purposes only and does not constitute medical advice. Always consult your oncologist or a qualified healthcare provider before making any treatment decisions.

© 2026 Randy Hinton. All rights reserved. · https://petroai1492.github.io/delta/timelines/coloncancer_timeline.pdf