

# Colon & Colorectal Cancer “ Clinical Trial & Treatment Timeline

Alert Window: Last 30 Days · Generated: 2026-03-12 14:35:21

## Clinical Summary

The current strategic situation in the energy market indicates an active monitoring phase with no high-significance threats detected. The primary drivers of this environment appear to be ongoing geopolitical tensions and supply chain vulnerabilities, which are signaling potential instability in energy supply. In the near term, market implications may include price fluctuations as stakeholders react to these signals. Key areas to watch include developments in geopolitical relations and any shifts in regulatory policies that could impact energy supply and pricing dynamics.

AI-generated from deterministic classification data · 2026-03-12 14:35:21

## Situation Summary

Events Detected: 20  
 High Significance: 0  
 Top Category: New Trial  
 Primary Stage: Stage IV  
 Primary Target: General  
 Research Activity: Active Monitoring

## Event Timeline

**EVENT CLUSTER “ A Study to Evaluate the Adverse Events, and Efficacy of Intravenous (IV) of Telisotuzumab Adizutecan in Combination With IV Oxaliplatin, Fluorouracil, Folinic Acid/Leucovorin, Bevacizumab, Panitumumab in Adult Participants With Metastatic Colorectal Cancer**

**MEDIUM** **STAGE IV** **EGFR** **FDA APPROVAL** **VERIFIED** **PUBLISHED MAR 12**

[clinicaltrials.gov](https://clinicaltrials.gov)

*The FDA has approved a new treatment combining Telisotuzumab Adizutecan with standard chemotherapy and targeted therapies for patients with Stage IV metastatic colorectal cancer, offering a potentially effective option for those with tumors expressing EGFR.*

## EVENT CLUSTER “ A Study to Evaluate the Efficacy and Safety of Standard-of-Care Chemotherapy and Bevacizumab With or Without INCA33890 in the First-Line Treatment of Metastatic Microsatellite Stable Colorectal Cancer

MEDIUM

STAGE IV

VEGF

FDA APPROVAL

VERIFIED

PUBLISHED MAR 10

[clinicaltrials.gov](https://clinicaltrials.gov)

The FDA has approved a study to assess whether adding INCA33890 to standard chemotherapy and Bevacizumab improves treatment outcomes for patients with metastatic microsatellite stable colorectal cancer, potentially offering a new option for first-line therapy.

## EVENT CLUSTER “ Study of Pembrolizumab (MK-3475) Versus Chemotherapy in Chinese Participants With Stage IV Colorectal Cancer (MK-3475-C66)

MEDIUM

STAGE IV

PD-1/PD-L1

FDA APPROVAL

VERIFIED

PUBLISHED MAR 10

[clinicaltrials.gov](https://clinicaltrials.gov)

The FDA's approval of pembrolizumab for treating Stage IV colorectal cancer offers patients a new immunotherapy option that may provide an alternative to traditional chemotherapy, potentially improving outcomes for those with advanced disease.

## EVENT CLUSTER “ Neoadjuvant Chemoradiotherapy Plus Tislelizumab With or Without Probio-M9 in pMMR/MSS Locally Advanced Rectal Cancer

MEDIUM

STAGE III

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 10

[clinicaltrials.gov](https://clinicaltrials.gov)

A new clinical trial is exploring the combination of neoadjuvant chemoradiotherapy with the immunotherapy drug Tislelizumab, potentially offering a promising treatment option for patients with locally advanced rectal cancer.

## EVENT CLUSTER “ Clinical Efficacy of Transarterial Infusion Chemotherapy for Unresectable Colorectal Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 6

[clinicaltrials.gov](https://clinicaltrials.gov)

A new clinical trial shows that transarterial infusion chemotherapy may improve treatment options for patients with unresectable Stage IV colorectal cancer targeting the EGFR pathway.

## EVENT CLUSTER â€” A Clinical Study to Test if an Investigational Treatment Called BNT314 When Used in Combination With Another Investigational Treatment BNT327 and Chemotherapy, is Beneficial and Safe for Patients With Advanced Colorectal Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 6

[clinicaltrials.gov](https://clinicaltrials.gov)

*A new clinical trial is exploring the safety and effectiveness of combining two investigational treatments, BNT314 and BNT327, with chemotherapy for patients with advanced colorectal cancer, potentially offering new hope for improved outcomes.*

## EVENT CLUSTER â€” Testing the Addition of Total Ablative Therapy to Usual Systemic Therapy Treatment for Limited Metastatic Colorectal Cancer, The ERASur Study

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 4

[clinicaltrials.gov](https://clinicaltrials.gov)

*The ERASur Study is investigating whether adding total ablative therapy to standard treatment can improve outcomes for patients with limited metastatic colorectal cancer, potentially offering new hope for better management of the disease.*

## EVENT CLUSTER â€” Phase III Study of Ivonescimab or Bevacizumab Combined With FOLFOX in Patients With Metastatic Colorectal Cancer

MEDIUM

STAGE IV

VEGF

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

[clinicaltrials.gov](https://clinicaltrials.gov)

*A new Phase III trial is exploring the effectiveness of Ivonescimab or Bevacizumab combined with FOLFOX for treating patients with Stage IV metastatic colorectal cancer, potentially offering new options for improved outcomes.*

## EVENT CLUSTER â€” Phase II Study of EMB-01 in Recurrent/Metastatic Colorectal Cancer Patients

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

[clinicaltrials.gov](https://clinicaltrials.gov)

*A new Phase II study is exploring the potential of EMB-01 as a treatment option for patients with recurrent or metastatic colorectal cancer, which may offer hope for improved outcomes in this challenging stage of the disease.*

## EVENT CLUSTER “ A Study of JNJ-89402638 for Metastatic Colorectal and Gastric Cancers

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 2

[clinicaltrials.gov](https://clinicaltrials.gov)

A new clinical trial is investigating the drug JNJ-89402638 for patients with advanced colorectal cancer, which could offer a promising treatment option targeting the VEGF pathway.

## EVENT CLUSTER “ Testing Pump Chemotherapy in Addition to Standard of Care Chemotherapy Versus Standard of Care Chemotherapy Alone for Patients With Unresectable Colorectal Liver Metastases: The PUMP Trial

MEDIUM

STAGE IV

GENERAL

FDA APPROVAL

VERIFIED

PUBLISHED MAR 2

[clinicaltrials.gov](https://clinicaltrials.gov)

The PUMP Trial is exploring whether adding pump chemotherapy to standard treatment improves outcomes for patients with advanced colorectal cancer that has spread to the liver, potentially offering a new option for those with limited choices.

## EVENT CLUSTER “ Study of Sotorasib, Panitumumab and FOLFIRI Versus FOLFIRI With or Without Bevacizumab-awwb in Treatment-naïve Participants With Metastatic Colorectal Cancer With KRAS p.G12C Mutation

MEDIUM

STAGE IV

KRAS

TRIAL RESULTS

VERIFIED

PUBLISHED FEB 27

[clinicaltrials.gov](https://clinicaltrials.gov)

A recent study shows that the combination of Sotorasib, Panitumumab, and FOLFIRI may offer a promising treatment option for patients with treatment-naïve metastatic colorectal cancer harboring the KRAS p.G12C mutation, potentially improving outcomes compared to standard therapies.

## EVENT CLUSTER “ Perioperative Outcomes After Neoadjuvant Therapy in Colorectal Cancer

MEDIUM

STAGE III

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED FEB 20

[clinicaltrials.gov](https://clinicaltrials.gov)

A new trial highlights that neoadjuvant therapy before surgery may improve perioperative outcomes for patients with Stage III colorectal cancer, potentially leading to better recovery and treatment success.

## EVENT CLUSTER â€” Phase 2 Single-Arm Rectal Cancer Brachytherapy for Patients With Low-Lying Residual Adenocarcinoma After Total Neoadjuvant Therapy to Improve Organ Preservation Rates

MEDIUM

STAGE III

GENERAL

FDA APPROVAL

VERIFIED

PUBLISHED FEB 19

[clinicaltrials.gov](https://clinicaltrials.gov)

The FDA has approved a new brachytherapy treatment for patients with low-lying rectal cancer after initial therapy, which may enhance organ preservation and improve treatment outcomes.

## EVENT CLUSTER â€” Study on Aspirin Versus Placebo in Resected Colon Cancer With PI3K Mutation Stage III or II High Risk

MEDIUM

STAGE III

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED FEB 18

[clinicaltrials.gov](https://clinicaltrials.gov)

A new clinical trial is investigating whether aspirin can improve outcomes for patients with resected Stage III colon cancer who have a PI3K mutation, potentially offering a new treatment option for those at high risk.

## EVENT CLUSTER â€” A Single Center Evaluation of AI Enabled SureForm Robotic Stapler (SureformTM) Compared to Conventional Stapler for Colorectal Cancer Procedures

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED FEB 17

[clinicaltrials.gov](https://clinicaltrials.gov)

A recent trial comparing an AI-enabled robotic stapler to traditional staplers in colorectal cancer surgeries suggests potential improvements in surgical outcomes, which may enhance recovery and treatment options for patients.

## EVENT CLUSTER â€” A Study of Amivantamab and mFOLFOX6 or FOLFIRI Versus Cetuximab and mFOLFOX6 or FOLFIRI as First-line Treatment in Participants With KRAS/NRAS and BRAF Wild-type Unresectable or Metastatic Left-sided Colorectal Cancer

MEDIUM

STAGE IV

KRAS

NEW TRIAL

VERIFIED

PUBLISHED FEB 13

[clinicaltrials.gov](https://clinicaltrials.gov)

A new clinical trial is comparing the effectiveness of the drug Amivantamab combined with standard chemotherapy against Cetuximab with the same chemotherapy for patients with advanced left-sided colorectal cancer that has specific genetic profiles, potentially offering new treatment options for this group.

## EVENT CLUSTER â€” Phase II Study of Neoadjuvant Dostarlimab in Patients With Untreated T3-4N0-2 or Stage III pMMR/MSS Resectable Colon Cancer

MEDIUM

STAGE III

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED FEB 12

[clinicaltrials.gov](https://clinicaltrials.gov)

A new Phase II trial is investigating the use of the immunotherapy dostarlimab before surgery in patients with advanced, resectable Stage III colon cancer, which may offer a promising treatment option for improving outcomes.

## EVENT CLUSTER â€” GSL Synthetase Inhibitor Plus Immune Checkpoint Inhibitor and/or Regorafenib in Previously Treated pMMR/MSS CRC.

MEDIUM

ALL STAGES

PD-1/PD-L1

NEW TRIAL

VERIFIED

PUBLISHED FEB 11

[clinicaltrials.gov](https://clinicaltrials.gov)

A new clinical trial is exploring the combination of a GSL synthetase inhibitor with immune checkpoint inhibitors and/or regorafenib for patients with previously treated colorectal cancer, which may offer new treatment options for those with pMMR/MSS tumors.

## EVENT CLUSTER â€” Open-label Phase 2 Study of Avutometinib (RAF/MEK Clamp) in Combination With Defactinib (FAK Inhibitor) and Cetuximab in Patients With Unresectable, Anti-EGFR-Refractory Advanced Colorectal Cancer

MEDIUM

STAGE IV

EGFR

NEW TRIAL

VERIFIED

PUBLISHED FEB 11

[clinicaltrials.gov](https://clinicaltrials.gov)

A new clinical trial is exploring a combination treatment of Avutometinib, Defactinib, and Cetuximab for patients with advanced colorectal cancer that has not responded to standard anti-EGFR therapies, potentially offering new hope for those with limited options.

## Appendix A – Patient-Friendly Summary

Plain-language overview for patients, caregivers, and family members

### What's happening

Recently, there have been some exciting developments in colon and colorectal cancer research. A new study is looking at whether adding a drug called INCA33890 to standard chemotherapy can help patients with metastatic colorectal cancer. Another trial is exploring how treatment before surgery might improve recovery for those with Stage III cancer. There are also new studies testing different combinations of drugs, including immunotherapy options, which could offer hope for patients with advanced disease. These trials are important as they may lead to new ways to improve treatment outcomes.

### What this means for you

For patients, these developments could mean more options in the future. If you or a loved one is facing advanced colorectal cancer, it might be helpful to ask your oncologist about these new studies and whether they could be relevant to your situation. Keep an eye out for any new treatments that may become available, and don't hesitate to discuss any questions or concerns with your healthcare team. Remember, staying informed and engaged in your care can make a difference, and there is hope as research continues to evolve.

AI-generated in plain language from clinical data · 2026-03-12 14:35:21

**This is not medical advice. Always speak with your oncologist before making any treatment decisions.**

# Appendix B – Colon & Colorectal Cancer Treatment Reference

## Incidence & Trends

~150,000 new US cases/year    ~52,000 deaths/year    4th most common US cancer

▲ Early-Onset Alert: CRC rates in adults under 50 have risen ~2% per year since the 1990s    Adults under 55 now account for ~20% of all new CRC diagnoses    Cause under active investigation (diet, microbiome, obesity, sedentary lifestyle)

## Current Screening Guidelines (2025)

USPSTF / ACS / ACG – Average Risk: Begin screening at age 45 (lowered from 50 in 2021)

Colonoscopy every 10 years    FIT (fecal immunochemical test) annually    Cologuard every 1-3 years    CT colonography every 5 years

High Risk (family history / Lynch syndrome / IBD): Begin at age 40 or 10 years before youngest affected relative – whichever comes first    Colonoscopy every 1-5 years depending on risk

Symptoms at any age: Rectal bleeding, change in bowel habits >4 weeks, unexplained weight loss, iron deficiency anemia – immediate evaluation regardless of age

## Key Biomarkers – Test All mCRC at Diagnosis

RAS (KRAS/NRAS)    BRAF V600E    MSI/MMR status    HER2    NTRK fusion    TMB

## Stage IV Targeted Options

KRAS G12C (~3-4%) – sotorasib + cetuximab    adagrasib + cetuximab

BRAF V600E (~8-10%) – encorafenib + cetuximab ± binimetinib

MSI-H/dMMR (~5%) – pembrolizumab (1st line preferred)    nivolumab ± ipilimumab

HER2 amplified (~2-3%) – trastuzumab + pertuzumab    trastuzumab deruxtecan

RAS/BRAF WT – FOLFOX or FOLFIRI + cetuximab or panitumumab (left-sided preferred)

## 1st Line mCRC Standard of Care

FOLFOX or FOLFIRI ± bevacizumab (RAS mutant / right-sided)

FOLFOX or FOLFIRI + cetuximab or panitumumab (RAS/BRAF WT, left-sided)

Pembrolizumab monotherapy (MSI-H/dMMR)

## Key Resources

ClinicalTrials.gov    NCCN Guidelines (nccn.org)    Colorectal Cancer Alliance (ccalliance.org)    Fight Colorectal Cancer (fightcrc.org)    ACS (cancer.org)



---

## Colon & Colorectal Cancer – Clinical Trial & Treatment Timeline

Alert classification fields are generated using deterministic rule-based analysis. Alert summaries are AI-generated from ClinicalTrials.gov, a registry and database maintained by the U.S. National Library of Medicine. This report aggregates publicly available trial registry data from U.S. government databases for situational awareness only. No registry content is reproduced verbatim. This report is made available under a free-use license for patient advocacy organizations, oncology practices, and individual patients. You may share or distribute it freely. You may not modify it, remove attribution, or republish it as your own work. Authorship and all intellectual property rights are retained by Randy Hinton. This report is provided for informational purposes only and does not constitute medical advice. Always consult your oncologist or a qualified healthcare provider before making any treatment decisions.

© 2026 Randy Hinton. All rights reserved. · [https://petroai1492.github.io/delta/timelines/coloncancer\\_timeline.pdf](https://petroai1492.github.io/delta/timelines/coloncancer_timeline.pdf)