

Colon & Colorectal Cancer — Clinical Trial & Treatment Timeline

Alert Window: Last 30 Days · Generated: 2026-04-08 19:00:02

Clinical Summary

The dataset reveals a significant focus on Phase II and neoadjuvant therapy trials for colorectal cancer, particularly targeting advanced and metastatic stages. Notable studies include a Phase II trial evaluating Sintilimab combined with Ipilimumab, Cetuximab, and Dabrafenib for patients with microsatellite-stable, BRAF V600E-mutated metastatic colorectal cancer, and an umbrella trial assessing various neoadjuvant therapies for locally advanced colorectal cancer. Patient populations frequently represented include those with advanced disease, particularly microsatellite-stable and BRAF V600E mutations, as well as individuals with HER2-expressing rectal cancer. Additional themes include the exploration of combination therapies, such as FULIRI plus targeted therapy for liver metastases and the use of personalized T-cell therapy in advanced cases. Overall, the main research themes visible in the trials listed center on innovative combination therapies and personalized approaches for advanced colorectal cancer treatment.

AI-generated from deterministic classification data · 2026-04-08 19:00:02

Situation Summary

Trial Activity	74 new registrations	30-day window
Stage IV Trials	21 of 74	
Biomarker-Targeted	7 trials	HER2 (2) · PD-1/PD-L1 (2) · VEGF (2) · BRAF (1)
pMMR/MSS Focus	4 trials	hardest-to-treat subtype · active research
Cell Therapy	1 trial	CAR-NK / CAR-T
Phase Distribution	Phase I: 2 · Phase II: 3	
Breakthrough Signals	6 trials scored ≥ 4	
Research Activity	Active Monitoring	

⚡ Trials to Watch

Trials with elevated breakthrough scores based on biomarker, therapy class, and phase signals. Higher scores indicate greater scientific significance. Always discuss with your oncologist.

A Phase II Study of Sintilimab Combined With Ipilimumab N01, Cetuximab and Dabrafenib in Patients With Microsatellite-Stable, BRAF V600E-Mutated Metastatic Colorectal Cancer

STAGE IV

BRAF

⚡ Score 7

PUBLISHED APR 7

NCT07506109

This study evaluates a Phase II study of Sintilimab combined with Ipilimumab N01, Cetuximab, and Dabrafenib in patients with microsatellite-stable, BRAF V600E-mutated metastatic colorectal cancer.

Dual-Target CAR-NK Cells for Biomarker-Selected Advanced Colorectal Cancer

STAGE IV

PD-1/PD-L1

⚡ Score 7

PUBLISHED MAR 10

NCT07462650

This study evaluates Dual-Target CAR-NK Cells for Biomarker-Selected Advanced Colorectal Cancer.

Rollover Study for Participants Who Have Been Treated With and Are Continuing to Benefit From Opnurasib as a Single Agent or in Combination With Other Study Treatments

ALL STAGES

GENERAL

⚡ Score 6

PUBLISHED MAR 12

NCT07468071

This study evaluates a Rollover Study for Participants Who Have Been Treated With and Are Continuing to Benefit From Opnurasib as a Single Agent or in Combination With Other Study Treatments.

Neoadjuvant Short-course Radiotherapy Followed by a Combination of Disitamab Vedotin, Sintilimab, and Capecitabine in Locally Advanced HER2-expressing Rectal Cancer

STAGE III

HER2

⚡ Score 4

PUBLISHED APR 3

NCT07509424

This study evaluates neoadjuvant short-course radiotherapy followed by a combination of Disitamab Vedotin, Sintilimab, and Capecitabine in locally advanced HER2-expressing rectal cancer.

A Clinical Study to Evaluate Injection TQB2102 for the Treatment of Patients With HER2 IHC3+ Advanced Colorectal Cancer Who Progressed After Treatment With Oxaliplatin, Irinotecan and Fluoropyrimidine-Based Drugs

STAGE IV

HER2

⚡ Score 4

PUBLISHED MAR 19

NCT07483684

This study evaluates Injection TQB2102 for the treatment of patients with HER2 IHC3+ advanced colorectal cancer who progressed after treatment with oxaliplatin, irinotecan, and fluoropyrimidine-based drugs.

Combination of High and Low-Dose Radiotherapy With Immune Therapy and TKI in Advanced Colorectal Cancer: A Phase II Study

STAGE IV

GENERAL

⚡ Score 4

PUBLISHED MAR 12

NCT07467590

This study evaluates the combination of high and low-dose radiotherapy with immune therapy and TKI in advanced colorectal cancer.

Personalized T-Cell Therapy iNeo-Vac-T01 in Advanced Colorectal Cancer

Event Timeline

Comparison of the Left-Lateral Horizontal and Supine Positions for Colonoscopy Intervention: A Randomized Controlled Study

MEDIUM ALL STAGES GENERAL NEW TRIAL VERIFIED PUBLISHED APR 8 NCT07517848

clinicaltrials.gov

This study evaluates the comparison of the left-lateral horizontal and supine positions for colonoscopy intervention in a randomized controlled study.

FULIRI Plus Targeted Therapy for First-line Conversion Therapy of Colorectal Cancer Liver Metastases.

MEDIUM ALL STAGES GENERAL NEW TRIAL VERIFIED PUBLISHED APR 7 NCT07515963

clinicaltrials.gov

This study evaluates FULIRI Plus Targeted Therapy for First-line Conversion Therapy of Colorectal Cancer Liver Metastases.

Raising Awareness of Colorectal Screening in American Indian Communities

MEDIUM ALL STAGES GENERAL NEW TRIAL VERIFIED PUBLISHED APR 7 NCT07515729

clinicaltrials.gov

This study evaluates Raising Awareness of Colorectal Screening in American Indian Communities.

SHR-3821 in Advanced Colorectal Cancer: an Exploratory Study

MEDIUM STAGE IV GENERAL NEW TRIAL VERIFIED PUBLISHED APR 7 NCT07515820

clinicaltrials.gov, clinicaltrials.gov

This study evaluates SHR-3821 in Advanced Colorectal Cancer: an Exploratory Study.

Adaptive Radiotherapy for Safe Hypofractionation

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED APR 7

NCT07516210

clinicaltrials.gov

This study evaluates Adaptive Radiotherapy for Safe Hypofractionation.

A Phase II Study of Sintilimab Combined With Ipilimumab N01, Cetuximab and Dabrafenib in Patients With Microsatellite-Stable, BRAF V600E-Mutated Metastatic Colorectal Cancer

MEDIUM

STAGE IV

BRAF

NEW TRIAL

VERIFIED

PUBLISHED APR 7

⚡ 7

NCT07506109

clinicaltrials.gov

This study evaluates a Phase II study of Sintilimab combined with Ipilimumab N01, Cetuximab, and Dabrafenib in patients with microsatellite-stable, BRAF V600E-mutated metastatic colorectal cancer.

Modified Short-Course Radiotherapy Combined With Immunochemotherapy and Targeted Therapy as First-Line Treatment for MSS Metastatic Colorectal Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED APR 6

NCT07512674

clinicaltrials.gov

This study evaluates Modified Short-Course Radiotherapy Combined With Immunochemotherapy and Targeted Therapy as First-Line Treatment for MSS Metastatic Colorectal Cancer.

Fruquintinib In Patients With Metastatic Colorectal Cancer Refractory to Standard Chemotherapies in South Korea Patients (FIRST-K)

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED APR 6

NCT07510932

clinicaltrials.gov

This study evaluates Fruquintinib in patients with metastatic colorectal cancer refractory to standard chemotherapies in South Korea.

DevelopmentA Web-Based Support Care Program for Individuals Diagnosed With Colorectal Cancer

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED APR 6

NCT07512726

clinicaltrials.gov

This study evaluates a web-based support care program for individuals diagnosed with colorectal cancer.

Intraoperative Rectal Lavage to Prevent Local Recurrence After Laparoscopic Mid-to-Low Rectal Cancer Resection: A Multicenter Randomized Trial

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED APR 6

NCT07512232

clinicaltrials.gov

This study evaluates intraoperative rectal lavage to prevent local recurrence after laparoscopic mid-to-low rectal cancer resection in a multicenter randomized trial.

SMYD3-Driven Metabolic Rewiring in Colorectal Liver Metastases

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED APR 6

NCT07497789

clinicaltrials.gov

This study evaluates SMYD3-Driven Metabolic Rewiring in Colorectal Liver Metastases.

The ACURE Trial: Acupuncture for Colorectal Recovery

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED APR 6

NCT07496528

clinicaltrials.gov

This study evaluates acupuncture for colorectal recovery.

Neoadjuvant Short-course Radiotherapy Followed by a Combination of Disitamab Vedotin, Sintilimab, and Capecitabine in Locally Advanced HER2-expressing Rectal Cancer

MEDIUM

STAGE III

HER2

NEW TRIAL

VERIFIED

PUBLISHED APR 3

⚡ 4

NCT07509424

clinicaltrials.gov

This study evaluates neoadjuvant short-course radiotherapy followed by a combination of Disitamab Vedotin, Sintilimab, and Capecitabine in locally advanced HER2-expressing rectal cancer.

Clinical Study of MSH2-/- Tumor Cell Vaccines for Advanced pMMR Colorectal Cancer Patients

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED APR 3

NCT07510308

clinicaltrials.gov

This study evaluates MSH2-/- tumor cell vaccines for advanced pMMR colorectal cancer patients.

Predicting Pathological Complete Response in Rectal Cancer Using Machine Learning

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED APR 3

NCT07509632

clinicaltrials.gov

This study evaluates predicting pathological complete response in rectal cancer using machine learning.

FMT Combined With Standard First-Line Therapy in Initially Unresectable Colorectal Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED APR 3

NCT07509398

clinicaltrials.gov

This study evaluates FMT Combined With Standard First-Line Therapy in Initially Unresectable Colorectal Cancer.

FL-261 Imaging for Cancer Diagnosis and Staging

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED APR 3

NCT07510321

clinicaltrials.gov

This study evaluates FL-261 Imaging for Cancer Diagnosis and Staging.

Clinical and BIOgical Analyses of REctal Tumors

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED APR 3

NCT07499921

clinicaltrials.gov

This study evaluates Clinical and BIOgical Analyses of REctal Tumors.

Clinical Study on the Expression of PHGDH and Its Prognostic Value in Colorectal Cancer Patients Receiving Immunotherapy

MEDIUM

ALL STAGES

GENERAL

IMMUNOTHERAPY

VERIFIED

PUBLISHED APR 2

NCT07508046

clinicaltrials.gov

This study evaluates the expression of PHGDH and its prognostic value in colorectal cancer patients receiving immunotherapy.

Anastomotic Bleeding in Colorectal Anastomosis Relating to the Placement of the Stapler Spike to the Staple Line

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED APR 1

NCT07506005

clinicaltrials.gov

This study evaluates anastomotic bleeding in colorectal anastomosis relating to the placement of the stapler spike to the staple line.

The Role of Arginine in Oral Nutritional Supplementation in Preventing or Reducing Complications Following Colorectal Surgery in Patients Who Are Malnourished or at Risk of Malnutrition

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED APR 1

NCT07506187

clinicaltrials.gov

This study evaluates the role of arginine in oral nutritional supplementation in preventing or reducing complications following colorectal surgery in patients who are malnourished or at risk of malnutrition.

Personalized T-Cell Therapy iNeo-Vac-T01 in Advanced Colorectal Cancer

MEDIUM

STAGE IV

PD-1/PD-L1

NEW TRIAL

VERIFIED

PUBLISHED APR 1

NCT07504523

clinicaltrials.gov

This study evaluates Personalized T-Cell Therapy iNeo-Vac-T01 in Advanced Colorectal Cancer.

Efficacy and Safety Comparison of Short-course Radiotherapy Followed by CapeOX Chemotherapy Plus Toripalimab With or Without Concurrent Surufatinib in Neoadjuvant Therapy for Mid-to-low Localized Rectal Cancer of High-risk Criteria

MEDIUM

STAGE III

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED APR 1

NCT07505472

clinicaltrials.gov

This study evaluates the efficacy and safety comparison of short-course radiotherapy followed by CapeOX chemotherapy plus Toripalimab with or without concurrent Surufatinib in neoadjuvant therapy for mid-to-low localized rectal cancer of high-risk criteria.

Neuroprotection of Memantine and Rosuvastatin

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 31

NCT07504198

clinicaltrials.gov

This study evaluates the neuroprotection of Memantine and Rosuvastatin.

Study Comparing the Contribution of G-Eye Combined With CAD-Eye Versus High-definition Colonoscopy With CAD-Eye in the Detection of Colonic Lesions After a Positive Immunological Test in the Context of Organized Colorectal Cancer (BENEFIT)

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 31

NCT07502469

clinicaltrials.gov

This study evaluates the contribution of G-Eye combined with CAD-Eye versus high-definition colonoscopy with CAD-Eye in the detection of colonic lesions after a positive immunological test in the context of organized colorectal cancer.

Shared Decision-Making for Colorectal Cancer Screening in High-Risk First-Degree Relatives Aged 40-49

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 31

NCT07503847

clinicaltrials.gov

This study evaluates Shared Decision-Making for Colorectal Cancer Screening in High-Risk First-Degree Relatives Aged 40-49.

Effectiveness of a Multimodal Outpatient Supervised Physical Activity Program to Improve Tolerance and Efficacy of Chemotherapy in Adults With Breast, Lung and Colon Cancer

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 31

NCT07502963

clinicaltrials.gov

This study evaluates the effectiveness of a multimodal outpatient supervised physical activity program to improve tolerance and efficacy of chemotherapy in adults with breast, lung, and colon cancer.

Large Language Models Assist in Tumor MDT

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 31

NCT07504367

clinicaltrials.gov

This study evaluates how large language models assist in tumor MDT.

A Study of IDE034 in Adult Participants With Locally Advanced/Metastatic Solid Tumors Types

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 31

NCT07503808

clinicaltrials.gov

This study evaluates IDE034 in adult participants with locally advanced/metastatic solid tumor types.

Umbrella Trial of Neoadjuvant Therapy for Locally Advanced Colorectal Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 31

NCT07503639

clinicaltrials.gov, clinicaltrials.gov

This study evaluates an umbrella trial of neoadjuvant therapy for locally advanced colorectal cancer.

JS212 Combination Therapies in Metastatic Colorectal Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 31

NCT07503756

clinicaltrials.gov

This study evaluates JS212 Combination Therapies in Metastatic Colorectal Cancer.

Safety and Efficacy of Neoantigen-Based Personalized Immunotherapy as Consolidation Therapy After Standard Adjuvant Treatment in Resectable Stage III Colorectal Cancer or Non-Small Cell Lung Cancer

MEDIUM

STAGE III

GENERAL

IMMUNOTHERAPY

VERIFIED

PUBLISHED MAR 31

NCT07504484

clinicaltrials.gov

This study evaluates the safety and efficacy of neoantigen-based personalized immunotherapy as consolidation therapy after standard adjuvant treatment in resectable stage III colorectal cancer or non-small cell lung cancer.

Phase 1/2a Study of RP-001 in Participants With Advanced Malignancies

LOW

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 31

NCT07504263

clinicaltrials.gov

This study evaluates a Phase 1/2a study of RP-001 in participants with advanced malignancies.

Registry MaastrO Applicator

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 30

NCT07501845

clinicaltrials.gov

This study evaluates the Registry MaastrO Applicator.

A Clinical Study of Iparomlimab and Tuvonralimab Combined With Fruquintinib and Heterogeneous Radiotherapy Versus Fruquintinib as Third-Line and Subsequent-Line Treatment for Metastatic Colorectal Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 30

NCT07502014

clinicaltrials.gov

This study evaluates a clinical study of Iparomlimab and Tuvonralimab combined with Fruquintinib and heterogeneous radiotherapy versus Fruquintinib as third-line and subsequent-line treatment for metastatic colorectal cancer.

Phase 1 Study Of SAR445877 In Combination With FOLFOX6 And Bevacizumab As First-Line Treatment For Microsatellite Stable Metastatic Colorectal Cancer

LOW

STAGE IV

VEGF

NEW TRIAL

VERIFIED

PUBLISHED MAR 30

NCT07500298

clinicaltrials.gov

This study evaluates the Phase 1 study of SAR445877 in combination with FOLFOX6 and Bevacizumab as first-line treatment for microsatellite stable metastatic colorectal cancer.

Exploratory Clinical Evaluation of Personalized Functional Profiling in GI Tumors: Predicting Drug Response in CRC and PDAC

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 30

NCT07500259

clinicaltrials.gov

This study evaluates the exploratory clinical evaluation of personalized functional profiling in GI tumors, predicting drug response in CRC and PDAC.

Observational Study Regarding the Combination of Fluoropyrimidine and Bevacizumab in Patients With mCRC

MEDIUM

STAGE IV

VEGF

NEW TRIAL

VERIFIED

PUBLISHED MAR 27

NCT07494578

clinicaltrials.gov

This study evaluates the combination of Fluoropyrimidine and Bevacizumab in patients with mCRC.

MIMICC Study in Patients With Colorectal Cancer

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 27

NCT07494201

clinicaltrials.gov

This study evaluates the MIMICC Study in Patients With Colorectal Cancer.

Proteomics and Physiological Parameters Predicting Complications After Colorectal Cancer Surgery

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 27

NCT07494669

clinicaltrials.gov

This study evaluates proteomics and physiological parameters predicting complications after colorectal cancer surgery.

Population Based Germline Testing for Early Detection and Prevention of Cancer

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 27

NCT07498829

clinicaltrials.gov

This study evaluates Population Based Germline Testing for Early Detection and Prevention of Cancer.

Plasma Multi

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 25

NCT07492238

clinicaltrials.gov

This study evaluates Plasma Multi - Omics Detection for Evaluating Efficacy and Recurrence Risk in Oligometastatic Colorectal Cancer Conversion Therapy.

Using Healthy Gut Bacteria to Boost Immune Treatment for Advanced Bowel Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 20

NCT07486492

clinicaltrials.gov

This study evaluates using healthy gut bacteria to boost immune treatment for advanced bowel cancer.

The Application of a Novel Endoluminal Robotic System for Colorectal Endoscopic Submucosal Dissection

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 20

NCT07486180

clinicaltrials.gov

This study evaluates the application of a novel endoluminal robotic system for colorectal endoscopic submucosal dissection.

A Clinical Study to Evaluate Injection TQB2102 for the Treatment of Patients With HER2 IHC3+ Advanced Colorectal Cancer Who Progressed After Treatment With Oxaliplatin, Irinotecan and Fluoropyrimidine-Based Drugs

MEDIUM

STAGE IV

HER2

NEW TRIAL

VERIFIED

PUBLISHED MAR 19

⚡ 4

NCT07483684

clinicaltrials.gov

This study evaluates Injection TQB2102 for the treatment of patients with HER2 IHC3+ advanced colorectal cancer who progressed after treatment with oxaliplatin, irinotecan, and fluoropyrimidine-based drugs.

Next Generation STAR-TREC (NG-ST)

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 19

NCT07483060

clinicaltrials.gov

This study evaluates Next Generation STAR-TREC (NG-ST) - Organ Preservation in Early Rectal Cancer.

Colorectal Lesion Evaluation and Appropriate Resolution (CLEAR) Study

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 18

NCT07479381

clinicaltrials.gov

This study evaluates the Colorectal Lesion Evaluation and Appropriate Resolution (CLEAR) Study.

Effects of High-Fiber Diet on Gut Microbiota, Metabolism, and Immune Microenvironment in Solid Tumor Patients: A Clinical Study

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 17

NCT07477522

clinicaltrials.gov

This study evaluates the effects of a high-fiber diet on gut microbiota, metabolism, and immune microenvironment in solid tumor patients.

SCRT-NALIRIXELOX+Sintilimab as TNT for High-Risk LARC

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 16

NCT07474103

clinicaltrials.gov

This study evaluates SCRT-NALIRIXELOX+Sintilimab as TNT for High-Risk LARC.

Structured TXI-RDI Integration for Endoscopic Resection

MEDIUM ALL STAGES GENERAL NEW TRIAL VERIFIED PUBLISHED MAR 16 NCT07474844

clinicaltrials.gov

This study evaluates Structured TXI-RDI Integration for Endoscopic Resection.

Integrating Peritoneal Histological Growth Patterns Into Preoperative Decision-Making for Colorectal Peritoneal Metastases

MEDIUM STAGE IV GENERAL NEW TRIAL VERIFIED PUBLISHED MAR 16 NCT07474025

clinicaltrials.gov

This study evaluates integrating peritoneal histological growth patterns into preoperative decision-making for colorectal peritoneal metastases.

Small Bowel Capsule Endoscopy in Lynch Syndrome

MEDIUM ALL STAGES GENERAL NEW TRIAL VERIFIED PUBLISHED MAR 16 NCT07472686

clinicaltrials.gov

This study evaluates Small Bowel Capsule Endoscopy in Lynch Syndrome.

Optimal Surveillance Strategy After Positive FIT and Negative Colonoscopy

MEDIUM ALL STAGES GENERAL NEW TRIAL VERIFIED PUBLISHED MAR 13 NCT07470658

clinicaltrials.gov

This study evaluates the optimal surveillance strategy after positive FIT and negative colonoscopy.

Evaluation of 'WAYMED Endo CL CS' for Automated Detection and Diagnosis of Colorectal Adenoma and Non-Adenoma Lesions

MEDIUM ALL STAGES GENERAL NEW TRIAL VERIFIED PUBLISHED MAR 13 NCT07470827

clinicaltrials.gov

This study evaluates 'WAYMED Endo CL CS' for automated detection and diagnosis of colorectal adenoma and non-adenoma lesions.

A Study of Biological, Genetic, and Constitutional Factors and Non-invasive Monitoring to Assess Personal Cancer Risks

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 13

NCT07469709

clinicaltrials.gov

This study evaluates biological, genetic, and constitutional factors and non-invasive monitoring to assess personal cancer risks.

Tolecizumab Plus Chemoimmunotherapy for pMMR/MSS Locally Advanced Colon Adenocarcinoma

MEDIUM

STAGE III

GENERAL

IMMUNOTHERAPY

VERIFIED

PUBLISHED MAR 12

NCT07468630

clinicaltrials.gov

This study evaluates Tolecizumab Plus Chemoimmunotherapy for pMMR/MSS Locally Advanced Colon Adenocarcinoma.

Combination of High and Low-Dose Radiotherapy With Immune Therapy and TKI in Advanced Colorectal Cancer: A Phase II Study

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 12

⚡ 4

NCT07467590

clinicaltrials.gov

This study evaluates the combination of high and low-dose radiotherapy with immune therapy and TKI in advanced colorectal cancer.

FOLFIRINOX Induction Chemotherapy for Synchronous Liver Metastases

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 12

NCT07467434

clinicaltrials.gov

This study evaluates FOLFIRINOX Induction Chemotherapy for Synchronous Liver Metastases.

Rollover Study for Participants Who Have Been Treated With and Are Continuing to Benefit From Opnurasib as a Single Agent or in Combination With Other Study Treatments

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 12

⚡ 6

NCT07468071

clinicaltrials.gov

This study evaluates a Rollover Study for Participants Who Have Been Treated With and Are Continuing to Benefit From Opnurasib as a Single Agent or in Combination With Other Study Treatments.

Molecular Imaging of Fibroblast Activation Protein Expression Using Labeled Technetium-99m HYNIC-FAPI

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 12

NCT07457541

clinicaltrials.gov

This study evaluates molecular imaging of fibroblast activation protein expression using labeled technetium-99m HYNIC-FAPI.

Construction and Evaluation of a Flipped Discharge Model for Stomates With Colorectal Cancer

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07463690

clinicaltrials.gov

This study evaluates the construction and evaluation of a flipped discharge model for stomates with colorectal cancer.

Improving Clinic Delivery of HIV-related Anal Health Services

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07464236

clinicaltrials.gov

This study evaluates improving clinic delivery of HIV-related anal health services.

REsults of LOw Anterior Resections With or Without Preventive Stoma in Nonemergency Department

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07463261

clinicaltrials.gov

This study evaluates the results of low anterior resections with or without preventive stoma in a nonemergency department.

Compression Therapy of Hands and Feet for the Prevention of Taxane- or Oxaliplatin-induced Peripheral Neuropathy

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07464769

clinicaltrials.gov

This study evaluates Compression Therapy of Hands and Feet for the Prevention of Taxane- or Oxaliplatin-induced Peripheral Neuropathy.

Safety and Efficacy of Tegavivint in Patients With Metastatic Colorectal Carcinoma

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07463599

clinicaltrials.gov

This study evaluates the safety and efficacy of Tegavivint in patients with metastatic colorectal carcinoma.

Virtual vs Physical Art Therapy for Anxiety, Psychological Well-being, and Sleep Quality in Colorectal Cancer Patients

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07464626

clinicaltrials.gov

This study evaluates Virtual vs Physical Art Therapy for Anxiety, Psychological Well-being, and Sleep Quality in Colorectal Cancer Patients.

A Phase II/III Clinical Trial of RC148 Plus Chemotherapy as 1L Therapy for Unresectable or Metastatic Colorectal Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 10

NCT07462143

clinicaltrials.gov

This study evaluates a Phase II/III clinical trial of RC148 plus chemotherapy as 1L therapy for unresectable or metastatic colorectal cancer.

Concentrated Complex Plant Dietary Elements for Chemotherapy-Induced Diarrhea

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 10

NCT07460596

clinicaltrials.gov

This study evaluates Concentrated Complex Plant Dietary Elements for Chemotherapy-Induced Diarrhea.

Familial Adenomatous Poliposis Italian Network (Rete Italiana Poliposi Adenomatosa Familiare)

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 10

NCT07461246

clinicaltrials.gov

This study evaluates the Familial Adenomatous Poliposis Italian Network (Rete Italiana Poliposi Adenomatosa Familiare).

Dual-Target CAR-NK Cells for Biomarker-Selected Advanced Colorectal Cancer

MEDIUM

STAGE IV

PD-1/PD-L1

CELL THERAPY

VERIFIED

PUBLISHED MAR 10

⚡ 7

NCT07462650

clinicaltrials.gov

This study evaluates Dual-Target CAR-NK Cells for Biomarker-Selected Advanced Colorectal Cancer.

Neoadjuvant Chemoradiotherapy Plus Tislelizumab With or Without Probio-M9 in pMMR/MSS Locally Advanced Rectal Cancer

MEDIUM

STAGE III

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 10

NCT07458529

clinicaltrials.gov

This study evaluates neoadjuvant chemoradiotherapy plus Tislelizumab with or without Probio-M9 in pMMR/MSS locally advanced rectal cancer.

The Effect of Music During Colonoscopy

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 10

NCT07454993

clinicaltrials.gov

This study evaluates the effect of music during colonoscopy.

Appendix A — Patient-Friendly Summary

Plain-language overview for patients, caregivers, and family members

What's happening

Right now, several studies are exploring new ways to treat and manage colorectal cancer. One notable trial is looking at a combination of Sintilimab, Ipilimumab, Cetuximab, and Dabrafenib for patients with a specific type of advanced colorectal cancer that has a BRAF mutation. Another study is testing Dual-Target CAR-NK cells, which are designed to directly attack cancer cells using modified immune cells. There are also trials investigating FULIRI combined with targeted therapy for patients with liver metastases and the use of personalized T-cell therapy in advanced cases. These studies are still in progress, and results are being evaluated.

What this means for you

For patients, these trials could lead to new options, especially for those with advanced disease or specific genetic markers. If you have a BRAF mutation or are facing liver metastases, you might want to ask your oncologist about these studies and whether they are suitable for you. It's also important to stay informed about how new treatments might fit into your care plan. As research continues, options like the CAR-NK cell therapy trial could be worth discussing with your doctor to see if they might be relevant for you.

AI-generated in plain language from clinical data · 2026-04-08 19:00:02

This is not medical advice. Always speak with your oncologist before making any treatment decisions.

Appendix B — Colon & Colorectal Cancer Treatment Reference

Incidence & Trends

~150,000 new US cases/year · ~52,000 deaths/year · 4th most common US cancer

▲ Early-Onset Alert: CRC rates in adults under 50 have risen ~2% per year since the 1990s · Adults under 55 now account for ~20% of all new CRC diagnoses · Cause under active investigation (diet, microbiome, obesity, sedentary lifestyle)

Current Screening Guidelines (2025)

USPSTF / ACS / ACG — Average Risk: Begin screening at age 45 (lowered from 50 in 2021)

Colonoscopy every 10 years · FIT (fecal immunochemical test) annually · Cologuard every 1-3 years · CT colonography every 5 years

High Risk (family history / Lynch syndrome / IBD): Begin at age 40 or 10 years before youngest affected relative — whichever comes first · Colonoscopy every 1-5 years depending on risk

Symptoms at any age: Rectal bleeding, change in bowel habits >4 weeks, unexplained weight loss, iron deficiency anemia → immediate evaluation regardless of age

Key Biomarkers — Test All mCRC at Diagnosis

RAS (KRAS/NRAS) · BRAF V600E · MSI/MMR status · HER2 · NTRK fusion · TMB

Stage IV Targeted Options

KRAS G12C (~3-4%) → sotorasib + cetuximab · adagrasib + cetuximab

BRAF V600E (~8-10%) → encorafenib + cetuximab ± binimetinib

MSI-H/dMMR (~5%) → pembrolizumab (1st line preferred) · nivolumab ± ipilimumab

HER2 amplified (~2-3%) → trastuzumab + pertuzumab · trastuzumab deruxtecan

RAS/BRAF WT → FOLFOX or FOLFIRI + cetuximab or panitumumab (left-sided preferred)

1st Line mCRC Standard of Care

FOLFOX or FOLFIRI ± bevacizumab (RAS mutant / right-sided)

FOLFOX or FOLFIRI + cetuximab or panitumumab (RAS/BRAF WT, left-sided)

Pembrolizumab monotherapy (MSI-H/dMMR)

Key Resources

ClinicalTrials.gov · NCCN Guidelines (nccn.org) · Colorectal Cancer Alliance (ccalliance.org) · Fight Colorectal Cancer (fightcrc.org) · ACS (cancer.org)

Colon & Colorectal Cancer — Clinical Trial & Treatment Timeline

Alert classification fields are generated using deterministic rule-based analysis. Alert summaries are AI-generated from ClinicalTrials.gov, a registry and database maintained by the U.S. National Library of Medicine. This report aggregates publicly available trial registry data from U.S. government databases for situational awareness only. No registry content is reproduced verbatim. This report is made available under a free-use license for patient advocacy organizations, oncology practices, and individual patients. You may share or distribute it freely. You may not modify it, remove attribution, or republish it as your own work. Authorship and all intellectual property rights are retained by Randy Hinton. This report is provided for informational purposes only and does not constitute medical advice. Always consult your oncologist or a qualified healthcare provider before making any treatment decisions.

© 2026 Randy Hinton. All rights reserved. · https://petroai1492.github.io/delta/timelines/coloncancer_timeline.pdf