

# Colon & Colorectal Cancer — Clinical Trial & Treatment Timeline

Alert Window: Last 30 Days · Generated: 2026-03-31 07:00:01

## Clinical Summary

The dataset reveals a significant focus on Phase 1 and Phase 2 clinical trials, particularly those assessing novel combination therapies and innovative treatment approaches for advanced and metastatic colorectal cancer. Noteworthy trials include the evaluation of Injection TQB2102 for HER2 IHC3+ advanced colorectal cancer and the Phase II study of AMT-676 combination therapies. Patient populations frequently targeted in these trials include those with advanced colorectal cancer, particularly those with specific biomarkers such as HER2 and RAS mutations, as well as patients with locally advanced rectal cancer. Other themes include the exploration of dietary interventions, such as high-fiber diets, and the use of advanced imaging techniques for treatment evaluation. Overall, the main research themes visible in the trials listed focus on novel therapeutic strategies, biomarker-driven treatments, and innovative surgical techniques in colorectal cancer management.

AI-generated from deterministic classification data · 2026-03-31 07:00:01

## Situation Summary

|                      |                          |                                                 |
|----------------------|--------------------------|-------------------------------------------------|
| Trial Activity       | 49 new registrations     | 30-day window                                   |
| Stage IV Trials      | 12 of 49                 |                                                 |
| Biomarker-Targeted   | 6 trials                 | VEGF (2) · HER2 (1) · PD-1/PD-L1 (1) · KRAS (1) |
| pMMR/MSS Focus       | 4 trials                 | hardest-to-treat subtype · active research      |
| Cell Therapy         | 1 trial                  | CAR-NK / CAR-T                                  |
| Phase Distribution   | Phase I: 1 · Phase II: 2 |                                                 |
| Breakthrough Signals | 5 trials scored $\geq 4$ |                                                 |
| Research Activity    | Active Monitoring        |                                                 |

## ⚡ Trials to Watch

Trials with elevated breakthrough scores based on biomarker, therapy class, and phase signals. Higher scores indicate greater scientific significance. Always discuss with your oncologist.

### Dual-Target CAR-NK Cells for Biomarker-Selected Advanced Colorectal Cancer

STAGE IV

PD-1/PD-L1

⚡ Score 7

PUBLISHED MAR 10

NCT07462650

This study evaluates Dual-Target CAR-NK Cells for Biomarker-Selected Advanced Colorectal Cancer.

### Rollover Study for Participants Who Have Been Treated With and Are Continuing to Benefit From Opnurasib as a Single Agent or in Combination With Other Study Treatments

ALL STAGES

GENERAL

⚡ Score 6

PUBLISHED MAR 12

NCT07468071

This study evaluates a Rollover Study for Participants Who Have Been Treated With and Are Continuing to Benefit From Opnurasib as a Single Agent or in Combination With Other Study Treatments.

### A Clinical Study to Evaluate Injection TQB2102 for the Treatment of Patients With HER2 IHC3+ Advanced Colorectal Cancer Who Progressed After Treatment With Oxaliplatin, Irinotecan and Fluoropyrimidine-Based Drugs

STAGE IV

HER2

⚡ Score 4

PUBLISHED MAR 19

NCT07483684

This study evaluates Injection TQB2102 for the treatment of patients with HER2 IHC3+ advanced colorectal cancer who progressed after treatment with oxaliplatin, irinotecan, and fluoropyrimidine-based drugs.

### Combination of High and Low-Dose Radiotherapy With Immune Therapy and TKI in Advanced Colorectal Cancer: A Phase II Study

STAGE IV

GENERAL

⚡ Score 4

PUBLISHED MAR 12

NCT07467590

This study evaluates the combination of high and low-dose radiotherapy with immune therapy and TKI in advanced colorectal cancer.

### A Phase 1 Dose-escalation Trial of KST-6051 in Participants With Advanced Solid Tumors With Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS) Mutation

ALL STAGES

KRAS

⚡ Score 4

PUBLISHED MAR 9

NCT07458347

This study evaluates a Phase 1 dose-escalation trial of KST-6051 in participants with advanced solid tumors with Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS) mutation.

## Event Timeline

### Using Healthy Gut Bacteria to Boost Immune Treatment for Advanced Bowel Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 20

NCT07486492

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates using healthy gut bacteria to boost immune treatment for advanced bowel cancer.*

### The Application of a Novel Endoluminal Robotic System for Colorectal Endoscopic Submucosal Dissection

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 20

NCT07486180

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates the application of a novel endoluminal robotic system for colorectal endoscopic submucosal dissection.*

### A Clinical Study to Evaluate Injection TQB2102 for the Treatment of Patients With HER2 IHC3+ Advanced Colorectal Cancer Who Progressed After Treatment With Oxaliplatin, Irinotecan and Fluoropyrimidine-Based Drugs

MEDIUM

STAGE IV

HER2

NEW TRIAL

VERIFIED

PUBLISHED MAR 19

⚡ 4

NCT07483684

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates Injection TQB2102 for the treatment of patients with HER2 IHC3+ advanced colorectal cancer who progressed after treatment with oxaliplatin, irinotecan, and fluoropyrimidine-based drugs.*

### Next Generation STAR-TREC (NG-ST)

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 19

NCT07483060

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates Next Generation STAR-TREC (NG-ST) - Organ Preservation in Early Rectal Cancer.*

## Colorectal Lesion Evaluation and Appropriate Resolution (CLEAR) Study

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 18

NCT07479381

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates the Colorectal Lesion Evaluation and Appropriate Resolution (CLEAR) Study.*

## Neoadjuvant SHR-1701 Plus Chemoradiotherapy for Locally Advanced Rectal Cancer

MEDIUM

STAGE III

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 17

NCT07478731

[clinicaltrials.gov](https://clinicaltrials.gov), [clinicaltrials.gov](https://clinicaltrials.gov), [clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates Neoadjuvant SHR-1701 Plus Chemoradiotherapy for Locally Advanced Rectal Cancer.*

## Effects of High-Fiber Diet on Gut Microbiota, Metabolism, and Immune Microenvironment in Solid Tumor Patients: A Clinical Study

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 17

NCT07477522

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates the effects of a high-fiber diet on gut microbiota, metabolism, and immune microenvironment in solid tumor patients.*

## A Phase II Study of AMT-676 Combination Therapies in Advanced Colorectal Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 16

NCT07474727

[clinicaltrials.gov](https://clinicaltrials.gov), [clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates a Phase II study of AMT-676 combination therapies in advanced colorectal cancer.*

## SCRT-NALIRIXELOX+Sintilimab as TNT for High-Risk LARC

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 16

NCT07474103

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates SCRT-NALIRIXELOX+Sintilimab as TNT for High-Risk LARC.*

## Structured TXI-RDI Integration for Endoscopic Resection

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 16

NCT07474844

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates Structured TXI-RDI Integration for Endoscopic Resection.*

## Integrating Peritoneal Histological Growth Patterns Into Preoperative Decision-Making for Colorectal Peritoneal Metastases

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 16

NCT07474025

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates integrating peritoneal histological growth patterns into preoperative decision-making for colorectal peritoneal metastases.*

## Small Bowel Capsule Endoscopy in Lynch Syndrome

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 16

NCT07472686

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates Small Bowel Capsule Endoscopy in Lynch Syndrome.*

## Optimal Surveillance Strategy After Positive FIT and Negative Colonoscopy

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 13

NCT07470658

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates the optimal surveillance strategy after positive FIT and negative colonoscopy.*

## Evaluation of 'WAYMED Endo CL CS' for Automated Detection and Diagnosis of Colorectal Adenoma and Non-Adenoma Lesions

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 13

NCT07470827

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates 'WAYMED Endo CL CS' for automated detection and diagnosis of colorectal adenoma and non-adenoma lesions.*

## A Study of Biological, Genetic, and Constitutional Factors and Non-invasive Monitoring to Assess Personal Cancer Risks

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 13

NCT07469709

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates biological, genetic, and constitutional factors and non-invasive monitoring to assess personal cancer risks.*

## Tolecizumab Plus Chemoimmunotherapy for pMMR/MSS Locally Advanced Colon Adenocarcinoma

MEDIUM

STAGE III

GENERAL

IMMUNOTHERAPY

VERIFIED

PUBLISHED MAR 12

NCT07468630

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates Tolecizumab Plus Chemoimmunotherapy for pMMR/MSS Locally Advanced Colon Adenocarcinoma.*

## FOLFIRINOX Induction Chemotherapy for Synchronous Liver Metastases

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 12

NCT07467434

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates FOLFIRINOX Induction Chemotherapy for Synchronous Liver Metastases.*

## Rollover Study for Participants Who Have Been Treated With and Are Continuing to Benefit From Opnurasib as a Single Agent or in Combination With Other Study Treatments

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 12

⚡ 6

NCT07468071

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates a Rollover Study for Participants Who Have Been Treated With and Are Continuing to Benefit From Opnurasib as a Single Agent or in Combination With Other Study Treatments.*

## Molecular Imaging of Fibroblast Activation Protein Expression Using Labeled Technetium-99m HYNIC-FAPI

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 12

NCT07457541

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates molecular imaging of fibroblast activation protein expression using labeled technetium-99m HYNIC-FAPI.*

## Construction and Evaluation of a Flipped Discharge Model for Stomates With Colorectal Cancer

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07463690

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates the construction and evaluation of a flipped discharge model for stomates with colorectal cancer.*

## Improving Clinic Delivery of HIV-related Anal Health Services

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07464236

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates improving clinic delivery of HIV-related anal health services.*

## REsults of LOW Anterior Resections With or Without Preventive Stoma in Nonemergency Department

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07463261

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates the results of low anterior resections with or without preventive stoma in a nonemergency department.*

## Compression Therapy of Hands and Feet for the Prevention of Taxane- or Oxaliplatin-induced Peripheral Neuropathy

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07464769

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates Compression Therapy of Hands and Feet for the Prevention of Taxane- or Oxaliplatin-induced Peripheral Neuropathy.*

## Safety and Efficacy of Tegavivint in Patients With Metastatic Colorectal Carcinoma

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07463599

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates the safety and efficacy of Tegavivint in patients with metastatic colorectal carcinoma.*

## Virtual vs Physical Art Therapy for Anxiety, Psychological Well-being, and Sleep Quality in Colorectal Cancer Patients

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 11

NCT07464626

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates Virtual vs Physical Art Therapy for Anxiety, Psychological Well-being, and Sleep Quality in Colorectal Cancer Patients.*

## A Phase II/III Clinical Trial of RC148 Plus Chemotherapy as 1L Therapy for Unresectable or Metastatic Colorectal Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 10

NCT07462143

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates a Phase II/III clinical trial of RC148 plus chemotherapy as 1L therapy for unresectable or metastatic colorectal cancer.*

## Concentrated Complex Plant Dietary Elements for Chemotherapy-Induced Diarrhea

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 10

NCT07460596

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates Concentrated Complex Plant Dietary Elements for Chemotherapy-Induced Diarrhea.*

## Familial Adenomatous Poliposis Italian Network (Rete Italiana Poliposi Adenomatosa Familiare)

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 10

NCT07461246

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates the Familial Adenomatous Poliposis Italian Network (Rete Italiana Poliposi Adenomatosa Familiare).*

## Dual-Target CAR-NK Cells for Biomarker-Selected Advanced Colorectal Cancer

MEDIUM

STAGE IV

PD-1/PD-L1

CELL THERAPY

VERIFIED

PUBLISHED MAR 10

⚡ 7

NCT07462650

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates Dual-Target CAR-NK Cells for Biomarker-Selected Advanced Colorectal Cancer.*

## The Effect of Music During Colonoscopy

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 10

NCT07454993

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates the effect of music during colonoscopy.*

## EHealth Educational Intervention to Improve Self-Management and Coping Behaviors Among Cancer Patients

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 9

NCT07457112

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates an eHealth educational intervention to improve self-management and coping behaviors among cancer patients.*

## A Phase 1 Dose-escalation Trial of KST-6051 in Participants With Advanced Solid Tumors With Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS) Mutation

LOW

ALL STAGES

KRAS

NEW TRIAL

VERIFIED

PUBLISHED MAR 9

⚡ 4

NCT07458347

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates a Phase 1 dose-escalation trial of KST-6051 in participants with advanced solid tumors with Kirsten Rat Sarcoma Viral Oncogene Homolog (KRAS) mutation.*

## The Application of Sentire Surgical System Plus Patient Side Single Arm in Robotic Colorectal Surgery

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 9

NCT07453706

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates the application of Sentire Surgical System Plus Patient Side in robotic colorectal surgery.*

## LDRT Sequential NIPS Immunochemotherapy for Peritoneal Metastasis of Gastric and Colorectal Cancer

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 6

NCT07453875

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates LDRT Sequential NIPS Immunochemotherapy for Peritoneal Metastasis of Gastric and Colorectal Cancer.*

## A Prospective Study Assessing ActivSight Imaging for Intraoperative Perfusion Evaluation in Left-Sided Colectomy

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 6

NCT07453797

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates ActivSight Imaging for intraoperative perfusion evaluation in left-sided colectomy.*

## Ventral Hernias Following Cytoreductive Surgery : Incidence, Risk Factors and Surgical Management.

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 5

NCT07451483

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates ventral hernias following cytoreductive surgery, focusing on incidence, risk factors, and surgical management.*

## Liquid Biopsy and Machine Learning for Early Colorectal Cancer, Adenomas, Lynch Cancers, and Residual Disease Detection

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 4

NCT07450612

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates Liquid Biopsy and Machine Learning for Early Colorectal Cancer, Adenomas, Lynch Cancers, and Residual Disease Detection.*

## Local Treatment Strategies for Brain Metastases of Colorectal Cancer

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 4

NCT07448662

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates Local Treatment Strategies for Brain Metastases of Colorectal Cancer.*

## FOLFIRI and Bevacizumab With or Without Pelareorep for Second-Line Treatment of Metastatic RAS-Mutated, Microsatellite-Stable Colorectal Cancer

MEDIUM

STAGE IV

VEGF

NEW TRIAL

VERIFIED

PUBLISHED MAR 4

NCT07446322

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates FOLFIRI and Bevacizumab with or without Pelareorep for second-line treatment of metastatic RAS-mutated, microsatellite-stable colorectal cancer.*

## Efficacy of Tunlametinib in Combination With Anti-EGFR Monoclonal Antibody in Patients With RAS-Mutated Advanced Gastrointestinal Malignancies

MEDIUM

ALL STAGES

EGFR

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

NCT07446270

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates the efficacy of Tunlametinib in combination with anti-EGFR monoclonal antibody in patients with RAS-mutated advanced gastrointestinal malignancies.*

## Evaluation of Capsule Colonoscopy in Patients With Lynch Syndrome

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

NCT07445828

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates Capsule Colonoscopy in Patients With Lynch Syndrome.*

## A Clinical Study of Iparomlimab and Tuvonralimab Combined With Bevacizumab and Alternating Triweekly CAPOX/mCAPIRI Regimen as First-line Treatment for Unresectable Advanced Colorectal Cancer

MEDIUM

STAGE IV

VEGF

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

NCT07446387

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates a clinical study of Iparomlimab and Tuvonralimab combined with Bevacizumab and alternating triweekly CAPOX/mCAPIRI regimen as first-line treatment for unresectable advanced colorectal cancer.*

## Piecemeal Resection and Advanced Histology Independently Predict Local Recurrence After Colorectal Snare-based Endoscopic Resection: a Time-to-event Cohort Study

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

NCT07445178

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates the independent prediction of local recurrence after colorectal snare-based endoscopic resection by piecemeal resection and advanced histology in a time-to-event cohort study.*

## Riluzole For Preventing Cognitive Dysfunction in Ca Pts Receiving Chemo (REFOCUS): Pilot Trial

MEDIUM

ALL STAGES

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

NCT07447050

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates Riluzole for preventing cognitive dysfunction in cancer patients receiving chemotherapy in a pilot trial.*

## FOLFOX Chemotherapy Combined With Fruquintinib and Serplulimab as First-Line Conversion Therapy for Initially Unresectable pMMR/MSS Colorectal Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 3

NCT07446465

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates FOLFOX chemotherapy combined with Fruquintinib and Serplulimab as first-line conversion therapy for initially unresectable pMMR/MSS colorectal cancer.*

## Abemaciclib Combined With FOLFOX/FOLFIRI Regimen in Patients With Advanced Colorectal Liver Metastases Cancer

MEDIUM

STAGE IV

GENERAL

NEW TRIAL

VERIFIED

PUBLISHED MAR 2

NCT07441369

[clinicaltrials.gov](https://clinicaltrials.gov)

*This study evaluates Abemaciclib combined with FOLFOX/FOLFIRI regimen in patients with advanced colorectal liver metastases cancer.*

## Appendix A — Patient-Friendly Summary

Plain-language overview for patients, caregivers, and family members

### What's happening

Right now, there are several important studies focusing on colorectal cancer. One study is exploring how healthy gut bacteria might improve immune treatments for advanced bowel cancer. Another trial is looking at a new robotic system for a special type of surgery called endoscopic submucosal dissection, which helps remove tumors. There's also research on a treatment called Injection TQB2102 for patients with a specific type of advanced colorectal cancer that has not responded to other therapies. Additionally, a trial is examining the use of Dual-Target CAR-NK cells, which are modified immune cells that can directly target cancer cells, for advanced colorectal cancer with specific biomarkers.

### What this means for you

For patients, these studies could lead to new options, especially for those with advanced disease or specific tumor types. If you have advanced colorectal cancer, you might want to ask your oncologist about the CAR-NK cell trial or the study involving TQB2102, especially if previous treatments haven't worked. It's also worth discussing the potential benefits of the healthy gut bacteria study, as it could enhance immune treatment. Keeping an open line of communication with your doctor about these trials can help you find the best path forward.

AI-generated in plain language from clinical data · 2026-03-31 07:00:01

**This is not medical advice. Always speak with your oncologist before making any treatment decisions.**

# Appendix B — Colon & Colorectal Cancer Treatment Reference

## Incidence & Trends

~150,000 new US cases/year · ~52,000 deaths/year · 4th most common US cancer

▲ Early-Onset Alert: CRC rates in adults under 50 have risen ~2% per year since the 1990s · Adults under 55 now account for ~20% of all new CRC diagnoses · Cause under active investigation (diet, microbiome, obesity, sedentary lifestyle)

## Current Screening Guidelines (2025)

USPSTF / ACS / ACG — Average Risk: Begin screening at age 45 (lowered from 50 in 2021)

Colonoscopy every 10 years · FIT (fecal immunochemical test) annually · Cologuard every 1-3 years · CT colonography every 5 years

High Risk (family history / Lynch syndrome / IBD): Begin at age 40 or 10 years before youngest affected relative — whichever comes first · Colonoscopy every 1-5 years depending on risk

Symptoms at any age: Rectal bleeding, change in bowel habits >4 weeks, unexplained weight loss, iron deficiency anemia → immediate evaluation regardless of age

## Key Biomarkers — Test All mCRC at Diagnosis

RAS (KRAS/NRAS) · BRAF V600E · MSI/MMR status · HER2 · NTRK fusion · TMB

## Stage IV Targeted Options

KRAS G12C (~3-4%) → sotorasib + cetuximab · adagrasib + cetuximab

BRAF V600E (~8-10%) → encorafenib + cetuximab ± binimetinib

MSI-H/dMMR (~5%) → pembrolizumab (1st line preferred) · nivolumab ± ipilimumab

HER2 amplified (~2-3%) → trastuzumab + pertuzumab · trastuzumab deruxtecan

RAS/BRAF WT → FOLFOX or FOLFIRI + cetuximab or panitumumab (left-sided preferred)

## 1st Line mCRC Standard of Care

FOLFOX or FOLFIRI ± bevacizumab (RAS mutant / right-sided)

FOLFOX or FOLFIRI + cetuximab or panitumumab (RAS/BRAF WT, left-sided)

Pembrolizumab monotherapy (MSI-H/dMMR)

## Key Resources

ClinicalTrials.gov · NCCN Guidelines (nccn.org) · Colorectal Cancer Alliance (ccalliance.org) · Fight Colorectal Cancer (fightcrc.org) · ACS (cancer.org)

---

## Colon & Colorectal Cancer — Clinical Trial & Treatment Timeline

Alert classification fields are generated using deterministic rule-based analysis. Alert summaries are AI-generated from ClinicalTrials.gov, a registry and database maintained by the U.S. National Library of Medicine. This report aggregates publicly available trial registry data from U.S. government databases for situational awareness only. No registry content is reproduced verbatim. This report is made available under a free-use license for patient advocacy organizations, oncology practices, and individual patients. You may share or distribute it freely. You may not modify it, remove attribution, or republish it as your own work. Authorship and all intellectual property rights are retained by Randy Hinton. This report is provided for informational purposes only and does not constitute medical advice. Always consult your oncologist or a qualified healthcare provider before making any treatment decisions.

© 2026 Randy Hinton. All rights reserved. · [https://petroai1492.github.io/delta/timelines/coloncancer\\_timeline.pdf](https://petroai1492.github.io/delta/timelines/coloncancer_timeline.pdf)