

Well : Aloha Onshore DN_03

Aloha Onshore DN_03			
Report Number:	11	Day Wellsite Representative:	Dave Sholer
Latitude (South):	28 ° 18 ' 45.12 "	Night Wellsite Representative:	
Longitude (East):	116 ° 3 ' 40.90 "	Operator:	
		Rig Manager:	
		Drilling Company:	COFORD
		Wellsite Geologist:	

Well Data			
Country:	Australia	Current Hole Size:	8.504 in
Field:	Hov	Measured Depth:	2,114.0 m
Rig:	JXON Rig 182	True Vertical Depth:	
Water Depth:	0.0 m	24 Hr Progress:	0.00
RT to MSL:	63.2 m	Days On Well:	7.02
RT To Seabed:	8.1 m	Days Since Spud:	4.15
Plan TD (MD):	2,120.0 m	Last BOP Date:	
Plan TD (TVD):	2,120.0 m	FIT/LOT:	
Casing OD:	9.625 in	AFE Number:	L1L2JV-65
Casing MD:	499.0 m	Original AFE:	\$ 3,048,444
Casing TVD:	499.0 m	Supp. AFE No:	
TOL MD:		Orig. & Sup. AFE:	\$ 3,048,444
TOL TVD:		Daily Cost:	\$ 277,639
Liner Shoe MD:		Cum. Cost:	\$ 3,048,443
Liner Shoe TVD:		Last LTI Date:	
		Days Since LTI:	

Current Op @ 0600:	Waiting on Cement
Planned Op:	WOC, M/U Directional BHA, Commence sidetrack

Summary for Period 0000 Hrs to 2400 Hrs on 19 Oct 2003
Logged

HSE Summary					
Events	Num. Events	Date Of Last	Days Since	Description	Remarks
No accidents or incidents	1	19 Oct 2003 00:00	0.00		

Operations for Period 0000 Hrs to 2400 Hrs on 19 Oct 2003							
PHSE	CLS (RC)	OP	From	To	Hrs	Depth (m)	Activity Description
FELO	P	LOW	00:00	02:30	2.50	2,114.0	RIH with FMI, GR.
FELO	TP (DLE)	LOW	02:30	04:30	2.00	2,114.0	Tool failed. POOH.
PBCP	P	SLL	16:30	17:00	0.50	2,114.0	Slipped drilling line.

Operations for Period 0000 Hrs to 0600 Hrs on 20 Oct 2003							
PHSE	CLS (RC)	OP	From	To	Hrs	Depth (m)	Activity Description
IH1	P	SEP	00:00	05:00	5.00	2,114.0	Next day

Performance Summary				
	Daily		Cumulative Well	
	Hrs	%	Hrs	%
P	3.0	60.0	91.5	92.0
TP	2.0	40.0	3.5	3.5
U	0.0	0.0	4.5	4.5
Total	5.0	100.0	99.5	100.0

WBM Data				Cost Today:			
Mud Desc.:	KCl/Poly	API FL:	0.00 m³	Cl:	Solids:	Glycol:	
Check Depth:	2,114.0 m	Filter-Cake:	1 /32nd"	KCl:	H2O:	Viscosity:	50 s/qt
Time:	24:00	HTHP-FL:		Hard/Ca:	Oil:	PV:	19 cP
Weight:	9.68 ppg	HTHP-Cake:		MBT:	Sand:	YP:	32 lbf/100ft²
Temp.:		HTHP-Temp:		Pm:	pH:	Gel 10s:	12 lbf/100ft²
		HTHP-Press:		Pf:	PHPA:	Gel 10m:	34 lbf/100ft²
					Mf:		
Comment:						RPM	Reading
Sand (%) = tr							

Well : Aloha Onshore DN_03

WBM Data						Cost Today:	
Mud Desc.:	KCl/Poly	API FL:	0.00 m ³	Cl:	Solids:	Glycol:	
Check Depth:	2,114.0 m	Filter-Cake:	1 /32nd"	KCl:	H2O:	Viscosity:	54 s/qt
Time:	24:00	HTHP-FL:		Hard/Ca:	Oil:	PV:	18 cP
Weight:	9.76 ppg	HTHP-Cake:		MBT:	Sand:	YP:	38 lbf/100ft ²
Temp.:		HTHP-Temp:		Pm:	pH:	Gel 10s:	12 lbf/100ft ²
		HTHP-Press:		Pf:	PHPA:	Gel 10m:	36 lbf/100ft ²
					Mf:		
Comment:						RPM	Reading
Sand (%) = tr							

Shakers, Volumes and Losses Data						Engineer: Ivan Ratchev	
Equipment	Description	Mesh Size	Available	0 bbl	Losses	0 bbl	
Centrifuge			Active		Downhole		
De-Sander			Mixing		Surf. + Equip.		
De-Silter			Hole		Dumped		
Shaker		1x140, 1x175, 1x210	Slug		De-Gasser		
Shaker		1x140, 1x175, 1x210	Reserve		De-Sander		
			Kill		De-Silter		
			Others		Centrifuge		
					Cuttings		
Comment:							

Pumps											
Pump data - Last 24 Hrs									Slow Pump Data		
No	Type	Liner (in)	SPM	Eff. (%)	Flow (m ³ /s)	SPP (psi)	Depth (m)	MW (ppg)	SPM	SPP (psi)	Depth (m)
1	FB 1300	6.496		97					0		
									0		
									0		
									0		
									0		
									0		
2	FB 1300	6.496		97					0		
									0		
									0		
									0		
									0		
									0		

Casing				
OD	LOT	FIT	Casing Shoe (MD)	Casing Shoe (TVD)
244 mm (9 5/8")		ppg	ppg	499.0 m

Formations	
Name	Top (m)
Cadda Formation	1,241.0
Fault	1,295.0
Eneabba Formation	1,295.0
Woodada Formation	1,711.0
Fault	1,753.0
Kockatea Shale	1,753.0
Dongara Sandstone	2,014.0
Wagina Sandstone	2,041.0
Carynginia	2,080.0
Total Depth	2,114.0

Bulk Stocks							
Name	Unit	Start Amount	Previous Balance	In	Used	Adjust	Balance
Brine (KCl) (m3)	bbl		-26	0	0	0	-26
Diesel (m3)	bbl		58,765	0	3,720	0	55,045

Well : Aloha Onshore DN_03

Fluid Stocks											
Name	Unit	Item Cost	Discount	Start Amount	Previous Balance	Received	Used	Adjust	Balance	Cost	
Kwik-seal F (40 lb)	40 lb	0	0		0	0	0	0	0	0	
Kwik-seal M (40 lb)	40 lb	0	0		0	0	0	0	0	0	
Daily Total										0	

Weather											
Report Time:	00:00	Wave Dir.:									
Visibility:		Wave Height:									
Wind Speed:		Wave Frequency:									
Wind Dir.:	0 °	Swell Dir.:									
Pressure.:		Swell Height:									
Air Temp.:		Swell Frequency:									
Weather Comment: Fine ; Report Time:AM											
Report Time:	00:00	Wave Dir.:									
Visibility:		Wave Height:									
Wind Speed:		Wave Frequency:									
Wind Dir.:	0 °	Swell Dir.:									
Pressure.:		Swell Height:									
Air Temp.:		Swell Frequency:									
Weather Comment: Fine ; Report Time:PM											

