



UNIVERSIDAD DE INVESTIGACIÓN
DE TECNOLOGÍA EXPERIMENTAL
YACHAY



SCHOOL OF MATHEMATICAL AND COMPUTATIONAL SCIENCES

FINAL GRADE PROJECT

A mathematical approach to upgrade slums in Ecuadorian cities

Author:
Saulo Javier Ronquillo Guachamin

Adviser:
Hermann Mena

Requirement for obtaining the grade of Mathematician.

Urcuquí - June 3, 2019

Contents

1	Introduction	4
2	Objectives	5
2.1	General Objective	5
2.2	Specific Objectives	5
3	Methodology	5
4	Results	6
4.1	Slums	6
4.1.1	Definition and Properties	6
4.1.2	Slums in Guayaquil	6
4.2	Topological Graph Theory	7
4.3	Topology of the City	9
4.3.1	Topology of Access System	9
4.3.2	Topology of City Blocks	11
4.4	Topological optimization: Minimal Neighborhood Reblocking	13
5	Implementation of the Approach	14
5.1	Implementation on Academic Example	14
5.2	Implementation on Sector of the <i>Ciudad de Dios</i> neighborhood	17
6	Conclusions	19
References		19
Appendices		20
A	Code in Python	20
B	Euler's Figures from 'Solutio problematis ad geometriam situs pertinentis.'	24

Abstract

Ending the problem of slums in Ecuador would be a step closer to achieving the Objectives of Sustainable Development by 2030. Nowadays, there is already the political determination to mitigate this problem but unfortunately a mechanism that seeks an optimal solution with the minimum investment has not been studied in Ecuador.

A mathematical approach to upgrade any slums was proposed by Breisford et al.[?]. There the authors ensure that it is the topology and not the geometry that dictates the essential shape of the cities. So that the growth and/or planning of the neighborhoods should be focused on changing the topology of cities, regardless of their specific geometry. These changes in the topology are achieved through the construction of new roads. Therefore, one can make any slum topologically equivalent to a planned neighborhood with the creation of streets.

In this project, an analysis of the approach proposed by Breisford et al. is done by replicating its methods in an academic example and using this approach in a real life application.

1 Introduction

The de-urbanized growth of cities is a problem that has plagued Ecuador for a long time. Particularly, in the city of Guayaquil, you can find many marginal neighborhoods that lack adequate basic services[?]. This problem is so common in Ecuador that the government create the *Superintendencia de Ordenamiento Territorial, Uso y Gestión del Suelo* in 2016. The objective of this organization is to help citizens to have better access to a safe habitat[?].

Despite the efforts made by the government, the number of new constructions in informal settlements continues to increase every year. This could be due to the fact that although people living in informal settlements are worse off than those living in formal urban areas, these people have greater access to sources of work than if they lived in places far from the city[?]. However, the inadequate infrastructure of informal settlements means that their inhabitants do not have adequate access to their human rights[?].

Since an adequate urbanization increase the potential of human development and economic growth, among other things, many cities are willing to improve the planing of neighborhoods. Throughout history there have been several approaches to improve the situation of slums in the world. Around the 1970s the preferred option was the relocation of residents to new public housing developments. However, given the large number of people living in slums, this solution required an exorbitant amount of resources, which made it an unfeasible option for developing countries[?].

Nowadays, one of the most recommended strategies by the United Nations Human Settlements Programme (UN-Habitat) is to build new streets or change the traffic direction of them to improve the condition of the slums[?]. This is because the street network has the capacity to improve the integration of the slums in two levels. Within the neighborhoods, the streets allow a better integration of its inhabitants, increasing social interaction and increasing the economic development opportunities of the inhabitants in the place. And within the city, the streets allow the integration of the neighborhood with the rest of the metropolis through a physical integration to the urban transport network which benefits the city as a whole[?].

However, the development of new streets is often an expensive process, especially for developing countries. Consequently, it is necessary to plan the construction of new roads minimizing the investment. For this purpose, a mathematical approach seems to be a suitable tool to solve this problem[?].

Several researchers have analyzed cities under different approaches. Some of them have tried to explain the shape of cities based on fractals, while others have used the ideas behind cellular automata to understand the complex system of how cities evolve[?]. The approach that is going to be discussed here use tools of topological graph theory to study the differents between planned neighborhoods and slums[?].

Since the beginning of graph theory, this has been used to better understand cities[?]. In 1735, Leonhard Euler founded this theory to solve what is known as the problem of the bridges of Königsberg[?]. This problem wanted to define the way in which a citizen of Königsberg could travel the city crossing its seven bridges and return home. Euler quickly noticed that "this branch is concerned only with the determination of position and its properties; It does not involve distances, nor calculations made with them"[?]. Some historians believe that the paper of Königsberg is also the precursor of what we now know as Topology since the solution of this problem opens the way to the study of the Hamiltonian circuits, something that continues to be investigated these days[?].

In an article by Luis Bettencourt and Geoffrey West for the journal Nature, they indicate that "New York and Tokyo are, to a surprising and predictable degree, non-linear versions of San Francisco in California or Nagoya in Japan"[?]. This means that there are common properties between cities and that a city can be considered as an approximately scaled version of another. This same fact is used by Brailsford et al. because they identify that regardless of the appearance of the neighborhoods there are

topological properties that vary if a planned neighborhood or a slum is analyzed[?]. And moreover, they show that it is possible to change the configuration of a slum to eliminate these differences with planned neighborhoods[?].

This work shows the development and use of an algorithm that tells us how road construction should be planned in order to upgrade slums. The execution of the algorithm is carried out in a sector of *Ciudad de Dios*, a marginal neighborhood of Guayaquil, with the aim that this area is topologically equivalent to a planned neighborhood in need of low investment.

2 Objectives

2.1 General Objective

Analyze the mathematical approach proposed by Brelands et al. [?] and replicate the method in specific examples.

2.2 Specific Objectives

- Study the approach proposed in [?].
- Replicate the methods of [?] in an academic example.
- Use the approach [?] in a city or neighborhood of Ecuador.

3 Methodology

In order to achieve the goals of this project we proceed in the following way.

First, we carry out a bibliographic review of the relevant definitions about slums as their characteristics and classification. Then, an analysis of the situation of the slums in the city of Guayaquil was made, with emphasis on the *Ciudad de Dios* sector.

Subsequently, the bibliographic review was aimed at compiling the concepts of topological graphs theory that we are going to use in this work.

Then, we follow the approach proposed in [?]. The main goal here was to understand how the tools of topology and graph theory can be used to diagnose and solve neighborhood development problems.

The next step was to reuse and modify the tools that the authors of [?] made available to the public for the implementation of their approach.

After that, an academic example was developed to be able to obtain some different solutions that the approach can give us.

Finally, a sector of the *Ciudad de Dios* neighborhood was digitized to execute the approach and analyze the result that it has when being used in an Ecuadorian slum.

4 Results

In this section we introduce the topological concepts that are used to demonstrate that using the topological properties of the neighborhoods is a valid methodology to characterize them. In addition, some basic considerations on the concept of slums are shown.

4.1 Slums

4.1.1 Definition and Properties

Despite that in the literature there are several ways to define slums, the one that is most useful in our context is that a slum is a set of buildings of spontaneous origin in a landscape. Due to its spontaneous origin it turns out that the slums seem to be planless or antiplan(). An attempt to classify the slums is shown in (), there indicate that there are two key factors to determine the type of slum: hope (or despair) and escalator (or non-escalator), see figure ()�.




Figure 1: Caption

The hope factor is related to the reason of the settlement, whether it is done by necessity or in search of better opportunities. While the escalator factor is related to the integration of slum dwellers for reasons of culture, religion or race.

In practical terms, most type A slums are the result of migrations of people from the same country who have some economic capacity. While the slums belonging to the other types is formed by people of very different origins or with no economic capacity. This causes that differences can be appreciated in the ordering of the constructions according to the type of slum. For instance, in the slums of type A we could find a kind of linear arrangement of the constructions because people living there have the intention to stay there for a while, but in slums of type D the constructions seem to be more random because their dwellers were probably settle for need, see figure().

Remark that since the proposed factors for the classification are qualitative, a slum could be of type A but still have certain similarities with those of other types.

4.1.2 Slums in Guayaquil

According to Camila Mackliff, 59 % of Guayaquil's surface is occupied informally [?]. This is due to the fact that the growth of the city took place through the informal accumulation of people who migrated to the city, at first, fleeing the adverse conditions generated by the economic crises that occurred in the history of Ecuador but now to take advantage of the economic conditions provided by the city with the



Figure 2: Caption

largest maritime port in Ecuador ()�.

Given the current conditions of creation of the slums it can be said that most of the new slums in Guayaquil are of type A. In particular, the *Ciudad de Dios* neighborhood, which in 2010 was an area with a lot of vegetation but now can be found spontaneous constructions, see figure(). An important characteristic of the informal settlements of Guayaquil is that normally the lands where they are located belong to land traffickers, which means that the location of the houses is carried out in lots and that it is not completely random().



Figure 3: Caption

Bertaud is a detractor of the use of strategies guided by topological algorithms to restructure the slums. Because usually the solutions that involve the construction of roads need space, which will be obtained through the eviction of some inhabitants[?]. However, the reality of slums in Ecuador is that they are not as dense as those that can be found in other countries such as India for example. This makes it easier to find ways to create these roads.

4.2 Topological Graph Theory

Before showing the results of the study of the Topology of the Cities, it is necessary to review some general concepts of the theory of topological graphs. Our principal resources are [?], [?], [?] and [?].

Definition 1 (Graph). *A graph G is a pair of sets (V, E) , where V is a finite non-empty set of elements called vertices, and E is a finite set of elements called edges, each of which has two associated vertices (which may be the same).*

The sets V and E are the vertex-set and edge-set of G , and are sometimes denoted by $V(G)$ and $E(G)$. The order of G is the number of vertices, usually denoted by n , and the number of edges is denoted by m .

Definition 2 (Walk). *A walk in a graph is a sequence of vertices and edges $v_0, e_1, v_1, \dots, e_k, v_k$, in which each edge e_i joins the vertices v_{i-1} and v_i . This walk goes from v_0 to v_k or connects v_0 and v_k , and is called a $v_0 - v_k$ walk.*

- a path is a walk in which no vertex is repeated;
- a cycle is a non-trivial closed walk in which no vertex is repeated, except the first and last;
- a trail is a walk in which no edge is repeated;
- a circuit is a non-trivial closed trail.

Definition 3 (Surface). *A (topological) surface is a topological space in which every point has an open neighbourhood homeomorphic to some open subset of the Euclidean plane E_2 .*

A sphere and a torus are examples of closed surfaces. They have no punctures, they do not run off to infinity, and they do not have any sharp boundaries. Sometimes we want to consider surfaces that are not closed. A disk and a cylinder are examples of surfaces with boundary. A surface with boundary is still locally 2-dimensional, except that it may have one or more 1-dimensional boundary curves.

There are two kinds of closed surfaces, orientable and nonorientable. A surface is *orientable* if a positive sense of rotation (say, clockwise) can be made around all points consistently, and is *non-orientable* otherwise. The sphere, the torus, the double torus, the triple torus, and so on, are orientable. They are commonly denoted $S_0, S_1, S_2, S_3, \dots$. Moreover, every closed connected orientable surface is homeomorphic to one of them. Another characterization of the closed orientable surfaces is that each one can be obtained by adding some handles to a sphere. Adding one handle yields S_1 , adding two yields S_2 , and so on.

To formalize the notion of a drawing without crossings, we define an "imbed-ding"

Definition 4 (Embedding of a Graph on a Surface). *An embedding of a graph G on a surface S is an one-to-one mapping of the vertices of G into that surface and a mapping of the edges of G to disjoint simple open arcs, so that the image of each edge joins the images of its two vertices and none of the images of the edges contains the image of a vertex.*

The plane is not closed, of course but since it differs from the sphere by only a single point, it follows that a given graph can be imbedded in the plane if and only if it can be imbedded in the sphere.

A *region* of an embedded graph G is a maximal connected set of points in the relative complement of G in the surface; note that one region is unbounded. The topological closure of a region (that is, the region together with the vertices and edges of G on its boundary) is a *face*.

Definition 5 (Cellular Embedding). *An embedding is cellular if every region is homeomorphic to an open disc.*

Theorem 1 (Euler's formula). *If a simple graph G has a cellular embedding in a surface S with n vertices, m edges and r regions, then $n - m + r = 2 - 2h$, where h is the genus of the surface S_h .*

The number associated with S in this theorem is called its Euler characteristic.

Definition 6 (Genus of a Graph). *The genus $\gamma(G)$ of a graph G is the minimum genus of a surface in which the graph can be embedded – that is, the minimum number of handles that need to be added to the sphere for G to be embeddable.*

A connected graph of genus 0 is said to be planar. In general, a graph is planar if all of its components are planar. Thus, non-empty connected planar graphs are the graphs imbeddable in the sphere. They are the ones that underlie spherical gems. In general, the determination of the genus of a graph is an unsolved problem.

Definition 7 (Poincaré Dual Embedding). *The Poincaré dual embedding for a cellular graph embedding $G \rightarrow S$ (called the primal embedding in this context) is constructed as follows:*

- *in the interior of each primal region, a dual vertex is drawn;*
- *through each primal edge, a dual edge is drawn joining the dual vertex on one side of the edge to the dual vertex on the other (thus, a loop whenever the same primal region lies on both sides of that primal edge);*
- *if the surface S is oriented, then in the dual embedding, the orientation is reversed.*

A famous graph is the Birkhoff diamond, it is used to study the colorability of some graphs[?]. This graph is show in fig.().




Figure 4: Caption

4.3 Topology of the City

The topology of cities/neighborhoods can be understood as the topological relationship between the two main components of the city: its streets and its buildings. This is the reason why it is necessary to understand the topology of the access systems and the topology of the constructions, to then see how they are related according to each city.

4.3.1 Topology of Access System

The set of paths and roads of any city is called urban access system. The access system has the property of be **path-connected**, i.e., any two points in this surface can be connected traveling on the surface. Moreover, access systems are **orientable**, **2-dimensional surface** and **compact**. This properties are related with the following facts: there is a global definition of up from down, we can only move on road and path surfaces and the surface is finite.

Moreover, the urban access system is a 2D surface with both **internal** and **external boundaries**: The limit of the city is the external boundary, while boundaries between accesses and each places are the internal boundaries. So, for a city with b blocks there are b internal boundaries and one external boundary so that the total number of boundary components, B , is $B = b + 1$. In this sense, a city subsection is define as a set of contiguous city blocks and surrounding access system, including an external boundary that defines the physical limits of the subsection, see fig.(). When a subsection includes all blocks it is

equivalent to the city, and shares its entire access system.

The authors in [?] show that the topology of the access system of a city with b blocks is equivalent to the topology of a sphere with $b+1$ disks removed. In consequence, urban access systems are topologically equivalent if and only if they have the same number of blocks. Moreover, if we use a graph representation of the urban access system (Y), as the suggested in [?], where edges correspond to roads or paths, and nodes correspond to their intersections, Y has the same Euler characteristic as the urban access system, $\chi(Y) = 1 - b$.

This deductions are summarize in the following theorem and corollaries:

Theorem 2 (Topological Classes of Urban Access System). *The access system of any city with b blocks is topologically equivalent to a sphere with $B = b + 1$ disks removed.*

Proof. The proof of this theorem is based on the fact that the surfaces with boundaries can be constructed by removing open discs from the surfaces without boundary. Therefore, as the access system is orientable, 2-dimension and has genus zero; it is topologycal equivalent to a sphere but with $b+1$ open discs removed. \square

The proof of the following four corollaries are trivial by the definition of topological equivalence and the previous theorem. So we proceed with the demonstration of the fifth corollary.

Corollary 2.1. *For any value of b , two cities with b blocks have access systems that are topologically equivalent, since both cities' access systems are topologically equivalent to a sphere with $b + 1$ disks removed.*

Corollary 2.2. *Any subsection of one city with b blocks has an access system that is topologically equivalent to that of another subsection of another city with b' blocks, if and only if $b = b'$.*

Corollary 2.3. *The access system of an entire city with b blocks is topologically equivalent to a subsection of any other city with the same number of blocks.*

Corollary 2.4. *Urban Access Systems are topologically equivalent if and only if they have the same number of blocks.*

Corollary 2.5. *A 1-complex graph representation of an urban access system with b blocks, where edges correspond to road and path centerlines and nodes correspond to their intersections, called the urban access network, Y , has the same Euler characteristic as the urban access system, $\chi(Y) = 1 - b$.*

Proof. Let's compute the Euler characteristic of a general surface S with B boundaries.

First define a surface C , where S^* corresponds to S with all the B boundaries patched by disks.

Then, $\chi(S^*) = \chi(S) + B * \chi(Disk)$.

Since, $\chi(Disk) = 1$ and $\chi(S^*) = 2$ because S^* is a sphere.

$$\chi(S) = 2 - (1 + b) = 1 - b.$$

On the other hand, a 2-complex planar graph has $\chi = v - e + f = 2$, while a 1-complex planar graph has $\chi = v - e$. Let be Y_2 a 2-complex graph representation of the urban access system, then, Y_2 has one face per each boundary so $f = b + 1$.

Then, $\chi(Y_2) = v - e + f = 2$

$$v - e = 2 - f = 1 - b = \chi(Y)$$

$$\text{Therefore, } \chi(Y) = \chi(S) = 1 - b$$

\square

4.3.2 Topology of City Blocks

Brelsford et. al. use the general term parcel in [?] to denote the decomposition of the city block land area into separate units: these are buildings, or more generally, separate land holdings and include public places that are not accessible. When a parcel is adjacent to the access network is said that this parcel is accessible. In the case where the parcel is not adjacent to the access network is internal to the block, this implies that its access is mediated through other parcels. However, interior parcels can be connected to the urban access system by converting edges in the S_0 graph from parcel boundaries to roads, where the edges of S_0 correspond to the boundaries of each parcels and its nodes to their intersections, see fig().

One characteristic of mostly planned neighborhood is that all their parcels are accessible, since slums are more likely to have inaccessible parcels [?]. Then, the connectivity of the neighborhoods seems to be useful to look at them. This characteristic of the neighborhood can be analyzed using a metric k_{max} , called block complexity, which measure the connectivity of a city block. Additionally, they have shown that it is possible to find k_{max} by iterating the construction of weak dual graphs to S_0 ; the weak dual graph of S_0 is S_1 , where each parcel becomes a node and adjacency becomes an edge. This procedure should be done iteratively ($S_{k-1} \rightarrow S_k$) until there is not more parcels in the graph S_k . Moreover, they found that the complexity of universally accessible block (blocks with all parcels accessible) is $k \leq 2$, while non-universally accessible blocks (blocks with interior parcels) will have $k > 2$. Furthermore, a block S is universally accessible if and only if S_2 is a tree. And, if a parcel is represented with a node in the S_k graph, at least $\frac{k-1}{2}$ parcel boundaries must be crossed in order to reach it from the nearest section of the access system.

Finally, in the minimal set of additional roads necessary to have a universal accessible block there will be no loops. Thus, newly constructed roads in the minimal set of accesses form a tree or set of trees (culs-de-sac). This feature is interesting because loopless configurations are seen in river basins where every spanning tree is exactly a local minimum of total energy dissipation [?].

These statements are shown in more detail below.




Definition 8. A block S is called universally accessible if every parcel within S borders a road. Otherwise, S is not universally accessible.

Definition 9 (minimal set of accesses). *Interior parcels can be connected to the urban access system by converting edges in the S_0 graph from parcel boundaries to roads. The minimal set of additional roads necessary to connect a given parcel to the road system is the set of edges with the shortest total length such that at least one node contained in the set of edges to be converted is part of an existing road, and at least one node is part of the face in S_0 that surrounds the parcel.*

Definition 10. In a graph G , a cycle is a collection of m vertices and m edges arranged so that each vertex has exactly two edges incident to it, where $m \geq 3$.

Definition 11. A face of a planar graph is a maximal region in the plane that contains no edge or vertex of the graph.

Definition 12 (Weak Dual Graphs). *For each bounded face of S_0 , we assign a vertex in S_1 . Two vertices of S_1 have an edge between them if and only if the faces of S_0 they represent share a common border of at least one edge in S_0 . Then, S_1 is the weak dual graph of S_0 . For a block S , we may then assign a stage k graph, S_k , defined recursively by repeating the process used to construct S_1 from S_0 on the stage $k-1$ graph S_{k-1} .*

Figure 5: $dt = 0.1$ Figure 6: $dt = 0.1$ Figure 7: $dt = 0.1$

Definition 13. A vertex v of a graph G is called an interior vertex if there exists a cycle surrounding v so that deleting this cycle from G results in either:

1. Two connected components, one of which contains vertex v and all of its incident edges, or
2. Just the vertex v and its incident edges.

Definition 14. A graph G is called a tree if G contains no cycles.

Definition 15 (block complexity). The complexity of the block S is the smallest positive integer k such that S_k is a tree. Every block will be characterized by a positive, discrete value of this complexity. The complexity of universally accessible blocks is $k \leq 2$. Non-universally accessible blocks will have $k > 2$.

Theorem 3. A block S is universally accessible if and only if its stage-two graph, S_2 , is a tree.

Proof. Let's assume that S_2 is not a tree. This means that there exists an interior face of S_2 whose boundary is a cycle σ consisting of m vertices x_1, x_2, \dots, x_m of S_2 and m edges. Each vertex x_i in σ represents a face f_i of S_1 , where face f_i shares a common edge with face $f_{i-1}(\text{mod } m)$ and face $f_{i+1}(\text{mod } m)$. Furthermore, each of these shared edges is incident to a vertex v of S_1 that represents the interior face of S_2 . Thus, the cycle σ in S_2 corresponds to a subgraph of S_1 consisting of the m faces, f_1, f_2, \dots, f_m arranged in a circle around the vertex v . This means that vertex v is an interior vertex of S_1 , so it corresponds to a parcel of the block S that does not border a road. This shows that block S is not universally accessible. Now, we will prove that if a block S is not universally accessible, its stage two graph, S_2 , is not a tree. We assume that there exists a parcel n of a block S that does not border a road. Thus, there is a vertex v_n of S_1 corresponding to parcel n that is an interior vertex of S_1 . Consider the subgraph V_1 of S_1 consisting of a minimal cycle surrounding vertex v_n , vertex v_n itself and all edges incident to vertex v_n . Now, we consider the subgraph V_2 of S_2 that represents V_1 . V_2 will contain one vertex for each face of V_1 connected by one edge representing each edge incident to vertex v_n . We conclude that the subgraph V_2 of S_2 is a cycle with m vertices, where m is the degree of vertex v_n in S_1 . This says that the stage two graph of S contains a cycle, and is therefore not a tree. \square

Theorem 4. If a parcel is represented with a node in the S_k graph, at least $\frac{k-1}{2}$ parcel boundaries must be crossed in order to reach it from the nearest section of the access system.

Proof. For any parcel n of block S , the minimum number of parcel boundaries that must be crossed in order to reach a road is represented by the minimum number of edges necessary to form a path from v_n , the vertex representing n in the S_1 graph, to an exterior vertex of S_1 .

Observe that, in the algorithm for creating the S_k graph of a block S , parcels of S are represented by faces of S_k when k is even and nodes of S_k when k is odd. Furthermore, for even k , if a face of S_k touches an exterior vertex, that face is represented by an exterior vertex in S_{k+1} . Finally, observe that,

for odd k , parcels represented by an exterior vertex of S_k are not represented at all in S_{k+1} .

Therefore, suppose a parcel n requires a path of length l to connect vertex v_n to an exterior vertex in S_1 . It is clear that in S_3 , the path from v_n to an exterior vertex will have length $l - 1$, and so on. The vertex v_n will thus be an exterior vertex of the graph S_{1+2l} . Therefore, we see that, if vertex v_n appears in graph S_k , then $k \leq 1 + 2l$, which says that $\frac{k-1}{2} \leq l$. \square

Theorem 5. *There will be no loops in the minimal set of additional roads necessary to connect all interior parcels to a road. Thus, newly constructed roads in the minimal set of accesses form a tree or set of trees (culs-de-sac).*

Proof. We may consider the access network of a given block as a subgraph of the stage zero graph S_0 . In order to connect all parcels to a road, we consider parcel boundaries, which are represented by interior edges in S_0 . We may then choose a set of such edges of S_0 to represent additional segments of road needed to ensure that the block is universally accessible. There will be several choices for this set of additional roads; we choose the one that has the fewest total geometric length of edges (minimalset of accesses).

Suppose that there exists a block for which the minimal set of additional roads is not a tree or set of trees. Let M denote the subgraph of S_0 consisting of edges belonging to the minimal set of roads along with the nodes incident to these edges. We are assuming that there is at least one cycle in M . Every face of S_0 representing an interior parcel must share at least one node with M in order for every parcel to be accessible via existing or new paths. However, all connected planar graphs have a spanning tree, which is a subgraph containing all nodes of the graph but no cycles. Then, we let M' be the subgraph of M consisting of spanning trees for each component of M . Thus, every face of S_0 representing an interior parcel will share a node with M' , making every parcel accessible via existing or new roads, but M' has strictly fewer edges than M , as it is a subgraph containing no cycles. This contradicts the choice of M as minimal. Therefore, the set of newly constructed roads must form a tree or set of trees \square

4.4 Topological optimization: Minimal Neighborhood Reblocking

In [?], the authors define this topological optimization problem in two different ways. The first, a strict optimization that is too rigid for practical use. The second, a statistical optimization that is more flexible and can be the basis for practical neighborhood upgrading tools.

The strict optimization approach seeks to find the smallest possible configuration of the streets to ensure that each interior parcel is connected to the access system. Although this strategy found the best solution, the computational complexity grows in a combinatorial way according to the number of parcels that are considered. This is because there may be solutions with shorter length if they are considered a pair, trio, etc. of internal plots together. In consequence this approach is not practical for real situations.

The statistical optimization starts from the fact that some paths, despite not being the most optimal, have characteristics that may be interesting for us. Then this technique allows to use additional data to the problem of strict optimization, such as the price of building new streets or how straight the roads are. As the criterion of the cost of construction of streets is a function of the street length, it is understandable why this strategy of optimization delivers as a result that the smaller roads must be built more likely.

The approach developed by Brelsford et. al. to deal with blocks within large number of parcels consists in the following steps. First, find the solution of strict optimization for an interior parcel. Then, define a set of feasible solutions adding n alternative paths to connect the parcel with the access system. This process must be repeated for the rest of interior parcels. Then, use the defined probability function for statistical optimization to select a single path from our set of feasible path solutions. After adding the selected path to the access system, the information of the interior parcels is updated and the whole process is repeated until there are no more interior parcels, i. e., the graph S_2 is a tree.

5 Implementation of the Approach

The approach was implemented and tested using two examples: an academic one and a real life one. The real life implementation was developed using a zone of the neighborhood *Ciudad de Dios* in Guayaquil.

The objective to use an academic example is to recreate the proposal described in [], and in this way to be able to verify the different solutions that the algorithm gives us depending on the type of optimization used, i.e., strict optimization(piecewise) or statistical optimization. Moreover, we should be able to verify the construction of the dual graph for a block with interior parcels as the theory related with it.

On the other hand, the motivation to use a real life example is to show that this proposal is viable to be used in the context of the Ecuadorian slums.

5.1 Implementation on Academic Example

The academic example consists in 15 parcels, where 10 of them are exterior parcels and five are interior parcels, see figure().









Figure 8: Caption

From this example is possible to realize that the corresponding S_2 (see figure ())graph has a loop, which means that our block is not universally accessible. Therefore, we can use the approach in order to upgrade his interior parcels to external parcels.



Figure 9: $dt = 0.1$ Figure 10: $dt = 0.1$ Figure 11: $dt = 0.1$

Using the strict optimal (piecewise) algorithm in our academic example, the solution is constructed adding the smallest road in order to change an interior parcel into a exterior parcel in each iteration, see figure () .



Figure 12: $dt = 0.1$ Figure 13: $dt = 0.1$

Figure 14: $dt = 0.1$ Figure 15: $dt = 0.1$

In the figure () and figure (), we can see the dual graphs S_0 and S_1 , respectively. Since, S_1 is a tree the complexity of this block is 1. Therefore, this block is universally accessible.

Figure 16: $dt = 0.1$ Figure 17: $dt = 0.1$

Following, two solutions obtained using the statistical optimization approach is showing in the figure () and figure (). One solution path have around of 7.82 meters of new streets, while the other solution has around of 6.83 meters of new roads. Since, the optimal path solution computed with the strict optimization (piecewise) strategic, have a length of 7 meters of new streets, see fig(). This shows that the solution constructed using the strict optimization (piecewise) is not always the globally optimum.

Figure 18: $dt = 0.1$ Figure 19: $dt = 0.1$

5.2 Implementation on Sector of the *Ciudad de Dios* neighborhood

The example of real life was developed in a section of *Ciudad de Dios*, in Guayaquil. This sector has about 377 parcels of which, 281 are interior parcels, see fig().




Figure 20: Caption

The result of executing the statistical optimization give us a block that is universally accessible. Therefore, it is topological equivalent to a planned neighborhood, see fig().




Figure 21: Caption

6 Conclusions

Studying the neighborhoods and cities through topological tools and graph theory allowed to generate a characterization of the slums with respect to planned neighborhoods. It was found that the planned neighborhoods are universally accessible, i. e., all their parcels are connected to the network access system. While slums are not universally accessible. This characteristic can be determine using a topological tool called weak dual graphs; because it was found that a block is universally accessible, if and only if, his corresponding stage-two graph S_2 is a tree.

This results allow us to develop an algorithmic solution of the re-blocking problem with optimal cost[?]. Since executing an optimization algorithm could be a high time consuming process, an statistical optimization algorithm was proposed. The advantage of this approach is that we can add more information about the re-blocking problem and instead of having the global optimal solution we could have a more suitable solution to be implemented in the slum.

Given the characteristics of most of the slums in Ecuador, it could be said that implementing this mathematical approach in Ecuador could improve the situation of many cities in this country.

Appendices

A Code in Python

```

1
2
3 # clean up and probability functions
4 def WeightedPick(d):
5     """picks an item out of the dictionary d, with probability proportional to
6     the value of that item. e.g. in {a:1, b:0.6, c:0.4} selects and returns
7     "a" 5/10 times, "b" 3/10 times and "c" 2/10 times. """
8
9     r = random.uniform(0, sum(d.values()))
10    s = 0.0
11    for k, w in d.items():
12        s += w
13        if r < s:
14            return k
15    return k
16
17
18 def shorten_path(ptup):
19     """ all the paths found in my pathfinding algorithm start at the fake
20     road side, and go towards the interior of the parcel. This method drops
21     nodes beginning at the fake road node, until the first and only the
22     first node is on a road. This gets rid of paths that travel along a
23     curb before ending."""
24
25     while ptup[1].road is True and len(ptup) > 2:
26         ptup.pop(0)
27     return ptup
28
29
30 def segment_near_path(myG, segment, pathlist, threshold):
31     """returns True if the segment is within (geometric) distance threshold
32     of all the segments contained in path is stored as a list of nodes that
33     strung together make up a path.
34     """
35     # assert isinstance(segment, mg.MyEdge)
36
37     # pathlist = ptup_to_mypath(path)
38
39     for p in pathlist:
40         sq_distance = segment_distance_sq(p, segment)
41         if sq_distance < threshold**2:
42             return True
43
44     return False
45
46 def shortest_path_p2p(myA, p1, p2):
47     """finds the shortest path along fencelines from a given interior parcel

```

```

48     p1 to another parcel p2"""
49
50     __add_fake_edges(myA, p1, roads_only=True)
51     __add_fake_edges(myA, p2, roads_only=True)
52
53     path = nx.shortest_path(myA.G, p1.centroid, p2.centroid, "weight")
54     length = nx.shortest_path_length(myA.G, p1.centroid, p2.centroid, "weight")
55
56     myA.G.remove_node(p1.centroid)
57     myA.G.remove_node(p2.centroid)
58
59     return path[1:-1], length
60
61 def find_short_paths(myA, parcel, barriers=True, shortest_only=False):
62     """ finds short paths from an interior parcel,
63     returns them and stores in parcel.paths """
64
65     rb = [n for n in parcel.nodes+parcel.edges if n.road]
66     if len(rb) > 0:
67         raise AssertionError("parcel %s is on a road" % (str(parcel)))
68
69     if barriers:
70         barrier_edges = [e for e in myA.myedges() if e.barrier]
71         if len(barrier_edges) > 0:
72             myA.remove_myedges_from(barrier_edges)
73         else:
74             print("no barriers found. Did you expect them?")
75             # myA.plot_roads(title = "myA no barriers")
76
77     interior, road = shortest_path_setup(myA, parcel)
78
79     shortest_path = nx.shortest_path(myA.G, road, interior, "weight")
80     if shortest_only is False:
81         shortest_path_segments = len(shortest_path)
82         shortest_path_distance = path_length(shortest_path[1:-1])
83         all_simple = [shorten_path(p[1:-1]) for p in nx.all_simple_paths(myA.G,
84                               road, interior, cutoff=shortest_path_segments + 2)]
85         paths = dict((tuple(p), path_length(p)) for p in all_simple
86                       if path_length(p) < shortest_path_distance*2)
87     if shortest_only is True:
88         p = shorten_path(shortest_path[1:-1])
89         paths = {tuple(p): path_length(p)}
90
91     myA.G.remove_node(road)
92     myA.G.remove_node(interior)
93     if barriers:
94         for e in barrier_edges:
95             myA.add_edge(e)
96
97     parcel.paths = paths
98
99     return paths

```

```

100
101 def find_short_paths_all_parcels(myA, flist=None, full_path=None,
102                                     barriers=True, quiet=False,
103                                     shortest_only=False):
104     """ finds the short paths for all parcels, stored in parcel.paths
105     default assumes we are calculating from the outside in. If we submit an
106     flist, find the parcels only for those faces, and (for now) recaluculate
107     paths for all of those faces.
108 """
109     all_paths = {}
110     counter = 0
111
112     if flist is None:
113         flist = myA.interior_parcels
114
115     for parcel in flist:
116         # if paths have already been defined for this parcel
117         # (full path should exist too)
118         if parcel.paths:
119
120             if full_path is None:
121                 raise AssertionError("comparison path is None "
122                                     "but parcel has paths")
123
124             rb = [n for n in parcel.nodes+parcel.edges if n.road]
125             if len(rb) > 0:
126                 raise AssertionError("parcel %s is on a road" % (parcel))
127
128             needs_update = False
129             for pathitem in parcel.paths.items():
130                 path = pathitem[0]
131                 mypath = ptup_to_mypath(myA, path)
132                 path_length = pathitem[1]
133                 for e in full_path:
134                     if segment_near_path(myA, e, mypath, path_length):
135                         needs_update = True
136                         # this code would be faster if I could break to
137                         # next parcel if update turned true.
138                         break
139
140             if needs_update is True:
141                 paths = find_short_paths(myA, parcel, barriers=barriers,
142                                         shortest_only=shortest_only)
143                 counter += 1
144                 all_paths.update(paths)
145             elif needs_update is False:
146                 paths = parcel.paths
147                 all_paths.update(paths)
148             # if paths have not been defined for this parcel
149             else:
150                 paths = find_short_paths(myA, parcel, barriers=barriers,
151                                         shortest_only=shortest_only)

```

```

152         counter += 1
153         all_paths.update(paths)
154     if quiet is False:
155         pass
156         # print("Shortest paths found for {} parcels".format(counter))
157
158     return all_paths
159
160
161 def build_path(myG, start, finish):
162     ptup = nx.shortest_path(myG.G, start, finish, weight="weight")
163
164     ptup = shorten_path(ptup)
165     ptup.reverse()
166     ptup = shorten_path(ptup)
167
168     mypath = ptup_to_mypath(myG, ptup)
169
170     for e in mypath:
171         myG.add_road_segment(e)
172
173     return ptup, mypath
174
175
176 def choose_path(myG, paths, alpha, strict_greedy=False):
177
178     """ chooses the path segment, choosing paths of shorter
179     length more frequently """
180
181     if strict_greedy is False:
182         inv_weight = dict((k, 1.0/(paths[k]**alpha)) for k in paths)
183         target_path = WeightedPick(inv_weight)
184     if strict_greedy is True:
185         target_path = min(paths, key=paths.get)
186
187     mypath = ptup_to_mypath(myG, target_path)
188
189     return target_path, mypath

```

B Euler's Figures from 'Solutio problematis ad geometriam situs pertinentis.'




Figure 22: Caption




Figure 23: Caption




Figure 24: Caption