Tabstop Accessibility Reports

Website Accessibility Audit Report

https://www.samishbaydental.com/ · scanned 2026-11-11 · 7 page(s) at desktop (1366px) and mobile (390px) widths · standard: WCAG 2.1/2.2 Level AA

Summary

47	0	47	0	4
WCAG issue instances	critical	serious	moderate / minor	distinct problems

The most important problems to fix first are: **elements must meet minimum color contrast ratio thresholds** (28); **all touch targets must be 24px large, or leave sufficient space** (14); **keyboard focus is not visible** (3). Fixing a shared template (header, footer, product card) usually fixes the same issue on every page at once.

An “instance” is one element on one page; the same element found at both screen widths is counted once. Severity follows axe-core’s impact rating: **critical** blocks some users entirely, **serious** causes significant difficulty, **moderate**/**minor** cause friction.

Pages scanned

Page	Desktop	Mobile	WCAG failures found (desktop / mobile)
`https://www.samishbaydental.com/`	scanned	scanned	5 / 5
`https://www.samishbaydental.com/contact`	scanned	scanned	7 / 6
`https://www.samishbaydental.com/cart`	scanned	scanned	6 / 6
`https://www.samishbaydental.com/about`	scanned	scanned	12 / 12
`https://www.samishbaydental.com/newpatient`	scanned	scanned	4 / 4
`https://www.samishbaydental.com/aesthetics`	scanned	scanned	5 / 5
`https://www.samishbaydental.com/employer-dental`	scanned	scanned	5 / 5

Findings — WCAG failures, most severe first

SERIOUS **1. Elements must meet minimum color contrast ratio thresholds**

28 instance(s) · WCAG 1.4.3 Contrast (Minimum) (Level AA)

Text is too faint against its background. People with low vision, older visitors and anyone on a phone in sunlight may not be able to read it. WCAG AA requires a contrast ratio of at least 4.5:1 for normal text and 3:1 for large text.

> **How to fix:** Darken the text or lighten the background until the ratio reaches 4.5:1 (3:1 for text 24px+ or 18.66px+ bold). The exact colours and measured ratio are listed per element below; a free checker such as WebAIM's contrast checker shows a passing shade.

Pages: www.samishbaydental.com (1), /contact (5), /cart (4), /about (10), /newpatient (2), /aesthetics (3), /employer-dental (3) · found at desktop, mobile width · detected by axe-core rule color-contrast

www.samishbaydental.com · desktop
`#yui_3_17_2_1_1794389905674_69 > .sqs-block-button-element--medium.sqs-block-button-element[data-initialized="true"]`
`<a href="https://scheduling.simplifeye.co/#key=WFoY7k9YpyKwMO7ZWt6xWfYZDcwYydD&gaID=null" class="sqs-block-button-element--medium sqs-button-element--primary sqs-block-button-element" data-sqsp-button="" target="_blank" data-initialized="true"> Schedul`
text #ffffff on #dba11c, ratio 2.3:1 (needs 4.5:1), font 12.0pt (16px)

/contact · desktop
`h3 > strong`
`<strong>Have a question or ready to book your next appointment? We’re here to help.</strong>`
text #dba11c on #def1ff, ratio 1.98:1 (needs 3:1), font 26.8pt (35.6704px) bold

/contact · desktop
`.sqsrte-text-color--accent > strong`
`<strong>here</strong>`
text #dba11c on #def1ff, ratio 1.98:1 (needs 4.5:1), font 13.2pt (17.6392px) bold

/contact · desktop
`span[aria-hidden="true"]:nth-child(1)`
`<span aria-hidden="true">SEND</span>`
text #ffffff on #dba11c, ratio 2.3:1 (needs 4.5:1), font 12.0pt (16px)

/contact · desktop
`.sqsrte-small > a[href="tel:3605436808"]`
`<a href="tel:3605436808">(360) 543 - 6808</a>`
text #dba11c on #064272, ratio 4.49:1 (needs 4.5:1), font 10.8pt (14.3608px)

/contact · desktop
`a:nth-child(7)`
`<a href="mailto:admin@samishbaydental.com?">admin@samishbaydental.com</a>`
text #dba11c on #064272, ratio 4.49:1 (needs 4.5:1), font 10.8pt (14.3608px)

...and 22 more instance(s); the full list is in the JSON file delivered with this report.

SERIOUS **2. All touch targets must be 24px large, or leave sufficient space**

14 instance(s) · WCAG 2.5.8 Target Size (Minimum) (Level AA)

A tap target is smaller than 24×24 CSS pixels with too little spacing, making it hard to hit for people with tremors or on a phone.

> **How to fix:** Make the clickable area at least 24×24px (padding counts), or add space around it.

Pages: www.samishbaydental.com (2), /contact (2), /cart (2), /about (2), /newpatient (2), /aesthetics (2), /employer-dental (2) · found at desktop, mobile width · detected by axe-core rule target-size

www.samishbaydental.com · desktop
`.sqsrte-small > a[href="tel:3605436808"]`
`<a href="tel:3605436808">(360) 543 - 6808</a>`
Target has insufficient size (121.8px by 21.5px, should be at least 24px by 24px); Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 19px instead of at least 24px.

www.samishbaydental.com · desktop
`a:nth-child(7)`
`<a href="mailto:admin@samishbaydental.com?">admin@samishbaydental.com</a>`
Target has insufficient size (223.2px by 21.5px, should be at least 24px by 24px); Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 19px instead of at least 24px.

/contact · desktop
`.sqsrte-small > a[href="tel:3605436808"]`
`<a href="tel:3605436808">(360) 543 - 6808</a>`
Target has insufficient size (121.8px by 21.5px, should be at least 24px by 24px); Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 19px instead of at least 24px.

/contact · desktop
`a:nth-child(7)`
`<a href="mailto:admin@samishbaydental.com?">admin@samishbaydental.com</a>`
Target has insufficient size (223.2px by 21.5px, should be at least 24px by 24px); Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 19px instead of at least 24px.

/cart · desktop
`a[href="tel:3605436808"]`
`<a href="tel:3605436808">(360) 543 - 6808</a>`
Target has insufficient size (121.8px by 21.5px, should be at least 24px by 24px); Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 19px instead of at least 24px.

/cart · desktop
`a:nth-child(7)`
`<a href="mailto:admin@samishbaydental.com?">admin@samishbaydental.com</a>`
Target has insufficient size (223.2px by 21.5px, should be at least 24px by 24px); Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 19px instead of at least 24px.

...and 8 more instance(s); the full list is in the JSON file delivered with this report.

SERIOUS **3. Keyboard focus is not visible** 3 instance(s) · WCAG 2.4.7 Focus Visible (Level AA)

When a keyboard user tabs onto these elements nothing visibly changes, so they cannot see where they are on the page.

> **How to fix:** Do not remove the browser outline. Add a clear focus style, e.g. a:focus-visible, button:focus-visible, input:focus-visible { outline: 3px solid #1a5fb4; outline-offset: 2px; }.

Pages: www.samishbaydental.com (3) · found at desktop width · detected by tab-traversal

www.samishbaydental.com · desktop
`<div> Carousel`
No change in outline, shadow, border, colour or underline when focused by Tab

www.samishbaydental.com · desktop
`<button> Previous`
No change in outline, shadow, border, colour or underline when focused by Tab

www.samishbaydental.com · desktop
`<button> Next`
No change in outline, shadow, border, colour or underline when focused by Tab

SERIOUS **4. Links must have discernible text**

2 instance(s) · WCAG 2.4.4 Link Purpose (In Context), 4.1.2 Name, Role, Value (Level A)

A link has no readable text (often an icon-only link such as a social-media logo or a linked image without alt), so a screen reader announces only "link".

> **How to fix:** Put visible text inside the link, or add an accessible name: <svg aria-hidden="true">...</svg>.

Pages: www.samishbaydental.com (2) · found at desktop, mobile width · detected by axe-core rule link-name

www.samishbaydental.com · desktop
`#yui_3_17_2_1_1794389905674_220 > .margin-wrapper > .image-slide-anchor.content-fill[aria-label=""]`
`<a href="https://www.instagram.com/p/DfcuN2iFLf4/" target="_blank" aria-label="" class=" image-slide-anchor content-fill " style="overflow: hidden;">`
Element is in tab order and does not have accessible text; Element does not have text that is visible to screen readers

www.samishbaydental.com · desktop
`#yui_3_17_2_1_1794389905674_224 > .margin-wrapper > .image-slide-anchor.content-fill[aria-label=""]`
`<a href="https://www.instagram.com/p/DfNC0HaG-JP/" target="_blank" aria-label="" class=" image-slide-anchor content-fill " style="overflow: hidden;">`
Element is in tab order and does not have accessible text; Element does not have text that is visible to screen readers

Best-practice recommendations

These are not WCAG failures on their own, but fixing them makes the site noticeably easier to use with a keyboard or screen reader.

BEST PRACTICE **5. Page should contain a level-one heading**

12 instance(s) · not a WCAG success criterion

The page has no main (H1) heading.

> **How to fix:** Mark the page's main title as <h1>.

Pages: www.samishbaydental.com (2), /contact (2), /cart (2), /newpatient (2), /aesthetics (2), /employer-dental (2) · found at desktop, mobile width · detected by axe-core rule page-has-heading-one

www.samishbaydental.com · desktop

`#yui_3_17_2_1_1794389905674_96`

```
<html xmlns:og="http://opengraphprotocol.org/schema/" xmlns:fb="http://www.facebook.com/2008/fbml" lang="en-US" class="yui3-js-enabled js flexbox canvas canvastext webgl no-touch hashchange history draganddrop rgba hsla multiplebgs backgroundsize borderimage b
```

Page must have a level-one heading

www.samishbaydental.com · mobile

`#yui_3_17_2_1_1794389912224_96`

```
<html xmlns:og="http://opengraphprotocol.org/schema/" xmlns:fb="http://www.facebook.com/2008/fbml" lang="en-US" style="--header-height: 94.765625px; scroll-behavior: smooth; --header-fixed-top-offset: 94.765625px; scroll-padding-top: 94.7656px;" class="yui3-js
```

Page must have a level-one heading

/contact · desktop

`html`

```
<html xmlns:og="http://opengraphprotocol.org/schema/" xmlns:fb="http://www.facebook.com/2008/fbml" lang="en-US" class="yui3-js-enabled js flexbox canvas canvastext webgl no-touch hashchange history draganddrop rgba hsla multiplebgs backgroundsize borderimage b
```

Page must have a level-one heading

/contact · mobile

`html`

```
<html xmlns:og="http://opengraphprotocol.org/schema/" xmlns:fb="http://www.facebook.com/2008/fbml" lang="en-US" style="--header-height: 94.765625px; scroll-behavior: smooth; --header-fixed-top-offset: 94.765625px; scroll-padding-top: 94.7656px;" class="yui3-js
```

Page must have a level-one heading

/cart · desktop

`html`

```
<html xmlns:og="http://opengraphprotocol.org/schema/" xmlns:fb="http://www.facebook.com/2008/fbml" lang="en-US" class="yui3-js-enabled js flexbox canvas canvastext webgl no-touch hashchange history draganddrop rgba hsla multiplebgs backgroundsize borderimage b
```

Page must have a level-one heading

/cart · mobile

`html`

```
<html xmlns:og="http://opengraphprotocol.org/schema/" xmlns:fb="http://www.facebook.com/2008/fbml" lang="en-US" style="--header-height: 94.765625px; scroll-behavior: smooth; --header-fixed-top-offset: 94.765625px; scroll-padding-top: 94.7656px;" class="yui3-js
```

Page must have a level-one heading

...and 6 more instance(s); the full list is in the JSON file delivered with this report.

BEST PRACTICE

6. Landmarks should have a unique role or role/label/title (i.e. accessible name) combination

7 instance(s) · not a WCAG success criterion

Two landmarks of the same type have the same name, so they cannot be told apart.

> **How to fix:** Give each one a distinct aria-label (e.g. "Main menu", "Footer menu").

Pages: www.samishbaydental.com (1), /contact (1), /cart (1), /about (1), /newpatient (1), /aesthetics (1), /employer-dental (1) · found at desktop width · detected by axe-core rule landmark-unique

www.samishbaydental.com · desktop
`.header-display-desktop > .header-title-nav-wrapper > .header-nav > .header-nav-wrapper > .header-nav-list`
`<nav class="header-nav-list">`
The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

/contact · desktop
`.header-display-desktop > .header-title-nav-wrapper > .header-nav > .header-nav-wrapper > .header-nav-list`
`<nav class="header-nav-list">`
The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

/cart · desktop
`.header-display-desktop > .header-title-nav-wrapper > .header-nav > .header-nav-wrapper > .header-nav-list`
`<nav class="header-nav-list">`
The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

/about · desktop
`.header-display-desktop > .header-title-nav-wrapper > .header-nav > .header-nav-wrapper > .header-nav-list`
`<nav class="header-nav-list">`
The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

/newpatient · desktop
`.header-display-desktop > .header-title-nav-wrapper > .header-nav > .header-nav-wrapper > .header-nav-list`
`<nav class="header-nav-list">`
The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

/aesthetics · desktop
`.header-display-desktop > .header-title-nav-wrapper > .header-nav > .header-nav-wrapper > .header-nav-list`
`<nav class="header-nav-list">`
The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

...and 1 more instance(s); the full list is in the JSON file delivered with this report.

BEST PRACTICE **7. Heading levels should only increase by one**

3 instance(s) · not a WCAG success criterion

Heading levels skip (e.g. an H2 followed by an H4), which makes the page outline confusing for people who navigate by headings.

> **How to fix:** Use heading levels in order (H1 → H2 → H3) and style them with CSS rather than picking a level for its size.

Pages: /about (1), /aesthetics (1), /employer-dental (1) · found at desktop, mobile width · detected by axe-core rule heading-order

/about · desktop

```
#block-yui_3_17_2_1_1775245325642_3103 > .sqs-block-content > .sqs-text-block-container > .sqs-html-content[data-sqsp-text-block-content=""] > h4
<h4 style="text-align: center; ; white-space:pre-wrap;" data-rte-preserve-empty="true">Angels in Medicine Newsletter: <a target="_blank" href="https://www.medangel.org/expanding-dental-care-access-to-all-jessica-dubek/">Expanding Dental Care Access to All</a><
```

Heading order invalid

/aesthetics · desktop

```
#block-yui_3_17_2_1_1792087140393_5185 > .sqs-block-content > .sqs-text-block-container > .sqs-html-content[data-sqsp-text-block-content=""] > h4
<h4 style="text-align: center; white-space: pre-wrap" data-rte-preserve-empty="true"><span class="sqsrte-text-color--white">Botox and Microneedling Treatments</span></h4>
```

Heading order invalid

/employer-dental · desktop

```
h4
<h4 style="white-space:pre-wrap;" data-rte-preserve-empty="true">Good oral health supports overall wellness and can help reduce the risk of serious medical conditions like diabetes, strokes, and heart disease - leading to healthier employees.</h4>
```

Heading order invalid

Keyboard and zoom checks

We pressed Tab through each page (up to 70 stops) and recorded where focus went, whether it was visible, and whether it got stuck. We also narrowed the window to 320px (equivalent to 400% zoom) to test reflow.

Page	Tab stops	Skip link first	Stops with no visible focus	Focus trap	Reflow at 320px
www.samishbaydental.com	30	yes	3	no	ok
/contact	22 (stopped at iframe reCAPTCHA)	yes	0	no	ok
/cart	15	yes	0	no	ok

/about	18	yes	0	no	ok
/newpatient	33	yes	0	no	ok
/aesthetics	15	yes	0	no	ok
/employer-dental	15	yes	0	no	ok

Heading outline of the homepage

Screen-reader users often navigate by headings; this is the outline they hear.

- `H3` Woman-owned and locally rooted.
- `H3` Jessica Dubek, DDS
- `H2` Follow our journey.
- `H2` Meet our team!
- `H3` What our patients are saying
- `H2` "Just moved to Bellingham. We got so lucky with finding Dr Dubek, and team. They are truly
- `H2` "Extremely helpful and kind. Went from fear of dentist as a kid - ignoring them for over a
- `H2` We just moved to the area and finding your team of providers can be one of the hardest par
- `H2` "I highly recommend Samish Bay Dental. Dr. Dubek is very gentle, attentive, and friendly,
- `H2` "Staff is always very friendly, welcoming, and in tune with validating of how I am feeling
- `H2` "If you’re searching for a welcoming new dentist, consider visiting Samish Bay Dentist, wh
- `H2` "Efficient scheduling and a very warm and attentive team - I'm a dentist avoider and still
- `H2` Everyone at Samish Bay Dental is the sweetest. They made me feel in control of my dental a
- `H3` Good to know.

What this report cannot tell you

Automated testing reliably catches a large share of common, objectively testable problems (missing alt text, missing labels, contrast, missing names, language, some structure) — industry data puts it at roughly half of real-world issues by volume — but it **cannot** judge:

- whether alt text and link text are *meaningful* (only whether they exist);
- whether the reading and focus order make sense, or whether every task can be completed by keyboard (we test Tab movement, not every interaction);
- how the site behaves with real screen readers (JAWS, NVDA, VoiceOver) and voice control;
- captions and transcripts for video/audio content, or the accessibility of PDFs and third-party widgets inside iframes (booking, chat, payments);
- error handling and instructions in multi-step forms and checkout;
- pages behind a login, or states that only appear after interaction (menus, modals, validation messages).

A clean automated result is therefore **not** evidence of WCAG conformance. For a full conformance assessment, combine these fixes with manual testing by a person using assistive technology.

This report is a technical assessment, not legal advice. It does not certify compliance with the ADA, the European Accessibility Act or any other law, and it does not guarantee protection from legal claims.