

```
package com.example.lifehackquiz
```

```
import android.content.Intent
```

```
import android.os.Bundle
```

```
import android.widget.Button
```

```
import androidx.appcompat.app.AppCompatActivity
```

```
class MainActivity : AppCompatActivity() {
```

```
    override fun onCreate(savedInstanceState: Bundle?) {
```

```
        super.onCreate(savedInstanceState)
```

```
        setContentView(R.layout.activity_main)
```

```
        val startBtn = findViewById<Button>(R.id.startButton)
```

```
        startBtn.setOnClickListener {
```

```
            startActivity(Intent(this, QuizActivity::class.java))
```

```
        }
```

```
    }
```

```
}
```

```
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="match_parent"
```

```
    android:gravity="center"
```

```
    android:orientation="vertical">
```

```
<TextView
```

```
    android:text="Life Hack or Myth?"
```

```
    android:textSize="24sp"
```

```
    android:layout_marginBottom="20dp"
```

```
    android:layout_width="wrap_content"
```

```
        android:layout_height="wrap_content"/>
```

```
<Button
```

```
    android:id="@+id/startButton"
```

```
    android:text="Start Quiz"
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"/>
```

```
</LinearLayout>
```

```
package com.example.lifehackquiz
```

```
import android.content.Intent
```

```
import android.os.Bundle
```

```
import android.widget.*
```

```
import androidx.appcompat.app.AppCompatActivity
```

```
data class Question(val text: String, val isLifeHack: Boolean)
```

```
class QuizActivity : AppCompatActivity() {
```

```
    private val questions = listOf(
```

```
        Question("Putting your phone in rice fixes water damage", false),
```

```
        Question("Drinking water improves concentration", true),
```

```
        Question("Cracking knuckles causes arthritis", false),
```

```
        Question("Using airplane mode saves battery", true),
```

```
        Question("Eating carrots improves night vision", false)
```

```
    )
```

```
    private var currentIndex = 0
```

```
    private var score = 0
```

```
    private var answered = false
```

```

override fun onCreate(savedInstanceState: Bundle?) {
    super.onCreate(savedInstanceState)
    setContentView(R.layout.activity_quiz)

    val questionText = findViewById<TextView>(R.id.questionText)
    val lifeBtn = findViewById<Button>(R.id.lifeHackBtn)
    val mythBtn = findViewById<Button>(R.id.mythBtn)
    val nextBtn = findViewById<Button>(R.id.nextBtn)

    fun loadQuestion() {
        questionText.text = questions[currentIndex].text
        answered = false
    }

    loadQuestion()

    lifeBtn.setOnClickListener {
        if (!answered) {
            checkAnswer(true)
            answered = true
            Toast.makeText(this, "Answer selected", Toast.LENGTH_SHORT).show()
        }
    }

    mythBtn.setOnClickListener {
        if (!answered) {
            checkAnswer(false)
            answered = true
            Toast.makeText(this, "Answer selected", Toast.LENGTH_SHORT).show()
        }
    }
}

```

```

nextBtn.setOnClickListener {
    currentIndex++

    if (currentIndex < questions.size) {
        loadQuestion()
    } else {
        val intent = Intent(this, ResultActivity::class.java)
        intent.putExtra("score", score)
        intent.putExtra("total", questions.size)
        startActivity(intent)
        finish()
    }
}

private fun checkAnswer(userAnswer: Boolean) {
    if (userAnswer == questions[currentIndex].isLifeHack) {
        score++
    }
}

package com.example.lifehackquiz

import android.content.Intent
import android.os.Bundle
import android.widget.*
import androidx.appcompat.app.AppCompatActivity

data class Question(val text: String, val isLifeHack: Boolean)

```

```

class QuizActivity : AppCompatActivity() {

    private val questions = listOf(
        Question("Putting your phone in rice fixes water damage", false),
        Question("Drinking water improves concentration", true),
        Question("Cracking knuckles causes arthritis", false),
        Question("Using airplane mode saves battery", true),
        Question("Eating carrots improves night vision", false)
    )

    private var currentIndex = 0
    private var score = 0
    private var answered = false

    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_quiz)

        val questionText = findViewById<TextView>(R.id.questionText)
        val lifeBtn = findViewById<Button>(R.id.lifeHackBtn)
        val mythBtn = findViewById<Button>(R.id.mythBtn)
        val nextBtn = findViewById<Button>(R.id.nextBtn)

        fun loadQuestion() {
            questionText.text = questions[currentIndex].text
            answered = false
        }

        loadQuestion()
    }
}

```

```

lifeBtn.setOnClickListener {
    if (!answered) {
        checkAnswer(true)
        answered = true
        Toast.makeText(this, "Answer selected", Toast.LENGTH_SHORT).show()
    }
}

mythBtn.setOnClickListener {
    if (!answered) {
        checkAnswer(false)
        answered = true
        Toast.makeText(this, "Answer selected", Toast.LENGTH_SHORT).show()
    }
}

nextBtn.setOnClickListener {
    currentIndex++

    if (currentIndex < questions.size) {
        loadQuestion()
    } else {
        val intent = Intent(this, ResultActivity::class.java)
        intent.putExtra("score", score)
        intent.putExtra("total", questions.size)
        startActivity(intent)
        finish()
    }
}
}

```

```
private fun checkAnswer(userAnswer: Boolean) {  
    if (userAnswer == questions[currentIndex].isLifeHack) {  
        score++  
    }  
}  
}
```