

Reproducible Research

Marco Chiapello

June 30, 2016

Center for Proteomics
University of Cambridge
mc983@cam.ac.uk

Overview

Introduction

Reproducible research Reasons

Reproducible research Rules


Reproducible research Tools

Conclusion

Introduction

Replication is the ultimate standard by which scientific claims are judged [2]
The fact that an analysis is reproducible does not guarantee the quality, correctness,
or validity of the published results.

What reproducible research is



reproducibility
a principle of the
scientific method

separates scientists
from other researchers
and normal people

<http://xkcd.com/242/>

$$DATA + ANALYSIS \rightarrow RESULTS$$

Common practice of writing statistical reports:

- We import a dataset into Excel
- Run a procedure to get all results
- Copy and paste selected pieces into a typesetting program
- Add a few descriptions
- Finish a report

What reproducible research is

There are obvious dangers and disadvantages in this process:

1. It is error-prone due to too much manual work;
2. It requires lots of human effort to do tedious jobs;
3. The workflow is barely recordable, therefore it is difficult to reproduce;
4. A tiny change of the data source in the future will require the author(s) to go through the same procedure again;
5. The analysis and writing are separate, so close attention has to be paid to the synchronization of the two parts.

What is Reproducible Research?

THE ABILITY TO REPRODUCE SOMEONE ELSE
RESULTS

What do you need?

- Analytic data
- Analytic code
- **Documentation for data and code**

What reproducible research is

REPRODUCIBLE VS REPLICABLE

		DATA	
		Same	Different
CODE	Same	Reproducible	Replicable
	Different	Robust	Generalisable

Ref: <https://github.com/KirstieJane/ReproducibleResearch>

What reproducible research is

Reproducibility/reproduce

A study is reproducible if there is a specific set of computational functions/analyses (usually specified in terms of code) that exactly reproduce all of the numbers in a published paper from raw data.

Replication/replicate

A study is only replicable if you perform the exact same experiment (at least) twice, collect data in the same way both times, perform the same data analysis, and arrive at the same conclusions.

Replicability requires new samples and new data¹, which introduces new variability, and additional risks of errors. **Reproducibility** is, to some extent, a technical challenge, while replication gives the results scientific validity.

Ref: <https://github.com/lgatto/TeachingMaterial/tree/master/open-rr-bioinfo-best-practice>

¹in particular biological replicates

Reproducible research Reasons

How does working reproducibly help to achieve more as a scientist [1]

REPRODUCIBILITY [1]

Idealist:

1. It is the foundation of science!
2. The world would be a better place if everyone worked transparently and reproducibly!

Realist:

1. It helps to avoid disaster
 - You need to record in detail how you got there
 - Work reproducibly early on will save you time later
2. It makes it easier to write papers
 - To have very transparent data and code, it costs just few minutes to spot a mistake (if any)
3. It helps reviewers see it your way
 - Made the data and well-documented code easily accessible to the reviewers
4. It enables continuity of your work
 - How can you ensure the continuity of work in your lab if progress is not documented reproducibly?
 - No proof of reproducibility, no result!
5. It helps to build your reputation
 - To build a reputation for being an honest and careful researcher

Reproducible research Rules

– based on Sandve et al., 2013 [3]

Rule 1

FOR EVERY RESULT, KEEP TRACK OF HOW IT WAS PRODUCED

- The full sequence of pre- and post-processing steps are often critical in order to reach the achieved result
- Every detail that may influence the execution of the step should be recorded
- Include the name and version of the program, as well as the exact parameters and inputs

As a minimum, you should at least record sufficient details on programs, parameters, and manual procedures to allow yourself, in a year or so, to approximately reproduce the results

Rule 2

AVOID MANUAL DATA MANIPULATION STEPS

- Manual procedures are not only inefficient and error-prone, they are also difficult to reproduce
- Manual modification of files can usually be replaced by the use of standard UNIX commands or scripts
- Manual tweaking of data files to attain format compatibility should be replaced by format converters that can be reenacted and included into executable workflows
- Manual operations like the use of copy and paste between documents should also be avoided

If manual operations cannot be avoided, you should as a minimum note down which data files were modified or moved, and for what purpose

ARCHIVE THE EXACT VERSIONS OF ALL EXTERNAL PROGRAMS USED

- In order to exactly reproduce a given result, it may be necessary to use programs in the exact versions used originally
- It is not always trivial to get hold of a program in anything but the current version

As a minimum, you should note the exact names and versions of the main programs you use

VERSION CONTROL ALL CUSTOM SCRIPTS

- Only that exact state of the script may be able to produce that exact output, even given the same input data and parameters
- The standard solution to track evolution of code is to use a version control system
 - A version control system is a repository of files with monitored access. Every change made to the source is tracked, along with who made the change, why they made it

As a minimum, you should archive copies of your scripts from time to time

Rule 5

RECORD ALL INTERMEDIATE RESULTS, WHEN POSSIBLE IN STANDARDIZED FORMATS

- In principle, as long as the full process used to produce a given result is tracked, all intermediate data can also be regenerated
- In practice, having easily accessible intermediate results may be of great value
- When the full process is not readily executable, it allows parts of the process to be rerun
- It allows critical examination of the full process behind a result

As a minimum, archive any intermediate result files that are produced when running an analysis

Rule 6

FOR ANALYSES THAT INCLUDE RANDOMNESS, NOTE UNDERLYING RANDOM SEEDS

- Many analyses and predictions include some element of randomness, meaning the same program will typically give slightly different results every time it is executed
- Given the same initial seed, all random numbers used in an analysis will be equal, thus giving identical results every time it is run

As a minimum, you should note which analysis steps involve randomness, so that a certain level of discrepancy can be anticipated when reproducing the results

ALWAYS STORE RAW DATA

- Always store in a safe place the raw data
- Never touch or modify the raw data

GENERATE HIERARCHICAL ANALYSIS OUTPUT, ALLOWING LAYERS OF INCREASING DETAIL TO BE INSPECTED

- The final results that make it to an article, be it plots or tables, often represent highly summarized data
- In order to validate and fully understand the main result, it is often useful to inspect the detailed values underlying the summaries
- When working with summarized results, you should as a minimum at least once generate, inspect, and validate the detailed values underlying the summaries

CONNECT TEXTUAL STATEMENTS TO UNDERLYING RESULTS

- The results of analyses and their corresponding textual interpretations are clearly interconnected but often lie in different places
- Results usually live on a personal computer, while interpretations live in text documents
- To allow efficient retrieval of details behind textual statements, we suggest that statements are connected to underlying results already from the time the statements are initially formulated
- **Integrate reproducible analyses directly into textual documents**

PROVIDE PUBLIC ACCESS TO SCRIPTS, RUNS, AND RESULTS

- All input data, scripts, versions, parameters, and intermediate results should be made publicly and easily accessible
- Making reproducibility of your work by peers a realistic possibility sends a strong signal of quality, trustworthiness, and transparency

Reproducible research Tools

*Let us change our traditional attitude to the construction of programs:
Instead of imagining that our main task is to instruct a computer what to
do, let us concentrate rather on explaining to humans what we want the
computer to do.*

– Donald E. Knuth Literate Programming, 1984

Literate programming is a methodology that combines a programming language with a documentation language

- Write program code to do computing
- Write narratives to explain what is being done by the program code

RMarkdown



Ref: <http://rmarkdown.rstudio.com/index.html>

RMarkdown

```
---  
title: "Untitled"  
author: "Marco Chiapello"  
date: "10 June 2016"  
output: html_document  
---
```

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
```{r}  
summary(cars)
```
```

You can also embed plots, for example:

```
```{r, echo=FALSE}  
plot(cars)
```
```

Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

FOLDER ORGANIZATION

+– README

+– codeBook

+== rawdata

+== rscript

+== analysis


+== docs

+== manuscript

+== tmp

VERSION CONTROL

GitHub Flow - Create a Branch



Learning to use these tools will require commitment and a massive investment of your time and energy.

A priori it is not clear why the benefits of working reproducibly outweigh its costs.

Does reproducibility sound like extra work?

It can be, particularly when one is first trying to do it, that is, to break one's own previous nonreproducible habits

Conclusion

MY ADVICE IS:

Learn the tools of reproducibility as quickly as possible and use them in every project.

References

- [1] Markowetz, F. (2016). Five selfish reasons to work reproducibly. *Genome biology*, pages 1–4.
- [2] Peng, R. D. (2011). Reproducible research in computational science. *Science (New York, NY)*, 334(6060):1226–1227.
- [3] Sandve, G. K., Nekrutenko, A., Taylor, J., and Hovig, E. (2013). Ten Simple Rules for Reproducible Computational Research. *PLoS Computational Biology*, 9(10):e1003285–4.

Acknowledgements

- Mike Deery Manager of the Cambridge Center for Proteomics
- Laurent Gatto Computational Proteomics Unit
- Andrea Genre Universita' di Torino