



Module 03

Manage OU and Users

The screenshot shows the 'Active Directory Users and Computers' console tree on the left, with 'MILKYWAY.LOCAL' selected. A context menu is open over the 'MILKYWAY.LOCAL' folder, and the 'New' option is highlighted. A secondary context menu is open over 'New', showing various object types. The 'Organizational Unit' option is highlighted in this second menu.

Name	Type
Builtin	builtinDomain
Computers	Container
Domain Controllers	Organizational Unit
ForeignSecurityPrincipals	Container
Keys	Container
LostAndFound	LostAndFound
Managed Service Accounts	Container
Computer	Computer
Contact	Contact
Group	Group
InetOrgPerson	InetOrgPerson
msDS-ShadowPrincipalContainer	msDS-ShadowPrincipalContainer
msExchDynamicDistributionList	msExchDynamicDistributionList
msImaging-PSPs	msImaging-PSPs
MSMQ Queue Alias	MSMQ Queue Alias
Organizational Unit	Organizational Unit
Printer	Printer
User	User
Shared Folder	Shared Folder



1. Organizational Unit (OU)

- 1.1. What is OU
- 1.2. Create an OU
- 1.3. Delete an OU



2. User Account


- 2.1. What is User
- 2.2. User Account Types
- 2.3. Add Password length and Enable Complex Password Policy
- 2.4. Create a User in OU
- 2.5. Disable Logon Cache
- 2.6. Set Logon Hours to User
- 2.7. Set Logon Machine to User




3. OU Delegation

- 3.1. Create OU in OU
- 3.2. Delegate OU to Account
- 3.3. Change Server Login Policies
- 3.4. Delegate OU Testing

1. Organizational Unit (OU)




1.1. What is OU?



ORGANIZATIONAL UNIT (OU) IS A WAY TO MANAGE A NETWORK BY COLLECTING A NUMBER OF OBJECTS, SUCH AS USER ACCOUNTS, GROUPS, COMPUTERS, PRINTERS, APPLICATIONS, SHARED FOLDERS, AND OTHER OUS ACROSS THE NETWORK.

THE DOMAIN CONTROLLER IS ALSO AN OU THAT WAS CREATED WHEN WE SET UP ACTIVE DIRECTORY. WE USE THE OU TO EASILY MANAGE AND ASSIGN POLICIES TO CLIENTS BY ALLOCATING USERS, COMPUTERS, AND OTHER OBJECTS. ACCORDING TO THE RESPECTIVE FUNCTIONS.

1.1 What is OU? (Cont.)



The main points of OU are:

Delegate administration: A transfer of administrative rights to administrators or other clients.

Administrator Group Policy: Assign access rights to clients.


Hide Objects: Assigns permissions to objects using the network.



We need to design OU to be simple and easy to manage and adapt to the structure of the organization or institution.


1.2. Create an OU

- Step 1: Click **Tools** menu > Select **Active Directory Users and Computers** > Right click on **domain** > Click **New** > Click **Organizational Unit**





1.2. Create an OU (Cont.)

- Step 2: Enter **OU name** in Name text field > Click **OK**




1.3. Delete an OU

- Step 1: Click **View** menu > Select **Advanced Features** > Right click on an **OU** > Select **Properties**



1.3. Delete an OU (Cont.)



- Step 2: Uncheck **Protect object from accidental deletion** > Click **OK** > Right click on **OU** > Select **Delete** > Click **OK**





2. User Account


2.1. What is User?



Managing Users is an important function of the Administrator who manages the server. The server must create accounts and assign access rights to all users to ensure stability and security in the entire network.

After the server has created an account for the users, for the users to be able to log in to the server, the users must enter the username and password.

2.2. User Account Types





User accounts are folders (records) that contain information about users, such as users' names, account names, passwords, or e-mails, etc. In Windows server 2025 there are at least two types of user accounts: **Local User Account** and **Domain User Account**.

Local User Accounts are created and stored in the computer management of the local computer (stand-alone). **Domain User Accounts** are created and stored in the Active Directory Users and Computers of the Domain Controller and are used when users log in to the Domain.


2.3. Add Password length and Enable Complex Password Policy

- Step 1: Click **Start** button > Type **Group Policy Management** and select it > Expand **Group Policy Management** / **Forest** domain (makara.com) / **Domains** / Domain name (**makara.com**) /
- Step 2: Right click on **Default Domain** > **Edit**




2.3. Add Password length and Enable Complex Password Policy (Cont.)

- Step 3: Go to Computer Configuration / Policies / Windows Settings / Security Settings / Account Policies / Password Policy
- Step 4: Right click on **Minimum password length** > Choose **Properties** > Enter **12** in text field > Click **OK**





Opens the properties dialog box for the current selection.




2.3. Add Password length and Enable Complex Password Policy (Cont.)

- Step 5: Right click on **Password must meet complexity requirements** > Choose **Properties** > Select **Enable** > Click **OK** >
- Step 6: Open Run and type gpupdate /force > OK




2.4. Create a User in OU

- Step 1: Under **OU**, right click and choose **New** > **User**
- Step 2: Enter user information such as **First name**, **Full name**, **User logon name** > Click **Next**



2.4. Create a User in OU (Cont.)

- Step 3: Enter password twice in **Password** and **Confirm password** text fields > Check **Password never expires** > Click **Next** > Click **Finish**



New Object - User

Create in: makara.com/IT Dept

Password:

Confirm password:


☐ User must change password at next logon

☐ User cannot change password

☒ Password never expires

☐ Account is disabled

< Back Next > Cancel



New Object - User

Create in: makara.com/IT Dept

When you click Finish, the following object will be created:

Full name: Reach Makara


User logon name: 13052@makara.com

The password never expires.

< Back Finish Cancel


2.5. Disable Logon Cache

- Step 1: Open **Run** and type **gpedit.msc** > Click **OK** > Expand **Local Computer Policy / Computer Configuration / Windows Settings / Security Settings / Local Policies / Security Options**





2.5. Disable Logon Cache (Cont.)

- Step 2: Right click on Interactive logon: Number of previous logons to cache > Click Properties
- Step 3: Enter **0** in text field > Click **OK** > Open **Run** and type **gpupdate /force** > Click **OK**





2.6. Set Logon Hours to User

- Step 1: Right click on a User > Select Properties > Click Account tab > Click Logon Hours button





2.6. Set Logon Hours to User (Cont.)

- Step 2: Select area to set (**blue** means Logon **Permitted**, **white** means Logon **Denied**) > Click OK > Click OK





2.6. Set Logon Hours to User (Cont.)

- Step 3: Login with **configured user** account and it will deny to use this user account






2.7. Set Logon Machine to User

- Step 1: Right click on a User > Select Properties > Click Account tab > Click Log On To button





2.7. Set Logon Machine to User (Cont.)

- Step 2: Select **This following computers** > type **computer name** (Client) > **Click Add button** > Click **OK** > Click **OK**



2.7. Set Logon Machine to User (Cont.)

- Step 3: on **client computer**, login with **configured user account** and it will **deny** to use **this computer**






3. OU Delegation




3.1. Create OU in OU

- Step 1: Right click on an OU and Select New > Organizational Unit > Enter OU Name > Click




3.2. Delegate OU to Account

- Step 1: Right click on an **OU** > Select **Delegate Control** > Click **New** button > Click **Add** button





3.2. Delegate OU to Account (Cont.)

- Step 2: Enter a **user account** > Click **Check Name** > Click **OK** > Click **Next**






3.2. Delegate OU to Account (Cont.)

- Step 3: Check **Create, delete, and manage user accounts** > Click **Next** > Click **Finish**





3.2. Delegate OU to Account (Cont.)

- Step 4: Right click on a **user** and select **Add to a group** > Type **Administrators** > Click **Check Names** button > Click **OK** > Click **OK**




3.3. Change Server Login Policies

- Step 1: Open **Run** and type **gpmc.msc** > Click **OK** > **Expand Forest: domain / Domains / Domain name (makara.com)** / Right click on **Default Domain Policy** > Select **Edit**






3.3. Change Server Login Policies (Cont.)

- Step 2: Expand Computer Configuration / Policies / Windows Settings / Security Settings / Local Policies / User Rights Assignment > Right click on Allow logon locally > Select Properties





3.3. Change Server Login Policies (Cont.)

- Step 3: Click **Add User or Group** button > Click **Browse** button > Type **administrators** > Click **Check Names** button > Click **OK**




3.3. Change Server Login Policies (Cont.)

- Step 4: Click **OK** > Click **OK**




3.3. Change Server Login Policies (Cont.)

- Step 5: Right click on Shut down the system > Select Properties >





3.3. Change Server Login Policies (Cont.)

- Step 6: Click **Add User or Group** button > Click **Browse** button > Type **administrators** > Click **Check Names** button > Click **OK** > Click **OK**





3.3. Change Server Login Policies (Cont.)

- Step 7: Click **OK** > **Restart** your server




3.4. Delegate OU Testing

- Step 1: **Login** with Delegate User Account >
- Step 2: Click **Tools** menu > Click **Active Directory Users and Computers** >



3.4. Delegate OU Testing (Cont.)

- Step 3: Under **Delegate OU**, right click > **New** > **User**
- Step 4: Enter user information such as **First name**, **Full name**, **User logon name** > Click **Next**


A screenshot of the 'New Object - User' dialog box. The 'Create in:' field shows 'makara.com/IT Dept/ACU'. The form contains the following fields:

- First name: Lay
- Last name: Sophanna
- Full name: Lay Sophanna
- User logon name: 19999, with a dropdown menu showing '@makara.com'
- User logon name (pre-Windows 2000): MAKARA\, with a text field containing 19999

At the bottom, there are three buttons: '< Back', 'Next >', and 'Cancel'. A mouse cursor is pointing at the 'Next >' button.

3.4. Delegate OU Testing (Cont.)

- Step 3: Enter password twice in **Password** and **Confirm password** text fields > Check **Password never expires** > Click **Next** > Click **Finish**



New Object - User

Create in: makara.com/IT Dept/ACU

Password:

Confirm password:


☒ User must change password at next logon

☐ User cannot change password

☐ Password never expires

☐ Account is disabled

< Back Next > Cancel



New Object - User

Create in: makara.com/IT Dept/ACU


When you click Finish, the following object will be created:

Full name: Lay Sophanna

User logon name: 19999@makara.com

The user must change the password at next logon.

< Back Finish Cancel



Thank You.