Program.cs

```
using System;
   using System.Collections.Generic;
 3
 4
   namespace ConsoleApp1
 5
 6
       internal class Program
 7
 8
            private static void Main(string[] args)
 9
10
                List<Drink> drinks = new List<Drink>();
                List<OrderItem> orders = new List<OrderItem>();
11
12
13
                //新增飲料品項
14
               AddNewDrink(drinks):
15
16
                //列出所有飲料品項
               DisplayDrinkMenu(drinks);
17
18
19
                //訂購飲料
20
               OrderDrink(drinks, orders);
21
22
                //計算售價
23
               CalculateAmount(orders);
24
25
           }
26
27
            private static void CalculateAmount(List<OrderItem> myOrders)
28
29
                double total = 0.0;
                string message = "";
30
                double sellPrice = 0.0;
31
32
33
                Console.WriteLine("-----
34
                foreach(OrderItem orderItem in myOrders) total += orderItem.Subtotal;
35
36
                if (total >= 500)
37
38
                   message = "訂購滿500元以上者8折";
39
                    sellPrice = total * 0.8;
40
41
                else if (total >= 300)
42
                    message = "訂購滿300元以上者85折";
43
44
                    sellPrice = total * 0.85;
                }
45
                else if (total >= 200)
46
47
48
                    message = "訂購滿200元以上者9折";
49
                    sellPrice = total * 0.9;
50
                }
                else
51
52
53
                    message = "訂購未滿200元不打折";
54
                    sellPrice = total;
55
                }
56
   Console.WriteLine($"您總共訂購{myOrders.Count}項飲料,總計{total}元。{message},總計需付款{sellPrice}元。");
57
```

```
58
                 Console.WriteLine("----
             }
 59
 60
 61
             private static void OrderDrink(List<Drink> myDrinks, List<OrderItem> myOrders)
 62
 63
                 Console.WriteLine():
                 Console.WriteLine("請開始訂購飲料,按下x鍵離開。");
 64
 65
                 string s;
                 int index, quantity, subtotal;
 66
                 while (true)
 67
 68
 69
                     Console.Write("請輸入品名編號? ");
                     s = Console.ReadLine();
 70
                     if (s == "x")
 71
 72
 73
 74
                         Console.WriteLine("謝謝惠顧,歡迎下次再來。");
 75
                         break:
 76
 77
                     else index = Convert.ToInt32(s);
 78
                     Drink drink = myDrinks[index];
 79
                     Console.Write("請輸入數量?");
 80
 81
                     s = Console.ReadLine();
                     if (s == "x")
 82
 83
                     {
 84
 85
                         Console.WriteLine("謝謝惠顧,歡迎下次再來。");
 86
                         break;
 87
                     }
 88
                     else quantity = Convert.ToInt32(s);
 89
                     subtotal = drink.Price * quantity;
 90
                     Console.WriteLine($"您訂購{drink.Name}{drink.Size}{quantity}杯,每杯
 91
    {drink.Price}元,小計{subtotal}元");
                     myOrders.Add(new OrderItem() { Index = index, Quantity = quantity, Subtotal
 92
    = subtotal });
 93
                 }
 94
             }
 95
 96
             private static void DisplayDrinkMenu(List<Drink> myDrinks)
 97
 98
                 //列出所有飲料品項
 99
                 //for (int i=0; i< drinks.Count; i++)</pre>
100
                 //{
                       Console.WriteLine($"{drinks[i].Name} {drinks[i].Size}
101
    {drinks[i].Price}");
102
                 //}
103
                 Console.WriteLine("飲料清單\n");
104
                 Console.WriteLine(String.Format("{0,-5}{1,-5}{2,5}{3,7}","編號","品名","大小","價
    格"));
105
                 int i = 0;
106
                 foreach (Drink drink in myDrinks)
107
108
                     Console.WriteLine($"{i,-7}{drink.Name,-8}{drink.Size,-3}
    {drink.Price,9:C1}");
109
                     i++;
110
                 }
111
             }
112
113
             private static void AddNewDrink(List<Drink> myDrinks)
114
115
                 //新增飲料品項
```

```
116
                                    //Drink drink1 = new Drink() { Name = "紅茶", Size = "大杯", Price = 50 };
                                    //drinks.Add(drink1);
117
                                    myDrinks.Add(new Drink() { Name = "紅茶", Size = "大杯", Price = 50 });
118
                                   myDrinks.Add(new Drink() { Name = "紅茶", Size = "小杯", Price = 30 });
myDrinks.Add(new Drink() { Name = "綠茶", Size = "大杯", Price = 50 });
myDrinks.Add(new Drink() { Name = "綠茶", Size = "小杯", Price = 50 });
myDrinks.Add(new Drink() { Name = "咖啡", Size = "大杯", Price = 60 });
myDrinks.Add(new Drink() { Name = "咖啡", Size = "大杯", Price = 60 });
myDrinks.Add(new Drink() { Name = "咖啡", Size = "小杯", Price = 40 });
119
120
121
122
123
124
                           }
125
                   }
126 }
```