Cucumber Report

Start : Apr 20, 12:45:33.578 AM	End : Apr 20, 12:47:04.985 AM	Duration : 1 m 31.407 s
Features	Scenarios	Steps
PASSED - 4 FAILED - 3 SKIPPED - 0	PASSED - 18 FAILED - 5 SKIPPED - 1	PASSED - 46 FAILED - 3 SKIPPED - 5

Features: 7 — Pass % 57 %

Scenarios: 24 — Pass % 75 %

Steps: 54 — Pass % 85 %

#	Feature Name	T	P	F	S	Duration
1	DataTable And DocString	2	2	0	0	4.932 s
2	Exception	5	4	1	0	14.055 s
3	Hook and step failures	2	0	2	0	0.022 s
4	Polish Scenario And Scenario Outline	5	5	0	0	15.058 s
5	Scenario And Scenario Outline	5	5	0	0	16.310 s
6	Screenshots	2	2	0	0	40.868 s
7	Scenarios With No Step Definitions	3	0	2	1	0.021 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	DataTable And DocString	DataTable Scenario	2	2	0	0	2.364 s
2	DataTable And DocString	Doc String to Custom Object	2	2	0	0	2.537 s
3	Exception	Exception	1	1	0	0	2.507 s
4	Exception	No Exception	1	1	0	0	1.502 s
5	Exception	Other Exception	2	1	1	0	5.009 s
6	Exception	Check exception 1	1	1	0	0	2.503 s
7	Exception	Check exception 2	1	1	0	0	2.502 s
8	Hook and step failures	Before Hook	2	0	0	2	0.008 s
9	Hook and step failures	After Hook	2	0	0	2	0.006 s
10	Polish Scenario And Scenario Outline	Scenario Outline Row 300	3	3	0	0	3.011 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Polish Scenario And Scenario Outline	Scenario Outline Row 500	3	3	0	0	3.005 s
12	Polish Scenario And Scenario Outline	Scenario Outline Row 400	3	3	0	0	3.006 s
13	Polish Scenario And Scenario Outline	Scenario Outline Row 600	3	3	0	0	3.005 s
14	Polish Scenario And Scenario Outline	Scenario Number Seven Seven Seven	3	3	0	0	3.005 s
15	Scenario And Scenario Outline	Scenario Outline Row 300	4	4	0	0	3.260 s
16	Scenario And Scenario Outline	Scenario Outline Row 500	4	4	0	0	3.262 s
17	Scenario And Scenario Outline	Scenario Outline Row 400	4	4	0	0	3.258 s
18	Scenario And Scenario Outline	Scenario Outline Row 600	4	4	0	0	3.254 s
19	Scenario And Scenario Outline	Scenario Number Seven Seven Seven	4	4	0	0	3.252 s
20	Screenshots	Scenario screenshot GIT	1	1	0	0	33.230 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
21	Screenshots	Scenario screenshot STACK	1	1	0	0	7.634 s
22	Scenarios With No Step Definitions	No Step defined	1	0	1	0	0.002 s
23	Scenarios With No Step Definitions	Pending step	1	0	1	0	0.005 s
24	Scenarios With No Step Definitions	Skipped step	1	0	0	1	0.002 s

(F)- DataTable And DocString

PASSED	DURATION - 4.932 s	Scenarios		Steps	
/ 12:45:33.578 AM // 12:45:38.510 AM /		Total - 2 Pass - 2 Fail - 0 Skip - 0	2	Total - 4 Pass - 4 Fail - 0 Skip - 0	4

(S)- DataTable Scenario

PASSED	DURATION - 2.364 s		Steps	
/ 12:45:33.583 AM // 12:45:35.947 AM /			Total - 2 Pass - 2 Fail - 0 Skip - 0	2
DataTable And DocString				
@tabledoc				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.013 s
1	Given Hello background background	PASSED	0.251 s
2	Given Customer orders the dishes	PASSED	2.068 s

one cell Customer orders t*	two cell	three cell	four cell	five cell	six cell	seven cell	eight cell	nine cell	ten cell	eleven cell	twelve cell	*
1	2	3	4	5	6	7	8	9	10	11	12	
1	2	3	4	5	6	7	8	9	10	11	12	
1	2	3	4	5	6	7	8	9	10	11	12	
1	2	3	4	5	6	7	8	9	10	11	12	
1	2	3	4	5	6	7	8	9	10	11	12	

* The data cell text(s) and extra column(s) have been cropped to fit in the available space.

#	Step / Hook Details	Status	Duration
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.003 s

(S)- Doc String to Custom Object

PASSED	*DURATION - 2.537 s*
/ 12:45:35.973 AM // 12:45:38.510 AM /	
DataTable And DocString	
@tabledoc	

Steps

Total - 2

Pass - 2

Fail - 0

Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given the doc string is	PASSED	2.284 s
	Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI AFTER HELLO		

(F)- Exception

FAILED	DURATION - 14.055 s	Scenarios		Steps	
		Total - 5		Total - 6	
/ 12:45:38.518 AM // 12:45:52.573 AM /		Pass - 4	5	Pass - 5	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Exception

PASSED	DURATION - 2.507 s		Steps	
/ 12:45:38.519 AM // 12:45:41.026 AM /			Total - 1	
Exception			Pass - 1	1
@exception			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		
1	Given Raise exception	PASSED	2.503 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI AFTER HELLO		

(S)- No Exception

PASSED	*DURATION - 1.502 s*
/ 12:45:41.032 AM // 12:45:42.534 AM /	
Exception	
@exception	

Steps

Total - 1

Pass - 1

Fail - 0

Skip - 0

| #	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		
1	Given Do not raise exception	PASSED	1.500 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI AFTER HELLO		

(S)- Other Exception

FAILED	*DURATION - 5.009 s*
/ 12:45:42.539 AM // 12:45:47.548 AM /	
Exception	
@exception	

Steps

Total - 2

Pass - 1

Fail - 1

Skip - 0

| #	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given Raise exception	PASSED	2.501 s
2	Given Raise exception	FAILED	2.504 s
	java.lang.AssertionError: expected [true] but found [false]		

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:107) at ?.Raise exception(classpath:stepdefs/exceptions.feature:12) * Not displayable characters are replaced by '?'.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI AFTER HELLO		

(S)- Check exception 1

PASSED	DURATION - 2.503 s			Steps	
/ 12:45:47.563 AM // 12:45:50.066 AM /				Total - 1	
Exception				Pass - 1	
				Fail - 0	
@exception				Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		
1	Given Raise exception	PASSED	2.501 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI AFTER HELLO		

(S)- Check exception 2

PASSED	DURATION - 2.502 s		Steps	
/ 12:45:50.071 AM // 12:45:52.573 AM /			Total - 1	
Exception			Pass - 1	1
@exception			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given Raise exception	PASSED	2.500 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI AFTER HELLO		

(F)- Hook and step failures

FAILED	DURATION - 0.022 s		Scenarios		Steps	
/ 12:45:52.578 AM // 12:45:52.600 AM /			Total - 2	2	Total - 4	4
			Pass - 0		Pass - 0	
			Fail - 2		Fail - 0	
			Skip - 0		Skip - 4	

(S)- Before Hook

FAILED	DURATION - 0.008 s
/ 12:45:52.578 AM // 12:45:52.586 AM /	
Hook and step failures	
@failure	

Steps
Total - 2
Pass - 0
Fail - 0
Skip - 2

| #	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.002 s
	FAILURE HI FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:56)		
1	Given Hook failure step	SKIPPED	0.000 s
2	When Skip hook failure step	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.001 s
	FAILURE HI FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:63)		

(S)- After Hook

FAILED	DURATION - 0.006 s
/ 12:45:52.594 AM // 12:45:52.600 AM /	
Hook and step failures	
@failure	

Steps
Total - 2
Pass - 0
Fail - 0
Skip - 2

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	FAILURE HI FAILURE HELLO java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:56)		
1	Given Hook failure step	SKIPPED	0.000 s
2	Then Skip hook failure step	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.001 s
	FAILURE HI FAILURE HELLO java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:63)		

(F)- Polish Scenario And Scenario Outline

PASSED	DURATION - 15.058 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0	Steps Total - 15 Pass - 15 Fail - 0 Skip - 0
/ 12:45:52.625 AM // 12:46:07.683 AM /			

(S)- Scenario Outline Row 300

PASSED	DURATION - 3.011 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0
/ 12:45:52.625 AM // 12:45:55.636 AM /			
Polish Scenario And Scenario Outline			
@dialect			

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		

#	Step / Hook Details	Status	Duration
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	1.001 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline One300'	PASSED	1.001 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	1.001 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI AFTER HELLO		

(S)- Scenario Outline Row 500

PASSED	DURATION - 3.005 s
/ 12:45:55.642 AM // 12:45:58.647 AM /	
Polish Scenario And Scenario Outline	
@dialect	

Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	1.002 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	1.001 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	1.001 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI AFTER HELLO		

(S)- Scenario Outline Row 400

PASSED	DURATION - 3.006 s
/ 12:45:58.655 AM // 12:46:01.661 AM /	
Polish Scenario And Scenario Outline	
@dialect	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	1.001 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline One400'	PASSED	1.002 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	1.002 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI AFTER HELLO		

(S)- Scenario Outline Row 600

PASSED	DURATION - 3.005 s
/ 12:46:01.668 AM // 12:46:04.673 AM /	
Polish Scenario And Scenario Outline	
@dialect	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two600' log HATE THIS	PASSED	1.001 s
2	Kiedy Complete action in 'when' step in 'Scenario Outline Two600' log HATE THIS	PASSED	1.001 s
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two600' log HATE THIS	PASSED	1.001 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

(S)- Scenario Number Seven Seven Seven

PASSED	DURATION - 3.005 s
/ 12:46:04.678 AM // 12:46:07.683 AM /	
Polish Scenario And Scenario Outline	
@dialect	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Zakładając Write a 'given' step with precondition in 'Scenario 777' log HATE THIS	PASSED	1.001 s
2	Kiedy Complete action in 'when' step in 'Scenario 777' log HATE THIS	PASSED	1.001 s
3	Wtedy Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS	PASSED	1.001 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER HI AFTER HELLO		

(F)- Scenario And Scenario Outline

PASSED	DURATION - 16.310 s	Scenarios		Steps	
/ 12:46:07.691 AM // 12:46:24.001 AM /		Total - 5 Pass - 5 Fail - 0 Skip - 0	5	Total - 20 Pass - 20 Fail - 0 Skip - 0	20

(S)- Scenario Outline Row 300

PASSED	DURATION - 3.260 s		Steps	
/ 12:46:07.694 AM // 12:46:10.954 AM /			Total - 4 Pass - 4 Fail - 0 Skip - 0	4
Scenario And Scenario Outline				
@both @scenout				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.001 s
1	Given Hello background background	PASSED	0.250 s
2	Given Write a 'given' step with precondition in 'Scenario Outline One300' log HATE THIS	PASSED	1.002 s
3	When Complete action in 'when' step in 'Scenario Outline One300' log HATE THIS	PASSED	1.001 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline One300' log HATE THIS	PASSED	1.004 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
	AFTER HI AFTER HELLO		

(S)- Scenario Outline Row 500

PASSED	DURATION - 3.262 s		Steps	
/ 12:46:10.964 AM // 12:46:14.226 AM /			Total - 4	
Scenario And Scenario Outline			Pass - 4	
@both @scenout			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.003 s
	BEFORE HI BEFORE HELLO		
1	Given Hello background	PASSED	0.252 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	1.001 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	1.000 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	1.004 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI AFTER HELLO		

(S)- Scenario Outline Row 400

PASSED	DURATION - 3.258 s		Steps	
/ 12:46:14.229 AM // 12:46:17.487 AM /			Total - 4	
Scenario And Scenario Outline			Pass - 4	
			Fail - 0	
@both @scenout			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	1.001 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline One400'	PASSED	1.002 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	1.002 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI AFTER HELLO		

(S)- Scenario Outline Row 600

PASSED	DURATION - 3.254 s		Steps	
/ 12:46:17.490 AM // 12:46:20.744 AM /			Total - 4	
Scenario And Scenario Outline			Pass - 4	
			Fail - 0	
@both @scenout			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	1.000 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	1.001 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	1.001 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI AFTER HELLO		

(S)- Scenario Number Seven Seven Seven

PASSED	DURATION - 3.252 s		Steps	
/ 12:46:20.749 AM // 12:46:24.001 AM /			Total - 4	
Scenario And Scenario Outline			Pass - 4	4
@both @scen			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario 777'	PASSED	1.000 s

#	Step / Hook Details	Status	Duration
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	1.002 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI AFTER HELLO		

(F)- Screenshots

PASSED	DURATION - 40.868 s	Scenarios		Steps	
	/ 12:46:24.005 AM // 12:47:04.873 AM /	Total - 2 Pass - 2 Fail - 0 Skip - 0	2	Total - 2 Pass - 2 Fail - 0 Skip - 0	2

(S)- Scenario screenshot GIT

PASSED	DURATION - 33.230 s		Steps	
/ 12:46:24.005 AM // 12:46:57.235 AM /			Total - 1	
Screenshots			Pass - 1 Fail - 0	1
@website			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	10.892 s
	HELLO THERE!!!		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite2()	PASSED	0.000 s
	GOOD BYE!!!		
1	When Go to https://github.com/	PASSED	9.987 s

#	Step / Hook Details	Status	Duration
	scenario website name - https://github.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite()	PASSED	12.346 s
	HELLO THERE!!! https://github.com/ https://github.com/ 		
	AFTER_STEP - stepdefs.Stepdefs.afterSite2()	PASSED	0.000 s
	GOOD BYE!!! https://github.com/		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI AFTER HELLO		

(S)- Scenario screenshot STACK

PASSED	DURATION - 7.634 s		Steps	
/ 12:46:57.239 AM // 12:47:04.873 AM /			Total - 1	
Screenshots			Pass - 1	
@website			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	2.911 s
	HELLO THERE!!!		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite2()	PASSED	0.000 s
	GOOD BYE!!!		
1	Given Go to https://stackoverflow.com/	PASSED	3.648 s
	scenario website name - https://stackoverflow.com/		

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefs.Stepdefs.afterSite()	PASSED	1.074 s
	HELLO THERE!!! https://stackoverflow.com/ https://stackoverflow.com/ +		
	AFTER_STEP - stepdefs.Stepdefs.afterSite2()	PASSED	0.000 s
	GOOD BYE!!! https://stackoverflow.com/		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI AFTER HELLO		

(F)- Scenarios With No Step Definitions

FAILED	DURATION - 0.021 s	Scenarios Total - 3 Pass - 0 Fail - 2 Skip - 1		Steps Total - 3 Pass - 0 Fail - 2 Skip - 1	
	/ 12:47:04.964 AM // 12:47:04.985 AM /				

(S)- No Step defined

FAILED	DURATION - 0.002 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
	/ 12:47:04.964 AM // 12:47:04.966 AM /			
	Scenarios With No Step Definitions			
	@skip			

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
	BEFORE HI BEFORE HELLO		
1	Given No step definition methods	FAILED	0.000 s
	Step undefined		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI AFTER HELLO		

(S)- Pending step

FAILED	DURATION - 0.005 s		Steps	
/ 12:47:04.974 AM // 12:47:04.979 AM /			Total - 1	
Scenarios With No Step Definitions			Pass - 0	
			Fail - 1	
@skip			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		
1	Given Pending step definition	FAILED	0.003 s
	io.cucumber.java.PendingException: TODO: implement me at stepdefs.Stepdefs.pendingStep(Stepdefs.java:174) at ?.Pending step definition(classpath:stepdefs/skipdef.feature:13) * Not displayable characters are replaced by '?'.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI AFTER HELLO		

(S)- Skipped step

SKIPPED	DURATION - 0.002 s	
/ 12:47:04.983 AM // 12:47:04.985 AM /		
Scenarios With No Step Definitions		
@skip		

Steps
Total - 1
Pass - 0
Fail - 0
Skip - 1

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		
1	Given Skipped step definition	SKIPPED	0.000 s

	org.testng.SkipException: SKip it
	   at stepdefs.Stepdefs.skippedStep(Stepdefs.java:179)
	   at ?.Skipped step definition(classpath:stepdefs/skipdef.feature:18)
	* Not displayable characters are replaced by '?'.		

	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI AFTER HELLO		

(Step) AFTER_STEP - stepdefs.Stepdefs.afterSite()

(S) Scenario screenshot GIT

(F) Screenshots

(Step) AFTER_STEP - stepdefs.Stepdefs.afterSite()

(S) Scenario screenshot STACK

(F) Screenshots