
AI VIETNAM All-in-One Course

Retrieval Augmented Generation

Bach-Hoang Ngo

















Not up-to-date information

| MODEL | DESCRIPTION | TRAINING DATA |
|--------------------|---|----------------|
| gpt-3.5-turbo-0125 | New Updated GPT 3.5 Turbo The latest GPT-3.5 Turbo model with higher accuracy at responding in requested formats and a fix for a bug which caused a text encoding issue for non-English language function calls. Returns a maximum of 4,096 output tokens. Learn more. | Up to Sep 2021 |
| gpt-3.5-turbo | Currently points to gpt-3.5-turbo- 0125. | Up to Sep 2021 |
| gpt-3.5-turbo-1106 | GPT-3.5 Turbo model with improved instruction following, JSON mode, reproducible outputs, parallel function calling, and more. Returns a maximum of 4,096 output tokens. Learn more. | Up to Sep 2021 |

| MODEL | DESCRIPTION | TRAINING DATA |
|------------------------|---|----------------|
| gpt-4-turbo | New GPT-4 Turbo with Vision The latest GPT-4 Turbo model with vision capabilities. Vision requests can now use JSON mode and function calling. Currently points to gpt-4- turbo-2024-04-09. | Up to Dec 2023 |
| gpt-4-turbo-2024-04-09 | GPT-4 Turbo with Vision model. Vision requests can now use JSON mode and function calling. gpt-4-turbo currently points to this version. | Up to Dec 2023 |
| gpt-4-turbo-preview | GPT-4 Turbo preview model. Currently points to gpt-4-0125- preview. | Up to Dec 2023 |

Not up-to-date information



You

Who are the creators of Mamba network?



ChatGPT

The Mamba network was created by Andrey Andreev, a Russian entrepreneur who founded the company Mamba in 2003. Mamba is a popular online dating and social networking platform, particularly in Russia and Eastern Europe.



You

What is the current SOTA method for Image Classification?



ChatGPT

As of my last update in January 2022, convolutional neural networks (CNNs) were the state-of-the-art (SOTA) method for image classification tasks.

Architectures like ResNet, DenseNet, and EfficientNet were among the most prominent CNN models achieving excellent performance on various image classification benchmarks such as ImageNet.



YOU

How many CVPR papers published in 2024



ChatGPT

I can't provide real-time data, including the number of papers published at a specific conference in 2024, as my training only includes knowledge up to January 2022. However, you can typically find this information by visiting the official website of the Conference on Computer Vision and Pattern Recognition (CVPR) or checking academic databases like IEEE Xplore or arXiv, which often host proceedings of such conferences. They usually provide information on the number of papers accepted and published for each year's conference.

Private data?



Enterprise data



Confidential data

Retraining with more data?

Training Llama 2





| | | Time (GPU hours) | Power Consumption (W) | Carbon Emitted (tCO_2eq) |
|---------|-----|---------------------|-----------------------|----------------------------|
| Llama 2 | 7B | 184320 | 400 | 31.22 |
| | 13B | 368640 | 400 | 62.44 |
| | 34B | 1038336 | 350 | 153.90 |
| | 70B | 1720320 | 400 | 291.42 |
| Total | | 3311616 | | 539.00 |

 $1.29 \rightarrow 4.10$ \$ / 1h

Llama $2 - 7B \sim 240k \$$

Llama $2 - 70B \sim 2.2M \$$

- Risk of worse performance.
- Cannot update in real-time.
- Carbon Emission.
- Hallucination

Retraining with more data?

Llama 3 numbers

| | Time (GPU hours) | Power Consumption (W) | Carbon Emitted(tCO2eq) |
|-------------|------------------|-----------------------|------------------------|
| Llama 3 8B | 1.3M | 700 | 390 |
| Llama 3 70B | 6.4M | 700 | 1900 |
| Total | 7.7M | | 2290 |

 $1.29 \rightarrow 4.10$ \$ / 1h

Llama $2 - 7B \sim 1.7M \$$

Llama $2 - 70B \sim 8.3M \$$

Hallucination

M You

Truyện "Dế mèn phiêu lưu ký" kể vê gì

0

ChatGPT

"Truyện Dế Mèn Phiêu Lưu Ký" là một tác phẩm văn học nổi tiếng của nhà văn Tô Hoài. Câu chuyện xoay quanh cuộc phiêu lưu của chú để mèn, một con vật nhỏ bé, thông minh và tinh nghịch.

Chú dế mèn bị bất vào nhà của một người làm công việc tại cơ quan một cửa hàng kinh doanh. Tại đây, chú dế mèn gặp gỡ và kết bạn với nhiều loại động vật khác, từ chuột, bò sát đến các loại chim. Qua những cuộc trò chuyện và kinh nghiệm giao tiếp, chú dế mèn học được nhiều điều về cuộc sống, tình bạn và lòng hiểu thảo.

Cuối cùng, chú dế mèn quyết định rời khỏi nhà cửa hàng để đến một nơi mới, nơi mà anh có thể tiếp tục cuộc phiêu lưu của mình và khám phá thế giới bên ngoài. "Dế Mèn Phiêu Lưu Ký" không chỉ là một câu chuyện giải trí cho trẻ em mà còn là một tác phẩm văn học mang tính nhân văn sâu sắc, với thông điệp về tình bạn, lòng ṇạn đảm và sự khám phá cuộc sống.

Al

You

Kể tôi nghe chuyện Tấm Cám


Tấm Cám là một câu chuyện dân gian nổi tiếng của Việt Nam, thường được coi là phiên bản Việt Nam của cổ tích Cinderella. Câu chuyện kể về hai chị em riêng biệt nguồn gốc: Tấm và Cám. Tấm là cô em gái hiên lành, thông minh và tốt bụng, trong khi Cám thì xấu xí, xảo trá, và ghen tuông với Tấm.

Câu chuyện bất đầu với việc mẹ của Tấm qua đời và để lại cho cô một miếng vải. Trước khi qua đời, mẹ Tấm đã nhờ Tấm giữ miếng vải và dùng nó để gọi linh hôn của mình trở lại. Mẹ của Cám lại ghen tị và cố gấng cướp miếng vải đó. Tấm buộc phải đưa miếng vải cho Cám để tránh sự ghen tuông của nàng.

Sau đó, Cám cưới vương quốc và trở thành một phu nhân xấu xí và tàn ác. Trong khi đó, Tấm phải sống dưới mái nhà của mẹ kế, bị hãm hại và làm việc vất vả. Nhưng nhờ vào sự sup đỡ của các loài vật và sự thấu hiểu của một ông lão nơi rừng sâu, Tấm da có được một bộ váy để đi dự lễ hội.


Retrieval Augmented Generation


- Overview
- Ingestion
- Retrieval
- Generation





Prompt

User questions










Learn by Project



Building a Chatbot from AIO Documents!!

Tools








Quantization

- Overview
- Ingestion
- Retrieval
- Generation


Data Collecting



Read PDF files









Llama Parse


Read PDF files


```
1 import pypdf
2 filename = "/content/AIO_Documents/Documents/Mamba.pdf"
3 pdf_file = open(filename, 'rb')
4
5 reader = pypdf.PdfReader(pdf_file)
6
7 content = ""
8 for page in reader.pages:
9    text = page.extract_text()
10    content += text + "\n"
11 pdf_file.close()
```

Using llama-index

```
1 from llama_index.core import SimpleDirectoryReader
2
3 documents = SimpleDirectoryReader("/content/AIO_Documents/Documents").load_data()
```

| Model | Context Window |
|-----------------|----------------|
| gpt-4-turbo | |
| gpt-3.5-turbo | |
| Claude 3 - opus | |
| Mistral-7b | |
| Llama-7b | |





```
1 from llama_index.core.node_parser import SentenceSplitter
2 from llama_index.core import Settings, VectorStoreIndex
3
4 text_splitter = SentenceSplitter(chunk_size=512, chunk_overlap=64)
5 processed_documents = text_splitter(documents)
6
7 print("Before splitting: ", len(documents))
8 print("After splitting: ", len(processed_documents))
9


Before splitting: 318
After splitting: 597
```

Semantic Splitter


```
1 from llama index.core.node parser import (
      SentenceSplitter,
      SemanticSplitterNodeParser,
 4)
 5 from llama index.embeddings.openai import OpenAIEmbedding
 6 from llama index.core import SimpleDirectoryReader
 8
 9 import os
10 os.environ["OPENAI API KEY"] = "YOUR API KEY"
11
12 embed model = OpenAIEmbedding()
13 splitter = SemanticSplitterNodeParser(
      buffer_size=1, breakpoint_percentile_threshold=95, embed_model=embed_model
14
15)
16
17 nodes = splitter.get nodes from documents(documents)
18 for node in nodes:
      print('-' * 100)
19
      print(node.get content())
20
```


Why Embedding?

| Aspect | Embedding Search | Keyword Search |
|-----------------------|---|--|
| Search Method | Uses vectors to represent the semantic meaning of words | Relies on exact keyword matching |
| Understanding Context | Understands the intent and context of queries | Focuses on the presence of specific keywords |
| Handling Synonyms | Can identify and match synonyms and related terms | Typically requires explicit listing of synonyms |
| Query Flexibility | Allows natural language queries | Best with specific, well-defined keyword queries |
| Computational Demand | More computationally intensive | Less computationally demanding |



(1) Contrastive pre-training






Which embedding model to use?


MTEB Leaderboard - a Hugging Face Space by mteb

| Rank 🔺 | Model | Model Size (Million A | Memory Usage (GB, fp32) | Embedding Dimensions | Max Tokens | Average (56 A | Classification Average (12 datasets) | Clustering Average (11 datasets) |
|--------|-------------------------------|-----------------------|-------------------------|-------------------------|---------------|------------------|--|----------------------------------|
| 1 | SFR-Embedding-Mistral | 7111 | 26.49 | 4096 | 32768 | 67.56 | 78.33 | 51.67 |
| 2 | voyage-lite-02-instruct | 1220 | 4.54 | 1024 | 4000 | 67.13 | 79.25 | 52.42 |
| 3 | GritLM-7B | 7242 | 26.98 | 4096 | 32768 | 66.76 | 79.46 | 50.61 |
| 4 | e5-mistral-7b-instruct | 7111 | 26.49 | 4096 | 32768 | 66.63 | 78.47 | 50.26 |
| 5 | google-gecko.text-embedding-p | 1200 | 4.47 | 768 | 2048 | 66.31 | 81.17 | 47.48 |
| 6 | GritLM-8x7B | 46703 | 173.98 | 4096 | 32768 | 65.66 | 78.53 | 50.14 |
| 7 | LLM2Vec-Mistral-7B-Instruct-v | | | | | 64.8 | 76.63 | 45.54 |
| 8 | echo-mistral-7b-instruct-last | 7111 | 26.49 | 4096 | 32768 | 64.68 | 77.43 | 46.32 |
| 9 | mxbai-embed-large-v1 | 335 | 1.25 | 1024 | 512 | 64.68 | 75.64 | 46.71 |

Vector database




Vector database



Vector database


Vector DB Comparison (superlinked.com)



Quantization

- Overview
- Ingestion
- Retrieval
- Generation


Vector Search




Vector Search



Keyword Search




Hybrid Search




QUIZ TIME!!!



Reranking



Reranking - Model based



Reranking – LLM based

Microsoft *LLMLingua*: Compressing Prompts for Accelerated Inference of Large Language Models




Figure 1: Framework of the proposed approach LLMLingua.

https://aka.ms/LLMLingua


Now you can use **LLMLingua!** ling

A simple and efficient method to compress prompt up to **20***X*.


- **Saving cost**, not only prompt, but also the generation length;
- Support longer contexts;
- Robustness, no need any training for the LLMs;
- **knowledge like ICL, reasoning, etc.**
- **KV-Cache compression**, speedup inference;

GPT-4 can recovery all key information from compressed prompt.

Query Rewritting



Query Rewritting



Quantization

- Overview
- Ingestion
- Retrieval
- Generation


LLM Benchmarks

| | Meta Llama 3 70B |
|-----------------------|------------------------|
| MMLU 5-shot | 82.0 |
| GPQA 0-shot | 39.5 |
| HumanEval 0-shot | 81.7 |
| GSM-8K 8-shot, CoT | 93.0 |
| MATH 4-shot, CoT | 50.4 |

| | | Gemma |
|--------------------------------|---|-------|
| BENCHMARK | DESCRIPTION | 7B |
| MMLU 5-shot, top-1 | Representation of questions in 57 subjects (incl. STEM, humanities and others) | 64.3 |
| BBH - | Diverse set of challenging tasks requiring multi-step reasoning | 55.1 |
| DROP - | Reading comprehension (F1 Score) | - |
| HellaSwag _{0-shot} | Commonsense reasoning for everyday tasks | 81.2 |
| GSM8K maj@1 | Basic arithmetic manipulations (incl. Grade School math problems) | 46.4 |
| MATH 4-shot | Challenging math problems (incl. algebra, geometry, pre-calculus, and others) | 24.3 |
| HumanEval | Python code generation | 32.3 |
| Natural2Code - | Python code generation. New held out dataset HumanEval-like, not leaked on the web. | |

| | Gemini Ultra | Gemini Pro | GPT-4 |
|---|---------------------------|---------------------------|----------------------------------|
| MMLU Multiple-choice questions in 57 subjects (professional & | 90.04% CoT@32* | 79.13% CoT@8* | 87.29% CoT@32 (via API**) |
| academic) (Hendrycks et al., 2021a) | 83.7% 5-shot | 71.8% 5-shot | 86.4% 5-shot (reported) |
| GSM8K Grade-school math (Cobbe et al., 2021) | 94.4% Maj1@32 | 86.5% Maj1@32 | 92.0% SFT & 5-shot CoT |
| MATH Math problems across 5 difficulty levels & | 53.2% 4-shot | 32.6% 4-shot | 52.9% 4-shot (via API**) |
| 7 subdisciplines (Hendrycks et al., 2021b) | | | 50.3% (Zheng et al., 2023) |
| BIG-Bench-Hard Subset of hard BIG-bench tasks written as CoT prob- lems (Srivastava et al., 2022) | 83.6% 3-shot | 75.0% 3-shot | 83.1% 3-shot (via API**) |
| HumanEval Python coding tasks (Chen et al., 2021) | 74.4% 0-shot (IT) | 67.7% 0-shot (IT) | 67.0% 0-shot (reported) |
| Natural2Code Python code generation. (New held-out set with no leakage on web) | 74.9% 0-shot | 69.6% 0-shot | 73.9% 0-shot (via API**) |
| DROP Reading comprehension & arithmetic. (metric: F1-score) (Dua et al., 2019) | 82.4 Variable shots | 74.1 Variable shots | 80.9 3-shot (reported) |
| HellaSwag (validation set) Common-sense multiple choice questions (Zellers et al., 2019) | 87.8% 10-shot | 84.7% 10-shot | 95.3% 10-shot (reported) |

LLM Benchmarks - MMLU



GSM8K + MATH

Problem: Beth bakes 4, 2 dozen batches of cookies in a week. If these cookies are shared amongst 16 people equally, how many cookies does each person consume?

Solution: Beth bakes 4 2 dozen batches of cookies for a total of 4*2 = <<4*2=8>>8 dozen cookies

There are 12 cookies in a dozen and she makes 8 dozen cookies for a total of 12*8 = <<12*8=96>>96 cookies

She splits the 96 cookies equally amongst 16 people so they each eat 96/16 = <<96/16=6>>6 cookies

Final Answer: 6

Problem: Mrs. Lim milks her cows twice a day. Yesterday morning, she got 68 gallons of milk and in the evening, she got 82 gallons. This morning, she got 18 gallons fewer than she had yesterday morning. After selling some gallons of milk in the afternoon, Mrs. Lim has only 24 gallons left. How much was her revenue for the milk if each gallon costs \$3.50?

Mrs. Lim got 68 gallons - 18 gallons = <<68-18=50>>50 gallons this morning.

So she was able to get a total of 68 gallons + 82 gallons + 50 gallons = <<68+82+50=200>>200 gallons.

She was able to sell 200 gallons - 24 gallons = <<200-24=176>>176 gallons.

Thus, her total revenue for the milk is 3.50/gallon x 176 gallons = <<3.50*176=616>>616.

Final Answer: 616

HumanEval

```
def incr_list(1: list):
    """Return list with elements incremented by 1.
    >>> incr_list([1, 2, 3])
    [2, 3, 4]
    >>> incr_list([5, 3, 5, 2, 3, 3, 9, 0, 123])
    [6, 4, 6, 3, 4, 4, 10, 1, 124]
    """
    return [i + 1 for i in l]
```

```
def solution(lst):
    """Given a non-empty list of integers, return the sum of all of the odd elements
    that are in even positions.

Examples
    solution([5, 8, 7, 1]) =⇒12
    solution([3, 3, 3, 3, 3]) =⇒9
    solution([30, 13, 24, 321]) =⇒0
    """

return sum(lst[i] for i in range(0,len(lst)) if i % 2 == 0 and lst[i] % 2 == 1)
```

Chatbot Arena

Chat with Open Large Language Models (Imsys.org)

Question: If the FED buys bonds in the secondary market

(A) the money supply will increase. (B) the money supply will decrease. (C) the money supply will not be affected. (D) the discount rate would be affected. Output the answer only.

Assistant A:

Assistant B:

The Federal Reserve buys bonds in the secondary market to increase the money supply. (A) the money supply will increase.

Follow-up Question: How does it affect my daily life? Give 3 examples.

Assistant A:

Assistant B:

The Federal Reserve buys bonds in the secondary market to increase the money supply. This affects your daily life by: When the Federal Reserve buys bonds in the secondary market, it can have several effects on the economy that can impact your daily life. Here are three examples:

- Increasing the money supply.
- Increasing the money supply and lowering the
- discount rate.
 3. Increasing the money supply and lowering the discount rate and increasing the money supply.
- Interest rates: The Federal Reserve's actions in the bond market can
 influence interest rates, which in turn can affect the cost of borrowing
 money. For example, if the Federal Reserve buys bonds and drives up demand
 for them, interest rates on things like mortgages, car loans, and credit
 cards may go up, making it more expensive to borrow money.
- Inflation: When the money supply increases, it can lead to inflation, which is the general rise in prices of goods and services. This can impact your daily life by making it more expensive to buy things like groceries, gas, and other necessities.
- 3. Employment: The Federal Reserve's actions in the bond market can also have an impact on employment. For example, if the Federal Reserve's actions lead to economic growth and increased demand for goods and services, it can create more job opportunities and boost employment.

GPT-4 Judgment:

Assistant A provided an incorrect response to the user's question about how the Federal Reserve buying bonds in the secondary market affects daily life. The answer given is repetitive and lacks clear examples of how the action impacts daily life.

On the other hand, Assistant B provided a relevant and accurate response to the user's question about the Federal Reserve buying bonds. The answer includes three clear examples of how the action impacts daily life, such as interest rates, inflation, and employment.

Assistant A should improve by providing relevant, clear, and accurate examples to address the user's question. Assistant B's response is more helpful, relevant, and detailed.

VMLU (Vietnamese)

Leaderboard of fine-tuned models

| # | MODEL \$ | CREATOR \$ | ACCESS \$ | BASE MODEL \$ | EVALUATION \$ | STEM \$ | SOCIAL SCIENCE | HUMANITIES \$ | OTHERS \$ | AVG \$ |
|---|-------------------|---------------------|-----------|----------------------|---------------|---------|----------------|---------------|-----------|--------|
| 1 | VNPTALIO-14B | VNPT AI | Private | Qwen1.5-14B- Chat | 11/03/2024 | 51.64 | 61.75 | 58.09 | 54.51 | 55.83 |
| 2 | SeaLLM-7B-v2.5 | DAMO Academy | Private | llama-2-7b | 09/04/2024 | 49.35 | 60.66 | 55.95 | 49.05 | 53.30 |
| 3 | Vistral-7B-Chat | UONLP x Ontocord | Weight | Mistral-7B-v0.1 | 16/01/2024 | 43.32 | 57.02 | 55.12 | 48.01 | 50.07 |
| 4 | SeaLLM-7b-v2 | DAMO Academy | Weight | llama-2-7b | 15/02/2024 | 39.95 | 52.02 | 49.38 | 45.27 | 45.79 |
| 5 | bloomz-7b1 | BigScience | Weight | Bloom-7b1 | 08/01/2024 | 32.63 | 45.73 | 41.85 | 39.89 | 38.87 |
| 6 | T-Llama | FPTU HCM | Weight | llama-2-7b | 18/03/2024 | 32.2 | 43.15 | 40.31 | 36.57 | 37.28 |
| 7 | vbd-llama2-7b-50b | Vin BigData | Weight | llama-2-7b | 08/01/2024 | 31.45 | 40.34 | 40.24 | 39.62 | 36.98 |