
Contents

1	Structural Model	1
1.1	Element parameters	1
1.2	Spring Declaration	16
1.3	Girder Cross-section	17
1.4	Loads _Load combinations	29
1.4.1	Load case definitions:	32
1.4.1.1	Self Weight:	32
1.4.1.2	Wet Concrete:	35
1.4.1.3	Traveller:	38
1.4.1.4	Prestressing Tendon:	41
1.4.1.5	Liveload:	45
1.4.1.6	Additional loads:	46
1.4.1.6.1	Add masses for Dynamic calculations:	53
1.5	Stages	56
2	Results	68
2.1	Girder checking during construction stages	68
2.1.1	Internal force during construction stage	68
2.2	Internal forces in girder after construction stage	81
2.3	Girder checking in Service Limited State	90
2.4	Girder checking in Strength Limited State	94
2.5	Girder checking in Extreme Limited State	100
2.6	Ultimate Boundary Diagram	102
2.7	Shear check	103

1 Structural Model

1.1 Element parameters



Nodes - Coordinates			
node	x	y	z
	m	m	m
1	0.0000	0.0000	0.0000
2	0.6500	0.0120	0.0000
3	1.5000	0.0276	0.0000
4	2.5000	0.0460	0.0000
5	5.0000	0.0920	0.0000
6	7.5000	0.1380	0.0000
7	9.5000	0.1747	0.0000
8	11.5000	0.2115	0.0000
9	15.0000	0.2759	0.0000
10	18.5000	0.3403	0.0000
11	22.0000	0.4047	0.0000
12	25.5000	0.4691	0.0000
13	29.0000	0.5334	0.0000
14	32.5000	0.5978	0.0000
15	36.0000	0.6622	0.0000
16	39.7500	0.7289	0.0000
17	40.7500	0.7455	0.0000
18	42.0000	0.7656	0.0000
19	43.2500	0.7849	0.0000
20	44.2500	0.7998	0.0000
21	48.0000	0.8511	0.0000
22	51.5000	0.8926	0.0000
23	55.0000	0.9281	0.0000
24	58.5000	0.9574	0.0000
25	62.0000	0.9806	0.0000
26	65.5000	0.9976	0.0000
27	69.0000	1.0086	0.0000
28	72.5000	1.0134	0.0000
29	74.5000	1.0134	0.0000
30	78.0000	1.0086	0.0000
31	81.5000	0.9976	0.0000
32	85.0000	0.9806	0.0000
33	88.5000	0.9574	0.0000
34	92.0000	0.9281	0.0000
35	95.5000	0.8926	0.0000
36	99.0000	0.8511	0.0000
37	102.7500	0.7998	0.0000
38	103.7500	0.7849	0.0000
39	105.0000	0.7656	0.0000
40	106.2500	0.7455	0.0000
41	107.2500	0.7289	0.0000
42	111.0000	0.6622	0.0000
43	114.5000	0.5978	0.0000
44	118.0000	0.5334	0.0000
45	121.5000	0.4691	0.0000
46	125.0000	0.4047	0.0000
47	128.5000	0.3403	0.0000
48	132.0000	0.2759	0.0000
49	135.5000	0.2115	0.0000
50	137.5000	0.1747	0.0000
51	139.5000	0.1380	0.0000
52	142.0000	0.0920	0.0000
53	144.5000	0.0460	0.0000
54	145.5000	0.0276	0.0000
55	146.3500	0.0120	0.0000
56	147.0000	0.0000	0.0000
101	0.0000	-12.3844	0.0000
102	0.0000	-10.3844	0.0000
103	0.0000	-9.3844	0.0000
104	0.0000	-8.3844	0.0000
105	0.0000	-7.3844	0.0000
106	0.0000	-6.3844	0.0000
107	0.0000	-5.3844	0.0000
108	0.0000	-3.7000	0.0000
109	0.0000	-2.2000	0.0000
201	42.0000	-18.3844	0.0000
202	42.0000	-15.3844	0.0000
203	42.0000	-13.2844	0.0000

Nodes - Coordinates			
node	x	y	z
	m	m	m
204	42.0000	-11.1844	0.0000
205	42.0000	-9.0844	0.0000
206	42.0000	-6.9844	0.0000
207	42.0000	-4.8844	0.0000
301	105.0000	-18.3844	0.0000
302	105.0000	-15.3844	0.0000
303	105.0000	-13.2844	0.0000
304	105.0000	-11.1844	0.0000
305	105.0000	-9.0844	0.0000
306	105.0000	-6.9844	0.0000
307	105.0000	-4.8844	0.0000
401	147.0000	-12.3844	0.0000
402	147.0000	-10.3844	0.0000
403	147.0000	-9.3844	0.0000
404	147.0000	-8.3844	0.0000
405	147.0000	-7.3844	0.0000
406	147.0000	-6.3844	0.0000
407	147.0000	-5.3844	0.0000
408	147.0000	-3.7000	0.0000
409	147.0000	-2.2000	0.0000
10001	1.8000	-22.3844	-3.6000
10002	1.8000	-22.3844	0.0000
10003	1.8000	-22.3844	3.6000
10004	-1.8000	-22.3844	-3.6000
10005	-1.8000	-22.3844	0.0000
10006	-1.8000	-22.3844	3.6000
20001	45.7500	-33.3844	-3.7500
20002	45.7500	-33.3844	0.0000
20003	45.7500	-33.3844	3.7500
20004	42.0000	-33.3844	-3.7500
20005	42.0000	-33.3844	0.0000
20006	42.0000	-33.3844	3.7500
20007	38.2500	-33.3844	-3.7500
20008	38.2500	-33.3844	0.0000
20009	38.2500	-33.3844	3.7500
30001	108.7500	-33.3844	-3.7500
30002	108.7500	-33.3844	0.0000
30003	108.7500	-33.3844	3.7500
30004	105.0000	-33.3844	-3.7500
30005	105.0000	-33.3844	0.0000
30006	105.0000	-33.3844	3.7500
30007	101.2500	-33.3844	-3.7500
30008	101.2500	-33.3844	0.0000
30009	101.2500	-33.3844	3.7500
40001	148.8000	-22.3844	-3.6000
40002	148.8000	-22.3844	0.0000
40003	148.8000	-22.3844	3.6000
40004	145.2000	-22.3844	-3.6000
40005	145.2000	-22.3844	0.0000
40006	145.2000	-22.3844	3.6000
61001	-38.3000	0.0000	3.6600
61002	-37.9500	0.0000	3.6600
61003	-36.2250	0.0000	3.6600
61004	-28.5750	0.0000	3.6600
61005	-19.2000	0.0000	3.6600
61006	-9.8250	0.0000	3.6600
61007	-2.1750	0.0000	3.6600
61008	-0.4500	0.0000	3.6600
61009	-0.1000	0.0000	3.6600
62001	-38.3000	0.0000	1.2200
62002	-37.9500	0.0000	1.2200
62003	-36.2250	0.0000	1.2200
62004	-28.5750	0.0000	1.2200
62005	-19.2000	0.0000	1.2200
62006	-9.8250	0.0000	1.2200
62007	-2.1750	0.0000	1.2200
62008	-0.4500	0.0000	1.2200
62009	-0.1000	0.0000	1.2200

Nodes - Coordinates			
node	x	y	z
	m	m	m
63001	-38.3000	0.0000	-1.2200
63002	-37.9500	0.0000	-1.2200
63003	-36.2250	0.0000	-1.2200
63004	-28.5750	0.0000	-1.2200
63005	-19.2000	0.0000	-1.2200
63006	-9.8250	0.0000	-1.2200
63007	-2.1750	0.0000	-1.2200
63008	-0.4500	0.0000	-1.2200
63009	-0.1000	0.0000	-1.2200
64001	-38.3000	0.0000	-3.6600
64002	-37.9500	0.0000	-3.6600
64003	-36.2250	0.0000	-3.6600
64004	-28.5750	0.0000	-3.6600
64005	-19.2000	0.0000	-3.6600
64006	-9.8250	0.0000	-3.6600
64007	-2.1750	0.0000	-3.6600
64008	-0.4500	0.0000	-3.6600
64009	-0.1000	0.0000	-3.6600
65001	-38.3000	0.0000	-6.1000
65002	-37.9500	0.0000	-6.1000
65003	-36.2250	0.0000	-6.1000
65004	-28.5750	0.0000	-6.1000
65005	-19.2000	0.0000	-6.1000
65006	-9.8250	0.0000	-6.1000
65007	-2.1750	0.0000	-6.1000
65008	-0.4500	0.0000	-6.1000
65009	-0.1000	0.0000	-6.1000
66001	-38.3000	0.0000	6.1000
66002	-37.9500	0.0000	6.1000
66003	-36.2250	0.0000	6.1000
66004	-28.5750	0.0000	6.1000
66005	-19.2000	0.0000	6.1000
66006	-9.8250	0.0000	6.1000
66007	-2.1750	0.0000	6.1000
66008	-0.4500	0.0000	6.1000
66009	-0.1000	0.0000	6.1000
71001	147.1000	0.0000	3.6600
71002	147.4500	0.0000	3.6600
71003	149.1750	0.0000	3.6600
71004	156.8250	0.0000	3.6600
71005	166.2000	0.0000	3.6600
71006	175.5750	0.0000	3.6600
71007	183.2250	0.0000	3.6600
71008	184.9500	0.0000	3.6600
71009	185.3000	0.0000	3.6600
71101	147.1000	0.0000	1.2200
71102	147.4500	0.0000	1.2200
71103	149.1750	0.0000	1.2200
71104	156.8250	0.0000	1.2200
71105	166.2000	0.0000	1.2200
71106	175.5750	0.0000	1.2200
71107	183.2250	0.0000	1.2200
71108	184.9500	0.0000	1.2200
71109	185.3000	0.0000	1.2200
71201	147.1000	0.0000	-1.2200
71202	147.4500	0.0000	-1.2200
71203	149.1750	0.0000	-1.2200
71204	156.8250	0.0000	-1.2200
71205	166.2000	0.0000	-1.2200
71206	175.5750	0.0000	-1.2200
71207	183.2250	0.0000	-1.2200
71208	184.9500	0.0000	-1.2200
71209	185.3000	0.0000	-1.2200
71301	147.1000	0.0000	-3.6600
71302	147.4500	0.0000	-3.6600
71303	149.1750	0.0000	-3.6600
71304	156.8250	0.0000	-3.6600
71305	166.2000	0.0000	-3.6600

Nodes - Coordinates			
node	x	y	z
	m	m	m
71306	175.5750	0.0000	-3.6600
71307	183.2250	0.0000	-3.6600
71308	184.9500	0.0000	-3.6600
71309	185.3000	0.0000	-3.6600
71401	147.1000	0.0000	-6.1000
71402	147.4500	0.0000	-6.1000
71403	149.1750	0.0000	-6.1000
71404	156.8250	0.0000	-6.1000
71405	166.2000	0.0000	-6.1000
71406	175.5750	0.0000	-6.1000
71407	183.2250	0.0000	-6.1000
71408	184.9500	0.0000	-6.1000
71409	185.3000	0.0000	-6.1000
71501	147.1000	0.0000	6.1000
71502	147.4500	0.0000	6.1000
71503	149.1750	0.0000	6.1000
71504	156.8250	0.0000	6.1000
71505	166.2000	0.0000	6.1000
71506	175.5750	0.0000	6.1000
71507	183.2250	0.0000	6.1000
71508	184.9500	0.0000	6.1000
71509	185.3000	0.0000	6.1000
72001	147.1000	0.0000	1.2200
72002	147.4500	0.0000	1.2200
72003	149.1750	0.0000	1.2200
72004	156.8250	0.0000	1.2200
72005	166.2000	0.0000	1.2200
72006	175.5750	0.0000	1.2200
72007	183.2250	0.0000	1.2200
72008	184.9500	0.0000	1.2200
72009	185.3000	0.0000	1.2200
73001	147.1000	0.0000	-1.2200
73002	147.4500	0.0000	-1.2200
73003	149.1750	0.0000	-1.2200
73004	156.8250	0.0000	-1.2200
73005	166.2000	0.0000	-1.2200
73006	175.5750	0.0000	-1.2200
73007	183.2250	0.0000	-1.2200
73008	184.9500	0.0000	-1.2200
73009	185.3000	0.0000	-1.2200
74001	147.1000	0.0000	-3.6600
74002	147.4500	0.0000	-3.6600
74003	149.1750	0.0000	-3.6600
74004	156.8250	0.0000	-3.6600
74005	166.2000	0.0000	-3.6600
74006	175.5750	0.0000	-3.6600
74007	183.2250	0.0000	-3.6600
74008	184.9500	0.0000	-3.6600
74009	185.3000	0.0000	-3.6600
75001	147.1000	0.0000	-6.1000
75002	147.4500	0.0000	-6.1000
75003	149.1750	0.0000	-6.1000
75004	156.8250	0.0000	-6.1000
75005	166.2000	0.0000	-6.1000
75006	175.5750	0.0000	-6.1000
75007	183.2250	0.0000	-6.1000
75008	184.9500	0.0000	-6.1000
75009	185.3000	0.0000	-6.1000
76001	147.1000	0.0000	6.1000
76002	147.4500	0.0000	6.1000
76003	149.1750	0.0000	6.1000
76004	156.8250	0.0000	6.1000
76005	166.2000	0.0000	6.1000
76006	175.5750	0.0000	6.1000
76007	183.2250	0.0000	6.1000
76008	184.9500	0.0000	6.1000
76009	185.3000	0.0000	6.1000

Elements - Parameters									
Elem	Node 1	Node 2	Typ	Length	Alpha 1	Alpha 2	Beta	NDiv	Active
				m	[Deg]	[Deg]	[Deg]		
1	1	2	BEAM	0.6501	1.0538	0.0000	0.0000	1	Yes
2	2	3	BEAM	0.8501	1.0539	0.0000	0.0000	1	Yes
3	3	4	BEAM	1.0005	1.6948	0.3411	0.0000	1	Yes
4	4	5	BEAM	2.5011	1.7118	-0.0293	0.0000	1	Yes
5	5	6	BEAM	2.5014	1.9506	-0.0346	0.0000	1	Yes
6	6	7	BEAM	2.0014	2.1682	-0.0385	0.0000	1	Yes
7	7	8	BEAM	2.0003	1.0538	0.0000	0.0000	1	Yes
8	8	9	BEAM	3.5002	0.5692	0.0122	0.0000	1	Yes
9	9	10	BEAM	3.5000	0.2717	0.0135	0.0000	1	Yes
10	10	11	BEAM	3.5000	-0.0702	0.0147	0.0000	1	Yes
11	11	12	BEAM	3.5001	-0.4155	0.0150	0.0000	1	Yes
12	12	13	BEAM	3.5003	-0.7961	0.0154	0.0000	1	Yes
13	13	14	BEAM	3.5008	-1.1912	0.0155	0.0000	1	Yes
14	14	15	BEAM	3.5013	-1.5873	0.0153	0.0000	1	Yes
15	15	16	BEAM	3.7524	-2.0408	0.0150	0.0000	1	Yes
16	16	17	BEAM	1.0094	-7.8161	-0.1473	0.0000	1	Yes
17	17	18	BEAM	1.2502	0.9202	0.0000	0.0000	1	Yes
18	18	19	BEAM	1.2501	0.8844	0.0000	0.0000	1	Yes
19	19	20	BEAM	1.0141	9.5795	0.1473	0.0000	1	Yes
20	20	21	BEAM	3.7584	3.8388	-0.0150	0.0000	1	Yes
21	21	22	BEAM	3.5059	3.3183	-0.0153	0.0000	1	Yes
22	22	23	BEAM	3.5043	2.8231	-0.0155	0.0000	1	Yes
23	23	24	BEAM	3.5029	2.3286	-0.0154	0.0000	1	Yes
24	24	25	BEAM	3.5018	1.8484	-0.0150	0.0000	1	Yes
25	25	26	BEAM	3.5010	1.4031	-0.0147	0.0000	1	Yes
26	26	27	BEAM	3.5005	0.9612	-0.0135	0.0000	1	Yes
27	27	28	BEAM	3.5002	0.5634	-0.0122	0.0000	1	Yes
28	28	29	BEAM	2.0000	0.0000	0.0000	0.0000	1	Yes
29	29	30	BEAM	3.5002	-0.5634	0.0122	0.0000	1	Yes
30	30	31	BEAM	3.5005	-0.9612	0.0135	0.0000	1	Yes
31	31	32	BEAM	3.5010	-1.4031	0.0147	0.0000	1	Yes
32	32	33	BEAM	3.5018	-1.8484	0.0150	0.0000	1	Yes
33	33	34	BEAM	3.5029	-2.3286	0.0154	0.0000	1	Yes
34	34	35	BEAM	3.5043	-2.8231	0.0155	0.0000	1	Yes
35	35	36	BEAM	3.5059	-3.3183	0.0153	0.0000	1	Yes
36	36	37	BEAM	3.7584	-3.8388	0.0150	0.0000	1	Yes
37	37	38	BEAM	1.0141	-9.5795	-0.1473	0.0000	1	Yes
38	38	39	BEAM	1.2501	-0.8844	0.0000	0.0000	1	Yes
39	39	40	BEAM	1.2502	-0.9202	0.0000	0.0000	1	Yes
40	40	41	BEAM	1.0094	7.8161	0.1473	0.0000	1	Yes
41	41	42	BEAM	3.7524	2.0408	-0.0150	0.0000	1	Yes
42	42	43	BEAM	3.5013	1.5873	-0.0153	0.0000	1	Yes
43	43	44	BEAM	3.5008	1.1912	-0.0155	0.0000	1	Yes
44	44	45	BEAM	3.5003	0.7961	-0.0154	0.0000	1	Yes
45	45	46	BEAM	3.5001	0.4155	-0.0150	0.0000	1	Yes
46	46	47	BEAM	3.5000	0.0702	-0.0147	0.0000	1	Yes
47	47	48	BEAM	3.5000	-0.2717	-0.0135	0.0000	1	Yes
48	48	49	BEAM	3.5002	-0.5692	-0.0122	0.0000	1	Yes
49	49	50	BEAM	2.0003	-1.0538	0.0000	0.0000	1	Yes
50	50	51	BEAM	2.0014	-2.1682	0.0385	0.0000	1	Yes
51	51	52	BEAM	2.5014	-1.9506	0.0346	0.0000	1	Yes
52	52	53	BEAM	2.5011	-1.7118	0.0293	0.0000	1	Yes
53	53	54	BEAM	1.0005	-1.6949	-0.3411	0.0000	1	Yes
54	54	55	BEAM	0.8501	-1.0539	0.0000	0.0000	1	Yes
55	55	56	BEAM	0.6501	-1.0538	0.0000	0.0000	1	Yes
101	101	102	BEAM	2.0000	90.0000	0.0000	0.0000	1	Yes
102	102	103	BEAM	1.0000	90.0000	0.0000	0.0000	1	Yes
103	103	104	BEAM	1.0000	90.0000	0.0000	0.0000	1	Yes
104	104	105	BEAM	1.0000	90.0000	0.0000	0.0000	1	Yes
105	105	106	BEAM	1.0000	90.0000	0.0000	0.0000	1	Yes
106	106	107	BEAM	1.0000	90.0000	0.0000	0.0000	1	Yes
107	107	108	BEAM	1.6844	90.0000	0.0000	0.0000	1	Yes
108	108	109	BEAM	1.5000	90.0000	0.0000	0.0000	1	Yes
201	201	202	BEAM	3.0000	90.0000	0.0000	0.0000	1	Yes
202	202	203	BEAM	2.1000	90.0000	0.0000	0.0000	1	Yes
203	203	204	BEAM	2.1000	90.0000	0.0000	0.0000	1	Yes
204	204	205	BEAM	2.1000	90.0000	0.0000	0.0000	1	Yes
205	205	206	BEAM	2.1000	90.0000	0.0000	0.0000	1	Yes

Elements - Parameters									
Elem	Node 1	Node 2	Typ	Length	Alpha 1	Alpha 2	Beta	NDiv	Active
				m	[Deg]	[Deg]	[Deg]		
206	206	207	BEAM	2.1000	90.0000	0.0000	0.0000	1	Yes
207	207	18	BEAM	1.8500	90.0000	0.0000	0.0000	1	Yes
301	301	302	BEAM	3.0000	90.0000	0.0000	0.0000	1	Yes
302	302	303	BEAM	2.1000	90.0000	0.0000	0.0000	1	Yes
303	303	304	BEAM	2.1000	90.0000	0.0000	0.0000	1	Yes
304	304	305	BEAM	2.1000	90.0000	0.0000	0.0000	1	Yes
305	305	306	BEAM	2.1000	90.0000	0.0000	0.0000	1	Yes
306	306	307	BEAM	2.1000	90.0000	0.0000	0.0000	1	Yes
307	307	39	BEAM	1.8500	90.0000	0.0000	0.0000	1	Yes
401	401	402	BEAM	2.0000	90.0000	0.0000	0.0000	1	Yes
402	402	403	BEAM	1.0000	90.0000	0.0000	0.0000	1	Yes
403	403	404	BEAM	1.0000	90.0000	0.0000	0.0000	1	Yes
404	404	405	BEAM	1.0000	90.0000	0.0000	0.0000	1	Yes
405	405	406	BEAM	1.0000	90.0000	0.0000	0.0000	1	Yes
406	406	407	BEAM	1.0000	90.0000	0.0000	0.0000	1	Yes
407	407	408	BEAM	1.6844	90.0000	0.0000	0.0000	1	Yes
408	408	409	BEAM	1.5000	90.0000	0.0000	0.0000	1	Yes
901	109	2	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
902	109	2	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
911	409	55	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
912	409	55	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
9001	0	1	SPRING	0.0000	90.0000	0.0000	0.0000	1	No
9002	0	3	SPRING	0.0000	90.0000	0.0000	0.0000	1	No
9003	0	4	SPRING	0.0000	90.0000	0.0000	0.0000	1	No
9004	0	5	SPRING	0.0000	90.0000	0.0000	0.0000	1	No
9005	0	6	SPRING	0.0000	90.0000	0.0000	0.0000	1	No
9006	0	7	SPRING	0.0000	90.0000	0.0000	0.0000	1	No
9011	0	56	SPRING	0.0000	90.0000	0.0000	0.0000	1	No
9012	0	54	SPRING	0.0000	90.0000	0.0000	0.0000	1	No
9013	0	53	SPRING	0.0000	90.0000	0.0000	0.0000	1	No
9014	0	52	SPRING	0.0000	90.0000	0.0000	0.0000	1	No
9015	0	51	SPRING	0.0000	90.0000	0.0000	0.0000	1	No
9016	0	50	SPRING	0.0000	90.0000	0.0000	0.0000	1	No
10001	10001	101	BEAM	10.0000	90.0000	0.0000	0.0000	1	Yes
10002	10002	101	BEAM	10.0000	90.0000	0.0000	0.0000	1	Yes
10003	10003	101	BEAM	10.0000	90.0000	0.0000	0.0000	1	Yes
10004	10004	101	BEAM	10.0000	90.0000	0.0000	0.0000	1	Yes
10005	10005	101	BEAM	10.0000	90.0000	0.0000	0.0000	1	Yes
10006	10006	101	BEAM	10.0000	90.0000	0.0000	0.0000	1	Yes
11001	0	10001	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
11002	0	10002	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
11003	0	10003	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
11004	0	10004	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
11005	0	10005	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
11006	0	10006	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
20001	20001	201	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
20002	20002	201	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
20003	20003	201	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
20004	20004	201	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
20005	20005	201	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
20006	20006	201	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
20007	20007	201	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
20008	20008	201	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
20009	20009	201	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
21001	0	20001	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
21002	0	20002	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
21003	0	20003	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
21004	0	20004	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
21005	0	20005	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
21006	0	20006	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
21007	0	20007	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
21008	0	20008	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
21009	0	20009	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
30001	30001	301	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
30002	30002	301	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
30003	30003	301	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
30004	30004	301	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
30005	30005	301	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes

Elements - Parameters									
Elem	Node 1	Node 2	Typ	Length	Alpha 1	Alpha 2	Beta	NDiv	Active
				m	[Deg]	[Deg]	[Deg]		
30006	30006	301	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
30007	30007	301	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
30008	30008	301	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
30009	30009	301	BEAM	15.0000	90.0000	0.0000	0.0000	1	Yes
31001	0	30001	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
31002	0	30002	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
31003	0	30003	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
31004	0	30004	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
31005	0	30005	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
31006	0	30006	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
31007	0	30007	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
31008	0	30008	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
31009	0	30009	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
40001	40001	401	BEAM	10.0000	90.0000	0.0000	0.0000	1	Yes
40002	40002	401	BEAM	10.0000	90.0000	0.0000	0.0000	1	Yes
40003	40003	401	BEAM	10.0000	90.0000	0.0000	0.0000	1	Yes
40004	40004	401	BEAM	10.0000	90.0000	0.0000	0.0000	1	Yes
40005	40005	401	BEAM	10.0000	90.0000	0.0000	0.0000	1	Yes
40006	40006	401	BEAM	10.0000	90.0000	0.0000	0.0000	1	Yes
41001	0	40001	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
41002	0	40002	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
41003	0	40003	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
41004	0	40004	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
41005	0	40005	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
41006	0	40006	SPRING	1.0000	90.0000	0.0000	0.0000	1	Yes
61001	61001	61002	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
61002	61002	61003	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
61003	61003	61004	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
61004	61004	61005	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
61005	61005	61006	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
61006	61006	61007	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
61007	61007	61008	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
61008	61008	61009	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
61102	0	61002	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
61108	109	61008	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
62001	62001	62002	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
62002	62002	62003	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
62003	62003	62004	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
62004	62004	62005	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
62005	62005	62006	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
62006	62006	62007	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
62007	62007	62008	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
62008	62008	62009	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
62102	0	62002	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
62108	109	62008	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
63001	63001	63002	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
63002	63002	63003	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
63003	63003	63004	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
63004	63004	63005	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
63005	63005	63006	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
63006	63006	63007	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
63007	63007	63008	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
63008	63008	63009	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
63102	0	63002	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
63108	109	63008	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
64001	64001	64002	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
64002	64002	64003	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
64003	64003	64004	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
64004	64004	64005	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
64005	64005	64006	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
64006	64006	64007	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
64007	64007	64008	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
64008	64008	64009	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
64102	0	64002	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
64108	109	64008	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
65001	65001	65002	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
65002	65002	65003	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
65003	65003	65004	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes

Elements - Parameters									
Elem	Node 1	Node 2	Typ	Length	Alpha 1	Alpha 2	Beta	NDiv	Active
				m	[Deg]	[Deg]	[Deg]		
65004	65004	65005	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
65005	65005	65006	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
65006	65006	65007	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
65007	65007	65008	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
65008	65008	65009	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
65102	0	65002	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
65108	109	65008	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
66001	66001	66002	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
66002	66002	66003	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
66003	66003	66004	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
66004	66004	66005	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
66005	66005	66006	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
66006	66006	66007	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
66007	66007	66008	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
66008	66008	66009	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
66102	0	66002	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
66108	109	66008	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
69204	66002	61002	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
69205	61002	62002	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
69206	62002	63002	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
69207	63002	64002	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
69208	64002	65002	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
69244	66008	61008	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
69245	61008	62008	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
69246	62008	63008	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
69247	63008	64008	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
69248	64008	65008	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
71001	71001	71002	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
71002	71002	71003	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
71003	71003	71004	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
71004	71004	71005	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
71005	71005	71006	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
71006	71006	71007	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
71007	71007	71008	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
71008	71008	71009	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
71102	409	71002	SPRING	0.0572	90.0000	0.0000	0.0000	1	Yes
71108	0	71008	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
72001	72001	72002	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
72002	72002	72003	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
72003	72003	72004	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
72004	72004	72005	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
72005	72005	72006	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
72006	72006	72007	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
72007	72007	72008	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
72008	72008	72009	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
72102	409	72002	SPRING	0.0572	90.0000	0.0000	0.0000	1	Yes
72108	0	72008	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
73001	73001	73002	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
73002	73002	73003	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
73003	73003	73004	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
73004	73004	73005	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
73005	73005	73006	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
73006	73006	73007	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
73007	73007	73008	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
73008	73008	73009	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
73102	409	73002	SPRING	0.0572	90.0000	0.0000	0.0000	1	Yes
73108	0	73008	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
74001	74001	74002	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
74002	74002	74003	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
74003	74003	74004	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
74004	74004	74005	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
74005	74005	74006	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
74006	74006	74007	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
74007	74007	74008	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
74008	74008	74009	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
74102	409	74002	SPRING	0.0572	90.0000	0.0000	0.0000	1	Yes
74108	0	74008	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
75001	75001	75002	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes

Elements - Parameters

Elem	Node 1	Node 2	Typ	Length	Alpha 1	Alpha 2	Beta	NDiv	Active
				m	[Deg]	[Deg]	[Deg]		
75002	75002	75003	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
75003	75003	75004	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
75004	75004	75005	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
75005	75005	75006	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
75006	75006	75007	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
75007	75007	75008	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
75008	75008	75009	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
75102	409	75002	SPRING	0.0572	90.0000	0.0000	0.0000	1	Yes
75108	0	75008	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
76001	76001	76002	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
76002	76002	76003	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
76003	76003	76004	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
76004	76004	76005	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
76005	76005	76006	BEAM	9.3750	0.0000	0.0000	0.0000	1	Yes
76006	76006	76007	BEAM	7.6500	0.0000	0.0000	0.0000	1	Yes
76007	76007	76008	BEAM	1.7250	0.0000	0.0000	0.0000	1	Yes
76008	76008	76009	BEAM	0.3500	0.0000	0.0000	0.0000	1	Yes
76102	409	76002	SPRING	0.0572	90.0000	0.0000	0.0000	1	Yes
76108	0	76008	SPRING	0.0000	90.0000	0.0000	0.0000	1	Yes
79204	76002	71002	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
79205	71002	72002	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
79206	72002	73002	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
79207	73002	74002	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
79208	74002	75002	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
79244	76008	71008	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
79245	71008	72008	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
79246	72008	73008	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
79247	73008	74008	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes
79248	74008	75008	BEAM	2.4400	0.0000	-90.0000	0.0000	1	Yes

Elements - Material

Element	Typ	Mat-Name	E-Mod	G-Mod	Alpha-T	Gamma
			KN/M2	KN/M2		
1	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
2	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
3	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
4	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
5	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
6	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
7	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
8	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
9	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
10	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
11	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
12	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
13	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
14	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
15	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
16	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
17	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
18	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
19	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
20	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
21	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
22	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
23	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
24	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
25	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
26	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
27	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
28	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
29	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
30	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
31	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
32	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
33	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32
34	BEAM	_C40MPa	31231000	13012917	1.0800e-5	23.32

Elements - Material						
Element	Typ	Mat-Name	E-Mod	G-Mod	Alpha-T	Gamma
			KN/M2	KN/M2		
35	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
36	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
37	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
38	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
39	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
40	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
41	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
42	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
43	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
44	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
45	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
46	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
47	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
48	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
49	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
50	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
51	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
52	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
53	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
54	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
55	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
101	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
102	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
103	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
104	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
105	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
106	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
107	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
108	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
201	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
202	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
203	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
204	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
205	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
206	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
207	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
301	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
302	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
303	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
304	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
305	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
306	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
307	BEAM	C40MPa	31231000	13012917	1.0800e-5	23.32
401	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
402	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
403	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
404	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
405	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
406	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
407	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
408	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
10001	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
10002	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
10003	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
10004	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
10005	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
10006	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
20001	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
20002	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
20003	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
20004	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
20005	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
20006	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
20007	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
20008	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
20009	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
30001	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
30002	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20

Elements - Material						
Element	Typ	Mat-Name	E-Mod	G-Mod	Alpha-T	Gamma
			KN/M2	KN/M2		
30003	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
30004	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
30005	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
30006	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
30007	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
30008	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
30009	BEAM	C35MPa	29578000	12324167	1.0800e-5	23.20
40001	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
40002	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
40003	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
40004	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
40005	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
40006	BEAM	C30MPa	28111000	11712917	1.0800e-5	23.20
61001	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
61002	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
61003	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
61004	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
61005	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
61006	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
61007	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
61008	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
62001	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
62002	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
62003	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
62004	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
62005	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
62006	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
62007	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
62008	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
63001	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
63002	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
63003	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
63004	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
63005	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
63006	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
63007	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
63008	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
64001	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
64002	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
64003	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
64004	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
64005	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
64006	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
64007	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
64008	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
65001	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
65002	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
65003	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
65004	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
65005	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
65006	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
65007	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
65008	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
66001	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
66002	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
66003	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
66004	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
66005	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
66006	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
66007	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
66008	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
69204	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
69205	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
69206	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
69207	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
69208	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
69244	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
69245	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56

Elements - Material						
Element	Typ	Mat-Name	E-Mod	G-Mod	Alpha-T	Gamma
			KN/M2	KN/M2		
69246	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
69247	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
69248	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
71001	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
71002	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
71003	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
71004	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
71005	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
71006	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
71007	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
71008	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
72001	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
72002	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
72003	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
72004	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
72005	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
72006	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
72007	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
72008	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
73001	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
73002	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
73003	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
73004	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
73005	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
73006	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
73007	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
73008	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
74001	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
74002	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
74003	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
74004	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
74005	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
74006	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
74007	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
74008	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
75001	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
75002	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
75003	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
75004	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
75005	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
75006	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
75007	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
75008	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
76001	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
76002	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
76003	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
76004	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
76005	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
76006	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
76007	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
76008	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
79204	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
79205	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
79206	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
79207	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
79208	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
79244	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
79245	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
79246	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
79247	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56
79248	BEAM	C50MPa	37376480	15573530	1.0800e-5	23.56

Material Properties	**_C30MPa (used)**		
Group	AASHTO_LRFD		
Description	Concrete AASHTO 30		
Type	CONCRETE		
Modulus of elasticity	Emod	28111000	KN/M2
Poisson's ratio	ny	0.20	-
Shear-Modulus	Gmod	11712917	KN/M2
Specific weight	Gamma	23.20	KN/M3
Coeff. of thermal expansion	AlphaT	108e-7	1/CELSIUS
Coefficient of concrete consistency (1-3)	(CCF)	0	-
Degree of cement hardening (1-3)	HCF	2	-
Water cement ratio	(WCR)	0.4	-
Cement content in concrete	(CECO)	0	-
Characteristic compressive cylinder strength of concrete at	f'c	3e4	KN/M2
Characteristic cube compressive strength of concrete at 28	fcu	0	KN/M2
Mean value of concrete compressive strength	(CSM)	0	KN/M2
Mean value of axial tensile strength of concrete	(TSM)	0	KN/M2
Tension split strenght	ftk	0	KN/M2
Tension bending strenght	(TSB)	0	KN/M2

Stress limits		min	max	
	1	-17987.04	1368.81	KN/M2
	2	-13490.28	2737.63	KN/M2

Material Properties	**_C35MPa (used)**		
Group	AASHTO_LRFD		
Description	Concrete AASHTO 35		
Type	CONCRETE		
Modulus of elasticity	Emod	29578000	KN/M2
Poisson's ratio	ny	0.20	-
Shear-Modulus	Gmod	12324167	KN/M2
Specific weight	Gamma	23.20	KN/M3
Coeff. of thermal expansion	AlphaT	108e-7	1/CELSIUS
Coefficient of concrete consistency (1-3)	(CCF)	0	-
Degree of cement hardening (1-3)	HCF	2	-
Water cement ratio	(WCR)	0.4	-
Cement content in concrete	(CECO)	0	-
Characteristic compressive cylinder strength of concrete at	f'c	35e3	KN/M2
Characteristic cube compressive strength of concrete at 28	fcu	0	KN/M2
Mean value of concrete compressive strength	(CSM)	0	KN/M2
Mean value of axial tensile strength of concrete	(TSM)	0	KN/M2
Tension split strenght	ftk	0	KN/M2
Tension bending strenght	(TSB)	0	KN/M2

Stress limits		min	max	
	1	-20982.13	1380.00	KN/M2
	2	-15736.59	2956.78	KN/M2

Material Properties	**_C40MPa (used)**		
Group	AASHTO_LRFD		
Description	Concrete AASHTO 40		
Type	CONCRETE		
Modulus of elasticity	Emod	31231000	KN/M2
Poisson's ratio	ny	0.20	-
Shear-Modulus	Gmod	13012917	KN/M2
Specific weight	Gamma	23.32	KN/M3
Coeff. of thermal expansion	AlphaT	108e-7	1/CELSIUS
Coefficient of concrete consistency (1-3)	(CCF)	0	-
Degree of cement hardening (1-3)	HCF	2	-
Water cement ratio	(WCR)	0.4	-

Cement content in concrete	(CECO)	0	-

Characteristic compressive cylinder strength of concrete at	f'c	4e4	KN/M2
Characteristic cube compressive strength of concrete at 28	fcu	0	KN/M2
Mean value of concrete compressive strength	(CSM)	0	KN/M2
Mean value of axial tensile strength of concrete	(TSM)	0	KN/M2
Tension split strenght	ftk	0	KN/M2
Tension bending strenght	(TSB)	0	KN/M2

Stress limits		min	max	
	1	-21600.00	3160.00	KN/M2
	2	-21600.00	3160.00	KN/M2

Material Properties	**_C50MPa (used)**

Group	AASHTO_LRFD
Description	Concrete AASHTO 50
Type	CONCRETE

Modulus of elasticity	Emod	37376480	KN/M2
Poisson's ratio	ny	0.20	-
Shear-Modulus	Gmod	15573530	KN/M2
Specific weight	Gamma	23.56	KN/M3
Coeff. of thermal expansion	AlphaT	108e-7	1/CELSIUS

Coefficient of concrete consistency (1-3)	(CCF)	0	-
Degree of cement hardening (1-3)	HCF	2	-
Water cement ratio	(WCR)	0	-
Cement content in concrete	(CECO)	0	-

Characteristic compressive cylinder strength of concrete at	f'c	49959.41	KN/M2
Characteristic cube compressive strength of concrete at 28	fcu	0	KN/M2
Mean value of concrete compressive strength	(CSM)	0	KN/M2
Mean value of axial tensile strength of concrete	(TSM)	0	KN/M2
Tension split strenght	ftk	0	KN/M2
Tension bending strenght	(TSB)	0	KN/M2

Stress limits		min	max	
	1	-29975.65	1380.00	KN/M2
	2	-22481.73	3534.10	KN/M2

Material Properties	**_PTtendGr270 (used)**


Group	Default
Description	PT Tendon AASHTO Gr
Type	PRESTRESSING

Modulus of elasticity	Emod	197000000	KN/M2
Poisson's ratio	ny	0.30	-
Shear-Modulus	Gmod	75769231	KN/M2
Specific weight	Gamma	78.50	KN/M3
Coeff. of thermal expansion	AlphaT	117e-7	1/CELSIUS


Tensile strength of prestressing steel	fpu	1674e3	KN/M2
Design tensile strength of prestressing steel	(YSD)	186e4	KN/M2
Modulus of elasticity of prestressing steel	Es	197e6	KN/M2
Stressing limit	(SIGP)	1395e3	KN/M2
Coeff. for prestr. type (smooth or profiled)	XI	0	-
Relaxation class	RELCL	2	-

1.2 Spring Declaration

Spring Constants						
Spring	CX	CY	CZ	CMX	CMY	CMZ
	kN/m	kN/m	kN/m	kNm	kNm	kNm
901	1e8	0	1e8	0	0	0
902	1e8	0	0	0	0	0
911	1e8	0	1e8	0	0	0
912	1e8	0	0	0	0	0



1.3 Girder Cross-section



Cross-section : BoxM001

Part : 1 Variant : 1

Description : BoxM

CROSS - SECTION DATA

Cross-section area	2.84752e+01 m2
Shear area - Bending about Z-axis	1.58889e+01 m2
Shear area - Bending about Y-axis	2.02255e+01 m2
Torsional moment of inertia I	8.75339e+01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	2.01389e+02 m4
Section moment about Y-axis - min	2.82773e+01 m3
Section moment about Y-axis - max	2.85553e+01 m3
Shear lag factor Y (Shear lag)	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	2.01389e+02 m4
Moment of inertia about Z-axis	3.88010e+01 m4
Section moment about Z-axis - min	1.81917e+01 m3
Section moment about Z-axis - max	2.14354e+01 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	3.88010e+01 m4
Warping moment of inertia	5.84912e+01 m6
Bending axis origin - Eccentricity ey	-1.66710 m
Bending axis origin - Eccentricity ez	-0.02805 m
Main axis angle	-1.03871 Deg
Shear axis origin - Eccentricity ey	-1.87428 m
Shear axis origin - Eccentricity ez	-0.04846 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	2.13290 m
Y-above : Gravity centre - maxY	7.81213 m
Z-left : Gravity centre - minZ	7.17805 m
Z-right : Gravity centre - maxZ	7.17805 m
Perimeter exposed to drying (outside)	34.38878 m
Perimeter (inside)	5.33137 m

Cross-section : BoxS001

Part : 1 Variant : 1

Description : BoxS


CROSS - SECTION DATA

Cross-section area	1.79437e+01 m2
Shear area - Bending about Z-axis	5.20329e+00 m2
Shear area - Bending about Y-axis	1.61701e+01 m2
Torsional moment of inertia I	1.74267e+01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.52920e+02 m4
Section moment about Y-axis - min	2.15226e+01 m3
Section moment about Y-axis - max	2.12540e+01 m3
Shear lag factor Y (Shear lag)	0.00000e+00 m
Moment of inertia about Y-axis (Shear lag)	1.52920e+02 m4
Moment of inertia about Z-axis	6.49172e+00 m4
Section moment about Z-axis - min	5.73533e+00 m3
Section moment about Z-axis - max	6.42015e+00 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	6.49172e+00 m4
Warping moment of inertia	2.15302e+00 m6
Bending axis origin - Eccentricity ey	-0.86812 m
Bending axis origin - Eccentricity ez	-0.04491 m
Main axis angle	-0.89830 Deg
Shear axis origin - Eccentricity ey	-1.11436 m
Shear axis origin - Eccentricity ez	-0.13547 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	1.13188 m
Y-above : Gravity centre - maxY	1.01515 m
Z-left : Gravity centre - minZ	7.00503 m
Z-right : Gravity centre - maxZ	7.13491 m
Perimeter exposed to drying (outside)	31.43748 m
Perimeter (inside)	0.00000 m

Cross-section : BoxVar001

Part : 1 Variant : 1

Description : BoxVar




C R O S S - S E C T I O N D A T A

Cross-section area	1.21144e+01 m2
Shear area - Bending about Z-axis	1.45728e+00 m2
Shear area - Bending about Y-axis	9.39858e+00 m2
Torsional moment of inertia I	1.45044e+01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.37467e+02 m4
Section moment about Y-axis - min	1.93075e+01 m3
Section moment about Y-axis - max	1.01454e+01 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	1.37467e+02 m4
Moment of inertia about Z-axis	6.01150e+00 m4
Section moment about Z-axis - min	5.33965e+00 m3
Section moment about Z-axis - max	5.90980e+00 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	6.01150e+00 m4
Warping moment of inertia	2.09857e+00 m6
Bending axis origin - Eccentricity ey	-0.87418 m
Bending axis origin - Eccentricity ez	-0.03017 m
Main axis angle	-0.92699 Deg
Shear axis origin - Eccentricity ey	-1.30874 m
Shear axis origin - Eccentricity ez	-0.17718 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	1.12582 m
Y-above : Gravity centre - maxY	1.01961 m
Z-left : Gravity centre - minZ	7.11801 m
Z-right : Gravity centre - maxZ	7.11801 m
Perimeter exposed to drying (outside)	31.43748 m
Perimeter (inside)	13.63372 m

Cross-section : BoxVar002

Part : 1 Variant : 1

Description : BoxVar




C R O S S - S E C T I O N D A T A

Cross-section area	1.13761e+01 m2
Shear area - Bending about Z-axis	1.18910e+00 m2
Shear area - Bending about Y-axis	8.84967e+00 m2
Torsional moment of inertia I	1.41349e+01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.32901e+02 m4
Section moment about Y-axis - min	1.86507e+01 m3
Section moment about Y-axis - max	1.03247e+01 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	1.32901e+02 m4
Moment of inertia about Z-axis	5.89424e+00 m4
Section moment about Z-axis - min	5.18395e+00 m3
Section moment about Z-axis - max	5.85901e+00 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	5.89424e+00 m4
Warping moment of inertia	1.93281e+00 m6
Bending axis origin - Eccentricity ey	-0.86298 m
Bending axis origin - Eccentricity ez	-0.02422 m
Main axis angle	-0.94055 Deg
Shear axis origin - Eccentricity ey	-1.29535 m
Shear axis origin - Eccentricity ez	-0.16700 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	1.13702 m
Y-above : Gravity centre - maxY	1.02691 m
Z-left : Gravity centre - minZ	7.17422 m
Z-right : Gravity centre - maxZ	7.17422 m
Perimeter exposed to drying (outside)	31.43748 m
Perimeter (inside)	14.52347 m

Cross-section : BoxVar003

Part : 1 Variant : 1

Description : BoxVar




C R O S S - S E C T I O N D A T A

Cross-section area	1.08187e+01 m2
Shear area - Bending about Z-axis	1.17085e+00 m2
Shear area - Bending about Y-axis	8.24011e+00 m2
Torsional moment of inertia I	1.39318e+01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.30952e+02 m4
Section moment about Y-axis - min	1.83805e+01 m3
Section moment about Y-axis - max	1.82459e+01 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	1.30952e+02 m4
Moment of inertia about Z-axis	5.70669e+00 m4
Section moment about Z-axis - min	4.89533e+00 m3
Section moment about Z-axis - max	5.83932e+00 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	5.70669e+00 m4
Warping moment of inertia	1.39138e+01 m6
Bending axis origin - Eccentricity ey	-0.83426 m
Bending axis origin - Eccentricity ez	-0.02549 m
Main axis angle	-0.95006 Deg
Shear axis origin - Eccentricity ey	-1.25857 m
Shear axis origin - Eccentricity ez	-0.16917 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	1.16574 m
Y-above : Gravity centre - maxY	0.57451 m
Z-left : Gravity centre - minZ	7.17549 m
Z-right : Gravity centre - maxZ	7.17549 m
Perimeter exposed to drying (outside)	31.43748 m
Perimeter (inside)	14.66611 m

Cross-section : BoxVar004

Part : 1 Variant : 1

Description : BoxVar




C R O S S - S E C T I O N D A T A

Cross-section area	1.02263e+01 m2
Shear area - Bending about Z-axis	1.15712e+00 m2
Shear area - Bending about Y-axis	7.56809e+00 m2
Torsional moment of inertia I	1.35062e+01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.28904e+02 m4
Section moment about Y-axis - min	1.80968e+01 m3
Section moment about Y-axis - max	1.78607e+01 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	1.28904e+02 m4
Moment of inertia about Z-axis	5.41459e+00 m4
Section moment about Z-axis - min	4.49380e+00 m3
Section moment about Z-axis - max	5.77170e+00 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	5.41459e+00 m4
Warping moment of inertia	1.34431e+01 m6
Bending axis origin - Eccentricity ey	-0.79511 m
Bending axis origin - Eccentricity ez	-0.02700 m
Main axis angle	-0.95845 Deg
Shear axis origin - Eccentricity ey	-1.19650 m
Shear axis origin - Eccentricity ez	-0.17401 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	1.20490 m
Y-above : Gravity centre - maxY	0.61383 m
Z-left : Gravity centre - minZ	7.17700 m
Z-right : Gravity centre - maxZ	7.17700 m
Perimeter exposed to drying (outside)	31.43748 m
Perimeter (inside)	14.81860 m

Cross-section : BoxVar005

Part : 1 Variant : 1

Description : BoxVar




C R O S S - S E C T I O N D A T A

Cross-section area	9.75097e+00 m2
Shear area - Bending about Z-axis	1.15109e+00 m2
Shear area - Bending about Y-axis	7.00146e+00 m2
Torsional moment of inertia I	1.29059e+01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.27277e+02 m4
Section moment about Y-axis - min	1.78719e+01 m3
Section moment about Y-axis - max	1.07308e+01 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	1.27277e+02 m4
Moment of inertia about Z-axis	5.09211e+00 m4
Section moment about Z-axis - min	4.09389e+00 m3
Section moment about Z-axis - max	5.66295e+00 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	5.09211e+00 m4
Warping moment of inertia	1.93868e+00 m6
Bending axis origin - Eccentricity ey	-0.75617 m
Bending axis origin - Eccentricity ez	-0.02835 m
Main axis angle	-0.96353 Deg
Shear axis origin - Eccentricity ey	-1.12171 m
Shear axis origin - Eccentricity ez	-0.18108 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	1.24383 m
Y-above : Gravity centre - maxY	0.69327 m
Z-left : Gravity centre - minZ	7.23260 m
Z-right : Gravity centre - maxZ	7.17835 m
Perimeter exposed to drying (outside)	31.43748 m
Perimeter (inside)	14.94157 m

Cross-section : BoxVar006

Part : 1 Variant : 1

Description : BoxVar




C R O S S - S E C T I O N D A T A

Cross-section area	1.00082e+01 m2
Shear area - Bending about Z-axis	1.17887e+00 m2
Shear area - Bending about Y-axis	7.27966e+00 m2
Torsional moment of inertia I	1.36137e+01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.28329e+02 m4
Section moment about Y-axis - min	1.80177e+01 m3
Section moment about Y-axis - max	1.08301e+01 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	1.28329e+02 m4
Moment of inertia about Z-axis	5.43296e+00 m4
Section moment about Z-axis - min	4.38063e+00 m3
Section moment about Z-axis - max	5.84942e+00 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	5.43296e+00 m4
Warping moment of inertia	2.01148e+00 m6
Bending axis origin - Eccentricity ey	-0.78577 m
Bending axis origin - Eccentricity ez	-0.02760 m
Main axis angle	-0.96185 Deg
Shear axis origin - Eccentricity ey	-1.17601 m
Shear axis origin - Eccentricity ez	-0.17346 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	1.24023 m
Y-above : Gravity centre - maxY	0.72880 m
Z-left : Gravity centre - minZ	7.12240 m
Z-right : Gravity centre - maxZ	7.17760 m
Perimeter exposed to drying (outside)	31.48011 m
Perimeter (inside)	14.92353 m

Cross-section : BoxVar007

Part : 1 Variant : 1

Description : BoxVar




CROSS - SECTION DATA

Cross-section area	1.03095e+01 m2
Shear area - Bending about Z-axis	1.25835e+00 m2
Shear area - Bending about Y-axis	7.53898e+00 m2
Torsional moment of inertia I	1.50493e+01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.29861e+02 m4
Section moment about Y-axis - min	1.82306e+01 m3
Section moment about Y-axis - max	1.80346e+01 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	1.29861e+02 m4
Moment of inertia about Z-axis	6.12890e+00 m4
Section moment about Z-axis - min	4.82802e+00 m3
Section moment about Z-axis - max	6.27585e+00 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	6.12890e+00 m4
Warping moment of inertia	2.11839e+01 m6
Bending axis origin - Eccentricity ey	-0.83956 m
Bending axis origin - Eccentricity ez	-0.02678 m
Main axis angle	-0.96159 Deg
Shear axis origin - Eccentricity ey	-1.25348 m
Shear axis origin - Eccentricity ez	-0.16007 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	1.26344 m
Y-above : Gravity centre - maxY	0.72553 m
Z-left : Gravity centre - minZ	7.72929 m
Z-right : Gravity centre - maxZ	7.17678 m
Perimeter exposed to drying (outside)	31.60636 m
Perimeter (inside)	14.98912 m

Cross-section : BoxVar008

Part : 1 Variant : 1

Description : BoxVar




CROSS - SECTION DATA

Cross-section area	1.06599e+01 m2
Shear area - Bending about Z-axis	1.39163e+00 m2
Shear area - Bending about Y-axis	7.78296e+00 m2
Torsional moment of inertia I	1.73676e+01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.31867e+02 m4
Section moment about Y-axis - min	1.85059e+01 m3
Section moment about Y-axis - max	1.83764e+01 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	1.31867e+02 m4
Moment of inertia about Z-axis	7.28138e+00 m4
Section moment about Z-axis - min	5.47563e+00 m3
Section moment about Z-axis - max	6.96615e+00 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	7.28138e+00 m4
Warping moment of inertia	2.28455e+00 m6
Bending axis origin - Eccentricity ey	-0.90222 m
Bending axis origin - Eccentricity ez	-0.02588 m
Main axis angle	-0.96390 Deg
Shear axis origin - Eccentricity ey	-1.35884 m
Shear axis origin - Eccentricity ez	-0.14205 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	1.32978 m
Y-above : Gravity centre - maxY	1.12415 m
Z-left : Gravity centre - minZ	7.17588 m
Z-right : Gravity centre - maxZ	7.17588 m
Perimeter exposed to drying (outside)	31.81787 m
Perimeter (inside)	15.13832 m

Cross-section : BoxVar009

Part : 1 Variant : 1

Description : BoxVar




CROSS - SECTION DATA

Cross-section area	1.10436e+01	m2
Shear area - Bending about Z-axis	1.57892e+00	m2
Shear area - Bending about Y-axis	7.99366e+00	m2
Torsional moment of inertia I	2.07000e-01	m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00	
Moment of inertia about Y-axis	1.34251e+02	m4
Section moment about Y-axis - min	1.88422e+01	m3
Section moment about Y-axis - max	1.87110e+01	m3
Eccentricity Z (Shear lag)	0.00000e+00	m
Shear lag factor Y	1.00000e+00	
Moment of inertia about Y-axis (Shear lag)	1.34251e+02	m4
Moment of inertia about Z-axis	9.00423e+00	m4
Section moment about Z-axis - min	6.34094e+00	m3
Section moment about Z-axis - max	7.93313e+00	m3
Eccentricity Y (Shear lag)	0.00000e+00	m
Shear lag factor Z	1.00000e+00	
Moment of inertia about Z-axis (Shear lag)	9.00423e+00	m4
Warping moment of inertia	2.59453e+01	m6
Bending axis origin - Eccentricity ey	-0.99199	m
Bending axis origin - Eccentricity ez	-0.02496	m
Main axis angle	-0.97037	Deg
Shear axis origin - Eccentricity ey	-1.49164	m
Shear axis origin - Eccentricity ez	-0.12155	m
Main axis angle - Shear	0.00000	Deg
Y-below : Gravity centre - minY	1.42001	m
Y-above : Gravity centre - maxY	1.12502	m
Z-left : Gravity centre - minZ	7.12504	m
Z-right : Gravity centre - maxZ	7.17496	m
Perimeter exposed to drying (outside)	32.11300	m
Perimeter (inside)	15.37278	m

Cross-section : BoxVar010

Part : 1 Variant : 1

Description : BoxVar




CROSS - SECTION DATA

Cross-section area	1.14654e+01	m2
Shear area - Bending about Z-axis	1.82255e+00	m2
Shear area - Bending about Y-axis	8.17421e+00	m2
Torsional moment of inertia I	2.52494e+01	m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00	
Moment of inertia about Y-axis	1.36993e+02	m4
Section moment about Y-axis - min	1.92244e+01	m3
Section moment about Y-axis - max	1.90356e+01	m3
Eccentricity Z (Shear lag)	0.00000e+00	m
Shear lag factor Y	1.00000e+00	
Moment of inertia about Y-axis (Shear lag)	1.36993e+02	m4
Moment of inertia about Z-axis	1.14869e+01	m4
Section moment about Z-axis - min	7.46387e+00	m3
Section moment about Z-axis - max	9.20401e+00	m3
Eccentricity Y (Shear lag)	0.00000e+00	m
Shear lag factor Z	1.00000e+00	
Moment of inertia about Z-axis (Shear lag)	1.14869e+01	m4
Warping moment of inertia	2.94559e+01	m6
Bending axis origin - Eccentricity ey	-1.10500	m
Bending axis origin - Eccentricity ez	-0.02402	m
Main axis angle	-0.98290	Deg
Shear axis origin - Eccentricity ey	-1.65377	m
Shear axis origin - Eccentricity ez	-0.10033	m
Main axis angle - Shear	0.00000	Deg
Y-below : Gravity centre - minY	1.53900	m
Y-above : Gravity centre - maxY	1.12403	m
Z-left : Gravity centre - minZ	7.12503	m
Z-right : Gravity centre - maxZ	7.17402	m
Perimeter exposed to drying (outside)	32.49339	m
Perimeter (inside)	15.69251	m

Cross-section : BoxVar011

Part : 1 Variant : 1

Description : BoxVar




C R O S S - S E C T I O N D A T A

Cross-section area	1.19230e+01 m2
Shear area - Bending about Z-axis	2.12311e+00 m2
Shear area - Bending about Y-axis	8.32064e+00 m2
Torsional moment of inertia I	3.11949e+01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.40034e+02 m4
Section moment about Y-axis - min	1.96485e+01 m3
Section moment about Y-axis - max	1.35222e+01 m3
Shear lag factor Y (Shear lag)	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	1.40034e+02 m4
Moment of inertia about Z-axis	1.49596e+01 m4
Section moment about Z-axis - min	8.87368e+00 m3
Section moment about Z-axis - max	1.07997e+01 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	1.49596e+01 m4
Warping moment of inertia	3.17092e+01 m6
Bending axis origin - Eccentricity ey	-1.24216 m
Bending axis origin - Eccentricity ez	-0.02308 m
Main axis angle	-1.00398 Deg
Shear axis origin - Eccentricity ey	-1.84441 m
Shear axis origin - Eccentricity ez	-0.07996 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	1.88884 m
Y-above : Gravity centre - maxY	1.28513 m
Z-left : Gravity centre - minZ	7.17308 m
Z-right : Gravity centre - maxZ	7.17308 m
Perimeter exposed to drying (outside)	32.95904 m
Perimeter (inside)	16.09749 m

Cross-section : BoxVar012

Part : 1 Variant : 1

Description : BoxVar




C R O S S - S E C T I O N D A T A

Cross-section area	1.24133e+01 m2
Shear area - Bending about Z-axis	2.47940e+00 m2
Shear area - Bending about Y-axis	8.42930e+00 m2
Torsional moment of inertia I	3.86692e+01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.43307e+02 m4
Section moment about Y-axis - min	2.01052e+01 m3
Section moment about Y-axis - max	1.98810e+01 m3
Shear lag factor Y (Shear lag)	0.00000e+00 m
Moment of inertia about Y-axis (Shear lag)	1.43307e+02 m4
Moment of inertia about Z-axis	1.96953e+01 m4
Section moment about Z-axis - min	1.05919e+01 m3
Section moment about Z-axis - max	1.27349e+01 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	1.96953e+01 m4
Warping moment of inertia	3.59335e+01 m6
Bending axis origin - Eccentricity ey	-1.40353 m
Bending axis origin - Eccentricity ez	-0.02215 m
Main axis angle	-1.03692 Deg
Shear axis origin - Eccentricity ey	-2.06104 m
Shear axis origin - Eccentricity ez	-0.06152 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	1.89347 m
Y-above : Gravity centre - maxY	1.27856 m
Z-left : Gravity centre - minZ	7.17215 m
Z-right : Gravity centre - maxZ	7.17215 m
Perimeter exposed to drying (outside)	33.50831 m
Perimeter (inside)	16.58609 m

Cross-section : BoxVar013

Part : 1 Variant : 1

Description : BoxVar




CROSS - SECTION DATA

Cross-section area	1.29749e+01 m2
Shear area - Bending about Z-axis	2.92269e+00 m2
Shear area - Bending about Y-axis	8.50114e+00 m2
Torsional moment of inertia I	4.85019e+01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.47007e+02 m4
Section moment about Y-axis - min	2.06214e+01 m3
Section moment about Y-axis - max	2.04390e+01 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	1.47007e+02 m4
Moment of inertia about Z-axis	2.65703e+01 m4
Section moment about Z-axis - min	1.28039e+01 m3
Section moment about Z-axis - max	1.52104e+01 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	2.65703e+01 m4
Warping moment of inertia	3.85743e+01 m6
Bending axis origin - Eccentricity ey	-0.60382 m
Bending axis origin - Eccentricity ez	-0.02116 m
Main axis angle	-1.09106 Deg
Shear axis origin - Eccentricity ey	-2.31917 m
Shear axis origin - Eccentricity ez	-0.04447 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	2.07518 m
Y-above : Gravity centre - maxY	1.72885 m
Z-left : Gravity centre - minZ	7.17116 m
Z-right : Gravity centre - maxZ	7.17116 m
Perimeter exposed to drying (outside)	34.19039 m
Perimeter (inside)	17.20259 m

Cross-section : BoxVar014

Part : 1 Variant : 1

Description : BoxVar




CROSS - SECTION DATA

Cross-section area	1.53231e+01 m2
Shear area - Bending about Z-axis	4.02570e+00 m2
Shear area - Bending about Y-axis	9.89322e+00 m2
Torsional moment of inertia I	5.59930e+01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.60446e+02 m4
Section moment about Y-axis - min	2.25147e+01 m3
Section moment about Y-axis - max	2.23658e+01 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	1.60446e+02 m4
Moment of inertia about Z-axis	3.13341e+01 m4
Section moment about Z-axis - min	1.53427e+01 m3
Section moment about Z-axis - max	1.64851e+01 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	3.13341e+01 m4
Warping moment of inertia	5.42373e+01 m6
Bending axis origin - Eccentricity ey	-1.75772 m
Bending axis origin - Eccentricity ez	-0.02373 m
Main axis angle	-1.08962 Deg
Shear axis origin - Eccentricity ey	-2.57210 m
Shear axis origin - Eccentricity ez	-0.04998 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	2.04228 m
Y-above : Gravity centre - maxY	1.90075 m
Z-left : Gravity centre - minZ	7.17373 m
Z-right : Gravity centre - maxZ	7.17373 m
Perimeter exposed to drying (outside)	34.38878 m
Perimeter (inside)	16.25709 m

Cross-section : CKN-6001:1

Part : 1 Variant : 1

Description : CKN-6




CROSS - SECTION DATA

Cross-section area	1.11764e+00 m2
Shear area - Bending about Z-axis	1.05676e+00 m2
Shear area - Bending about Y-axis	1.05676e+00 m2
Torsional moment of inertia I	1.99120e-01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	9.95598e-02 m4
Section moment about Y-axis - min	1.65933e-01 m3
Section moment about Y-axis - max	1.65933e-01 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	9.95598e-02 m4
Moment of inertia about Z-axis	9.95598e-02 m4
Section moment about Z-axis - min	1.65933e-01 m3
Section moment about Z-axis - max	1.65933e-01 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	9.95598e-02 m4
Warping moment of inertia	4.25156e-02 m6
Bending axis origin - Eccentricity ey	0.00000 m
Bending axis origin - Eccentricity ez	0.00000 m
Main axis angle	0.00000 Deg
Shear axis origin - Eccentricity ey	0.00000 m
Shear axis origin - Eccentricity ez	0.00000 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	0.60000 m
Y-above : Gravity centre - maxY	0.60000 m
Z-left : Gravity centre - minZ	0.60000 m
Z-right : Gravity centre - maxZ	0.60000 m
Perimeter exposed to drying (outside)	3.76236 m
Perimeter (inside)	0.00000 m

Cross-section : CIP9D1500001:1

Part : 1 Variant : 1

Description : CIP9D1500




CROSS - SECTION DATA

Cross-section area	1.74632e+00 m2
Shear area - Bending about Z-axis	1.65118e+00 m2
Shear area - Bending about Y-axis	1.65118e+00 m2
Torsional moment of inertia I	4.86132e-01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	2.43066e-01 m4
Section moment about Y-axis - min	3.24088e-01 m3
Section moment about Y-axis - max	3.24088e-01 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	2.43066e-01 m4
Moment of inertia about Z-axis	2.43066e-01 m4
Section moment about Z-axis - min	3.24088e-01 m3
Section moment about Z-axis - max	3.24088e-01 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	2.43066e-01 m4
Warping moment of inertia	1.38502e-01 m6
Bending axis origin - Eccentricity ey	0.00000 m
Bending axis origin - Eccentricity ez	-0.00000 m
Main axis angle	0.00000 Deg
Shear axis origin - Eccentricity ey	-0.00000 m
Shear axis origin - Eccentricity ez	0.00000 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	0.75000 m
Y-above : Gravity centre - maxY	0.75000 m
Z-left : Gravity centre - minZ	0.75000 m
Z-right : Gravity centre - maxZ	0.75000 m
Perimeter exposed to drying (outside)	4.70295 m
Perimeter (inside)	0.00000 m

Cross-section : Maincap001

Part : 1 Variant : 1

Description : Maincap




CROSS - SECTION DATA

Cross-section area	1.10250e+02 m2
Shear area - Bending about Z-axis	9.19375e+01 m2
Shear area - Bending about Y-axis	9.28421e+01 m2
Torsional moment of inertia I	1.72217e+03 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.01292e+03 m4
Section moment about Y-axis - min	1.92938e+02 m3
Section moment about Y-axis - max	1.92938e+02 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	1.01292e+03 m4
Moment of inertia about Z-axis	1.01292e+03 m4
Section moment about Z-axis - min	1.92938e+02 m3
Section moment about Z-axis - max	1.92938e+02 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	1.01292e+03 m4
Warping moment of inertia	2.10426e+05 m6
Bending axis origin - Eccentricity ey	-0.00000 m
Bending axis origin - Eccentricity ez	0.00000 m
Main axis angle	0.00000 Deg
Shear axis origin - Eccentricity ey	-0.00000 m
Shear axis origin - Eccentricity ez	-0.00000 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	5.25000 m
Y-above : Gravity centre - maxY	5.25000 m
Z-left : Gravity centre - minZ	5.25000 m
Z-right : Gravity centre - maxZ	5.25000 m
Perimeter exposed to drying (outside)	42.00000 m
Perimeter (inside)	0.00000 m

Cross-section : MainPier001

Part : 1 Variant : 1

Description : MainPier



CROSS - SECTION DATA

Cross-section area	1.03546e+01 m2
Shear area - Bending about Z-axis	8.72630e+00 m2
Shear area - Bending about Y-axis	8.82040e+00 m2
Torsional moment of inertia I	1.41629e+01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.52952e+01 m4
Section moment about Y-axis - min	6.79786e+00 m3
Section moment about Y-axis - max	6.79786e+00 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	1.52952e+01 m4
Moment of inertia about Z-axis	4.89241e+00 m4
Section moment about Z-axis - min	3.91393e+00 m3
Section moment about Z-axis - max	3.91393e+00 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	4.89241e+00 m4
Warping moment of inertia	1.82409e+02 m6
Bending axis origin - Eccentricity ey	0.00000 m
Bending axis origin - Eccentricity ez	-0.00000 m
Main axis angle	0.00000 Deg
Shear axis origin - Eccentricity ey	-0.00000 m
Shear axis origin - Eccentricity ez	-0.00000 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	1.25000 m
Y-above : Gravity centre - maxY	1.25000 m
Z-left : Gravity centre - minZ	2.25000 m
Z-right : Gravity centre - maxZ	2.25000 m
Perimeter exposed to drying (outside)	12.27060 m
Perimeter (inside)	0.00000 m

Cross-section : MainPier004

Part : 1 Variant : 1

Description : MainPier

CROSS - SECTION DATA

Cross-section area	1.03546e+01 m2
Shear area - Bending about Z-axis	8.72630e+00 m2
Shear area - Bending about Y-axis	8.82040e+00 m2
Torsional moment of inertia I	1.41629e+01 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.52952e+01 m4
Section moment about Y-axis - min	6.79786e+00 m3
Section moment about Y-axis - max	6.79786e+00 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	1.52952e+01 m4
Moment of inertia about Z-axis	4.89241e+00 m4
Section moment about Z-axis - min	3.91393e+00 m3
Section moment about Z-axis - max	3.91393e+00 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	4.89241e+00 m4
Warping moment of inertia	1.80344e+00 m6
Bending axis origin - Eccentricity ey	0.00000 m
Bending axis origin - Eccentricity ez	-0.00000 m
Main axis angle	0.00000 Deg
Shear axis origin - Eccentricity ey	-0.00000 m
Shear axis origin - Eccentricity ez	-0.00000 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	1.25000 m
Y-above : Gravity centre - maxY	1.25000 m
Z-left : Gravity centre - minZ	2.25000 m
Z-right : Gravity centre - maxZ	2.25000 m
Perimeter exposed to drying (outside)	12.27060 m
Perimeter (inside)	0.00000 m

Cross-section : PierCap001

Part : 1 Variant : 1

Description : PierCap


CROSS - SECTION DATA

Cross-section area	4.26000e+01 m2
Shear area - Bending about Z-axis	3.58737e+01 m2
Shear area - Bending about Y-axis	3.58737e+01 m2
Torsional moment of inertia I	1.14867e+02 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	7.15822e+02 m4
Section moment about Y-axis - min	1.00820e+02 m3
Section moment about Y-axis - max	1.00820e+02 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	7.15822e+02 m4
Moment of inertia about Z-axis	3.19500e+01 m4
Section moment about Z-axis - min	2.13000e+01 m3
Section moment about Z-axis - max	2.13000e+01 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	3.19500e+01 m4
Warping moment of inertia	4.44717e+02 m6
Bending axis origin - Eccentricity ey	-0.00002 m
Bending axis origin - Eccentricity ez	0.00000 m
Main axis angle	0.00000 Deg
Shear axis origin - Eccentricity ey	0.00000 m
Shear axis origin - Eccentricity ez	0.00000 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	1.50000 m
Y-above : Gravity centre - maxY	1.50000 m
Z-left : Gravity centre - minZ	7.10000 m
Z-right : Gravity centre - maxZ	7.10000 m
Perimeter exposed to drying (outside)	34.40000 m
Perimeter (inside)	0.00000 m

Cross-section : SideCap001

Part : 1 Variant : 1

Description : SideCap




CROSS - SECTION DATA

Cross-section area	5.76000e+01 m2
Shear area - Bending about Z-axis	4.85053e+01 m2
Shear area - Bending about Y-axis	4.85053e+01 m2
Torsional moment of inertia I	4.29620e+02 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	4.42368e+02 m4
Section moment about Y-axis - min	3.21600e+01 m3
Section moment about Y-axis - max	3.21600e+01 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	4.42368e+02 m4
Moment of inertia about Z-axis	1.72800e+02 m4
Section moment about Z-axis - min	5.76000e+01 m3
Section moment about Z-axis - max	5.76000e+01 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	1.72800e+02 m4
Warping moment of inertia	2.72598e+02 m6
Bending axis origin - Eccentricity ey	0.00000 m
Bending axis origin - Eccentricity ez	0.00000 m
Main axis angle	0.00000 Deg
Shear axis origin - Eccentricity ey	0.00000 m
Shear axis origin - Eccentricity ez	-0.00000 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	3.00000 m
Y-above : Gravity centre - maxY	3.00000 m
Z-left : Gravity centre - minZ	4.80000 m
Z-right : Gravity centre - maxZ	4.80000 m
Perimeter exposed to drying (outside)	31.20000 m
Perimeter (inside)	0.00000 m

Cross-section : SidePier001

Part : 1 Variant : 1

Description : SidePier



CROSS - SECTION DATA

Cross-section area	8.10457e+00 m2
Shear area - Bending about Z-axis	6.82085e+00 m2
Shear area - Bending about Y-axis	6.93092e+00 m2
Torsional moment of inertia I	7.75372e+00 m4
Shear lag factor X (Ax-shear/Ax)	1.00000e+00
Moment of inertia about Y-axis	1.14983e+01 m4
Section moment about Y-axis - min	5.11036e+00 m3
Section moment about Y-axis - max	5.11036e+00 m3
Eccentricity Z (Shear lag)	0.00000e+00 m
Shear lag factor Y	1.00000e+00
Moment of inertia about Y-axis (Shear lag)	1.14983e+01 m4
Moment of inertia about Z-axis	2.43377e+00 m4
Section moment about Z-axis - min	2.43377e+00 m3
Section moment about Z-axis - max	2.43377e+00 m3
Eccentricity Y (Shear lag)	0.00000e+00 m
Shear lag factor Z	1.00000e+00
Moment of inertia about Z-axis (Shear lag)	2.43377e+00 m4
Warping moment of inertia	1.32456e+00 m6
Bending axis origin - Eccentricity ey	0.00000 m
Bending axis origin - Eccentricity ez	0.00000 m
Main axis angle	0.00000 Deg
Shear axis origin - Eccentricity ey	-0.00000 m
Shear axis origin - Eccentricity ez	-0.00000 m
Main axis angle - Shear	0.00000 Deg
Y-below : Gravity centre - minY	1.00000 m
Y-above : Gravity centre - maxY	1.00000 m
Z-left : Gravity centre - minZ	2.25000 m
Z-right : Gravity centre - maxZ	2.25000 m
Perimeter exposed to drying (outside)	11.27060 m
Perimeter (inside)	0.00000 m

1.4 Loads _Load combinations

		Combinations					
LF/SUP	Rule	(+) / (-)	(+) / (-)	(+) / (-)	(+) / (-)	(+) / (-)	(+) / (-)
		Comb 1	Comb 2	Comb 3	Comb 4	Comb 5	Comb 6
100	SupAddLc	1.25	0.90	1.25	0.90	1.25	0.90
200	SupAddLc	1.25	0.90	1.25	0.90	1.25	0.90
300	SupAddLc	1.25	0.90	1.25	0.90	1.25	0.90
500	SupAddLc	1.00	1.00	1.00	1.00	1.00	1.00
600	SupAddLc	1.25	0.90	1.25	0.90	1.25	0.90
700	SupAddLc	1.25	0.90	1.25	0.90	1.25	0.90
DW.sup	SupAddSup	1.50	0.65	1.50	0.65	1.50	0.65
Live.sup	SupAddSup	1.75	1.75	1.35	1.35		
BR.sup	SupAddSup	1.75	1.75	1.35	1.35		
TU.sup	SupAddSup	0.50	0.50	0.50	0.50	0.50	0.50
TG.sup	SupAddSup						
CR-SH.sup	SupAddSup	1.25	0.90	1.25	0.90	1.25	0.90
SE.sup	SupAddSup	1.00	1.00	1.00	1.00	1.00	1.00
WS.sup	SupAddSup					1.40	1.40
WL.sup	SupAddSup						
EQ-Tran.sup	SupAddSup						
EQ-Long.sup	SupAddSup						
CV-Tran.sup	SupAddSup						
CV-Long.sup	SupAddSup						
CT-Tran.sup	SupAddSup						
CT-Long.sup	SupAddSup						
		STRENGTH I-1	STRENGTH I-2	STRENGTH II-1	STRENGTH II-2	STRENGTH III-	STRENGTH III-

		Comb 7	Comb 8	Comb 9	Comb 10	Comb 11	Comb 12
100	SupAddLc	1.50	0.90	1.25	0.90	1.00	1.00
200	SupAddLc	1.50	0.90	1.25	0.90	1.00	1.00
300	SupAddLc	1.50	0.90	1.25	0.90	1.00	1.00
500	SupAddLc	1.00	1.00	1.00	1.00	1.00	1.00
600	SupAddLc	1.50	0.90	1.25	0.90		1.00
700	SupAddLc	1.50	0.90	1.25	0.90	1.00	1.00
DW.sup	SupAddSup	1.50	0.65	1.50	0.65	1.00	1.00
Live.sup	SupAddSup			1.35	1.35	1.00	1.00
BR.sup	SupAddSup			1.35	1.35	1.00	1.00
TU.sup	SupAddSup	0.50	0.50	0.50	0.50	1.00	1.00
TG.sup	SupAddSup					0.50	0.50
CR-SH.sup	SupAddSup	1.50	0.90	1.25	0.90		1.00
SE.sup	SupAddSup			1.00	1.00	1.00	1.00
WS.sup	SupAddSup			0.40	0.40	0.30	0.30
WL.sup	SupAddSup			1.00	1.00	1.00	1.00
EQ-Tran.sup	SupAddSup						
EQ-Long.sup	SupAddSup						
CV-Tran.sup	SupAddSup						
CV-Long.sup	SupAddSup						
CT-Tran.sup	SupAddSup						
CT-Long.sup	SupAddSup						
		STRENGTH IV-	STRENGTH IV-	STRENGTH V-1	STRENGTH V-2	SERVICE I-1	SERVICE I-2

		Comb 13	Comb 14	Comb 15	Comb 16	Comb 17	Comb 18
100	SupAddLc	1.00	1.00	1.00	1.00	1.00	1.00
200	SupAddLc	1.00	1.00	1.00	1.00	1.00	1.00
300	SupAddLc	1.00	1.00	1.00	1.00	1.00	1.00
500	SupAddLc	1.00	1.00	1.00	1.00	1.00	1.00
600	SupAddLc		1.00		1.00		1.00
700	SupAddLc	1.00	1.00	1.00	1.00	1.00	1.00
DW.sup	SupAddSup	1.00	1.00	1.00	1.00	1.00	1.00
Live.sup	SupAddSup	1.30	1.30	0.80	0.80		
BR.sup	SupAddSup	1.30	1.30	0.80	0.80		
TU.sup	SupAddSup	1.00	1.00	1.00	1.00	1.00	1.00
TG.sup	SupAddSup	0.50	0.50	0.50	0.50	1.00	1.00
CR-SH.sup	SupAddSup		1.00		1.00		1.00
SE.sup	SupAddSup			1.00	1.00	1.00	1.00
WS.sup	SupAddSup					0.70	0.70
WL.sup	SupAddSup						
EQ-Tran.sup	SupAddSup						

		Combinations					
LF/SUP	Rule	(+) / (-)	(+) / (-)	(+) / (-)	(+) / (-)	(+) / (-)	(+) / (-)
EQ-Long.sup	SupAddSup						
CV-Tran.sup	SupAddSup						
CV-Long.sup	SupAddSup						
CT-Tran.sup	SupAddSup						
CT-Long.sup	SupAddSup						
		SERVICE II-1	SERVICE II-2	SERVICE III-1	SERVICE III-2	SERVICE IV-1	SERVICE IV-2

		Comb 19	Comb 20	Comb 21	Comb 22	Comb 23	Comb 24
100	SupAddLc	1.00	1.00	1.00	1.00	1.25	0.90
200	SupAddLc	1.00	1.00	1.00	1.00	1.25	0.90
300	SupAddLc	1.00	1.00	1.00	1.00	1.25	0.90
500	SupAddLc	1.00	1.00	1.00	1.00	1.00	1.00
600	SupAddLc	1.00	1.00	1.00	1.00	1.00	1.00
700	SupAddLc	1.00	1.00	1.00	1.00	1.25	0.90
DW.sup	SupAddSup	1.00	1.00	1.00	1.00	1.50	0.65
Live.sup	SupAddSup	0.50	0.50	0.50	0.50	0.50	0.50
BR.sup	SupAddSup	0.50	0.50	0.50	0.50	0.50	0.50
TU.sup	SupAddSup						
TG.sup	SupAddSup						
CR-SH.sup	SupAddSup	1.00	1.00	1.00	1.00	1.00	1.00
SE.sup	SupAddSup						
WS.sup	SupAddSup						
WL.sup	SupAddSup						
EQ-Tran.sup	SupAddSup	0.30	0.30	1.00	1.00	0.20	0.20
EQ-Long.sup	SupAddSup	1.00	1.00	0.30	0.30	0.67	0.67
CV-Tran.sup	SupAddSup						
CV-Long.sup	SupAddSup						
CT-Tran.sup	SupAddSup						
CT-Long.sup	SupAddSup						
		EXTREME I-1	EXTREME I-2	EXTREME I-3	EXTREME I-4	EXTREME C1	EXTREME C2

		Comb 25	Comb 26	Comb 27	Comb 28	Comb 29	Comb 30
100	SupAddLc	1.25	0.90	1.25	0.90	1.25	0.90
200	SupAddLc	1.25	0.90	1.25	0.90	1.25	0.90
300	SupAddLc	1.25	0.90	1.25	0.90	1.25	0.90
500	SupAddLc	1.00	1.00	1.00	1.00	1.00	1.00
600	SupAddLc	1.00	1.00	1.25	0.90	1.25	0.90
700	SupAddLc	1.25	0.90	1.25	0.90	1.25	0.90
DW.sup	SupAddSup	1.50	0.65	1.50	0.65	1.50	0.65
Live.sup	SupAddSup	0.50	0.50	0.50	0.50	0.50	0.50
BR.sup	SupAddSup	0.50	0.50	0.50	0.50	0.50	0.50
TU.sup	SupAddSup						
TG.sup	SupAddSup						
CR-SH.sup	SupAddSup	1.00	1.00	1.25	0.90	1.25	0.90
SE.sup	SupAddSup						
WS.sup	SupAddSup						
WL.sup	SupAddSup						
EQ-Tran.sup	SupAddSup	0.67	0.67				
EQ-Long.sup	SupAddSup	0.20	0.20				
CV-Tran.sup	SupAddSup					1.00	1.00
CV-Long.sup	SupAddSup			1.00	1.00		
CT-Tran.sup	SupAddSup					1.00	1.00
CT-Long.sup	SupAddSup			1.00	1.00		
		EXTREME C3	EXTREME C4	EXTREME II-1	EXTREME II-2	EXTREME II-3	EXTREME II-4

Load Info	Load Case Rules		Envelope Rules		
Name	SumLC	Part	Envelope	Rule	LCase
DC	100	Total			
	1000	Total			
	5000	Total			
FT	200	Total			
	1000	Total			
	5000	Total			
WC	300	Total			
	1000	Total			
	5000	Total			
PT	500	Total			
	1000	Total			
	5000	Total			
CR&SH	600	Total			
	1000	Total			
	5000	Total			
DEMO	700	Total			
	1000	Total			
	5000	Total			

Name	Sum LC	Stg	Skipped	LC	Desc
DC	**100**	STG-SUB		DC-SUB	
	1000	TG-SUPER		DC-SUPERT	
	5000	STG00		DCK0	
		STG00		DC-KT1	
		STG00		DC-KT4	
		STG01		DCK1	
		STG02		DCK2	
		STG03		DCK3	
		STG04		DCK4	
		STG05		DCK5	
		STG06		DCK6	
		STG07		DCK7	
		STG08		DC-KN1	
		STG08		DC-KN3	
		STG09		DC-KN2	
FT	**200**	STG00		XDK1	
	1000	STG01		XDK2	
	5000	STG02		XDK3	
		STG03		XDK4	
		STG04		XDK5	
		STG05		XDK6	
		STG06		XDK7	
		STG07		XDKN1KN3	
		STG08		XDKN2	
		STG10		XDEND	
WC	**300**	STG00		WCK1	
	1000	STG01		WCK2	
	5000	STG02		WCK3	
		STG03		WCK4	
		STG04		WCK5	
		STG05		WCK6	
		STG06		WCK7	
		STG07		WCKN1KN3	
		STG08		WCKN2	
		STG09		WCKN2-END	
		-	-	WCK8END	
PT	**500**	STG00		DUL-K0	
	1000	STG00		DUL-KT1	
	5000	STG00		DUL-KT4	
		STG01		DUL-K1	
		STG02		DUL-K2	
		STG03		DUL-K3	
		STG04		DUL-K4	
		STG05		DUL-K5	
		STG06		DUL-K6	

Name	Sum LC	Stg	Skipped	LC	Desc
		STG07		DUL-K7	
		STG08		DUL-KN1	
		STG08		DUL-KN3	
		STG09		DUL-KN2	

CR&SH	**600**	STG-SUB		CR&SH00	
	1000	STG00		CR&SH0	
	5000	STG01		CR&SH1	
		STG02		CR&SH2	
		STG03		CR&SH3	
		STG04		CR&SH4	
		STG05		CR&SH5	
		STG06		CR&SH6	
		STG07		CR&SH7	
		STG08		CR&SH8	
		STG09		CR&SH9	
		STG10		CR&SH10	
		-	-	CR&SH11	
		-	-	CR&SH12	

DEMO	**700**	STG08		DEMO-P1	
	1000	STG08		DEMO-P4	
	5000	STG08		DEMO-P4	

1.4.1 Load case definitions:

1.4.1.1 Self Weight:

load case:	DC-SUB											
Duration:	PERMANENT											
LoadInfo:	DC											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self-weight mass with load - direction vector r normalize						p	Rx	Ry	Rz	Gam		
G	DC-SUB	1	101	108	1	0.00	0.00	-1.00	0.00	25.00		
G	DC-SUB	1	201	207	1	0.00	0.00	-1.00	0.00	25.00		
G	DC-SUB	1	301	307	1	0.00	0.00	-1.00	0.00	25.00		
G	DC-SUB	1	401	408	1	0.00	0.00	-1.00	0.00	25.00		
G	DC-SUB	1	10001	10006	1	0.00	0.00	-1.00	0.00	25.00		
G	DC-SUB	1	20001	20009	1	0.00	0.00	-1.00	0.00	25.00		
G	DC-SUB	1	30001	30009	1	0.00	0.00	-1.00	0.00	25.00		
G	DC-SUB	1	40001	40006	1	0.00	0.00	-1.00	0.00	25.00		

load case:	DC-KT1											
Duration:	PERMANENT											
LoadInfo:	DC											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self-weight mass with load - direction vector r normalize						p	Rx	Ry	Rz	Gam		
G	DC-KT1	1.05	1	6	1	0.00	0.00	-1.00	0.00	25.00		

load case: DC-KT4

Duration: PERMANENT
LoadInfo: DC

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self-weight mass with load - direction vector r normalize						p	Rx	Ry	Rz	Gam		
G	DC-KT4	1.05	50	55	1	0.00	0.00	-1.00	0.00	25.00		

load case: DCK0

Duration: PERMANENT
LoadInfo: DC

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self-weight mass with load - direction vector r normalize						p	Rx	Ry	Rz	Gam		
G	DCK0	1	15	20	1	0.00	0.00	-1.00	0.00	25.00		
G	DCK0	1	36	41	1	0.00	0.00	-1.00	0.00	25.00		

load case: DCK1

Duration: PERMANENT
LoadInfo: DC

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self-weight mass with load - direction vector r normalize						p	Rx	Ry	Rz	Gam		
G	DCK1	1	14	21	7	0.00	0.00	-1.00	0.00	25.00		
G	DCK1	1	35	42	7	0.00	0.00	-1.00	0.00	25.00		

load case: DCK2

Duration: PERMANENT
LoadInfo: DC

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self-weight mass with load - direction vector r normalize						p	Rx	Ry	Rz	Gam		
G	DCK2	1	13	22	9	0.00	0.00	-1.00	0.00	25.00		
G	DCK2	1	34	43	9	0.00	0.00	-1.00	0.00	25.00		

load case: DCK3

Duration: PERMANENT
LoadInfo: DC

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self-weight mass with load - direction vector r normalize						p	Rx	Ry	Rz	Gam		
G	DCK3	1	12	23	11	0.00	0.00	-1.00	0.00	25.00		
G	DCK3	1	33	44	11	0.00	0.00	-1.00	0.00	25.00		

load case: DCK4

Duration: PERMANENT
LoadInfo: DC

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self-weight mass with load - direction vector r normalize						p	Rx	Ry	Rz	Gam		
G	DCK4	1	11	24	13	0.00	0.00	-1.00	0.00	25.00		
G	DCK4	1	32	45	13	0.00	0.00	-1.00	0.00	25.00		

load case: DCK5

Duration: PERMANENT
LoadInfo: DC

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self-weight mass with load - direction vector r normalize						p	Rx	Ry	Rz	Gam		
G	DCK5	1	10	25	15	0.00	0.00	-1.00	0.00	25.00		
G	DCK5	1	31	46	15	0.00	0.00	-1.00	0.00	25.00		

load case: DCK6

Duration: PERMANENT
LoadInfo: DC

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self-weight mass with load - direction vector r normalize						p	Rx	Ry	Rz	Gam		
G	DCK6	1	9	26	17	0.00	0.00	-1.00	0.00	25.00		
G	DCK6	1	30	47	17	0.00	0.00	-1.00	0.00	25.00		

load case: DCK7

Duration: PERMANENT
LoadInfo: DC

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self-weight mass with load - direction vector r normalize						p	Rx	Ry	Rz	Gam		
G	DCK7	1	8	27	19	0.00	0.00	-1.00	0.00	25.00		
G	DCK7	1	29	48	19	0.00	0.00	-1.00	0.00	25.00		

load case: DC-KN1

Duration: PERMANENT
LoadInfo: DC

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self-weight mass with load - direction vector r normalize						p	Rx	Ry	Rz	Gam		
G	DC-KN1	1	7	7	1	0.00	0.00	-1.00	0.00	25.00		

load case:	DC-KN2											
Duration:	PERMANENT											
LoadInfo:	DC											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self-weight mass with load - direction vector r normalize						p	Rx	Ry	Rz	Gam		
G	DC-KN2	1	28	28	1	0.00	0.00	-1.00	0.00	25.00		

load case:	DC-KN3											
Duration:	PERMANENT											
LoadInfo:	DC											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self-weight mass with load - direction vector r normalize						p	Rx	Ry	Rz	Gam		
G	DC-KN3	1	49	49	1	0.00	0.00	-1.00	0.00	25.00		

1.4.1.2 Wet Concrete:

load case:	WCK1											
Duration:	NONPERMANENT											
LoadInfo:	WC											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP2K1	1	14	14	1		15.00	25.00	0.00	-1.75	0.00	
FSY	WCP2K1	1	21	21	1		21.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP3K1	1	35	35	1		36.00	25.00	0.00	-1.75	0.00	
FSY	WCP3K1	1	42	42	1		42.00	25.00	0.00	1.75	0.00	

load case:	WCK2											
Duration:	NONPERMANENT											
LoadInfo:	WC											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP2K2	1	13	13	1		14.00	25.00	0.00	-1.75	0.00	
FSY	WCP2K2	1	22	22	1		22.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP3K2	1	34	34	1		35.00	25.00	0.00	-1.75	0.00	
FSY	WCP3K2	1	43	43	1		43.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP2K1	-1	14	14	1		15.00	25.00	0.00	-1.75	0.00	
FSY	WCP2K1	-1	21	21	1		21.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP3K1	-1	35	35	1		36.00	25.00	0.00	-1.75	0.00	
FSY	WCP3K1	-1	42	42	1		42.00	25.00	0.00	1.75	0.00	

load case: WCK3

Duration: NONPERMANENT
LoadInfo: WC

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP2K3	1	12	12	1		13.00	25.00	0.00	-1.75	0.00	
FSY	WCP2K3	1	23	23	1		23.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP3K3	1	33	33	1		34.00	25.00	0.00	-1.75	0.00	
FSY	WCP3K3	1	44	44	1		44.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP2K2	-1	13	13	1		14.00	25.00	0.00	-1.75	0.00	
FSY	WCP2K2	-1	22	22	1		22.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP3K2	-1	34	34	1		35.00	25.00	0.00	-1.75	0.00	
FSY	WCP3K2	-1	43	43	1		43.00	25.00	0.00	1.75	0.00	

load case: WCK4

Duration: NONPERMANENT
LoadInfo: WC

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP2K4	1	11	11	1		12.00	25.00	0.00	-1.75	0.00	
FSY	WCP2K4	1	24	24	1		24.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP3K4	1	32	32	1		33.00	25.00	0.00	-1.75	0.00	
FSY	WCP3K4	1	45	45	1		45.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP2K3	-1	12	12	1		13.00	25.00	0.00	-1.75	0.00	
FSY	WCP2K3	-1	23	23	1		23.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP3K3	-1	33	33	1		34.00	25.00	0.00	-1.75	0.00	
FSY	WCP3K3	-1	44	44	1		44.00	25.00	0.00	1.75	0.00	

load case: WCK5

Duration: NONPERMANENT
LoadInfo: WC

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP2K5	1	10	10	1		11.00	25.00	0.00	-1.75	0.00	
FSY	WCP2K5	1	25	25	1		25.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP3K5	1	31	31	1		32.00	25.00	0.00	-1.75	0.00	
FSY	WCP3K5	1	46	46	1		46.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP2K4	-1	11	11	1		12.00	25.00	0.00	-1.75	0.00	
FSY	WCP2K4	-1	24	24	1		24.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP3K4	-1	32	32	1		33.00	25.00	0.00	-1.75	0.00	
FSY	WCP3K4	-1	45	45	1		45.00	25.00	0.00	1.75	0.00	

load case: WCK6

Duration: NONPERMANENT
LoadInfo: WC

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP2K6	1	9	9	1		10.00	25.00	0.00	-1.75	0.00	
FSY	WCP2K6	1	26	26	1		26.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP3K6	1	30	30	1		31.00	25.00	0.00	-1.75	0.00	
FSY	WCP3K6	1	47	47	1		47.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP2K5	-1	10	10	1		11.00	25.00	0.00	-1.75	0.00	
FSY	WCP2K5	-1	25	25	1		25.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP3K5	-1	31	31	1		32.00	25.00	0.00	-1.75	0.00	
FSY	WCP3K5	-1	46	46	1		46.00	25.00	0.00	1.75	0.00	

load case: WCK7

Duration: NONPERMANENT
LoadInfo: WC

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP2K7	1	8	8	1		9.00	25.00	0.00	-1.75	0.00	
FSY	WCP2K7	1	27	27	1		27.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP3K7	1	29	29	1		30.00	25.00	0.00	-1.75	0.00	
FSY	WCP3K7	1	48	48	1		48.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP2K6	-1	9	9	1		10.00	25.00	0.00	-1.75	0.00	
FSY	WCP2K6	-1	26	26	1		26.00	25.00	0.00	1.75	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCP3K6	-1	30	30	1		31.00	25.00	0.00	-1.75	0.00	
FSY	WCP3K6	-1	47	47	1		47.00	25.00	0.00	1.75	0.00	

load case: WCKN1KN3

Duration: NONPERMANENT
LoadInfo: WC

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCKN1	1	7	7	1		7.00	12.50	0.00	0.00	0.00	
FSY	WCKN1	1	7	7	1		8.00	12.50	0.00	0.00	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCKN3	1	49	49	1		49.00	12.50	0.00	0.00	0.00	
FSY	WCKN3	1	49	49	1		50.00	12.50	0.00	0.00	0.00	

load case:	WCKN2											
Duration:	NONPERMANENT											
LoadInfo:	WC											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCKN1	-1	7	7	1		7.00	12.50	0.00	0.00	0.00	
FSY	WCKN1	-1	7	7	1		8.00	12.50	0.00	0.00	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCKN3	-1	49	49	1		49.00	12.50	0.00	0.00	0.00	
FSY	WCKN3	-1	49	49	1		50.00	12.50	0.00	0.00	0.00	
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCKN2	1	28	28	1		28.00	12.50	0.00	0.00	0.00	
FSY	WCKN2	1	28	28	1		29.00	12.50	0.00	0.00	0.00	

load case:	WCKN2-END											
Duration:	NONPERMANENT											
LoadInfo:	WC											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
self weight as nodal point load (e.g. equipment load)							Node	Gam	Ex	Ey	Ez	
FSY	WCKN2	-1	28	28	1		28.00	12.50	0.00	0.00	0.00	
FSY	WCKN2	-1	28	28	1		29.00	12.50	0.00	0.00	0.00	

1.4.1.3 Traveller:

load case:	XDK1											
Duration:	NONPERMANENT											
LoadInfo:	FT											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P2-K1	1	15	15	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P2-K1	1	21	21	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P3-K1	1	36	36	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P3-K1	1	42	42	1		0.00	-800.00	0.00	0.00	0.00	800.00

load case:	XDK2											
Duration:	NONPERMANENT											
LoadInfo:	FT											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P2-K2	1	14	14	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P2-K2	1	22	22	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P3-K2	1	35	35	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P3-K2	1	43	43	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P2-K1	-1	15	15	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P2-K1	-1	21	21	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P3-K1	-1	36	36	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P3-K1	-1	42	42	1		0.00	-800.00	0.00	0.00	0.00	800.00

load case: XDK3

Duration: NONPERMANENT
LoadInfo: FT

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P2-K3	1	13	13	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P2-K3	1	23	23	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P3-K3	1	34	34	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P3-K3	1	44	44	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P2-K2	-1	14	14	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P2-K2	-1	22	22	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P3-K2	-1	35	35	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P3-K2	-1	43	43	1		0.00	-800.00	0.00	0.00	0.00	800.00

load case: XDK4

Duration: NONPERMANENT
LoadInfo: FT

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P2-K4	1	12	12	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P2-K4	1	24	24	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P3-K4	1	33	33	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P3-K4	1	45	45	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P2-K3	-1	13	13	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P2-K3	-1	23	23	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P3-K3	-1	34	34	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P3-K3	-1	44	44	1		0.00	-800.00	0.00	0.00	0.00	800.00

load case: XDK5

Duration: NONPERMANENT
LoadInfo: FT

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P2-K5	1	11	11	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P2-K5	1	25	25	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P3-K5	1	32	32	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P3-K5	1	46	46	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P2-K4	-1	12	12	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P2-K4	-1	24	24	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P3-K4	-1	33	33	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P3-K4	-1	45	45	1		0.00	-800.00	0.00	0.00	0.00	800.00

load case: XDK6

Duration: NONPERMANENT
LoadInfo: FT

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P2-K6	1	10	10	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P2-K6	1	26	26	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P3-K6	1	31	31	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P3-K6	1	47	47	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P2-K5	-1	11	11	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P2-K5	-1	25	25	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P3-K5	-1	32	32	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P3-K5	-1	46	46	1		0.00	-800.00	0.00	0.00	0.00	800.00

load case: XDK7

Duration: NONPERMANENT
LoadInfo: FT

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P2-K7	1	9	9	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P2-K7	1	27	27	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P3-K7	1	30	30	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P3-K7	1	48	48	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P2-K6	-1	10	10	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P2-K6	-1	26	26	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P3-K6	-1	31	31	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P3-K6	-1	47	47	1		0.00	-800.00	0.00	0.00	0.00	800.00

load case: XDKN1KN3

Duration: NONPERMANENT
LoadInfo: FT


Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-KN1KN3	1	7	8	1		0.00	-100.00	0.00	0.00	0.00	0.00
F	XD-KN1KN3	1	49	50	1		0.00	-100.00	0.00	0.00	0.00	0.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P2-K7	-1	9	9	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P2-K7	-1	27	27	1		0.00	-800.00	0.00	0.00	0.00	800.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-P3-K7	-1	30	30	1		0.00	-800.00	0.00	0.00	0.00	-800.00
F	XD-P3-K7	-1	48	48	1		0.00	-800.00	0.00	0.00	0.00	800.00

load case:	XDKN2											
Duration:	NONPERMANENT											
LoadInfo:	FT											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-KN2	1	28	29	1		0.00	-100.00	0.00	0.00	0.00	0.00
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-KN1KN	-1	7	8	1		0.00	-100.00	0.00	0.00	0.00	0.00
F	XD-KN1KN	-1	49	50	1		0.00	-100.00	0.00	0.00	0.00	0.00

load case:	XDEND											
Duration:	NONPERMANENT											
LoadInfo:	FT											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	XD-KN2	-1	28	29	1		0.00	-100.00	0.00	0.00	0.00	0.00

1.4.1.4 Prestressing Tendon:


Plan
Elevation
01/12/2025
14:11
Tendons 1 2 3 4 5 6 7 8 21 22 23 24 25 26 27 28 101 102 201 202 203 204 221 222 223 224 301 302 303 304
Schematic figure
Author: only g: LAVteam: r
Project: DATP 2.5 - BALANCE CANTILEVER BRIDGE 42+63+42 (m) - B=14.5 (m)
RM Bridge Enterprise 2023
23.00.01.11

load case: DUL-K0

Duration: PERMANENT
LoadInfo: PT

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
pre/post tensioning (increment force)						Force						
TEND0	no LSet		1	1	1	0.00						
TEND0	no LSet		21	21	1	0.00						

load case: DUL-K1

Duration: PERMANENT
LoadInfo: PT

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
pre/post tensioning (increment force)						Force						
TEND0	no LSet		2	2	1	0.00						
TEND0	no LSet		22	22	1	0.00						

load case: DUL-K2

Duration: PERMANENT
LoadInfo: PT

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
pre/post tensioning (increment force)						Force						
TEND0	no LSet		3	3	1	0.00						
TEND0	no LSet		23	23	1	0.00						

load case: DUL-K3

Duration: PERMANENT
LoadInfo: PT

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
pre/post tensioning (increment force)						Force						
TEND0	no LSet		4	4	1	0.00						
TEND0	no LSet		24	24	1	0.00						

load case: DUL-K4

Duration: PERMANENT
LoadInfo: PT

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
pre/post tensioning (increment force)						Force						
TEND0	no LSet		5	5	1	0.00						
TEND0	no LSet		25	25	1	0.00						

load case: DUL-K5

Duration: PERMANENT
LoadInfo: PT

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
pre/post tensioning (increment force)						Force						
TEND0	no LSet		6	6	1	0.00						
TEND0	no LSet		26	26	1	0.00						

load case: DUL-K6

Duration: PERMANENT
LoadInfo: PT

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
pre/post tensioning (increment force)						Force						
TEND0	no LSet		7	7	1	0.00						
TEND0	no LSet		27	27	1	0.00						

load case: DUL-K7

Duration: PERMANENT
LoadInfo: PT

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
pre/post tensioning (increment force)						Force						
TEND0	no LSet		8	8	1	0.00						
TEND0	no LSet		28	28	1	0.00						

load case: DUL-KT1

Duration: PERMANENT
LoadInfo: PT

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
pre/post tensioning (increment force)						Force						
TEND0	no LSet		101	101	1	0.00						

load case: DUL-KT4

Duration: PERMANENT
LoadInfo: PT

Loads:


	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
pre/post tensioning (increment force)						Force						
TEND0	no LSet		102	104	2	0.00						


load case:	DUL-KN1											
Duration:	PERMANENT											
LoadInfo:	PT											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
pre/post tensioning (increment force)						Force						
TEND0	no LSet		201	204	1	0.00						

load case:	DUL-KN2											
Duration:	PERMANENT											
LoadInfo:	PT											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
pre/post tensioning (increment force)						Force						
TEND0	no LSet		301	304	1	0.00						

load case:	DUL-KN3											
Duration:	PERMANENT											
LoadInfo:	PT											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
pre/post tensioning (increment force)						Force						
TEND0	no LSet		221	224	1	0.00						

1.4.1.5 Liveload:





1.4.1.6 Additional loads:

load case:	DW											
Duration:	PERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
centric uniform load (global)						p	Qx	Qy	Qz			
QG	DW	1	1	55	1	0.00	0.00	-50.60	0.00			
QG	DW	1	61001	61008	1	4.00	0.00	-3.48	0.00			
QG	DW	1	62001	62008	1	4.00	0.00	-3.48	0.00			
QG	DW	1	63001	63008	1	4.00	0.00	-3.48	0.00			
QG	DW	1	64001	64008	1	4.00	0.00	-3.48	0.00			
QG	DW	1	65001	65008	1	4.00	0.00	-3.48	0.00			
QG	DW	1	66001	66008	1	4.00	0.00	-3.48	0.00			
QG	DW	1	71001	71008	1	4.00	0.00	-3.48	0.00			
QG	DW	1	72001	72008	1	4.00	0.00	-3.48	0.00			
QG	DW	1	73001	73008	1	4.00	0.00	-3.48	0.00			
QG	DW	1	74001	74008	1	4.00	0.00	-3.48	0.00			
QG	DW	1	75001	75008	1	4.00	0.00	-3.48	0.00			
QG	DW	1	76001	76008	1	4.00	0.00	-3.48	0.00			

load case:	DEMO-P1											
Duration:	NONPERMANENT											
LoadInfo:	DEMO											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
removal of elements												
DEMO	no LSet		9001	9006	1	0.00	0.00	1.00	0.00	0.00	0.00	0.00

load case:	DEMO-P4											
Duration:	NONPERMANENT											
LoadInfo:	DEMO											
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
removal of elements												
DEMO	no LSet		9011	9016	1	0.00	0.00	1.00	0.00	0.00	0.00	0.00

load case:	TU+											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
temperature							Alpha	DT-G	DT-Y	H-Y	DT-Z	H-Z
T	TU+	1	1	55	1		1.08e-05	20.00	0.00	0.00	0.00	0.00
T	TU+	1	101	108	1		1.08e-05	20.00	0.00	0.00	0.00	0.00
T	TU+	1	201	207	1		1.08e-05	20.00	0.00	0.00	0.00	0.00
T	TU+	1	301	307	1		1.08e-05	20.00	0.00	0.00	0.00	0.00
T	TU+	1	401	408	1		1.08e-05	20.00	0.00	0.00	0.00	0.00

load case:	TU-											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
temperature							Alpha	DT-G	DT-Y	H-Y	DT-Z	H-Z
T	TU-	1	1	55	1		1.08e-05	-17.00	0.00	0.00	0.00	0.00
T	TU-	1	101	108	1		1.08e-05	-17.00	0.00	0.00	0.00	0.00
T	TU-	1	201	207	1		1.08e-05	-17.00	0.00	0.00	0.00	0.00
T	TU-	1	301	307	1		1.08e-05	-17.00	0.00	0.00	0.00	0.00
T	TU-	1	401	408	1		1.08e-05	-17.00	0.00	0.00	0.00	0.00

load case:	TG+											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
secondary component (initial strain) - bending												
TB	TG+	1	1	1	1	0.00	13106.31	-28412.51	-9154.50	13106.31	-28412.51	-9154.50
TB	TG+	1	2	2	1	0.00	13106.31	-28412.51	-9154.50	13106.31	-28412.51	-9154.50
TB	TG+	1	3	3	1	0.00	13189.79	-28802.60	-9322.50	13165.22	-28871.06	-9178.97
TB	TG+	1	4	4	1	0.00	13165.22	-28871.06	-9178.97	13172.11	-28854.21	-8794.49
TB	TG+	1	5	5	1	0.00	13172.11	-28854.21	-8794.49	13170.96	-28834.58	-8279.67
TB	TG+	1	6	6	1	0.00	13170.96	-28834.58	-8279.67	13167.39	-28817.16	-7770.79
TB	TG+	1	7	7	1	0.00	13167.39	-28817.16	-7770.79	13167.39	-28817.16	-7770.79
TB	TG+	1	8	8	1	0.00	13167.39	-28817.16	-7770.79	13166.03	-28826.83	-8143.03
TB	TG+	1	9	9	1	0.00	13166.03	-28826.83	-8143.03	13166.82	-28837.37	-8715.44
TB	TG+	1	10	10	1	0.00	13166.82	-28837.37	-8715.44	13162.01	-28850.43	-9531.39
TB	TG+	1	11	11	1	0.00	13162.01	-28850.43	-9531.39	13157.56	-28863.11	-10588.59
TB	TG+	1	12	12	1	0.00	13157.56	-28863.11	-10588.59	13145.94	-28875.64	-11924.98
TB	TG+	1	13	13	1	0.00	13145.94	-28875.64	-11924.98	13129.08	-28888.37	-13552.78
TB	TG+	1	14	14	1	0.00	13129.08	-28888.37	-13552.78	13121.68	-28900.73	-15453.01
TB	TG+	1	15	15	1	0.00	13121.68	-28900.73	-15453.01	13114.46	-28913.71	-17811.64
TB	TG+	1	16	16	1	0.00	13114.46	-28913.71	-17811.64	13131.74	-28890.54	-19761.75

load case: TG+

Duration: NONPERMANENT
LoadInfo:

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
TB	TG+	1	17	17	1	0.00	13027.70	-28460.66	-18427.02	13027.70	-28460.66	-18427.02
TB	TG+	1	18	18	1	0.00	13027.70	-28460.66	-18427.02	13027.70	-28460.66	-18427.02
TB	TG+	1	19	19	1	0.00	13131.74	-28890.54	-19761.75	13114.46	-28913.71	-17811.64
TB	TG+	1	20	20	1	0.00	13114.46	-28913.71	-17811.64	13121.68	-28900.73	-15453.01
TB	TG+	1	21	21	1	0.00	13121.68	-28900.73	-15453.01	13129.08	-28888.37	-13552.78
TB	TG+	1	22	22	1	0.00	13129.08	-28888.37	-13552.78	13145.94	-28875.64	-11924.98
TB	TG+	1	23	23	1	0.00	13145.94	-28875.64	-11924.98	13157.56	-28863.11	-10588.59
TB	TG+	1	24	24	1	0.00	13157.56	-28863.11	-10588.59	13162.01	-28850.43	-9531.39
TB	TG+	1	25	25	1	0.00	13162.01	-28850.43	-9531.39	13166.82	-28837.37	-8715.44
TB	TG+	1	26	26	1	0.00	13166.82	-28837.37	-8715.44	13166.03	-28826.83	-8143.03
TB	TG+	1	27	27	1	0.00	13166.03	-28826.83	-8143.03	13167.39	-28817.16	-7770.79
TB	TG+	1	28	28	1	0.00	13167.39	-28817.16	-7770.79	13167.39	-28817.16	-7770.79
TB	TG+	1	29	29	1	0.00	13167.39	-28817.16	-7770.79	13166.03	-28826.83	-8143.03
TB	TG+	1	30	30	1	0.00	13166.03	-28826.83	-8143.03	13166.82	-28837.37	-8715.44
TB	TG+	1	31	31	1	0.00	13166.82	-28837.37	-8715.44	13162.01	-28850.43	-9531.39
TB	TG+	1	32	32	1	0.00	13162.01	-28850.43	-9531.39	13157.56	-28863.11	-10588.59
TB	TG+	1	33	33	1	0.00	13157.56	-28863.11	-10588.59	13145.94	-28875.64	-11924.98
TB	TG+	1	34	34	1	0.00	13145.94	-28875.64	-11924.98	13129.08	-28888.37	-13552.78
TB	TG+	1	35	35	1	0.00	13129.08	-28888.37	-13552.78	13121.68	-28900.73	-15453.01
TB	TG+	1	36	36	1	0.00	13121.68	-28900.73	-15453.01	13114.46	-28913.71	-17811.64
TB	TG+	1	37	37	1	0.00	13114.46	-28913.71	-17811.64	13131.74	-28890.54	-19761.75
TB	TG+	1	38	38	1	0.00	13027.70	-28460.66	-18427.02	13027.70	-28460.66	-18427.02
TB	TG+	1	39	39	1	0.00	13027.70	-28460.66	-18427.02	13027.70	-28460.66	-18427.02
TB	TG+	1	40	40	1	0.00	13131.74	-28890.54	-19761.75	13114.46	-28913.71	-17811.64
TB	TG+	1	41	41	1	0.00	13114.46	-28913.71	-17811.64	13121.68	-28900.73	-15453.01
TB	TG+	1	42	42	1	0.00	13121.68	-28900.73	-15453.01	13129.08	-28888.37	-13552.78
TB	TG+	1	43	43	1	0.00	13129.08	-28888.37	-13552.78	13145.94	-28875.64	-11924.98
TB	TG+	1	44	44	1	0.00	13145.94	-28875.64	-11924.98	13157.56	-28863.11	-10588.59
TB	TG+	1	45	45	1	0.00	13157.56	-28863.11	-10588.59	13162.01	-28850.43	-9531.39
TB	TG+	1	46	46	1	0.00	13162.01	-28850.43	-9531.39	13166.82	-28837.37	-8715.44
TB	TG+	1	47	47	1	0.00	13166.82	-28837.37	-8715.44	13166.03	-28826.83	-8143.03
TB	TG+	1	48	48	1	0.00	13166.03	-28826.83	-8143.03	13167.39	-28817.16	-7770.79
TB	TG+	1	49	49	1	0.00	13167.39	-28817.16	-7770.79	13167.39	-28817.16	-7770.79
TB	TG+	1	50	50	1	0.00	13167.39	-28817.16	-7770.79	13170.96	-28834.58	-8279.67
TB	TG+	1	51	51	1	0.00	13170.96	-28834.58	-8279.67	13172.11	-28854.21	-8794.49
TB	TG+	1	52	52	1	0.00	13172.11	-28854.21	-8794.49	13165.22	-28871.06	-9178.97
TB	TG+	1	53	53	1	0.00	13165.22	-28871.06	-9178.97	13189.79	-28802.60	-9322.50
TB	TG+	1	54	54	1	0.00	13106.31	-28412.51	-9154.50	13106.31	-28412.51	-9154.50
TB	TG+	1	55	55	1	0.00	13106.31	-28412.51	-9154.50	13106.31	-28412.51	-9154.50

load case: TG-

Duration: NONPERMANENT
LoadInfo:

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
secondary component (initial strain) - bending												
TB	TG-	1	1	1	1	0.00	-3055.20	8537.42	2529.29	-3055.20	8537.42	2529.29
TB	TG-	1	2	2	1	0.00	-3055.20	8537.42	2529.29	-3055.20	8537.42	2529.29
TB	TG-	1	3	3	1	0.00	-3106.43	8658.37	2594.56	-3104.50	8676.11	2559.22
TB	TG-	1	4	4	1	0.00	-3104.50	8676.11	2559.22	-3104.50	8672.15	2470.04
TB	TG-	1	5	5	1	0.00	-3104.50	8672.15	2470.04	-3104.50	8667.46	2348.47
TB	TG-	1	6	6	1	0.00	-3104.50	8667.46	2348.47	-3104.50	8663.29	2227.61
TB	TG-	1	7	7	1	0.00	-3104.50	8663.29	2227.61	-3104.50	8663.29	2227.61
TB	TG-	1	8	8	1	0.00	-3104.50	8663.29	2227.61	-3104.50	8665.59	2319.53
TB	TG-	1	9	9	1	0.00	-3104.50	8665.59	2319.53	-3104.50	8668.15	2467.86
TB	TG-	1	10	10	1	0.00	-3104.50	8668.15	2467.86	-3104.50	8670.94	2681.04
TB	TG-	1	11	11	1	0.00	-3104.50	8670.94	2681.04	-3104.50	8673.79	2959.71
TB	TG-	1	12	12	1	0.00	-3104.50	8673.79	2959.71	-3104.50	8676.71	3310.56
TB	TG-	1	13	13	1	0.00	-3104.50	8676.71	3310.56	-3104.50	8679.64	3736.37
TB	TG-	1	14	14	1	0.00	-3104.50	8679.64	3736.37	-3104.50	8682.54	4237.34
TB	TG-	1	15	15	1	0.00	-3104.50	8682.54	4237.34	-3104.50	8685.59	4859.16
TB	TG-	1	16	16	1	0.00	-3104.50	8685.59	4859.16	-3106.43	8678.36	5339.21
TB	TG-	1	17	17	1	0.00	-3058.07	8520.71	4980.39	-3058.07	8520.71	4980.39

load case: TG-

Duration: NONPERMANENT
LoadInfo:

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
TB	TG-	1	18	18	1	0.00	-3058.07	8520.71	4980.39	-3058.07	8520.71	4980.39
TB	TG-	1	19	19	1	0.00	-3106.43	8678.36	5339.21	-3104.50	8685.59	4859.16
TB	TG-	1	20	20	1	0.00	-3104.50	8685.59	4859.16	-3104.50	8682.54	4237.34
TB	TG-	1	21	21	1	0.00	-3104.50	8682.54	4237.34	-3104.50	8679.64	3736.37
TB	TG-	1	22	22	1	0.00	-3104.50	8679.64	3736.37	-3104.50	8676.71	3310.56
TB	TG-	1	23	23	1	0.00	-3104.50	8676.71	3310.56	-3104.50	8673.79	2959.71
TB	TG-	1	24	24	1	0.00	-3104.50	8673.79	2959.71	-3104.50	8670.94	2681.04
TB	TG-	1	25	25	1	0.00	-3104.50	8670.94	2681.04	-3104.50	8668.15	2467.86
TB	TG-	1	26	26	1	0.00	-3104.50	8668.15	2467.86	-3104.50	8665.59	2319.53
TB	TG-	1	27	27	1	0.00	-3104.50	8665.59	2319.53	-3104.50	8663.29	2227.61
TB	TG-	1	28	28	1	0.00	-3104.50	8663.29	2227.61	-3104.50	8663.29	2227.61
TB	TG-	1	29	29	1	0.00	-3104.50	8663.29	2227.61	-3104.50	8665.59	2319.53
TB	TG-	1	30	30	1	0.00	-3104.50	8665.59	2319.53	-3104.50	8668.15	2467.86
TB	TG-	1	31	31	1	0.00	-3104.50	8668.15	2467.86	-3104.50	8670.94	2681.04
TB	TG-	1	32	32	1	0.00	-3104.50	8670.94	2681.04	-3104.50	8673.79	2959.71
TB	TG-	1	33	33	1	0.00	-3104.50	8673.79	2959.71	-3104.50	8676.71	3310.56
TB	TG-	1	34	34	1	0.00	-3104.50	8676.71	3310.56	-3104.50	8679.64	3736.37
TB	TG-	1	35	35	1	0.00	-3104.50	8679.64	3736.37	-3104.50	8682.54	4237.34
TB	TG-	1	36	36	1	0.00	-3104.50	8682.54	4237.34	-3104.50	8685.59	4859.16
TB	TG-	1	37	37	1	0.00	-3104.50	8685.59	4859.16	-3106.43	8678.36	5339.21
TB	TG-	1	38	38	1	0.00	-3058.07	8520.71	4980.39	-3058.07	8520.71	4980.39
TB	TG-	1	39	39	1	0.00	-3058.07	8520.71	4980.39	-3058.07	8520.71	4980.39
TB	TG-	1	40	40	1	0.00	-3106.43	8678.36	5339.21	-3104.50	8685.59	4859.16
TB	TG-	1	41	41	1	0.00	-3104.50	8685.59	4859.16	-3104.50	8682.54	4237.34
TB	TG-	1	42	42	1	0.00	-3104.50	8682.54	4237.34	-3104.50	8679.64	3736.37
TB	TG-	1	43	43	1	0.00	-3104.50	8679.64	3736.37	-3104.50	8676.71	3310.56
TB	TG-	1	44	44	1	0.00	-3104.50	8676.71	3310.56	-3104.50	8673.79	2959.71
TB	TG-	1	45	45	1	0.00	-3104.50	8673.79	2959.71	-3104.50	8670.94	2681.04
TB	TG-	1	46	46	1	0.00	-3104.50	8670.94	2681.04	-3104.50	8668.15	2467.86
TB	TG-	1	47	47	1	0.00	-3104.50	8668.15	2467.86	-3104.50	8665.59	2319.53
TB	TG-	1	48	48	1	0.00	-3104.50	8665.59	2319.53	-3104.50	8663.29	2227.61
TB	TG-	1	49	49	1	0.00	-3104.50	8663.29	2227.61	-3104.50	8663.29	2227.61
TB	TG-	1	50	50	1	0.00	-3104.50	8663.29	2227.61	-3104.50	8667.46	2348.47
TB	TG-	1	51	51	1	0.00	-3104.50	8667.46	2348.47	-3104.50	8672.15	2470.04
TB	TG-	1	52	52	1	0.00	-3104.50	8672.15	2470.04	-3104.50	8676.11	2559.22
TB	TG-	1	53	53	1	0.00	-3104.50	8676.11	2559.22	-3106.43	8658.37	2594.56
TB	TG-	1	54	54	1	0.00	-3055.20	8537.42	2529.29	-3055.20	8537.42	2529.29
TB	TG-	1	55	55	1	0.00	-3055.20	8537.42	2529.29	-3055.20	8537.42	2529.29

load case: SE-P1

Duration: NONPERMANENT
LoadInfo:

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
prescribed displacement, begin. node (global)						p	Vx	Vy	Vz	Rx	Ry	Rz
DGB	SE-P1	1	11001	11010	1	0.00	0.00	0.01	0.00	0.00	0.00	0.00

load case: SE-P2

Duration: NONPERMANENT
LoadInfo:

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
prescribed displacement, begin. node (global)						p	Vx	Vy	Vz	Rx	Ry	Rz
DGB	SE-P2	1	21001	21015	1	0.00	0.00	0.02	0.00	0.00	0.00	0.00

load case: SE-P3

Duration: NONPERMANENT
LoadInfo:

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
prescribed displacement, begin. node (global)						p	Vx	Vy	Vz	Rx	Ry	Rz
DGB	SE-P3	1	31001	31015	1	0.00	0.00	0.02	0.00	0.00	0.00	0.00

load case: SE-P4

Duration: NONPERMANENT
LoadInfo:

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
prescribed displacement, begin. node (global)						p	Vx	Vy	Vz	Rx	Ry	Rz
DGB	SE-P4	1	41001	41010	1	0.00	0.00	0.01	0.00	0.00	0.00	0.00

load case: WS-TRANS

Duration: NONPERMANENT
LoadInfo:

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
centric uniform load (global)						p	Qx	Qy	Qz			
QG	WS-TRANS	1	1	55	1	0.00	0.00	0.00	8.66			
QG	WS-TRANS	1	101	108	1	0.00	0.00	0.00	4.50			
QG	WS-TRANS	1	201	207	1	0.00	0.00	0.00	4.50			
QG	WS-TRANS	1	301	307	1	0.00	0.00	0.00	4.50			
QG	WS-TRANS	1	401	408	1	0.00	0.00	0.00	4.50			

load case: WS-LONG

Duration: NONPERMANENT
LoadInfo:

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
centric uniform load (global)						p	Qx	Qy	Qz			
QG	WS-LONG	1	1	55	1	0.00	2.17	0.00	0.00			
QG	WS-LONG	1	101	108	1	0.00	11.35	0.00	0.00			
QG	WS-LONG	1	201	207	1	0.00	11.35	0.00	0.00			
QG	WS-LONG	1	301	307	1	0.00	11.35	0.00	0.00			
QG	WS-LONG	1	401	408	1	0.00	11.35	0.00	0.00			

load case:	WL-TRANS											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
eccentric uniform load (global) plus cs point eccentricity												
QECSG	WL-TRANS	1	1	55	1	0.00	0.00	0.00	1.46	1.80	0.00	0.00

load case:	WL-LONG											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
eccentric uniform load (global) plus cs point eccentricity												
QECSG	WL-LONG	1	1	55	1	0.00	0.75	0.00	0.00	1.80	0.00	0.00

load case:	CV-TRAN-P2Z+											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	CV-TRAN-P	1	205	205	1		0.00	0.00	6264.00	0.00	0.00	0.00

load case:	CV-TRAN-P2Z-											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	CV-TRAN-P	1	205	205	1		0.00	0.00	-6264.00	0.00	0.00	0.00

load case:	CV-LONG-P2X+											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	CV-LONG-P	1	205	205	1		3132.00	0.00	0.00	0.00	0.00	0.00

load case:	CV-LONG-P2X-											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	CV-LONG-P	1	205	205	1		-3132.00	0.00	0.00	0.00	0.00	0.00

load case:	CV-TRAN-P3Z+											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	CV-TRAN-P	1	305	305	1		0.00	0.00	6264.00	0.00	0.00	0.00

load case:	CV-TRAN-P3Z-											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	CV-TRAN-P	1	305	305	1		0.00	0.00	-6264.00	0.00	0.00	0.00

load case:	CV-LONG-P3X+											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	CV-LONG-P	1	305	305	1		3132.00	0.00	0.00	0.00	0.00	0.00

load case:	CV-LONG-P3X-											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	CV-LONG-P	1	305	305	1		-3132.00	0.00	0.00	0.00	0.00	0.00

load case:	CT-TRAN-P1Z+											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	CT-TRAN-P	1	104	104	1		0.00	0.00	1800.00	0.00	0.00	0.00

load case:	CT-TRAN-P1Z-											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	CT-TRAN-P	1	104	104	1		0.00	0.00	-1800.00	0.00	0.00	0.00

load case:	CT-LONG-P1X+											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	CT-LONG-P	1	104	104	1		1800.00	0.00	0.00	0.00	0.00	0.00

load case:	CT-LONG-P1X-											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	CT-LONG-P	1	104	104	1		-1800.00	0.00	0.00	0.00	0.00	0.00

load case:	CT-TRAN-P4Z+											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	CT-TRAN-P	1	404	404	1		0.00	0.00	1800.00	0.00	0.00	0.00

load case:	CT-TRAN-P4Z-											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	CT-TRAN-P	1	404	404	1		0.00	0.00	-1800.00	0.00	0.00	0.00

load case:	CT-LONG-P4X+											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	CT-LONG-P	1	404	404	1		1800.00	0.00	0.00	0.00	0.00	0.00

load case:	CT-LONG-P4X-											
Duration:	NONPERMANENT											
LoadInfo:												
Loads:												
	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
nodal point load							Fx	Fy	Fz	Mx	My	Mz
F	CT-LONG-P	1	404	404	1		-1800.00	0.00	0.00	0.00	0.00	0.00

1.4.1.6.1 Add masses for Dynamic calculations:

load case: 900

Duration: NONPERMANENT
LoadInfo:

Loads:

	LSet	Fact	From	To	Step	proj	inp1	inp2	inp3	inp4	inp5	inp6
element uniform mass + eccentricity							g * mx	g * my	g * mz	g * Imx	ey	ez
ELMASE	no LSet		1	55	1		20.70	20.70	20.70	228.14	0.04	0.00
ELMASE	no LSet		1	55	1		27.90	27.90	27.90	2.36	0.20	7.15
ELMASE	no LSet		1	55	1		27.90	27.90	27.90	2.36	0.58	-7.15
ELMASE	no LSet		62001	62008	1		20.70	20.70	20.70	228.14	0.04	-1.22
ELMASE	no LSet		62001	62008	1		27.90	27.90	27.90	2.36	0.20	-8.35
ELMASE	no LSet		62001	62008	1		27.90	27.90	27.90	2.36	0.58	5.91
ELMASE	no LSet		72001	72008	1		20.70	20.70	20.70	228.14	0.04	-1.22
ELMASE	no LSet		72001	72008	1		27.90	27.90	27.90	2.36	0.20	-8.35
ELMASE	no LSet		72001	72008	1		27.90	27.90	27.90	2.36	0.58	5.91
self-weight mass without load - direction vector r normal						p	Rx	Ry	Rz	Gam		
GM	no LSet		1	55	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		61001	61008	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		62001	62008	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		63001	63008	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		64001	64008	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		65001	65008	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		66001	66008	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		69204	69208	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		69244	69248	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		71001	71008	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		72001	72008	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		73001	73008	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		74001	74008	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		75001	75008	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		76001	76008	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		79204	79208	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		79244	79248	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		101	108	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		201	207	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		301	307	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		401	408	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		10001	10006	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		20001	20009	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		30001	30009	1	0.00	0.00	-1.00	0.00	25.00		
GM	no LSet		40001	40006	1	0.00	0.00	-1.00	0.00	25.00		

	Eigenmodes				Mass participation \[%\]		
Mode No.	Hertz	Omega	Node	DOF	Sum X	Sum Y	Sum Z
1	0.9649	6.063	39	Vx+	64.540	0.000	0.000
2	1.0957	6.885	29	Vz+	64.540	0.000	75.790
3	1.3994	8.792	72004	Vz+	64.540	0.000	75.790
4	1.4172	8.905	62005	Rx+	64.540	0.000	75.811
5	1.4322	8.999	56	Vz+	64.540	0.000	75.811
6	1.7508	11.001	29	Vy+	64.540	1.340	75.811
7	1.8209	11.441	62005	Vz+	64.540	1.341	85.690
8	2.0468	12.861	72005	Vy+	64.645	4.730	85.691
9	2.0469	12.861	62005	Vy+	64.712	10.055	85.692
10	2.2450	14.106	62005	Vz+	64.712	10.055	85.692
11	2.3257	14.613	409	Vx+	71.407	10.070	85.692
12	2.3282	14.628	109	Vx+	75.629	10.092	85.692
13	2.3550	14.797	62005	Vz+	75.629	10.093	85.838
14	2.6740	16.801	72004	Rx+	75.629	10.093	85.839
15	2.6743	16.803	62006	Rx+	75.629	10.094	85.863
16	2.7890	17.524	47	Vy+	76.569	10.094	85.863
17	2.8276	17.767	76004	Vz+	76.570	10.094	85.863
18	3.1242	19.630	75005	Vy+	76.571	11.779	86.022
19	3.1285	19.657	65005	Vy+	76.715	11.794	86.023
20	3.2220	20.245	75005	Vy+	76.715	11.942	88.737
21	3.3367	20.965	76005	Vy+	76.884	11.950	88.737
22	3.3389	20.979	66005	Vy+	76.885	13.359	88.799
23	3.4090	21.419	75005	Vz+	76.885	13.362	88.957
24	3.4244	21.516	65005	Vz+	76.885	13.362	88.959

Eigenmodes					Mass participation \[%\]		
Mode No.	Hertz	Omega	Node	DOF	Sum X	Sum Y	Sum Z
25	3.4459	21.651	72005	Rx+	76.885	13.362	88.959
26	3.4460	21.652	62005	Rx+	76.885	13.363	88.959
27	3.4934	21.950	9	Vy+	76.885	40.138	88.960
28	3.5729	22.449	75005	Vz+	76.886	40.145	88.960
29	3.5729	22.449	65005	Vz+	76.889	40.149	88.960
30	3.6171	22.727	76005	Vz+	76.889	40.150	89.014
31	3.6174	22.728	66005	Vz+	76.889	40.151	89.042
32	4.0308	25.326	73005	Vz+	76.889	40.151	89.042
33	4.0309	25.327	63005	Vz+	76.889	40.152	89.052
34	4.1370	25.993	71005	Vz+	76.936	40.152	89.052
35	4.1386	26.003	63005	Vy+	76.936	40.180	89.052
36	4.2523	26.718	61005	Vz+	76.939	40.180	89.052
37	4.2623	26.781	71005	Vz+	76.939	40.187	89.120
38	4.2948	26.985	64005	Vz+	76.939	40.187	89.120
39	4.3716	27.468	301	Vx+	76.939	41.187	89.120
40	4.5033	28.295	73005	Vz+	76.939	41.187	90.006
41	4.6076	28.950	63005	Vz+	76.940	41.187	90.006
42	4.6327	29.108	61005	Vy+	76.940	41.194	90.008
43	4.6362	29.130	71005	Vy+	76.960	41.194	90.008
44	4.6640	29.305	9	Vy+	77.497	41.194	90.008
45	4.8463	30.450	74005	Vy+	77.499	41.195	90.009
46	4.8463	30.450	64005	Vy+	77.502	41.195	90.010
47	5.2076	32.720	401	Vz+	77.502	41.196	90.014
48	5.2436	32.946	201	Ry+	77.502	41.196	90.014
49	5.9025	37.087	401	Vz+	77.502	41.197	90.273
50	6.1476	38.627	72006	Vz+	77.508	41.197	90.274

1.5 Stages

Stage	STG-SUB THI CONG KET CAU PHAN DUOI				Start time Duration	0 300
Activation	*From*	*To*	*Step*			
	101	108	1			
	201	207	1			
	301	307	1			
	401	408	1			
	10001	10006	1			
	11001	11006	1			
	20001	20009	1			
	21001	21009	1			
	30001	30009	1			
	31001	31009	1			
	40001	40006	1			
	41001	41006	1			
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
GoDel	*.sup	*				
GoDel	*.pl	*				
Calc	DC-SUB				*	
Creep	1			CR&SH00	*	300

Stage	STG-SUPERT GAC DAM SUPER-T				Start time Duration	300 7
Activation	*From*	*To*	*Step*			
	61001	61008	1			
	61102					
	61108					
	62001	62008	1			
	62102					
	62108					
	63001	63008	1			
	63102					
	63108					
	64001	64008	1			
	64102					
	64108					
	65001	65008	1			
	65102					
	65108					
	66001	66008	1			
	66102					
	66108					
	69204	69208	1			
	69244	69248	1			
	71001	71008	1			
	71102					
	71108					
	72001	72008	1			
	72102					
	72108					
	73001	73008	1			
	73102					
	73108					
	74001	74008	1			
	74102					
	74108					
	75001	75008	1			
	75102					
	75108					
	76001	76008	1			
	76102					
	76108					
	79204	79208	1			
	79244	79248	1			
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
Calc	DC-SUPERT				*	

Creep	1			CR&SH000	*	7

Stage	STG00 THI CONG K0 & KT				Start time Duration	307 45
Activation	*From*	*To*	*Step*			
	1	6	1			
	15	20	1			
	36	41	1			
	50	55	1			
	901					
	902					
	911					
	912					
	9001	9006	1			
	9011	9016	1			

Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
Calc	DCK0				*	
Stress		K0				
Calc	DUL-K0				*	
Grout		K0			*	
Calc	XDK1				*	
Calc	WCK1				*	
Calc	DC-KT1				*	
Stress		KT1				
Calc	DUL-KT1				*	
Grout		KT67			*	
Calc	DC-KT4				*	
Stress		KT4				
Calc	DUL-KT4				*	
Grout		KT4			*	
Creep	1			CR&SH0	*	45
LcInit	500			500a		
LcInit	100			100a		
LcInit	600			600a		
LcInit	1000			1000a		
DgmSet	Mz_1000a			*		
DgmSet	SP-1000a			*		

Stage	STG01 THI CONG K1				Start time Duration	352 7
Activation	*From*	*To*	*Step*			
	14					
	21					
	35					
	42					

Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
Calc	DCK1				*	
Stress		K1				
Calc	DUL-K1				*	
Grout		K1			*	
Calc	XDK2				*	
Calc	WCK2				*	
Creep	1			CR&SH1	*	7
LcInit	500			501		
LcInit	100			101		
LcInit	600			601		
LcInit	1000			1001		
DgmSet	Mz_1001			*		
DgmSet	SP-1001			*		

Stage	STG02 THI CONG K2				Start time Duration	359 7
Activation	*From*	*To*	*Step*			
	13					
	22					
	34					
	43					

Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*

Calc	DCK2				*	
Stress		K2				
Calc	DUL-K2				*	
Grout		K2			*	
Calc	XDK3				*	
Calc	WCK3				*	
Creep	1			CR&SH2	*	7
LcInit	500			502		
LcInit	100			102		
LcInit	600			602		
LcInit	1000			1002		
DgmSet	Mz_1002			*		
DgmSet	SP-1002			*		

Stage	STG03 THI CONG K3				Start time Duration	366 7
Activation	*From*	*To*	*Step*			
	12 23 33 44					
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
Calc	DCK3				*	
Stress		K3				
Calc	DUL-K3				*	
Grout		K3			*	
Calc	XDK4				*	
Calc	WCK4				*	
Creep	1			CR&SH3	*	7
LcInit	500			503		
LcInit	100			103		
LcInit	600			603		
LcInit	1000			1003		
DgmSet	Mz_1003			*		
DgmSet	SP-1003			*		

Stage	STG04 THI CONG K4				Start time Duration	373 7
Activation	*From*	*To*	*Step*			
	11 24 32 45					
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
Calc	DCK4				*	
Stress		K4				
Calc	DUL-K4				*	
Grout		K4			*	
Calc	XDK5				*	
Calc	WCK5				*	
Creep	1			CR&SH4	*	7
LcInit	500			504		
LcInit	100			104		
LcInit	600			604		
LcInit	1000			1004		
DgmSet	Mz_1004			*		
DgmSet	SP-1004			*		

Stage	STG05 THI CONG K5				Start time Duration	380 7
Activation	*From*	*To*	*Step*			
	10 25 31 46					
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
Calc	DCK5				*	
Stress		K5				

Calc	DUL-K5				*	
Grout		K5			*	
Calc	XDK6				*	
Calc	WCK6				*	
Creep	1			CR&SH5	*	7
LcInit	500			505		
LcInit	100			105		
LcInit	600			605		
LcInit	1000			1005		
DgmSet	Mz_1005			*		
DgmSet	SP-1005			*		

Stage	STG06 THI CONG K6				Start time Duration	387 7
Activation	*From*	*To*	*Step*			
	9 26 30 47					
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
Calc	DCK6				*	
Stress		K6				
Calc	DUL-K6				*	
Grout		K6			*	
Calc	XDK7				*	
Calc	WCK7				*	
Creep	1			CR&SH6	*	7
LcInit	500			506		
LcInit	100			106		
LcInit	600			606		
LcInit	1000			1006		
DgmSet	Mz_1006			*		
DgmSet	SP-1006			*		

Stage	STG07 THI CONG K7				Start time Duration	394 7
Activation	*From*	*To*	*Step*			
	8 27 29 48					
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
Calc	DCK7				*	
Stress		K7				
Calc	DUL-K7				*	
Grout		K7			*	
Calc	XDKN1KN3				*	
Calc	WCKN1KN3				*	
Creep	1			CR&SH7	*	7
LcInit	500			507		
LcInit	100			107		
LcInit	600			607		
LcInit	1000			1007		
DgmSet	Mz_1007			*		
DgmSet	SP-1007			*		

Stage	STG08 KN1 KN3				Start time Duration	401 7
Activation	*From*	*To*	*Step*			
	7 49					
Deactivation	*From*	*To*	*Step*			
	9001 9011	9006 9016	1 1			
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
Calc	DC-KN1				*	
Stress		KN1				
Calc	DUL-KN1				*	

Grout		KN1			*	
Calc	DC-KN3				*	
Stress		KN3				
Calc	DUL-KN3				*	
Grout		KN3			*	
Calc	DEMO-P1				*	
Calc	DEMO-P4				*	
Calc	XDKN2				*	
Calc	WCKN2				*	
Creep	1			CR&SH8	*	7
LcInit	500			508		
LcInit	100			108		
LcInit	600			608		
LcInit	1000			1008		
DgmSet	Mz_1008			*		
DgmSet	SP-1008			*		

Stage	STG09 THI CONG KN2				Start time Duration	408 7
Activation	*From*	*To*	*Step*			
	28					
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
Calc	WCKN2-END				*	
Calc	DC-KN2				*	
Stress		KN2				
Calc	DUL-KN2				*	
Grout		KN2			*	
Creep	1			CR&SH9	*	7
LcInit	500			509		
LcInit	100			109		
LcInit	600			609		
LcInit	1000			1009		
DgmSet	Mz_1009			*		
DgmSet	SP-1009			*		

Stage	STG10 HOAN THIEN CAU				Start time Duration	415 7
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
Calc	XDEND				*	
SupInit				DC.sup		
SupInit				DW.sup		
SupAddLc	DC.sup	1000	1			
Calc	DW				*	
SupAddLc	DW.sup	DW	1			
Creep	1			CR&SH10	*	7
LcInit	500			510		
LcInit	100			110		
LcInit	600			610		
LcInit	1000			1010		
DgmSet	Mz_1010			*		
DgmSet	SP-1010			*		
DgmSet	Mz_DW			*		
DgmSet	Qy_DW			*		

Stage	STG99 SAU 30 NAM KHAI THAC				Start time Duration	422 10950
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
Creep	1			CR&SH99	*	10950
LcInit	600			699		
LcInit	1000			1099		
LcAddLc	1099	CR&SH99				
SupInit				CR-SH.sup		
SupAddLc	CR-SH.sup	CR&SH99		CR-SH.sup		
DgmSet	Mz_1099			*		
DgmSet	SP-1099			*		
DgmSet	Mz_CR&SH			*		

Stage	ADDITIONAL LOADS Additional Loads				Start time Duration	11372 0
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
SupInit				TU.sup		
Calc	TU+				*	
Calc	TU-				*	
SupAddLc	TU.sup	TU+		TU.sup		
SupOrLc	TU.sup	TU-				
SupInit				TG.sup		
TempVar	TEMP-PLUS			TG+	*	
Calc	TG+				*	
SupAddLc	TG.sup	TG+				
TempVar	TEMP-MINUS			TG-	*	
Calc	TG-				*	
SupOrLc	TG.sup	TG-				
Calc	SE-P1				*	
Calc	SE-P2				*	
Calc	SE-P3				*	
Calc	SE-P4				*	
SupInit				SE.sup		
SupAndLc	SE.sup	SE-P1		SE.sup		
SupOrLc	SE.sup	SE-P2				
SupOrLc	SE.sup	SE-P3				
SupOrLc	SE.sup	SE-P4				
SupInit				WS.sup		
Calc	WS-TRANS				*	
Calc	WS-LONG				*	
SupAndXLc	WS.sup	WS-TRANS				
SupOrXLc	WS.sup	WS-LONG				
SupInit				WL.sup		
Calc	WL-TRANS				*	
Calc	WL-LONG				*	
SupAndXLc	WL.sup	WL-TRANS				
SupOrXLc	WL.sup	WL-LONG				
SupInit				CV-Tran.sup		
Calc	CV-TRAN-P2Z+				*	
Calc	CV-TRAN-P2Z-				*	
Calc	CV-TRAN-P3Z+				*	
Calc	CV-TRAN-P3Z-				*	
SupAddLc	CV-Tran.sup	CV-TRAN-P2Z+				
SupOrLc	CV-Tran.sup	CV-TRAN-P2Z-				
SupOrLc	CV-Tran.sup	CV-TRAN-P3Z+				
SupOrLc	CV-Tran.sup	CV-TRAN-P3Z-				
SupInit				CV-Long.sup		
Calc	CV-LONG-P2X+				*	
Calc	CV-LONG-P2X-				*	
Calc	CV-LONG-P3X+				*	
Calc	CV-LONG-P3X-				*	
SupAddLc	CV-Long.sup	CV-LONG-P2X+				
SupOrLc	CV-Long.sup	CV-LONG-P2X-				
SupOrLc	CV-Long.sup	CV-LONG-P3X+				
SupOrLc	CV-Long.sup	CV-LONG-P3X-				
SupInit				CT-Tran.sup		
Calc	CT-TRAN-P1Z+				*	
Calc	CT-TRAN-P1Z-				*	
Calc	CT-TRAN-P4Z+				*	
Calc	CT-TRAN-P4Z-				*	
SupAddLc	CT-Tran.sup	CT-TRAN-P1Z+				
SupOrLc	CT-Tran.sup	CT-TRAN-P1Z-				
SupOrLc	CT-Tran.sup	CT-TRAN-P4Z+				
SupOrLc	CT-Tran.sup	CT-TRAN-P4Z-				
SupInit				CT-Long.sup		
Calc	CT-LONG-P1X+				*	
Calc	CT-LONG-P1X-				*	
Calc	CT-LONG-P4X+				*	
Calc	CT-LONG-P4X-				*	
SupAddLc	CT-Long.sup	CT-LONG-P1X+				
SupOrLc	CT-Long.sup	CT-LONG-P1X-				
SupOrLc	CT-Long.sup	CT-LONG-P4X+				
SupOrLc	CT-Long.sup	CT-LONG-P4X-				
DgmSet	Mz_CV-LONG			*		

DgmSet	My_CV-TRAN			*		
DgmSet	Mz_TU			*		
DgmSet	Mz_TG			*		
DgmSet	Mz_SE			*		
DgmSet	Mz_WL			*		
DgmSet	Mz_WS			*		
DgmSet	My_CT-TRAN			*		
DgmSet	Mz_CT-LONG			*		

Stage	TRAFFIC TRAFFIC				Start time Duration	11372 0
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
SupInit				Pedestrian.sup		
SupInit				Truck-1L-Left.sup		
SupInit				Truck-2L-Left.sup		
SupInit				Truck-3L-Left.sup		
SupInit				Truck-1L-Right.sup		
SupInit				Truck-2L-Right.sup		
SupInit				Truck-3L-Right.sup		
SupInit				Tandem-1L-left.sup		
SupInit				Tandem-2L-left.sup		
SupInit				Tandem-3L-left.sup		
SupInit				Tandem-1L-Right.sup		
SupInit				Tandem-2L-Right.sup		
SupInit				Tandem-3L-Right.sup		
SupInit				Truck-3L-noEcc.sup		
SupInit				Tandem-3L-noEcc.sup		
SupInit				Truck-3L-noEcc-M.sup		
SupInit				Braking-P-25.sup		
SupInit				Braking-M-25.sup		
SupInit				Braking-M-5.sup		
SupInit				Braking-P-5.sup		
Infl	1			lane0001.inf	*	
Infl	2			lane0002.inf	*	
Infl	3			lane0003.inf	*	
Infl	7			lane0007.inf	*	
Infl	8			lane0008.inf	*	
Infl	9			lane0009.inf	*	
Infl	13			lane00013.inf	*	
Infl	14			lane00014.inf	*	
Infl	15			lane00015.inf	*	
LiveL	1	1		Truck-1L-Left.sup	*	
LiveL	2	2		Truck-2L-Left.sup	*	
LiveL	3	3		Truck-3L-Left.sup	*	
LiveL	7	1		Truck-1L-Right.sup	*	
LiveL	8	2		Truck-2L-Right.sup	*	
LiveL	9	3		Truck-3L-Right.sup	*	
LiveL	1	10		Tandem-1L-Left.sup	*	
LiveL	2	11		Tandem-2L-Left.sup	*	
LiveL	3	12		Tandem-3L-Left.sup	*	
LiveL	7	10		Tandem-1L-Right.sup	*	
LiveL	8	11		Tandem-2L-Right.sup	*	
LiveL	9	12		Tandem-3L-Right.sup	*	
LiveL	13	7		Truck-3L-noEcc-M.sup	*	
LiveL	13	3		Truck-3L-noEcc.sup	*	
LiveL	13	12		Tandem-3L-noEcc.sup	*	
LiveL	14	8		Braking-P-25.sup	*	
LiveL	14	9		Braking-M-25.sup	*	
LiveL	14	16		Braking-P-5.sup	*	
LiveL	14	17		Braking-M-5.sup	*	
LiveL	15	18		Pedestrian.sup	*	
SupInit				Truck-Ecc.sup		
SupAddSup	Truck-Ecc.sup	Truck-1L-Left.su				
SupOrSup	Truck-Ecc.sup	Truck-2L-Left.su				
SupOrSup	Truck-Ecc.sup	Truck-3L-Left.su				
SupOrSup	Truck-Ecc.sup	Truck-1L-Right.s				
SupOrSup	Truck-Ecc.sup	Truck-2L-Right.s				
SupOrSup	Truck-Ecc.sup	Truck-3L-Right.s				
SupInit				Tandem-Ecc.sup		
SupAddSup	Tandem-Ecc.sup	Tandem-1L-Left				

SupOrSup	Tandem-Ecc.sup	Tandem-2L-Left				
SupOrSup	Tandem-Ecc.sup	Tandem-3L-Left				
SupOrSup	Tandem-Ecc.sup	Tandem-1L-Righ				
SupOrSup	Tandem-Ecc.sup	Tandem-2L-Righ				
SupOrSup	Tandem-Ecc.sup	Tandem-3L-Righ				
SupInit				Live-Ecc.sup		
SupAddSup	Live-Ecc.sup	Truck-Ecc.sup				
SupOrSup	Live-Ecc.sup	Tandem-Ecc.sup				
SupAddSup	Live-Ecc.sup	Pedestrian.sup				
SupInit				Live-noEcc.sup		
SupAddSup	Live-noEcc.sup	Truck-3L-noEcc				
SupOrSup	Live-noEcc.sup	Tandem-3L-noE				
SupOrSup	Live-noEcc.sup	Truck-3L-noEcc				
SupAddSup	Live-noEcc.sup	Pedestrian.sup				
SupInit				Live.sup		
SupAddSup	Live.sup	Live-Ecc.sup				
SupOrSup	Live.sup	Live-noEcc.sup				
SupInit				BR.sup		
SupAddSup	BR.sup	Braking-P-25.su				
SupOrSup	BR.sup	Braking-M-25.su				
SupOrSup	BR.sup	Braking-P-5.sup				
SupOrSup	BR.sup	Braking-M-5.sup				
DgmSet	Mz_LL			*		
DgmSet	Qy_LL			*		
DgmSet	Mz_BR			*		
PILive	1,18,1			Live.pl		

Stage	DYNAMIC-SEISMIC DYNAMIC - SEISMIC				Start time Duration	11372 0
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
Calc	900				*	
Eigen	50	900		eig9001.mod	eig9001.lst	
(DoPlot)	eigen:pl-eig	EigLC=eig9001#		<EigLC>.pl		
SupInit				EQ-Long.sup		
RespS	901			EQ-Long.sup	*	
SupInit				EQ-Tran.sup	CalculateTransv	
RespS	902			EQ-Tran.sup	*	
ListMod	eig9001.mod		EXP		eig0001-listmod.	
DgmSet	Mz_EQ-LONG			*		
DgmSet	My_EQ-TRAN			*		

Stage	LOAD COMBINATION LOAD COMBINATIONS				Start time Duration	11372 0
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
SupInit				STR1-1.sup		
SupComb	1			STR1-1.sup		
SupInit				STR1-2.sup		
SupComb	2			STR1-2.sup		
SupInit				STR2-1.sup		
SupComb	3			STR2-1.sup		
SupInit				STR2-2.sup		
SupComb	4			STR2-2.sup		
SupInit				STR3-1.sup		
SupComb	5			STR3-1.sup		
SupInit				STR3-2.sup		
SupComb	6			STR3-2.sup		
SupInit				STR4-1.sup		
SupComb	7			STR4-1.sup		
SupInit				STR4-2.sup		
SupComb	8			STR4-2.sup		
SupInit				STR5-1.sup		
SupComb	9			STR5-1.sup		
SupInit				STR5-2.sup		
SupComb	10			STR5-2.sup		
SupInit				SER1-1.sup		
SupComb	11			SER1-1.sup		
SupInit				SER1-2.sup		
SupComb	12			SER1-2.sup		
SupInit				SER2-1.sup		

SupComb	13			SER2-1.sup		
SupInit				SER2-2.sup		
SupComb	14			SER2-2.sup		
SupInit				SER3-1.sup		
SupComb	15			SER3-1.sup		
SupInit				SER3-2.sup		
SupComb	16			SER3-2.sup		
SupInit				SER4-1.sup		
SupComb	17			SER4-1.sup		
SupInit				SER4-2.sup		
SupComb	18			SER4-2.sup		
SupInit				EXT1-1.sup		
SupComb	19			EXT1-1.sup		
SupInit				EXT1-2.sup		
SupComb	20			EXT1-2.sup		
SupInit				EXT1-3.sup		
SupComb	21			EXT1-3.sup		
SupInit				EXT1-4.sup		
SupComb	22			EXT1-4.sup		
SupInit				EXT1-C1.sup		
SupComb	23			EXT1-C1.sup		
SupInit				EXT1-C2.sup		
SupComb	24			EXT1-C2.sup		
SupInit				EXT1-C3.sup		
SupComb	25			EXT1-C3.sup		
SupInit				EXT1-C4.sup		
SupComb	26			EXT1-C4.sup		
SupInit				EXT2-1.sup		
SupComb	27			EXT2-1.sup		
SupInit				EXT2-2.sup		
SupComb	28			EXT2-2.sup		
SupInit				EXT2-3.sup		
SupComb	29			EXT2-3.sup		
SupInit				EXT2-4.sup		
SupComb	30			EXT2-4.sup		
SupInit				STRENGTH-1.sup		
SupAddSup	STRENGTH-1.sup	STR1-1.sup				
SupOrSup	STRENGTH-1.sup	STR1-2.sup				
SupInit				STRENGTH-2.sup		
SupAddSup	STRENGTH-2.sup	STR2-1.sup				
SupOrSup	STRENGTH-2.sup	STR2-2.sup				
SupInit				STRENGTH-3.sup		
SupAddSup	STRENGTH-3.sup	STR3-1.sup				
SupOrSup	STRENGTH-3.sup	STR3-2.sup				
SupInit				STRENGTH-4.sup		
SupAddSup	STRENGTH-4.sup	STR4-1.sup				
SupOrSup	STRENGTH-4.sup	STR4-2.sup				
SupInit				STRENGTH-5.sup		
SupAddSup	STRENGTH-5.sup	STR5-1.sup				
SupOrSup	STRENGTH-5.sup	STR5-2.sup				
SupInit				STRENGTH.sup		
SupAddSup	STRENGTH.sup	STRENGTH-1.s				
SupOrSup	STRENGTH.sup	STRENGTH-2.s				
SupOrSup	STRENGTH.sup	STRENGTH-3.s				
SupOrSup	STRENGTH.sup	STRENGTH-4.s				
SupOrSup	STRENGTH.sup	STRENGTH-5.s				
SupInit				SERVICE1.sup		
SupAddSup	SERVICE1.sup	SER1-1.sup				
SupOrSup	SERVICE1.sup	SER1-2.sup				
SupInit				SERVICE2.sup		
SupAddSup	SERVICE2.sup	SER2-1.sup				
SupOrSup	SERVICE2.sup	SER2-2.sup				
SupInit				SERVICE3.sup		
SupAddSup	SERVICE3.sup	SER3-1.sup				
SupOrSup	SERVICE3.sup	SER3-2.sup				
SupInit				SERVICE4.sup		
SupAddSup	SERVICE4.sup	SER4-1.sup				
SupOrSup	SERVICE4.sup	SER4-2.sup				
SupInit				SERVICE.sup		
SupAddSup	SERVICE.sup	SERVICE1.sup				
SupOrSup	SERVICE.sup	SERVICE2.sup				

SupOrSup	SERVICE.sup	SERVICE3.sup				
SupOrSup	SERVICE.sup	SERVICE4.sup				
SupInit				EXTREME-1L.sup		
SupAddSup	EXTREME-1L.sup	EXT1-1.sup				
SupOrSup	EXTREME-1L.sup	EXT1-2.sup				
SupInit				EXTREME-1T.sup		
SupAddSup	EXTREME-1T.sup	EXT1-3.sup				
SupOrSup	EXTREME-1T.sup	EXT1-4.sup				
SupInit				EXTREME-1.sup		
SupAddSup	EXTREME-1.sup	EXTREME-1L.su				
SupOrSup	EXTREME-1.sup	EXTREME-1T.su				
SupInit				EXTREME-C1L.sup		
SupAddSup	EXTREME-C1L.sup	EXT1-C1.sup				
SupOrSup	EXTREME-C1L.sup	EXT1-C2.sup				
SupInit				EXTREME-C1T.sup		
SupAddSup	EXTREME-C1T.sup	EXT1-C3.sup				
SupOrSup	EXTREME-C1T.sup	EXT1-C4.sup				
SupInit				EXTREME-C1.sup		
SupAddSup	EXTREME-C1.sup	EXTREME-C1L.				
SupOrSup	EXTREME-C1.sup	EXTREME-C1T.				
SupInit				EXTREME-2L.sup		
SupAddSup	EXTREME-2L.sup	EXT2-1.sup				
SupOrSup	EXTREME-2L.sup	EXT2-2.sup				
SupInit				EXTREME-2T.sup		
SupAddSup	EXTREME-2T.sup	EXT2-3.sup				
SupOrSup	EXTREME-2T.sup	EXT2-4.sup				
SupInit				EXTREME-2.sup		
SupAddSup	EXTREME-2.sup	EXTREME-2L.su				
SupOrSup	EXTREME-2.sup	EXTREME-2T.su				
SupInit				Comb.sup		
SupAddSup	Comb.sup	SERVICE.sup				
SupOrSup	Comb.sup	STRENGTH.sup				
SupOrSup	Comb.sup	EXTREME-1.sup				
SupOrSup	Comb.sup	EXTREME-2.sup				
SupInit				CombEXT.sup		
SupAddSup	CombEXT.sup	EXTREME-1.sup				
SupOrSup	CombEXT.sup	EXTREME-2.sup				
SupInit				CombSTR-EXT.sup		
SupAddSup	CombSTR-EXT.sup	STRENGTH.sup				
SupOrSup	CombSTR-EXT.sup	EXTREME-1.sup				
SupOrSup	CombSTR-EXT.sup	EXTREME-2.sup				
SupInit				EXTREME.SUP		
SupAddSup	EXTREME.SUP	EXTREME-1.SU				
SupOrSup	EXTREME.SUP	EXTREME-2.SU				

Stage	STRESS CHECK Check stress				Start time Duration	11372 0
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
FibSup	SER1-1.sup	1			*	
FibSup	SER1-2.sup	1			*	
FibSup	SER2-1.sup	1			*	
FibSup	SER2-2.sup	1			*	
FibSup	SER3-1.sup	1			*	
FibSup	SER3-2.sup	1			*	
FibSup	SER4-1.sup	1			*	
FibSup	SER4-2.sup	1			*	
FibSup	SERVICE.sup	1			*	
DgmSet	SP-SER1-1			*		
DgmSet	SP-SER1-2			*		
(DgmSet)	SP-SER2-1			*		
(DgmSet)	SP-SER2-2			*		
DgmSet	SP-SER3-1			*		
DgmSet	SP-SER3-2			*		
(DgmSet)	SP-SER4-1			*		
(DgmSet)	SP-SER4-2			*		
DgmSet	SP-SERVICE-TTH			*		
DgmSet	Vy_LL			*		

Stage	ULTIMATE	Start time	11372

	ULTIMATE LOAD CHECK				Duration	0
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
SupInit				ult-STR1.sup		
UltSup	STRENGTH-1.sup	UltMz		ult-STR1.sup	ult-STR1.lst	
SupInit				ult-STR2.sup		
UltSup	STRENGTH-2.sup	UltMz		ult-STR2.sup	ult-STR2.lst	
SupInit				ult-STR3.sup		
UltSup	STRENGTH-3.sup	UltMz		ult-STR3.sup	ult-STR3.lst	
SupInit				ult-STR4.sup		
UltSup	STRENGTH-4.sup	UltMz		ult-STR4.sup	ult-STR4.lst	
SupInit				ult-STR5.sup		
UltSup	STRENGTH-5.sup	UltMz		ult-STR5.sup	ult-STR5.lst	
SupInit				ult-EXT1.sup		
UltSup	EXTREME-1.sup	UltMz		ult-EXT1.sup	ult-EXT1.lst	
SupInit				ult-EXT2.sup		
UltSup	EXTREME-2.sup	UltMz		ult-EXT2.sup	ult-EXT2.lst	
SupInit				ult-Comb.sup		
UltSup	Comb.sup	UltMz		ult-Comb.sup	ult-Comb.lst	
DgmSet	ULT-STR1			*		
DgmSet	ULT-STR2			*		
DgmSet	ULT-STR3			*		
DgmSet	ULT-STR4			*		
DgmSet	ULT-STR5			*		
DgmSet	ULT-EXT1			*		
DgmSet	ULT-EXT2			*		
DgmSet	ULT-Comb_Mz			*		
DgmSet	ULT_STRENGTH			*		

Stage	SHEAR Shear check				Start time Duration	11372 0
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
ShearSup	Comb.sup	500		ShearCom.lst	ShearCom-Chec	
ReinIni						

Stage	REPORT				Start time Duration	11372 0
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
PlCross	BoxM:001			*		
PlCross	BoxS:001			*		
PlCross	BoxVar:001			*		
PlCross	BoxVar:002			*		
PlCross	BoxVar:003			*		
PlCross	BoxVar:004			*		
PlCross	BoxVar:005			*		
PlCross	BoxVar:006			*		
PlCross	BoxVar:007			*		
PlCross	BoxVar:008			*		
PlCross	BoxVar:009			*		
PlCross	BoxVar:010			*		
PlCross	BoxVar:011			*		
PlCross	BoxVar:012			*		
PlCross	BoxVar:013			*		
PlCross	BoxVar:014			*		
PlCross	CIP_9D1500:001:1			*		
PlCross	CKN-6:001:1			*		
PlCross	MainPier:001			*		
PlCross	MainPier:004			*		
PlCross	Maincap:001			*		
PlCross	PierCap:001			*		
PlCross	SideCap:001			*		
PlCross	SidePier:001			*		
PlCross	SidePier:007			*		
PlTndGm	1,304,1	D		*		


Stage	OUTPUT				Start time Duration	11372 0
Action	*Input-1*	*Input-2*	*Input-3*	*Output-1*	*Output-2*	*dT*
DoRep	CKN_P1			CKN-P1.xls	*	

DoRep	CKN_P2			CKN-P2.xls	*		
DoRep	CKN_P3			CKN-P3.xls	*		
DoRep	CKN_P4			CKN-P4.xls	*		
DoRep	PIER_P1			P1.xls	*		
DoRep	PIER_P2			P2.xls	*		
DoRep	PIER_P3			P3.xls	*		
DoRep	PIER_P4			P4.xls	*		
DoRep	BEARING			BEARING.xls	*		


2 Results


2.1 Girder checking during construction stages


2.1.1 Internal force during construction stage



kNm
Minimum -18103.1
-18000
-17000
-16000
-15000
-14000
-13000
-12000
-11000
-10000
-9000
-8000
-7000
-6000
-5000
-4000
-3000
-2000
-1000
0
3 5 6 8 9 10 11 12 13 14 15 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 45 46 47 48 50 52 55
Results: LC: Mz, secondary local normal RmSet: Mz+1000a, Stage: STG00, Load case: 1000a
THI CONG KO & KT
01/12/2025 14:09
23.00.01.11



kN/m2
-22000
-20000
-18000
-16000
-14000
-12000
-10000
-8000
-6000
-4000
-2000
0
1000
2000
3000
1000a
LC
FIB-TOP: SP01
(-2801 , 31)
1000a
LC
FIB-BOT: SP01
(-1016 , 927)
Minimum -2800.6
Maximum 926.5
3 5 7 8 9 10 12 14 16 20 22 24 26 28 30 32 34 36 39 42 44 46 48 50 52
RmSet: SP-1000a, Stage: STG00
Ung Suat Dam Chu Trong Giai Doan Thi Cong - KO&KT
01/12/2025 14:09
23.00.01.11



kNm
Minimum -32502.1
-32000
-30000
-28000
-26000
-24000
-22000
-20000
-18000
-16000
-14000
-12000
-10000
-8000
-6000
-4000
-2000
0
3 5 6 8 9 10 11 12 13 14 15 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 45 46 47 48 50 52 55
Results: LC: Mz, secondary local normal RmSet: Mz+1001, Stage: STG01, Load case: 1001
THI CONG K1
01/12/2025 14:09
23.00.01.11



kN/m2
-22000
-20000
-18000
-16000
-14000
-12000
-10000
-8000
-6000
-4000
-2000
0
1000
2000
3000
1001
LC
FIB-TOP: SP01
(-2798 , 0)
1001
LC
FIB-BOT: SP01
(-1257 , 926)
Minimum -2798.4
Maximum 925.8
3 5 7 8 9 10 12 14 16 20 22 24 26 28 30 32 34 36 39 42 44 46 48 50 52
RmSet: SP-1001, Stage: STG01
Ung Suat Dam Chu Trong Giai Doan Thi Cong - K1
01/12/2025 14:09
23.00.01.11



kNm
Minimum -49907.5
Results: LC: Mz, secondary local normal RmSet: Mz+1002, Stage: STG02, Load case: 1002
THI CONG K2
01/12/2025 14:09
23.00.01.11



kN/m2
1002
LC
FIB-TOP: SP01
(-3874 , 0)
1002
LC
FIB-BOT: SP01
(-1922 , 925)
Minimum -3874.0
Maximum 925.1
RmSet: SP-1002, Stage: STG02
Ung Suat Dam Chu Trong Giai Doan Thi Cong - K2
01/12/2025 14:09
23.00.01.11



kNm
Minimum -70107.6
-70000
-60000
-50000
-40000
-30000
-20000
-10000
0
3 5 6 8 9 10 11 12 13 14 15 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 45 46 47 48 50 52 55
Results: LC: Mz, secondary local normal RmSet: Mz+1003, Stage: STG03, Load case: 1003
THI CONG K3
01/12/2025 14:09
23.00.01.11



kN/m2
-22000
-20000
-18000
-16000
-14000
-12000
-10000
-8000
-6000
-4000
-2000
0
1000
2000
3000
Minimum -5480.4
Maximum 924.5
3 5 7 8 9 10 12 14 16 20 22 24 26 28 30 32 34 36 39 42 44 46 48 50 52
1003
LC
FIB-TOP: SP01
(-5480 , 0)
1003
LC
FIB-BOT: SP01
(-2818 , 925)
RmSet: SP-1003, Stage: STG03
Ung Suat Dam Chu Trong Giai Doan Thi Cong - K3
01/12/2025 14:09
23.00.01.11



kNm
Minimum -92923.9
-90000
-80000
-70000
-60000
-50000
-40000
-30000
-20000
-10000
0
3 5 6 8 9 10 11 12 13 14 15 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 45 46 47 48 50 52 55
Results: LC: Mz, secondary local normal RmSet: Mz+1004, Stage: STG04, Load case: 1004
THI CONG K4
01/12/2025 14:09
23.00.01.11



kN/m2
-22000
-20000
-18000
-16000
-14000
-12000
-10000
-8000
-6000
-4000
-2000
0
1000
2000
3000
Minimum -6854.8
Maximum 924.0
3 5 7 8 9 10 12 14 16 20 22 24 26 28 30 32 34 36 39 42 44 46 48 50 52
1004
LC
FIB-TOP: SP01
(-6855 , 0)
1004
LC
FIB-BOT: SP01
(-3929 , 924)
RmSet: SP-1004, Stage: STG04
Ung Suat Dam Chu Trong Giai Doan Thi Cong - K4
01/12/2025 14:09
23.00.01.11



kNm
Minimum -118221.9
Results: LC: Mz, secondary local normal RmSet: Mz+1005, Stage: STG05, Load case: 1005
THI CONG K5
01/12/2025 14:09
23.00.01.11



kN/m2
1005
LC
FIB-TOP: SP01
(-8017 , 0)
1005
LC
FIB-BOT: SP01
(-5248 , 923)
Minimum -8016.7
Maximum 923.4
RmSet: SP-1005, Stage: STG05
Ung Suat Dam Chu Trong Giai Doan Thi Cong - K5
01/12/2025 14:09
23.00.01.11



kNm
Minimum -145919.4
Results: LC: Mz, secondary local normal RmSet: Mz+1006, Stage: STG06, Load case: 1006
THI CONG K6
01/12/2025 14:09
23.00.01.11



kN/m2
1006
LC
FIB-TOP: SP01
(-9064 , 0)
1006
LC
FIB-BOT: SP01
(-6764 , 923)
Minimum -9063.6
Maximum 923.0
RmSet: SP-1006, Stage: STG06
Ung Suat Dam Chu Trong Giai Doan Thi Cong - K6
01/12/2025 14:09
23.00.01.11



kNm
Minimum -158799.2
Results: LC: Mz, secondary local normal RmSet: Mz+1007, Stage: STG07, Load case: 1007
THI CONG K7
01/12/2025 14:09
23.00.01.11



kN/m2
1007
LC
FIB-TOP: SP01
(-10176 , 0)
1007
LC
FIB-BOT: SP01
(-7433 , 923)
Minimum -10176.1
Maximum 922.5
RmSet: SP-1007, Stage: STG07
Ung Suat Dam Chu Trong Giai Doan Thi Cong - K7
01/12/2025 14:09
23.00.01.11



kNm
Minimum -162548.2
Maximum 8680.0
Results: LC: Mz, secondary local normal RmSet: Mz+1008, Stage: STG08, Load case: 1008
THI CONG KN1 KN3
01/12/2025 14:09
23.00.01.11



kN/m2
1008
LC
FIB-TOP: SP01
(-9641 , 109)
1008
LC
FIB-BOT: SP01
(-7668 , 266)
Minimum -9640.8
Maximum 265.5
RmSet: SP-1008, Stage: STG08
Ung Suat Dam Chu Trong Giai Doan Thi Cong - KN1&KN3
01/12/2025 14:09
23.00.01.11



kNm
Minimum -157812.1
Maximum 12135.4
Results: LC: Mz, secondary local normal RmSet: Mz+1009, Stage: STG09, Load case: 1009
THI CONG KN2
01/12/2025 14:09
23.00.01.11


kN/m2
1009
LC
FIB-TOP: SP01
(-10570 , -81)
1009
LC
FIB-BOT: SP01
(-7330 , -2236)
Minimum -10570.5
RmSet: SP-1009, Stage: STG09
Ung Suat Dam Chu Trong Giai Doan Thi Cong - KN2
01/12/2025 14:09
23.00.01.11



kNm
Minimum -157479.1
Maximum 10437.3
Results: LC: Mz, secondary local normal RmSet: Mz+1010, Stage: STG10, Load case: 1010
HOAN THIEN CAU
01/12/2025 14:09
23.00.01.11



kN/m2
1010
LC
FIB-TOP: SP01
(-10533 , -96)
1010
LC
FIB-BOT: SP01
(-7309 , -2230)
Minimum -10532.6
RmSet: SP-1010, Stage: STG10
Ung Suat Dam Chu Trong Giai Doan Hoan Thanh Cau
01/12/2025 14:09
23.00.01.11



kNm
Minimum -172247.2
-170000
-160000
-150000
-140000
-130000
-120000
-110000
-100000
-90000
-80000
-70000
-60000
-50000
-40000
-30000
-20000
-10000
0
3000
6000
3 5 6 8 9 10 11 12 13 14 15 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 45 46 47 48 50 52 55
Maximum 7024.8
Results: LC: Mz, secondary local normal RmSet: Mz+1099, Stage: STG99, Load case: 1099
SAU 30 NAM
01/12/2025 14:09
23.00.01.11



kN/m2
-22000
-20000
-18000
-16000
-14000
-12000
-10000
-8000
-6000
-4000
-2000
0
1000
2000
3000
Minimum -8755.9
3 5 7 8 9 10 12 14 16 20 22 24 26 28 30 32 34 36 39 42 44 46 48 50 52
Maximum 787.2
1099
LC
FIB-TOP: SPO1
(-7781 , 787)
1099
LC
FIB-BOT: SPO1
(-8756 , -2001)
RmSet: SP-1099, Stage: STG99
Ung Suat Dam Chu - SAU 30 NAM
01/12/2025 14:09
23.00.01.11


2.2 Internal forces in girder after construction stage









kNm
Minimum -2500.1
Maximum 2500.1
BR. sup
MAXMz: Mz
total: local: normal
(0 , 2500)
BR. sup
Minmz: Mz
total: local: normal
(-2500 , 0)
RmSet: Mz+BR, Stage: TRAFFIC
MOMEN UON DAM CHU DO TAI TRONG HAM XE
01/12/2025 14:10
23.00.01.11



kNm
Minimum -32620.9
Maximum 1360.0
CR-SH. sup
MaxMz: Mz
total: local: normal
(-32621 , 1360)
CR-SH. sup
Minmz: Mz
total: local: normal
(-32621 , 1360)
RmSet: Mz+CR&SH, Stage: STG99
MOMEN UON DAM CHU DO TAC DUNG CUA TAI TRONG CO NGOT VA TU BIEN
01/12/2025 14:09
23.00.01.11



kNm
Minimum -968.5
Maximum 968.5
WS. sup
MAXMz: Mz
total: local: normal
(0 , 968)
WS. sup
Minmz: Mz
total: local: normal
(-968 , 0)
RmSet: Mz+WS, Stage: ADDITIONAL LOADS
MOMEN DAM CHU DO TAC DUNG CUA GIO LEN KET CAU CONG TRINH
01/12/2025 14:09
23.00.01.11



kNm
Minimum -265.1
Maximum 265.1
WL. sup
MAXMz: Mz
total: local: normal
(0 , 265)
WL. sup
Minmz: Mz
total: local: normal
(-265 , 0)
RmSet: Mz+WL, Stage: ADDITIONAL LOADS
MOMEN DAM CHU DO TAC DUNG CUA GIO LEN HOAT TAI
01/12/2025 14:09
23.00.01.11



kNm
Minimum -19521.2
Maximum 5404.6
DW sup
MAXMz: Mz
total: local: normal
(-19521 , 5405)
DW sup
MinMz: Mz
total: local: normal
(-19521 , 5405)
RmSet: Mz+DW, Stage: STG10
MOMEN UON DAM CHU DO TINH TAI DW
01/12/2025 14:09
23.00.01.11



kN
Minimum -1593.5
Maximum 1593.5
DW sup
MAXQy: Qy
total: local: normal
(-1593 , 1593)
DW sup
MinQy: Qy
total: local: normal
(-1593 , 1593)
RmSet: Qy+DW, Stage: STG10
LUC CAT DAM CHU DO TINH TAI DW
01/12/2025 14:09
23.00.01.11



kNm
Minimum -9133.0
Maximum 13071.1
SE. sup
MAXMz: Mz
total: local: normal
(0 , 13071)
SE. sup
Min Mz: Mz
total: local: normal
(-9133 , 0)
RmSet: Mz+SE, Stage: ADDITIONAL LOADS
MOMEN UON DAM CHU DO TAC DUNG CUA TAI TRONG GOI LUN
01/12/2025 14:09
23.00.01.11



kNm
Minimum -3500.5
Maximum 4118.2
TU. sup
MAXMz: Mz
total: local: normal
(0 , 4118)
TU. sup
Min Mz: Mz
total: local: normal
(-3501 , 0)
RmSet: Mz+TU, Stage: ADDITIONAL LOADS
MOMEN UON DAM CHU DO TAC DUNG CUA TAI TRONG NHIET DO BIEN DOI DEU
01/12/2025 14:09
23.00.01.11



kNm
Minimum -4503.0
Maximum 16239.3
TG.sup
MAXMz:Mz
total:local:normal
(0 , 16239)
TG.sup
MinMz:Mz
total:local:normal
(-4503 , 0)
RmSet: Mz+TG, Stage: ADDITIONAL LOADS
MOMEN UON DAM CHU DO TAC DUNG CUA TAI TRONG GRADIENT NHIET
01/12/2025 14:09
23.00.01.11



kNm
Minimum -51709.1
Maximum 51709.1
EQ-Tran.sup
MinMy:My
total:local:normal
(-51709 , 0)
EQ-Tran.sup
MaxMy:My
total:local:normal
(0 , 51709)
RmSet: My+EQ-TRAN, Stage: DYNAMIC-SEISMIC
Interactiv diagram plot
01/12/2025 14:10
23.00.01.11


kNm
Minimum -16206.1
Maximum 16206.1
EQ-Long. sup
MAXMz: Mz
total: local: normal
(0 , 16206)
EQ-Long. sup
Minmz: Mz
total: local: normal
(-16206 , 0)
RmSet: Mz+EQ-LONG, Stage: DYNAMIC-SEISMIC
Interactiv diagram plot
01/12/2025 14:10
23.00.01.11



kNm
Minimum -55096.6
Maximum 55096.6
CV-Tran. sup
MAXMy: My
total: local: normal
(0 , 55097)
CV-Tran. sup
Minmy: My
total: local: normal
(-55097 , 0)
RmSet: My+CV-TRAN, Stage: ADDITIONAL LOADS
MOMEN UON DAM CHU DO TAC DUNG CUA TAI TRONG VA TAU
01/12/2025 14:09
23.00.01.11



kNm
-6000
-5000
-4000
-3000
-2000
-1000
0
1000
2000
3000
4000
5000
6000
Minimum -5830.1
Maximum 5830.1
CV-Long. sup
MaxMz: Mz
total: local: normal
(0 , 5830)
CV-Long. sup
MinMz: Mz
total: local: normal
(-5830 , 0)
RmSet: Mz+CV-LONG, Stage: ADDITIONAL LOADS
MOMEN UON DAM CHU DO TAC DUNG CUA TAI TRONG VA TAU
01/12/2025 14:09
23.00.01.11



kNm
-50000
-40000
-30000
-20000
-10000
0
10000
20000
30000
40000
50000
Minimum -55096.6
Maximum 55096.6
CV-Tran. sup
MAXMy: My
total: local: normal
(0 , 55097)
CV-Tran. sup
MinMy: My
total: local: normal
(-55097 , 0)
RmSet: My+CT-TRAN, Stage: ADDITIONAL LOADS
MOMEN UON DAM CHU DO TAC DUNG CUA TAI TRONG VA XE
01/12/2025 14:09
23.00.01.11



kNm
-6000
-5000
-4000
-3000
-2000
-1000
0
1000
2000
3000
4000
5000
6000
Minimum -5830.1
Maximum 5830.1
3 5 7 8 9 10 12 14 16 20 22 24 26 28 30 32 34 36 39 42 44 46 48 50 52
CV-Long. sup
MaxMz: Mz
total: local: normal
(0 , 5830)
CV-Long. sup
Min Mz: Mz
total: local: normal
(-5830 , 0)
RmSet: Mz+CT-LONG, Stage: ADDITIONAL LOADS
MOMEN UON DAM CHU DO TAC DUNG CUA TAI TRONG VA XE
01/12/2025 14:09
23.00.01.11

2.3 Girder checking in Service Limited State






SER3-2.sup
Max
FIB-TOP:SP01
(-6332 , 929)
SER3-2.sup
Min
FIB-TOP:SP01
(-9196 , -897)
SER3-2.sup
Max
FIB-BOT:SP01
(-7848 , -208)
SER3-2.sup
Min
FIB-BOT:SP01
(-11625 , -2001)
01/12/2025 14:10
23.00.01.11
Minimum -11624.9
Maximum 928.6
kN/m2
-22000
-20000
-18000
-16000
-14000
-12000
-10000
-8000
-6000
-4000
-2000
0
1000
2000
3000
3 5 7 8 9 10 12 14 16 20 22 24 26 28 30 32 34 36 39 42 44 46 48 50 52
RmSet: SP-SER3-2, Stage: STRESS CHECK
UNG SUAT DAM CHU TRANG THAI GIOI HAN SU DUNG 3 - AFTER CR&SH



SERVICE3.sup
Max.sig-1
FIB-TTH:SPO1
(48 , 1119)
SERVICE3.sup
Max.sig-1
FIB-TTH:SPO2
(54 , 829)
SERVICE3.sup
Max.sig-1
FIB-TTH:SPO3
(0.0 , 0.0)
01/12/2025 14:10
23.00.01.11
RmSet: SP-SERVICE-TTH, Stage: STRESS CHECK
UNG SUAT KEO CHINH TAI TRUC TRUNG HOA - TTGHSD
kN/m2
-22000
-20000
-18000
-16000
-14000
-12000
-10000
-8000
-6000
-4000
-2000
0
1000
2000
3000
Maximum 1118.8



01/12/2025 14:10
23.00.11
Results: MINVy: Vy, total local normal RmSet: Vy+LL, Stage: STRESS CHECK, Envelope: Live.sup
DO VONG DAM CHU DO HOAT TAI
Minimum -0.0153
m
0.000
-0.010


2.4 Girder checking in Strength Limited State





ult-STR2.sup
MaxMz: Mz
secondary:local:normal
(6934 , 54565)
ult-STR2.sup
MiNMz: Mz
secondary:local:normal
(-488753 , -20562)
STRENGTH-2.sup
MiNMz: Mz
secondary:local:normal
(-277570 , 2992)
STRENGTH-2.sup
MaxMz: Mz
secondary:local:normal
(-146133 , 30418)
01/12/2025 14:11
23.00.01.11
Minimum -488752.8
Maximum 54564.8
kNm
RmSet: ULT-STR2, Stage: ULTIMATE
ULTIMATE CHECK Mz - STRENGTH 2



ult-STR3. sup
MaxMz: Mz
secondary: local: normal
(7511 , 54536)
ult-STR3. sup
MiNMz: Mz
secondary: local: normal
(-487728 , -21191)
STRENGTH-3. sup
MiNMz: Mz
secondary: local: normal
(-252167 , 6846)
STRENGTH-3. sup
MaxMz: Mz
secondary: local: normal
(-149076 , 16526)
01/12/2025 14:11
23.00.01.11
Minimum -487728.2
Maximum 54535.6
kNm
RmSet: ULT-STR3, Stage: ULTIMATE
ULTIMATE CHECK Mz - STRENGTH 3



ult-STR4.sup
MaxMz: Mz
secondary:local:normal
(7413 , 55680)
ult-STR4.sup
MiNMz: Mz
secondary:local:normal
(-476268 , -21280)
STRENGTH-4.sup
MiNMz: Mz
secondary:local:normal
(-292002 , 8153)
STRENGTH-4.sup
MaxMz: Mz
secondary:local:normal
(-163031 , 16390)
01/12/2025 14:11
23.00.01.11
Minimum -476268.0
Maximum 55680.1
kNm
-480000
-460000
-440000
-420000
-400000
-380000
-360000
-340000
-320000
-300000
-280000
-260000
-240000
-220000
-200000
-180000
-160000
-140000
-120000
-100000
-80000
-60000
-40000
-20000
0
10000
20000
30000
40000
50000
60000
RmSet: ULT-STR4, Stage: ULTIMATE
ULTIMATE CHECK Mz - STRENGTH 4


ult-STR5. sup
MaxMz: Mz
secondary: local: normal
(6851 , 54548)
ult-STR5. sup
MiNMz: Mz
secondary: local: normal
(-488832 , -20564)
STRENGTH-5. sup
MiNMz: Mz
secondary: local: normal
(-277989 , 2946)
STRENGTH-5. sup
MaxMz: Mz
secondary: local: normal
(-145714 , 30536)
01/12/2025 14:11
23.00.01.11
Minimum -488832.2
Maximum 54548.0
kNm
RmSet: ULT-STR5, Stage: ULTIMATE
ULTIMATE CHECK Mz - STRENGTH 5


ult-Comb. sup
MaxMz: Mz
secondary: local: normal
(8752 , 61925)
ult-Comb. sup
MiNMz: Mz
secondary: local: normal
(-489160 , -20377)
STRENGTH. sup
MaxMz: Mz
secondary: local: normal
(-144999 , 34857)
STRENGTH. sup
MiNMz: Mz
secondary: local: normal
(-292002 , 2204)
01/12/2025 14:11
23.00.01.11
Minimum -489160.3
Maximum 61925.2
kNm
-500000
-480000
-460000
-440000
-420000
-400000
-380000
-360000
-340000
-320000
-300000
-280000
-260000
-240000
-220000
-200000
-180000
-160000
-140000
-120000
-100000
-80000
-60000
-40000
-20000
0
10000
20000
30000
40000
50000
60000
70000
1
5
7
8
9
10
12
14
16
20
22
24
26
28
30
32
34
36
39
42
44
46
48
50
52
RmSet: ULT+STRENGTH, Stage: ULTIMATE
ULTIMATE Mz STRENGTH

2.5 Girder checking in Extreme Limited State




ult-EXT2.sup
MaxMz: Mz
secondary:local:normal
(5924 , 54565)
ult-EXT2.sup
MinMz: Mz
secondary:local:normal
(-488820 , -21924)
EXTREME-2.sup
MinMz: Mz
secondary:local:normal
(-259884 , 5673)
EXTREME-2.sup
MaxMz: Mz
secondary:local:normal
(-157755 , 19287)
01/12/2025 14:11
23.00.01.11
Minimum -488820.4
Maximum 54565.5
kNm
RmSet: ULT-EXT2, Stage: ULTIMATE
ULTIMATE CHECK Mz - EXTREME 2

2.6 Ultimate Boundary Diagram

