

K Phani Sridhar Yogi
192311091
INTERNET PROGRAMING-CSA4308

LAB PROGRAMS

11)PROGRAM

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Home Finder - Real Estate Platform</title>
```

```
<style>
```

```
  * {  
    margin: 0;  
    padding: 0;  
    box-sizing: border-box;  
    font-family: Arial, sans-serif;  
  }
```

```
  body {  
    background: #f5f7fa;  
    color: #333;  
  }
```

```
  /* Header */
```

```
header{  
  background: #12355b;  
  color: white;  
  padding: 18px 7%;  
  display: flex;  
  justify-content: space-between;  
  align-items: center;  
  position: sticky;  
  top: 0;  
  z-index: 1000;  
}
```

```
.logo {  
  font-size: 28px;  
  font-weight: bold;  
}
```

```
.logo span {  
  color: #ffb703;  
}
```

```
nav a {  
  color: white;  
  text-decoration: none;  
  margin-left: 25px;  
  font-size: 16px;  
}
```

```
nav a:hover {  
  color: #ffb703;  
}
```

```
/* Hero */
```

```
.hero {  
  min-height: 430px;  
  background: linear-gradient(  
    rgba(18, 53, 91, 0.8),  
    rgba(18, 53, 91, 0.8)  
  ),  
  url("https://images.unsplash.com/photo-1560518883-ce09059eeffa")  
  center/cover;  
  
  display: flex;  
  align-items: center;  
  justify-content: center;  
  text-align: center;  
  color: white;  
  padding: 40px 20px;  
}
```

```
.hero-content h1 {  
  font-size: 48px;  
  margin-bottom: 15px;  
}
```

```
.hero-content p {  
  font-size: 20px;  
  margin-bottom: 30px;  
}
```

```
/* Search Box */
```

```
.search-box {
```

```
background: white;
padding: 20px;
border-radius: 12px;
display: flex;
flex-wrap: wrap;
gap: 10px;
max-width: 1000px;
margin: auto;
box-shadow: 0 5px 20px rgba(0,0,0,0.3);
}
```

```
.search-box input,
.search-box select {
  padding: 14px;
  border: 1px solid #ddd;
  border-radius: 6px;
  flex: 1;
  min-width: 150px;
}
```

```
button {
  background: #ffb703;
  color: #222;
  border: none;
  padding: 14px 25px;
  border-radius: 6px;
  cursor: pointer;
  font-weight: bold;
}
```

```
button:hover {
```

```
    background: #fb8500;
    color: white;
}
```

```
/* Sections */
```

```
section {
    padding: 60px 7%;
}
```

```
.section-title {
    text-align: center;
    margin-bottom: 35px;
}
```

```
.section-title h2 {
    color: #12355b;
    font-size: 32px;
}
```

```
.section-title p {
    margin-top: 10px;
    color: #666;
}
```

```
/* Properties */
```

```
.property-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(280px, 1fr));
    gap: 25px;
}
```

```
.property-card {  
  background: white;  
  border-radius: 12px;  
  overflow: hidden;  
  box-shadow: 0 4px 15px rgba(0,0,0,0.1);  
  transition: 0.3s;  
}
```

```
.property-card:hover {  
  transform: translateY(-5px);  
}
```

```
.property-card img {  
  width: 100%;  
  height: 210px;  
  object-fit: cover;  
}
```

```
.property-info {  
  padding: 20px;  
}
```

```
.property-info h3 {  
  color: #12355b;  
  margin-bottom: 10px;  
}
```

```
.price {  
  color: #e63946;  
  font-size: 20px;  
  font-weight: bold;
```

```
    margin: 10px 0;
}
```

```
.property-info p {
    margin: 7px 0;
    color: #666;
}
```

```
.card-buttons {
    display: flex;
    gap: 10px;
    margin-top: 15px;
}
```

```
.card-buttons button {
    flex: 1;
}
```

```
.favorite {
    background: #12355b;
    color: white;
}
```

```
/* Features */
```

```
.features {
    background: white;
}
```

```
.feature-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(220px, 1fr));
}
```

```
    gap: 25px;
}
```

```
.feature-card {
    padding: 30px;
    text-align: center;
    border-radius: 10px;
    background: #f5f7fa;
    border: 1px solid #eee;
}
```

```
.feature-card .icon {
    font-size: 40px;
    margin-bottom: 15px;
}
```

```
.feature-card h3 {
    color: #12355b;
    margin-bottom: 10px;
}
```

```
/* Login */
.login-section {
    background: #12355b;
    color: white;
}
```

```
.login-box {
    max-width: 450px;
    margin: auto;
    background: white;
```



```
    color: #333;  
    padding: 30px;  
    border-radius: 12px;  
}
```

```
.login-box h2 {  
    text-align: center;  
    color: #12355b;  
    margin-bottom: 20px;  
}
```

```
.login-box input {  
    width: 100%;  
    padding: 14px;  
    margin: 8px 0;  
    border: 1px solid #ddd;  
    border-radius: 6px;  
}
```

```
.login-box button {  
    width: 100%;  
    margin-top: 15px;  
}
```

```
/* Agents */
```

```
.agent-grid {  
    display: grid;  
    grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));  
    gap: 25px;  
}
```

```
.agent-card {  
    background: white;  
    padding: 25px;  
    text-align: center;  
    border-radius: 10px;  
    box-shadow: 0 3px 15px rgba(0,0,0,0.1);  
}
```

```
.agent-card img {  
    width: 100px;  
    height: 100px;  
    border-radius: 50%;  
    object-fit: cover;  
}
```

```
.agent-card h3 {  
    margin: 15px 0 5px;  
    color: #12355b;  
}
```

```
/* Map */
```

```
.map-section {  
    background: white;  
}
```

```
.map {  
    width: 100%;  
    height: 400px;  
    border: 0;  
    border-radius: 10px;  
}
```

```
/* Advertisement */
```

```
.advertisement {  
    background: #ffb703;  
    padding: 30px;  
    text-align: center;  
    border-radius: 10px;  
}
```

```
.advertisement h2 {  
    margin-bottom: 10px;  
}
```

```
/* Customer Records */
```

```
.records {  
    background: white;  
}
```

```
table {  
    width: 100%;  
    border-collapse: collapse;  
    background: white;  
}
```

```
th, td {  
    padding: 15px;  
    border: 1px solid #ddd;  
    text-align: left;  
}
```

```
th {
```

```
background: #12355b;
color: white;
}
```

```
/* Footer */
```

```
footer {
  background: #0b2239;
  color: white;
  text-align: center;
  padding: 30px;
}
```

```
footer p {
  margin: 8px;
}
```

```
/* Responsive */
```

```
@media (max-width: 768px) {
```

```
  header {
    flex-direction: column;
    gap: 15px;
  }
```

```
  nav a {
    margin: 5px;
    font-size: 14px;
  }
```

```
  .hero-content h1 {
    font-size: 35px;
```

```
}

.search-box {
  flex-direction: column;
}

.search-box input,
.search-box select,
.search-box button {
  width: 100%;
}

table {
  font-size: 12px;
}
}
</style>
</head>

<body>

<!-- HEADER -->
<header>

<div class="logo">
  Home<span>Finder</span>
</div>

<nav>
  <a href="#home">Home</a>
  <a href="#properties">Properties</a>
```

```
<a href="#agents">Agents</a>
<a href="#login">Login</a>
<a href="#contact">Contact</a>
```

```
</nav>
```

```
</header>
```

```
<!-- HERO -->
```

```
<section class="hero" id="home">
```

```
<div class="hero-content">
```

```
<h1>Find Your Dream Home</h1>
```

```
<p>
```

```
    Search and discover houses, lands and commercial properties
    within your budget.
```

```
</p>
```

```
<!-- SEARCH -->
```

```
<div class="search-box">
```

```
    <input
```

```
        type="text"
```

```
        id="location"
```

```
        placeholder="Enter location"
```

```
    >
```

```
    <input
```

```
        type="number"
```

```
    id="maxPrice"
    placeholder="Maximum Price"
  >
```

```
<select id="propertyType">
```

```
  <option value="">Property Type</option>
```

```
  <option value="House">
```

```
    House
```

```
  </option>
```

```
  <option value="Land">
```

```
    Land
```

```
  </option>
```

```
  <option value="Apartment">
```

```
    Apartment
```

```
  </option>
```

```
  <option value="Commercial">
```

```
    Commercial
```

```
  </option>
```

```
</select>
```

```
<select id="amenity">
```

```
  <option value="">Amenities</option>
```

```
  <option value="Parking">
```

Parking

</option>

<option value="Swimming Pool">

Swimming Pool

</option>

<option value="Garden">

Garden

</option>

</select>

<button onclick="searchProperties()">

Search

</button>

<button onclick="saveSearch()">

Save Search

</button>

</div>

</div>

</section>

<!-- FEATURES -->

<section class="features">

<div class="section-title">

<h2>Why Choose Home Finder?</h2>

<p>

Everything you need to find the perfect property.

</p>

</div>

<div class="feature-grid">

<div class="feature-card">

<div class="icon">  </div>

<h3>Property Search</h3>

<p>

Search residential, commercial and land properties.

</p>

</div>

<div class="feature-card">

<div class="icon">  </div>

<h3>Advanced Filters</h3>

<p>

Filter properties by location, price and amenities.

</p>

</div>

<div class="feature-card">

<div class="icon">  </div>

<h3>Save Favorites</h3>

<p>

Save your favorite properties for future reference.

</p>

</div>

<div class="feature-card">

<div class="icon">  </div>

<h3>Interactive Map</h3>

<p>

Locate properties and explore nearby areas.

</p>

</div>

</div>

</section>

<!-- PROPERTIES -->

<section id="properties">

<div class="section-title">

<h2>Featured Properties</h2>

<p>

Explore some of our latest property listings.

</p>

</div>

<div class="property-grid" id="propertyGrid">

<!-- PROPERTY 1 -->

<div class="property-card"

data-location="Hyderabad"

data-price="7500000"

data-type="House">

 <div class="property-info">

 <h3>Modern Family House</h3>

 <p> 📍 Hyderabad, Telangana</p>

 <p> 🛏️ 3 Bedrooms | 🚿 2 Bathrooms</p>

 <p> 🏠 2,000 Sq. Ft.</p>

 <div class="price">

 ₹75,00,000

 </div>

 <div class="card-buttons">

 <button onclick="viewProperty('Modern Family House')">

 View Details

 </button>

 <button

 class="favorite"

 onclick="addFavorite('Modern Family House')">

 ❤️

 </button>

 </div>
```

</div>

</div>

<!-- PROPERTY 2 -->

<div class="property-card"  
 data-location="Bangalore"  
 data-price="4500000"  
 data-type="Apartment">



<div class="property-info">

<h3>Luxury Apartment</h3>

<p> 📍 Bangalore, Karnataka</p>

<p> 🛏️ 2 Bedrooms | 🚿 2 Bathrooms</p>

<p> 📏 1,200 Sq. Ft.</p>

<div class="price">  
 ₹45,00,000  
</div>

```
<div class="card-buttons">
```

```
 <button onclick="viewProperty('Luxury Apartment')">
```

```
 View Details
```

```
 </button>
```

```
 <button
```

```
 class="favorite"
```

```
 onclick="addFavorite('Luxury Apartment')">
```



```
 </button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- PROPERTY 3 -->
```

```
<div class="property-card"
```

```
 data-location="Vijayawada"
```

```
 data-price="2500000"
```

```
 data-type="Land">
```

```

```

```
<div class="property-info">
```

```
<h3>Residential Land</h3>
```

```
<p> 📍 Vijayawada, Andhra Pradesh</p>
```

```
<p> 🏠 2,400 Sq. Ft.</p>
```

```
<div class="price">
```

```
 ₹25,00,000
```

```
</div>
```

```
<div class="card-buttons">
```

```
<button onclick="viewProperty('Residential Land')">
```

```
 View Details
```

```
</button>
```

```
<button
```

```
 class="favorite"
```

```
 onclick="addFavorite('Residential Land')">
```

```
 📖
```

```
</button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

</section>

<!-- MAP -->

<section class="map-section">

<div class="section-title">

<h2>Find Properties on Map</h2>

<p>

Explore property locations and nearby areas.

</p>

</div>

<iframe

class="map"

src="https://www.google.com/maps?q=Hyderabad,India&output=embed">

</iframe>

</section>

<!-- AGENTS -->

<section id="agents">

<div class="section-title">

<h2>Real Estate Agents</h2>



<p>

Contact trusted agents and property companies.

</p>

</div>

<div class="agent-grid">

<div class="agent-card">



<h3>Rahul Kumar</h3>

<p>Hyderabad Properties</p>

<p>📞 +91 98765 43210</p>

<br>

<button onclick="contactAgent('Rahul Kumar')">

Contact Agent

</button>

</div>

<div class="agent-card">



<h3>Priya Sharma</h3>

<p>South India Realty</p>

<p>☎ +91 98765 12345</p>

<br>

<button onclick="contactAgent('Priya Sharma')">  
Contact Agent  
</button>

</div>

<div class="agent-card">



<h3>Arjun Reddy</h3>

<p>Premium Land Developers</p>

<p>📞 +91 99887 66554</p>

<br>

<button onclick="contactAgent('Arjun Reddy')">

Contact Agent

</button>

</div>

</div>

</section>

<!-- ADVERTISEMENT -->

<section>

<div class="advertisement">

<h2>🏠 Advertise Your Property With Us</h2>

<p>

Reach thousands of buyers and renters looking for their dream property.

</p>

<br>

```
<button onclick="advertise()">
```

```
 Add Your Advertisement
```

```
</button>
```

```
</div>
```

```
</section>
```

```
<!-- LOGIN -->
```

```
<section class="login-section" id="login">
```

```
<div class="login-box">
```

```
<h2>Buyer Login</h2>
```

```
<form onsubmit="login(event)">
```

```
<input
```

```
 type="text"
```

```
 id="username"
```

```
 placeholder="Username"
```

```
 required
```

```
>
```

```
<input
```

```
 type="password"
```

```
 id="password"
```

```
 placeholder="Password"
```

```
 required
```

```
>
```

```
<button type="submit">
```

```
 Login
```

```
</button>
```

```
</form>
```

```
<p id="loginMessage"
```

```
 style="text-align:center;margin-top:15px;">
```

```
</p>
```

```
</div>
```

```
</section>
```

```
<!-- CUSTOMER RECORDS -->
```

```
<section class="records">
```

```
<div class="section-title">
```

```
<h2>Customer Visit Records</h2>
```

```
<p>
```

```
 Maintain records of customers visiting the website.
```

```
</p>
```

```
</div>
```

```
<table>
```

<thead>

<tr>

<th>Customer</th>

<th>Property</th>

<th>Date</th>

<th>Status</th>

</tr>

</thead>

<tbody id="customerTable">

<tr>

<td>Demo Customer</td>

<td>Modern Family House</td>

<td>31 July 2026</td>

<td>Viewed</td>

</tr>

</tbody>

</table>

</section>

<!-- FOOTER -->

<footer id="contact">

<h2>Home Finder</h2>

<p>

Your trusted platform for finding homes, lands and commercial properties.

</p>

<p>

Email: [support@homefinder.com](mailto:support@homefinder.com)

</p>

<p>

Phone: +91 98765 43210

</p>

<p>

© 2026 Home Finder. All Rights Reserved.

</p>

</footer>

```
<!-- JAVASCRIPT -->
```

```
<script>
```

```
// Search Properties
```

```
function searchProperties() {
```

```
 let location =
```

```
 document.getElementById("location").value.toLowerCase();
```

```
 let maxPrice =
```

```
 document.getElementById("maxPrice").value;
```

```
 let type =
```

```
 document.getElementById("propertyType").value;
```

```
 let cards =
```

```
 document.querySelectorAll(".property-card");
```

```
 let found = false;
```

```
 cards.forEach(function(card) {
```

```
 let cardLocation =
```

```
 card.dataset.location.toLowerCase();
```

```
 let cardPrice =
```

```
 Number(card.dataset.price);
```

```
 let cardType =
```

```
 card.dataset.type;
```



```
let locationMatch =
 location === "" ||
 cardLocation.includes(location);

let priceMatch =
 maxPrice === "" ||
 cardPrice <= Number(maxPrice);

let typeMatch =
 type === "" ||
 cardType === type;

if (locationMatch && priceMatch && typeMatch) {

 card.style.display = "block";

 found = true;

} else {

 card.style.display = "none";

}

});

if (!found) {

 alert(
 "No properties found matching your search criteria."
);
}
```

```
}
```

```
}
```

```
// Save Search Criteria
```

```
function saveSearch() {
```

```
 let searchData = {
```

```
 location:
```

```
 document.getElementById("location").value,
```

```
 maxPrice:
```

```
 document.getElementById("maxPrice").value,
```

```
 propertyType:
```

```
 document.getElementById("propertyType").value,
```

```
 amenity:
```

```
 document.getElementById("amenity").value
```

```
 };
```

```
 localStorage.setItem(
```

```
 "savedSearch",
```

```
 JSON.stringify(searchData)
```

```
);
```

```
 alert(
```

```
 "Your search criteria have been saved successfully!"
);

}
```

```
// Login
function login(event) {

 event.preventDefault();

 let username =
 document.getElementById("username").value;

 let password =
 document.getElementById("password").value;

 localStorage.setItem(
 "username",
 username
);

 localStorage.setItem(
 "password",
 password
);

 document.getElementById(
 "loginMessage"
).innerHTML =
 "Login successful! Welcome, " +
```

```
 username + ".";

 }

// Add Favorite
function addFavorite(property) {

 let favorites =

 JSON.parse(

 localStorage.getItem("favorites")

) || [];

 if (!favorites.includes(property)) {

 favorites.push(property);

 localStorage.setItem(

 "favorites",

 JSON.stringify(favorites)

);

 alert(

 property +

 " added to your favorites!"

);

 } else {

 alert(

 property +
```

```
 " is already in your favorites."
);

}

}

// View Property
function viewProperty(property) {

 alert(
 "You selected: " +
 property +
 "\n\nProperty details will be displayed here."
);

}

// Contact Agent
function contactAgent(agent) {

 alert(
 "You are contacting " +
 agent +
 "\n\nThe agent will contact you shortly."
);

}
```

```
// Advertisement
function advertise() {

 alert(
 "Advertisement request submitted successfully!"
);

}
```

```
// Record customer visit
window.onload = function() {

 let username =
 localStorage.getItem("username");

 if (username) {

 let table =
 document.getElementById(
 "customerTable"
);

 let row =
 table.insertRow();

 row.insertCell(0).innerHTML =
 username;

 row.insertCell(1).innerHTML =
```

"Home Finder Website";

```
row.insertCell(2).innerHTML =
 new Date().toLocaleDateString();
```

```
row.insertCell(3).innerHTML =
 "Visited";
```

```
}
```

```
};
```

```
</script>
```

```
</body>
```

```
</html>
```

OUTPUT:


```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">

 <title>Home Finder - Real Estate Platform</title>

 <style>
 *
 {
 margin: 0;
 padding: 0;
 box-sizing: border-box;
 font-family: Arial, sans-serif;
 }

 body {
 background: #f5f7fa;
 color: #333;
 }

 /* Header */
 header {
 background: #12355b;
 color: white;
 padding: 18px 7%;
 display: flex;
 justify-content: space-between;
 align-items: center;
 position: sticky;
 top: 0;
 }
 </style>
</head>
```



## 12)PROGRAM

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>InsureEasy</title>
```

```
<style>
```

```
 body{
 font-family: Arial;
 margin: 0;
 background: #f2f6f8;
 }
```

```
 header{
 background: #073b4c;
 color: white;
 padding: 20px;
 text-align: center;
 }
```

```
 nav{
 background: #06a77d;
 padding: 12px;
 text-align: center;
 }
```

```
 nav a{
 color: white;
 margin: 15px;
 text-decoration: none;
 }
```

```
 section{
 padding: 30px;
 text-align: center;
```



```
}
```

```
.box {
 background: white;
 padding: 20px;
 margin: 15px auto;
 max-width: 500px;
 border-radius: 10px;
}
```

```
input, select, button {
 padding: 10px;
 margin: 7px;
}
```

```
button {
 background: #06a77d;
 color: white;
 border: none;
 cursor: pointer;
}
```

```
footer {
 background: #073b4c;
 color: white;
 padding: 20px;
 text-align: center;
}
```

```
</style>
```

```
</head>
```

<body>

<header>

<h1>InsureEasy</h1>

<p>Online Insurance Management System</p>

</header>

<nav>

<a href="#home">Home</a>

<a href="#policies">Policies</a>

<a href="#login">Login</a>

<a href="#admin">Admin</a>

<a href="#agent">Agent</a>

<a href="#user">User</a>

</nav>

<section id="home">

<h2>Welcome to InsureEasy</h2>

<p>Compare, purchase and manage your insurance policies easily.</p>

<button onclick="alert('Welcome to InsureEasy!')">

Get Started

</button>

</section>

<section id="policies">

<h2>Insurance Policies</h2>

<div class="box">

<h3>Health Insurance</h3>

<p>Premium: ₹12,000 / Year</p>

<button>Apply Now</button>

</div>

<div class="box">

<h3>Auto Insurance</h3>

<p>Premium: ₹8,000 / Year</p>

<button>Apply Now</button>

</div>

<div class="box">

<h3>Home Insurance</h3>

<p>Premium: ₹15,000 / Year</p>

<button>Apply Now</button>

</div>

</section>

<section id="login">

<h2>User Login</h2>

<div class="box">

<input type="text" placeholder="Username">

<input type="password" placeholder="Password">

<button onclick="login()">Login</button>

</div>

</section>

<section id="admin">

<h2>Admin</h2>

<div class="box">

<p>✓ Approve Agent Login</p>

```
<p>✓ View Agent Details</p>
<button onclick="alert('Agent Approved')">
 Approve Agent
</button>
</div>
</section>
```

```
<section id="agent">
 <h2>Agent</h2>

 <div class="box">
 <p>✓ Register</p>
 <p>✓ Create Customer</p>
 <p>✓ Manage Customer Details</p>
 <p>✓ Manage Policy Details</p>

 <button onclick="alert('Customer Created')">
 Create Customer
 </button>
 </div>
</section>
```

```
<section id="user">
 <h2>User Dashboard</h2>

 <div class="box">
 <p>✓ Manage Policy Details</p>
 <p>✓ View Premium</p>
 <p>✓ Receive SMS Alerts</p>
```

```

 <button onclick="alert('SMS Alert Sent')">
 Send SMS Alert
 </button>
 </div>
</section>

<footer>
 <p>© 2026 InsureEasy | Online Insurance Management System</p>
</footer>

<script>
 function login() {
 alert("Login Successful!");
 }
</script>

</body>
</html>


```

OUTPUT:

```

1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>InsureEasy</title>
5
6 <style>
7 body {
8 font-family: Arial;
9 margin: 0;
10 background: #f2f6f8;
11 }
12
13 header {
14 background: #073b4c;
15 color: white;
16 padding: 20px;
17 text-align: center;
18 }
19
20 nav {
21 background: #06a77d;
22 padding: 12px;
23 text-align: center;
24 }
25
26 nav a {
27 color: white;
28 margin: 15px;
29 text-decoration: none;
30 }
31

```



### 13)PROGRAM

```
<!DOCTYPE html>
```

```
<html>

<head>

 <title>BlossomGifts</title>

<style>

 body{

 font-family: Arial;

 margin: 0;

 background: #fff5f7;

 }

 header {

 background: #d6336c;

 color: white;

 text-align: center;

 padding: 20px;

 }

 nav {

 background: #ff8fab;

 padding: 12px;

 text-align: center;

 }

 nav a {

 color: white;

 margin: 15px;

 text-decoration: none;

 }

 section {
```

```
padding: 25px;
text-align: center;
}
```

```
.box {
 background: white;
 display: inline-block;
 width: 220px;
 padding: 20px;
 margin: 10px;
 border-radius: 10px;
 box-shadow: 0 2px 8px #ccc;
}
```

```
button {
 background: #d6336c;
 color: white;
 border: none;
 padding: 10px 20px;
 cursor: pointer;
}
```

```
footer {
 background: #d6336c;
 color: white;
 text-align: center;
 padding: 20px;
}
```

```
</style>
</head>
```

<body>

<header>

<h1> 🌸 BlossomGifts</h1>

<p>Flowers and Gifts for Every Occasion</p>

</header>

<nav>

<a href="#home">Home</a>

<a href="#categories">Categories</a>

<a href="#products">Products</a>

<a href="#cart">Cart</a>

<a href="#login">Login</a>

</nav>

<section id="home">

<h2>Welcome to BlossomGifts</h2>

<p>Send beautiful flowers and thoughtful gifts to your loved ones.</p>

<button onclick="alert('Welcome to BlossomGifts!')">

Shop Now

</button>

</section>

<section id="categories">

<h2>Categories</h2>

<div class="box">

<h3> 🌹 Flowers</h3>

<p>Roses, Lilies, Bouquets</p>

</div>



```
<div class="box">
```

```
 <h3>🎁 Gifts</h3>
```

```
 <p>Gift Baskets and Personalized Gifts</p>
```

```
</div>
```

```
<div class="box">
```

```
 <h3>🎂 Occasions</h3>
```

```
 <p>Birthday, Anniversary, Wedding</p>
```

```
</div>
```

```
</section>
```

```
<section id="products">
```

```
 <h2>Popular Products</h2>
```

```
 <div class="box">
```

```
 <h3>Rose Bouquet</h3>
```

```
 <p>Price: ₹999</p>
```

```
 <button onclick="addCart('Rose Bouquet')">
```

```
 Add to Cart
```

```
 </button>
```

```
 </div>
```

```
 <div class="box">
```

```
 <h3>Gift Basket</h3>
```

```
 <p>Price: ₹1499</p>
```

```
 <button onclick="addCart('Gift Basket')">
```

```
 Add to Cart
```

```
 </button>
```

```
 </div>
```

```
<div class="box">
```

```
<h3>Birthday Gift</h3>

<p>Price: ₹799</p>

<button onclick="addCart('Birthday Gift')">
 Add to Cart
</button>
</div>
</section>

<section id="cart">
 <h2>Shopping Cart</h2>
 <p id="cartItems">Your cart is empty.</p>

 <button onclick="checkout()">
 Checkout
 </button>
</section>

<section id="login">
 <h2>Customer Login</h2>

 <input type="text" placeholder="Username">
 <input type="password" placeholder="Password">

 <button onclick="login()">
 Login
 </button>
</section>

<section>
 <h2>Admin Panel</h2>
```

<p>✓ Add Items</p>

<p>✓ Remove Items</p>

<p>✓ Modify Item Prices</p>

<p>✓ Manage Inventory</p>

<p>✓ View Customer Information</p>

<p>✓ View Order Summary</p>

<button onclick="alert('Admin Panel Opened')">

Manage Website

</button>

</section>

<footer>

<p>© 2026 BlossomGifts</p>

<p>Flowers and Gifts Delivered With Love 🌸🌿 </p>

</footer>

<script>

let cart = [];

function addCart(item) {

cart.push(item);

document.getElementById("cartItems").innerHTML =

cart.join("<br>");

alert(item + " added to cart!");

}



```
font-family: Arial;
margin: 0;
background: #f2f7f2;
}
```

```
header {
 background: #2e7d32;
 color: white;
 text-align: center;
 padding: 20px;
}
```

```
nav {
 background: #66bb6a;
 padding: 12px;
 text-align: center;
}
```

```
nav a {
 color: white;
 margin: 15px;
 text-decoration: none;
}
```

```
section {
 padding: 25px;
 text-align: center;
}
```

```
.box {
 background: white;
```

```
display: inline-block;

width: 220px;

padding: 20px;

margin: 10px;

border-radius: 10px;

box-shadow: 0 2px 8px #ccc;

}
```

```
button {

background: #2e7d32;

color: white;

border: none;

padding: 10px 20px;

margin: 5px;

cursor: pointer;

}
```

```
footer {

background: #2e7d32;

color: white;

text-align: center;

padding: 20px;

}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<header>
```

```
<h1>  ReNewMarket</h1>
```

```
<p>Buy and Sell Pre-Owned Products</p>
```

</header>

<nav>

<a href="#home">Home</a>

<a href="#categories">Categories</a>

<a href="#products">Products</a>

<a href="#login">Login</a>

<a href="#admin">Admin</a>

</nav>

<section id="home">

<h2>Welcome to ReNewMarket</h2>

<p>Buy and sell quality second-hand goods easily.</p>

<input type="text" placeholder="Search products">

<button onclick="search()">Search</button>

</section>

<section id="categories">

<h2>Categories</h2>

<div class="box">

<h3>📺 Electronics</h3>

<p>Mobiles, Laptops and TVs</p>

</div>

<div class="box">

<h3>🪑 Furniture</h3>

<p>Tables, Chairs and Sofas</p>

</div>

```
<div class="box">

 <h3>👕 Clothing</h3>

 <p>New and Used Clothes</p>

</div>

</section>
```

```
<section id="products">

 <h2>Available Products</h2>
```

```
 <div class="box">

 <h3>Used Laptop</h3>

 <p>Price: ₹25,000</p>

 <button onclick="buy('Used Laptop')">

 Buy Now

 </button>

 </div>
```

```
 <div class="box">

 <h3>Second-Hand Sofa</h3>

 <p>Price: ₹8,000</p>

 <button onclick="buy('Second-Hand Sofa')">

 Buy Now

 </button>

 </div>
```

```
 <div class="box">

 <h3>Used Mobile</h3>

 <p>Price: ₹12,000</p>

 <button onclick="buy('Used Mobile')">

 Buy Now

 </button>
```



</div>

</section>

<section id="login">

<h2>User Login</h2>

<input type="text" placeholder="Username">

<input type="password" placeholder="Password">

<button onclick="login()">Login</button>

</section>

<section id="admin">

<h2>Admin Management</h2>

<div class="box">

<h3>User Management</h3>

<p>✓ Add User</p>

<p>✓ Edit User</p>

<p>✓ Delete User</p>

</div>

<div class="box">

<h3>Category Management</h3>

<p>✓ Add Category</p>

<p>✓ Delete Category</p>

</div>

<div class="box">

<h3>Commodity Management</h3>

<p>✓ Edit Commodity</p>

<p>✓ Delete Commodity</p>

</div>

<div class="box">

<h3>Order Management</h3>

<p>✓ Shipped / Received</p>

<p>✓ Delete Order</p>

</div>

</section>

<footer>

<p>© 2026 ReNewMarket</p>

<p>♻️ Buy Used. Sell Smart. Save the Planet.</p>

</footer>

<script>

function login() {

    alert("Login Successful!");

}

function search() {

    alert("Searching for products...");

}

function buy(item) {

    alert(item + " order placed successfully!");


}

</script>

</body>

</html>

OUTPUT:



## 15)PROGRAM

<!DOCTYPE html>

<html>

<head>

<title>EasyToll</title>

<style>

body{

font-family: Arial;

margin: 0;

background: #f2f5f7;

}

header{

background: #1565c0;

color: white;

text-align: center;

padding: 20px;

```
}
```

```
nav{
 background: #42a5f5;
 padding: 12px;
 text-align: center;
}
```

```
nav a {
 color: white;
 margin: 15px;
 text-decoration: none;
}
```

```
section {
 padding: 25px;
 text-align: center;
}
```

```
.box {
 background: white;
 display: inline-block;
 width: 220px;
 padding: 20px;
 margin: 10px;
 border-radius: 10px;
 box-shadow: 0 2px 8px #ccc;
}
```

```
input, button {
 padding: 10px;
```

```
margin: 5px;
}
```

```
button {
 background: #1565c0;
 color: white;
 border: none;
 cursor: pointer;
}
```

```
footer {
 background: #1565c0;
 color: white;
 text-align: center;
 padding: 20px;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<header>
```

```
<h1> 🚗 EasyToll</h1>
```

```
<p>Easy Online Toll Payment System</p>
```

```
</header>
```

```
<nav>
```

```
Home
```

```
User
```

```
Admin
```

```
Toll Gate
```

```
Login
</nav>
```

```
<section id="home">
 <h2>Welcome to EasyToll</h2>
 <p>Pay your toll in advance and travel without waiting.</p>
```

```
 <button onclick="alert('Welcome to EasyToll!')">
 Get Started
 </button>
</section>
```

```
<section id="login">
 <h2>User Login</h2>
```

```
 <div class="box">
 <input type="text" placeholder="Username">
 <input type="password" placeholder="Password">
```

```
 <button onclick="login()">
 Login
 </button>
```

```
 <button onclick="register()">
 Register
 </button>
```

```
 </div>
</section>
```

```
<section id="user">
 <h2>User Services</h2>
```

```
<div class="box">

 <h3> 💰 e-Wallet</h3>

 <button onclick="addMoney()">

 Add Money

 </button>

</div>
```

```
<div class="box">

 <h3> 🎫 Toll Ticket</h3>

 <button onclick="buyTicket()">

 Buy Toll Ticket

 </button>

</div>
```

```
<div class="box">

 <h3> 📄 Toll Pass</h3>

 <button onclick="applyPass()">

 Apply Toll Pass

 </button>

</div>
```

```
<div class="box">

 <h3> 🔄 Renewal</h3>

 <button onclick="renewPass()">

 Renew Toll Pass

 </button>

</div>
```

```
<div class="box">

 <h3> 📱 QR Code</h3>
```

```
<button onclick="getQR()">
 Get QR Code
</button>
</div>
</section>

<section id="admin">
 <h2>Admin Panel</h2>

 <div class="box">
 <h3>Admin Management</h3>

 <p>✓ Manage User & Toll Pass</p>
 <p>✓ Manage Toll Login</p>
 <p>✓ Approve Toll Pass</p>
 <p>✓ Generate QR Code</p>
 <p>✓ Create Toll Details</p>

 <button onclick="alert('Admin Panel Opened')">
 Manage
 </button>
 </div>
</section>

<section id="toll">
 <h2>Toll Gate User</h2>

 <div class="box">
 <h3>Scan QR</h3>

 <input type="text">
```



placeholder="Enter Toll Pass ID">

<button onclick="verifyPass()">

Verify Toll Pass

</button>

<p>✓ Verify Toll Pass ID</p>

<p>✓ Verify Toll Ticket</p>

<p>✓ Update Toll Location</p>

</div>

</section>

<footer>

<p>© 2026 EasyToll</p>

<p> 🚗 Fast, Secure and Easy Toll Payments</p>

</footer>

<script>

function login() {

    alert("Login Successful!");

}

function register() {

    alert("Registration Successful!");

}

function addMoney() {

    alert("Money added to e-Wallet!");

}

```
function buyTicket() {
 alert("Toll Ticket Purchased!");
}
```

```
function applyPass() {
 alert("Toll Pass Application Submitted!");
}
```

```
function renewPass() {
 alert("Toll Pass Renewed!");
}
```

```
function getQR() {
 alert("QR Code Generated!");
}
```

```
function verifyPass() {
 alert("Toll Pass Verified Successfully!");
}
```

```
</script>
```

```
</body>
```

```
</html>
```

OUTPUT:

```
5 function register() {
7 | alert("Registration Successful!");
8 }
9
10 function addMoney() {
11 | alert("Money added to e-Wallet!");
12 }
13
14 function buyTicket() {
15 | alert("Toll Ticket Purchased!");
16 }
17
18 function applyPass() {
19 | alert("Toll Pass Application Submitted!");
20 }
21
22 function renewPass() {
23 | alert("Toll Pass Renewed!");
24 }
25
26 function getQR() {
27 | alert("QR Code Generated!");
28 }
29
30 function verifyPass() {
31 | alert("Toll Pass Verified Successfully!");
32 }
33
34 </script>
35 </body>
```

 **EasyToll**

Easy Online Toll Payment System

[Home](#) [User](#) [Admin](#) [Toll Gate](#) [Login](#)

## Welcome to EasyToll

Pay your toll in advance and travel without waiting.

Get Started

## User Login

Username

Password