



aws
Search
[Alt+S]
Asia Pacific (Mumbai)
Phanindra1815 (695496430449)
Phanindra1815
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Instances (1/4) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
Ansible-master i-097cab3209a81a52d Running t3.small Initializing ap-south-1b ec2-65-0-109-196.ap-s...
Ansible i-096af0d26a4225161 Running t3.small Initializing ap-south-1b ec2-3-111-57-136.ap-s...
Ansible i-002f950ee9f7b506d Running t3.small Initializing ap-south-1b ec2-13-233-103-20.ap-...
Ansible i-02ee821dc1eac83d2 Running t3.small Initializing ap-south-1b ec2-15-252-164-78.ap-...
i-097cab3209a81a52d (Ansible-master)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
i-097cab3209a81a52d
Public IPv4 address
65.0.109.196 | open address
Private IPv4 addresses
172.31.1.240
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Pageant Key List
RSA 2048 SHA256:HOMHk3AGrM3eblCBsVlYVQQPplAy5vifVw95bf2nu3Q ansible-key
Fingerprint type:
SHA256
Add Key
Add Key (encrypted)
Re-encrypt
Remove
Help
Close


ubuntu@ip-172-31-1-240: ~
System load: 0.07 Temperature: -273.1 C
Usage of /: 9.0% of 27.95GB Processes: 123
Memory usage: 17% Users logged in: 0
Swap usage: 0% IPv4 address for ens5: 172.31.1.240
Expanded Security Maintenance for Applications is not enabled.
22 updates can be applied immediately.
9 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable
1 additional security update can be applied with ESM Apps.
Learn more about enabling ESM Apps service at https://ubuntu.com/esm
The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.
Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.
ubuntu@ip-172-31-1-240:~$

```
[WARNING]: Host '172.31.13.92' is using the discovered Python interpreter at '/u
sr/bin/python3.14', but future installation of another Python interpreter could
cause a different interpreter to be discovered. See https://docs.ansible.com/ans
ible-core/2.20/reference_appendices/interpreter_discovery.html for more informat
ion.
172.31.13.92 | SUCCESS => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.14"
    },
    "changed": false,
    "ping": "pong"
}
[WARNING]: Host '13.233.103.20' is using the discovered Python interpreter at '/
usr/bin/python3.14', but future installation of another Python interpreter could
 cause a different interpreter to be discovered. See https://docs.ansible.com/an
sible-core/2.20/reference_appendices/interpreter_discovery.html for more informa
tion.
13.233.103.20 | SUCCESS => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.14"
    },
    "changed": false,
    "ping": "pong"
}
[WARNING]: Host '172.31.3.68' is using the discovered Python interpreter at '/us
r/bin/python3.14', but future installation of another Python interpreter could c
ause a different interpreter to be discovered. See https://docs.ansible.com/ansi
ble-core/2.20/reference_appendices/interpreter_discovery.html for more informati
on.
172.31.3.68 | SUCCESS => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.14"
    },
    "changed": false,
    "ping": "pong"
}
ubuntu@ip-172-31-1-240:~$
```

```
ubuntu@ip-172-31-1-240:~$ ansible all -i slaves.txt -a "uname -a"
[WARNING]: log file at '/var/log/ansible.log' is not writeable and we cannot create it, aborting

13.233.103.20 | CHANGED | rc=0 >>
Linux ip-172-31-15-146 7.0.0-1014-aws #14-Ubuntu SMP PREEMPT Thu Sep 17 19:08:36 UTC 2026 x86_64 GNU/Linux
172.31.13.92 | CHANGED | rc=0 >>
Linux ip-172-31-13-92 7.0.0-1014-aws #14-Ubuntu SMP PREEMPT Thu Sep 17 19:08:36 UTC 2026 x86_64 GNU/Linux
172.31.3.68 | CHANGED | rc=0 >>
Linux ip-172-31-3-68 7.0.0-1014-aws #14-Ubuntu SMP PREEMPT Thu Sep 17 19:08:36 UTC 2026 x86_64 GNU/Linux
ubuntu@ip-172-31-1-240:~$ ansible all -i slaves.txt -a "uptime"
[WARNING]: log file at '/var/log/ansible.log' is not writeable and we cannot create it, aborting

172.31.3.68 | CHANGED | rc=0 >>
 17:35:57 up 22 min,  1 user,  load average: 0.00, 0.00, 0.00
13.233.103.20 | CHANGED | rc=0 >>
 17:35:57 up 22 min,  1 user,  load average: 0.00, 0.00, 0.00
172.31.13.92 | CHANGED | rc=0 >>
 17:35:57 up 22 min,  1 user,  load average: 0.00, 0.00, 0.00
ubuntu@ip-172-31-1-240:~$
```

```
ubuntu@ip-172-31-1-240:~$ ansible nginx -i slaves.txt -m ping
[WARNING]: log file at '/var/log/ansible.log' is not writeable and we cannot create it, aborting

172.31.13.92 | SUCCESS => {
    "changed": false,
    "ping": "pong"
}
ubuntu@ip-172-31-1-240:~$
```

```
ubuntu@ip-172-31-1-240:~$ ansible nginx -i slaves.txt -m apt -a "name=nginx state=present update_cache=yes" -b
[WARNING]: log file at '/var/log/ansible.log' is not writeable and we cannot create it, aborting

172.31.13.92 | CHANGED => {
    "cache_update_time": 1793036460,
    "cache_updated": true,
    "changed": true,
    "stderr": "\nRunning kernel seems to be up-to-date.\n\nNo services need to be restarted.\n\nNo containers need to be restarted.\n\nNo user sessions are running outdated binaries.\n\nNo
VM guests are running outdated hypervisor (qemu) binaries on this host.\n",
    "stderr_lines": [
        "",
        "Running kernel seems to be up-to-date.",
        "",
        "No services need to be restarted.",
        "",
        "No containers need to be restarted.",
        "",
        "No user sessions are running outdated binaries.",
        "",
        "No VM guests are running outdated hypervisor (qemu) binaries on this host."
    ],
    "stdout": "Reading package lists...\nBuilding dependency tree...\nReading state information...\nSolving dependencies...\nThe following additional packages will be installed:\n  nginx-co
mmon\nSuggested packages:\n  fcgiwrap nginx-doc ssl-cert\nThe following NEW packages will be installed:\n  nginx nginx-common\n0 upgraded, 2 newly installed, 0 to remove and 24 not upgraded
.\nNeed to get 666 kB of archives.\nAfter this operation, 1880 kB of additional disk space will be used.\nGet:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/main amd64v3
 nginx-common all 1.28.3-2ubuntu1.11 [37.9 kB]\nGet:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/main amd64v3 nginx amd64 1.28.3-2ubuntu1.11 [628 kB]\nPreconfiguring p
ackages ...\nFetched 666 kB in 0s (26.3 MB/s)\nSelecting previously unselected package nginx-common.\r\n(Reading database ... \r(Reading database ... 5%\r(Reading database ... 10%\r(Reading
 database ... 15%\r(Reading database ... 20%\r(Reading database ... 25%\r(Reading database ... 30%\r(Reading database ... 35%\r(Reading database ... 40%\r(Reading database ... 45%\r(Reading
 database ... 50%\r(Reading database ... 55%\r(Reading database ... 60%\r(Reading database ... 65%\r(Reading database ... 70%\r(Reading database ... 75%\r(Reading database ... 80%\r(Reading
 database ... 85%\r(Reading database ... 90%\r(Reading database ... 95%\r(Reading database ... 100%\r(Reading database ... 92501 files and directories currently installed.)\r\nPreparing to
unpack .../nginx-common_1.28.3-2ubuntu1.11_all.deb ...\r\nUnpacking nginx-common (1.28.3-2ubuntu1.11) ...\r\nSelecting previously unselected package nginx.\r\nPreparing to unpack .../nginx_
1.28.3-2ubuntu1.11_amd64v3.deb ...\r\nUnpacking nginx (1.28.3-2ubuntu1.11) ...\r\nSetting up nginx-common (1.28.3-2ubuntu1.11) ...\r\nCreated symlink '/etc/systemd/system/multi-user.target.
wants/nginx.service' → '/usr/lib/systemd/system/nginx.service'.\r\r\nSetting up nginx (1.28.3-2ubuntu1.11) ...\r\n * Upgrading binary nginx\r\n   ...done.\r\nProcessing triggers for man-db
(2.13.1-1build1) ...\r\nProcessing triggers for ufw (0.36.2-9build1) ...\r\n",
    "stdout_lines": [
        "Reading package lists...",
        "Building dependency tree...",
        "Reading state information...",
        "Solving dependencies...",
        "The following additional packages will be installed:",
        "  nginx-common",
        "Suggested packages:",
        "  fcgiwrap nginx-doc ssl-cert",
```

```
ubuntu@ip-172-31-1-240:~$ ansible nginx -i slaves.txt -m service -a "name=nginx state=started" -b
[WARNING]: log file at '/var/log/ansible.log' is not writeable and we cannot create it, aborting

172.31.13.92 | SUCCESS => {
    "changed": false,
    "name": "nginx",
    "state": "started",
    "status": {
        "ActiveEnterTimestamp": "Mon 2026-10-26 17:41:03 UTC",
        "ActiveEnterTimestampMonotonic": "1646182957",
        "ActiveExitTimestampMonotonic": "0",
        "ActiveState": "active",
        "After": "systemd-journald.socket network-online.target remote-fs.target basic.target sysinit.target nss-lookup.target system.slice",
        "AllowIsolate": "no",
        "AssertResult": "yes",
        "AssertTimestamp": "Mon 2026-10-26 17:41:03 UTC",
        "AssertTimestampMonotonic": "1646149729",
        "Before": "shutdown.target multi-user.target",
        "BindLogSockets": "no",
        "CPUAffinityFromNUMA": "no",
        "CPUQuotaPerSecUSec": "infinity",
        "CPUQuotaPeriodUSec": "infinity",
        "CPUSchedulingPolicy": "0",
        "CPUSchedulingPriority": "0",
        "CPUSchedulingResetOnFork": "no",
        "CPUUsageNSec": "44494000",
        "CPUWeight": "[not set]",
        "CacheDirectoryAccounting": "no",
        "CacheDirectoryMode": "0755",
        "CacheDirectoryQuota": "[not set]",
        "CanFreeze": "yes",
        "CanIsolate": "no",
        "CanLiveMount": "no",
        "CanReload": "yes",
        "CanStart": "yes",
        "CanStop": "yes",
        "CapabilityBoundingSet": "cap_chown cap_dac_override cap_dac_read_search cap_fowner cap_fsetid cap_kill cap_setgid cap_setuid cap_setpcap cap_linux_immutable cap_net_bind_service ca
p_net_broadcast cap_net_admin cap_net_raw cap_ipc_lock cap_ipc_owner cap_sys_module cap_sys_rawio cap_sys_chroot cap_sys_ptrace cap_sys_pacct cap_sys_admin cap_sys_boot cap_sys_nice cap_sys
_resource cap_sys_time cap_sys_tty_config cap_mknod cap_lease cap_audit_write cap_audit_control cap_setfcap cap_mac_override cap_mac_admin cap_syslog cap_wake_alarm cap_block_suspend cap_au
dit_read cap_perfmon cap_bpf cap_checkpoint_restore",
        "CleanResult": "success",
        "CollectMode": "inactive",
        "ConditionResult": "yes",
        "ConditionTimestamp": "Mon 2026-10-26 17:41:03 UTC",
        "ConditionTimestampMonotonic": "1646149722",
```

```
ubuntu@ip-172-31-1-240:~$ openssl passwd -6
Password:
Verifying - Password:
$6$7ymGlDWORa1wmOki$h/z4YLtxYjXvrgTYV.2UFN05wgXyNknZJYokcvDDDMBg/GiZ3yEQb/htqEEdl93NqXWgZHku/QLd0z0H0.zHBl
ubuntu@ip-172-31-1-240:~$ ^C
ubuntu@ip-172-31-1-240:~$ ansible all -i slaves.txt -m user -a "name=phanindra password='$6$7ymGlDWORa1wmOki$h/z4YLtxYjXvrgTYV.2UFN05wgXyNknZJYokcvDDDMBg/GiZ3yEQb/htqEEdl93NqXWgZHku/QLd0z0H
0.zHBl' state=present" -b
[WARNING]: log file at '/var/log/ansible.log' is not writeable and we cannot create it, aborting

[WARNING]: Host '172.31.13.92' is using the discovered Python interpreter at '/usr/bin/python3.14', but future installation of another Python interpreter could cause a different interpreter
 to be discovered. See https://docs.ansible.com/ansible-core/2.20/reference_appendices/interpreter_discovery.html for more information.
[WARNING]: The input password appears not to have been hashed. The 'password' argument must be encrypted for this module to work properly.
172.31.13.92 | CHANGED => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.14"
    },
    "changed": true,
    "comment": "",
    "create_home": true,
    "group": 1001,
    "home": "/home/phanindra",
    "name": "phanindra",
    "password": "NOT_LOGGING_PASSWORD",
    "shell": "/bin/sh",
    "state": "present",
    "system": false,
    "uid": 1001
}
[WARNING]: Host '172.31.3.68' is using the discovered Python interpreter at '/usr/bin/python3.14', but future installation of another Python interpreter could cause a different interpreter
to be discovered. See https://docs.ansible.com/ansible-core/2.20/reference_appendices/interpreter_discovery.html for more information.
172.31.3.68 | CHANGED => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.14"
    },
    "changed": true,
    "comment": "",
    "create_home": true,
    "group": 1001,
    "home": "/home/phanindra",
    "name": "phanindra",
    "password": "NOT_LOGGING_PASSWORD",
```