



DC-EDGE

DC-EDGE(config)#int e0/0
DC-EDGE(config-if)#ip add 192.168.1.10
DC-EDGE(config-if)#no sh
DC-EDGE(config-if)#ex
DC-EDGE(config)#int e0/1
DC-EDGE(config-if)#ip add 30.0.0.2
DC-EDGE(config-if)#no sh
DC-EDGE(config-if)#ex
DC-EDGE(config)#ip route 0.0.0.0 0
DC-EDGE(config)#int e0/0
DC-EDGE(config-if)#ip nat inside
DC-EDGE(config-if)#ex
DC-EDGE(config)#
*Sep 22 14:58:24.002: %LINEPROTO-5-
ged state to up
DC-EDGE(config)#int e0/1
DC-EDGE(config-if)#ip nat outside
DC-EDGE(config-if)#ex
DC-EDGE(config)#ip nat inside sour
DC-EDGE(config)#ip nat inside sour
DC-EDGE(config)#
*Sep 22 15:00:49.061: %PNP-6-PNP_D
g Wizard)
DC-EDGE(config)#

QEMU (Win2)

Found New Hardware Wizard

Welcome to the Found New Hardware Wizard
Windows will search for current and updated software by looking on your computer, on the hardware installation CD, or on the Windows Update Web site (with your permission).

C:\WINDOWS\system32\cmd.exe

Pinging 30.0.0.10 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.
Ping statistics for 30.0.0.10:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
C:\Documents and Settings\User>ping 30.0.0.11
Pinging 30.0.0.11 with 32 bytes of data:
Reply from 30.0.0.11: bytes=32 time=3005ms TTL=61
Reply from 30.0.0.11: bytes=32 time=3004ms TTL=61
Reply from 30.0.0.11: bytes=32 time=3004ms TTL=61
Reply from 30.0.0.11: bytes=32 time=3004ms TTL=61
Ping statistics for 30.0.0.11:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 3004ms, Maximum = 3005ms, Average = 3004ms
C:\Documents and Settings\User>

Notifications

192.168.1.10

eth0

VPC1

192.168.1.20

eth0

VPC2

NAT

Physical

01 : 00 : 00

START

→ labs.surennetwork.com/legacy/topology

Notifications

DC-EDGE

DC-EDGE (config)#int e0/0
DC-EDGE (config-if)#ip add 192.168.1.1
DC-EDGE (config-if)#no sh
DC-EDGE (config-if)#ex
DC-EDGE (config)#int e0/1
DC-EDGE (config-if)#ip add 30.0.0.2
DC-EDGE (config-if)#no sh
DC-EDGE (config)#ip route 0.0.0.0 0.0.0.0 e0/0
DC-EDGE (config-if)#ip nat inside
DC-EDGE (config-if)#ex
DC-EDGE (config)#
*Sep 22 14:58:24.002: %LINEPROTO-5: L...
ged state to up
DC-EDGE (config)#int e0/1
DC-EDGE (config-if)#ip nat outside
DC-EDGE (config-if)#ex
DC-EDGE (config)#ip nat inside sour...
DC-EDGE (config)#ip nat inside sour...
DC-EDGE (config)#
*Sep 22 15:00:49.061: %PNP-6-PNP_D...
g Wizard)
DC-EDGE (config)#

QEMU (Win1)

My Documents
My Computer
My Network Places
Recycle Bin
Internet Explorer
Cisco ASDM-1...
Old Java ASDM
PUTTY
Tftp32

C:\WINDOWS\system32\cmd.exe

Request timed out.
Request timed out.
Ping statistics for 30.0.0.10:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
C:\Documents and Settings\User>
C:\Documents and Settings\User>
C:\Documents and Settings\User>
C:\Documents and Settings\User>ping 30.0.0.11
Pinging 30.0.0.11 with 32 bytes of data:
Reply from 30.0.0.11: bytes=32 time=3004ms TTL=61
Reply from 30.0.0.11: bytes=32 time=3004ms TTL=61
Reply from 30.0.0.11: bytes=32 time=3004ms TTL=61
Reply from 30.0.0.11: bytes=32 time=3004ms TTL=61
Ping statistics for 30.0.0.11:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 3004ms, Maximum = 3006ms, Average = 3004ms
C:\Documents and Settings\User>

Start C:\WINDOWS\system...

192.168.1.10
eth0 VPC1

192.168.1.20
eth0 VPC2

Physical 01 : 00 : 00 START