

The screenshot shows the Snowflake web interface. On the left, there's a sidebar with navigation links like 'Work with data' (Projects, Ingestion, Transformation, AI & ML, Monitoring, Marketplace), 'Horizon Catalog' (Catalog, Data sharing, Governance & security), and 'Manage'. A promotional banner for a free trial with '\$396 credits left' and an 'Upgrade' button is also visible. The main area shows a list of databases: BANKING_DB, BRONZE, INFORMATION_SCHEMA, PUBLIC, SKYFLY_DB, SNOWFLAKE, SNOWFLAKE_LEARNING_DB, SNOWFLAKE_SAMPLE_DATA, and USER\$AUSTINABRAHAM49. A specific database, BANKING_DB.BRONZE, is selected, and a query editor window is open over the details. The query is:

```
raw_data:op::STRING as operation_type,  
raw_data:source:db::STRING as source_db  
FROM TRANSACTIONS
```

The query editor shows the results of the query, which is a list of 12 rows with columns: ID, operation_type, source_db, and amount_code. The data is as follows:

ID	operation_type	source_db	amount_code
2	3002	856	RZ0=
3	3003	856	AQoR
4	3004	856	AS8=
5	3005	856	AK74
6	3006	856	R2I=
7	3007	856	AJvP
8	3008	856	HdA=
9	3009	856	GW8=
10	3010	856	F+s=
11	3011	856	AWvm
12	3012	856	AVoi

Ask Copilot