



MINISTRY OF HEALTH

WEEKLY TRACER AVAILABILITY REPORT

REPORT PERIOD:
2nd-7th March 2026

Prepared By:
Zanga Musakuzi
Principal Pharmacist - Data Analyst

2026

National Overview


For the week ending 8 March 2026, all 10 provinces and 116 districts submitted their weekly tracer summaries, representing 100% provincial reporting and 100% district reporting coverage. Compared to the previous reporting week ending 28 February 2026, district reporting remained stable at 116 districts, while the average Months of Stock (MOS) remained unchanged at 3.3 months. National availability, however, improved from 82.9% to 85.6%, indicating a modest improvement in tracer commodity availability across facilities.

At national level, the average availability of tracer commodities stood at 85.6%, while the overall average MOS remained at 3.3 months, suggesting that tracer commodities, on average, continue to remain within the acceptable stock coverage range. The improvement in availability indicates that recent resupply and redistribution efforts may have contributed to strengthening commodity availability at facility level, although localized imbalances persist.

Analysis of stock status shows that approximately 20% of tracer commodities were stocked within the recommended 2–4 months range. However, about 25% remained understocked (0.5–2 MOS), indicating that a significant proportion of commodities continue to operate with limited buffer stock. In addition, approximately 11% of commodities were at emergency levels (≤ 0.5 MOS), while 14% were stocked out, highlighting areas where urgent follow-up and resupply may be required to prevent service disruptions.

On the higher end of stock levels, approximately 20% of commodities were overstocked within the 4–12 month range, while about 10% exceeded 12 months of stock, indicating opportunities for targeted redistribution to prevent potential expiries and reduce stock imbalances across districts.

At the provincial level, North-Western Province continued to record the highest average MOS, reflecting relatively stronger stock coverage. In contrast, Western Province recorded the lowest MOS, followed closely by Copperbelt Province, suggesting increased supply pressure and a higher risk of stock-outs in these areas. These disparities reinforce the need for targeted redistribution, strengthened supervision, and continued monitoring of tracer commodities to maintain stable national availability.



PROVINCES

A. IMBALANCES


The proportion of tracer commodities stocked according to plan (2–4 months of stock) across provinces ranged from approximately 16% in Copperbelt Province to about 25% in Central Province, which recorded the highest proportion of commodities within the recommended stock range. Other provinces with relatively stronger stock balance included Eastern Province (23%) and Muchinga Province (22%), while Western, Southern and Lusaka Provinces each recorded around 17%, indicating comparatively lower proportions of commodities within the optimal stock range.

Understocking (0.5–2 months of stock) remained one of the most prominent imbalance patterns across provinces. Western Province recorded the highest proportion of understocked commodities at approximately 33%, followed by Eastern Province (32%), while Luapula and Northern Provinces each recorded about 26%, reflecting continued supply pressure at facility level.

Stock-out levels also remained notable across several provinces. Lusaka Province recorded the highest proportion of stock-outs at around 32%, followed by North-Western Province (22%), highlighting persistent supply challenges and the need for targeted follow-up and redistribution to maintain service continuity.

At the upper end of stock levels, overstocking above 12 months of stock remained concentrated in a few provinces, with North-Western Province recording the highest proportion at approximately 16%, followed by Southern and Central Provinces at around 12% each. Moderate overstock levels (4–12 months of stock) were also observed in Muchinga Province (25%), Central Province (24%), and North-Western Province (23%), indicating opportunities for redistribution to provinces and districts experiencing understocking and stock-outs.

At the national level, approximately 18.7% of tracer commodities were stocked according to plan (2–4 MOS). However, 26.1% remained understocked, while 16.0% were stocked out and 10.7% had reached emergency stock levels (≤ 0.5 MOS), reflecting continued supply pressure across several commodity groups. Conversely, 17.8% of commodities were overstocked within the 4–12 month range, while 10.7% exceeded 12 months of stock, highlighting opportunities for redistribution to improve overall stock balance and minimise the risk of expiries




B. PROVINCIAL TRACER AVAILABILITY

Across the ten reporting provinces, the average Months of Stock (MOS) ranged from 2.8 to 4.2 months, while average availability ranged from 82.2% in Lusaka Province to 91.2% in Central Province, indicating continued variation in stock adequacy and tracer commodity availability across provinces.

North-Western and Central Provinces recorded the highest stock coverage, with MOS levels of 4.2 and 4.0 months respectively, reflecting relatively stronger tracer commodity availability. In contrast, Western Province recorded the lowest MOS at 2.8 months, followed by Copperbelt Province at 2.9 months and Eastern Province at 3.0 months, indicating comparatively lower stock coverage and highlighting provinces where closer monitoring and targeted redistribution may be required to maintain stable tracer availability.

Compared to the previous reporting week, provincial tracer performance remained generally stable, with only minor variations in stock coverage. North-Western Province continued to record the highest MOS, increasing slightly to 4.2 months, while Western Province remained the lowest at 2.8 months. Most provinces-maintained MOS levels within the acceptable buffer range of approximately three months, indicating that tracer commodity supply remains relatively stable at provincial level.

Overall, the pattern of stock distribution remains broadly similar across provinces. North-Western and Central Provinces continue to maintain relatively stronger stock coverage, while Western, Copperbelt and Lusaka Provinces show comparatively lower MOS levels, reinforcing the need for continued monitoring, supportive supervision, and targeted redistribution to ensure balanced tracer commodity availability across the country.




C. FACILITY LEVELS AND DEPARTMENT PERFORMANCE

Analysis of tracer commodity availability across facility types and specialized service departments shows notable variation in stock coverage. Level 3 Adult Hospitals recorded the highest average Months of Stock (MOS) at 4.5 months, followed by Heart Hospital (3.9 MOS) and Health Posts (3.7 MOS), indicating relatively stronger stock coverage at tertiary facilities and some primary care service points. Moderate stock levels were also observed in District Level 1 Hospitals (3.3 MOS), Health Centres (3.2 MOS) and Mental Health Units (3.2 MOS).

However, several specialized service areas recorded comparatively lower stock coverage. TB-DS MDR units recorded an average MOS of 1.9 months, while Cancer Disease Units and Renal Units each recorded about 1.7 months of stock. DSOTB & MDR-TB units recorded the lowest stock coverage at approximately 1.6 months, indicating tighter supply pressure and an elevated risk of stock-outs in these specialized treatment areas.

Overall, the analysis suggests that primary and general health service points continue to maintain relatively stronger stock coverage, while highly specialized departments such as TB, cancer and renal services tend to experience lower MOS levels. This pattern highlights the need for closer monitoring, strengthened forecasting, and targeted redistribution of tracer commodities to ensure continuity of services in specialized clinical areas where commodity availability is critical for patient care.

Facility & Departments




D. PRODUCT CATEGORY AVAILABILITY

Across all tracer commodity programs, average availability ranged from approximately 31.7% to 99.6%, while average Months of Stock (MOS) ranged from 0.7 to 5.0 months, demonstrating considerable variation in stock adequacy across program areas. These differences highlight the need for targeted redistribution and strengthened monitoring of programs with lower stock coverage and availability.

Programs such as Fluids/Salts recorded the highest stock coverage at 5.0 MOS with availability of 91.7%, followed by GIT (4.9 MOS; 90.4%) and Cannulae (4.9 MOS; 90.5%), indicating relatively strong commodity coverage. Endocrine and Other Medicines also maintained high stock levels at approximately 4.8 MOS, with availability levels of 82.3% and 91.2% respectively. Other categories with relatively strong stock positions included Dental commodities (4.6 MOS; 78.8% availability) and Syringes (4.1 MOS; 96.4%), suggesting that several primary care commodities remain above or close to the recommended stock coverage range.

Several specialized program areas recorded comparatively lower stock coverage. Renal commodities recorded the lowest MOS at approximately 1.1 months with availability of 39.7%, followed by Imaging commodities (0.7 MOS; 53.5%), Catheters (1.1 MOS; 64.6%), and Cancer commodities (1.2 MOS; 55.6%). In addition, Leprosy commodities recorded about 1.5 MOS with availability of 42.9%, while TB-MDR commodities recorded around 1.5 MOS with availability of 31.7%, reflecting tighter supply pressure in these specialized treatment areas.



E. Data Quality Issues

Although all 10 provinces and 116 districts submitted their weekly tracer summaries for the week ending 8 March 2026, several facility-level reporting inconsistencies were identified, including missing AMCs, non-reporting facilities, and potential data duplication. These issues may affect the accuracy of stock calculations and data interpretation if not addressed through routine data verification and follow-up.

Despite these data quality concerns, national tracer commodity availability improved from 82.9% to 85.6%, reflecting a modest but positive improvement in commodity availability across health facilities. This suggests that overall supply coverage remains stable, although continued attention to data completeness and quality assurance is necessary to ensure that stock monitoring and supply chain decisions are based on reliable information. Despite the overall completeness of reporting, several **data quality and reporting inconsistencies** were identified across provinces. These issues mainly relate to missing AMCs, facilities not reporting, duplicate reports, and missing program submissions.

Key observations include:

In Luapula Province, Mansa District Hospital reported missing AMCs, while Kawambwa and Kala District Hospitals did not submit reports. Samfya District Hospital did not report Level 1 commodities and only reported TB-DS/MDR commodities.

In Central Province, Mumbwa Health Centres submitted identical reports, suggesting possible duplication. Similarly, in Northern Province, Senga District Hospital and Mpulungu reported identical figures, which may indicate data transfer or entry errors.

In North-Western Province, Mwinilunga Health Posts did not submit reports, while in Lusaka Province, UTH Adult Hospital did not report.

Program-specific reporting gaps were also noted. Eastern Province had no TB-DR/MDR reports, while Western Province had no reports for TB-DR/MDR and Eye units. In Southern Province, Kazungula District Hospital and Chikuni Hospital did not report.

These data quality issues highlight the need for follow-up with non-reporting facilities, verification of duplicated submissions, and strengthening of AMC reporting, as missing or inaccurate data may affect MOS calculations and overall supply chain visibility.

Indicator	Status
Provinces Reporting	10 / 10 (100%)
Districts Reporting	116 / 116 (100%)
National Availability	85.6% (↑ from 82.9%)
Average MOS	3.3 months
Provinces with Data Issues	8 provinces
Facilities with Reporting Issues	10+ facilities/programs identified



INDICES

INDEX 1 DISTRICT IMBALANCES

Row Labels	ACCORDING TO PLAN(2-4 MOS)	EMERGENCY LEVELS(<=0.5 MOS)	OVERSTOCKED(>=12 MOS)	OVERSTOCKED(4-12 MOS)	STOCKED OUT	UNDERSTOCKED(0.5-2 MOS)
CHADIZA	21.69%	9.52%	11.11%	17.46%	10.58%	29.63%
CHAMA	35.45%	4.76%	3.17%	15.34%	14.29%	26.98%
CHASEFU	20.00%	12.14%	4.29%	12.14%	10.00%	41.43%
CHAVUMA	12.43%	5.95%	24.86%	30.81%	10.27%	15.68%
CHEMBE	24.09%	8.03%	12.41%	28.47%	2.92%	24.09%
CHIENGE	14.52%	15.05%	11.29%	21.51%	7.53%	30.11%
CHIFUNABULI	17.87%	4.26%	2.98%	9.36%	45.53%	20.00%
CHIKANKATA	16.05%	5.76%	21.81%	26.34%	9.05%	20.99%
CHILANGA	26.62%	7.91%	8.63%	13.67%	4.32%	38.85%
CHILILABOMB WE	17.02%	9.79%	16.60%	26.38%	9.36%	20.85%
CHILUBI	19.55%	12.85%	13.41%	21.23%	11.73%	21.23%
CHINGOLA	46.50%	6.00%	2.00%	18.00%	14.50%	13.00%
CHINSALI	16.78%	5.92%	8.88%	17.43%	34.21%	16.78%
CHIPANGALI	21.43%	6.43%	2.14%	10.00%	8.57%	51.43%
CHIPATA	17.65%	12.32%	8.96%	18.49%	12.61%	29.97%
CHIPILI	12.59%	2.22%	34.81%	40.00%	1.48%	8.89%
CHIRUNDU	18.37%	4.59%	16.84%	19.39%	5.10%	35.71%
CHOMA	16.85%	14.70%	7.89%	15.77%	14.70%	30.11%
CHONGWE	14.21%	29.47%	4.21%	8.95%	14.21%	28.95%
GWEMBE	23.28%	7.76%	12.50%	27.59%	6.03%	22.84%
IKELANGE	20.43%	5.91%	17.20%	35.48%	4.84%	16.13%
ISOKA	20.00%	16.32%	3.16%	10.00%	11.05%	39.47%
ITEZHI TEZHI	18.95%	8.42%	4.74%	24.21%	16.84%	26.84%
KABOMPO	24.28%	7.41%	17.70%	14.81%	11.93%	23.87%
KAFUE	20.53%	10.53%	11.58%	29.47%	6.32%	21.58%
KALABO	18.49%	10.08%	5.46%	17.65%	15.97%	32.35%
KALOMO	15.48%	15.90%	10.88%	15.06%	18.41%	24.27%
KALULUSHI	17.17%	10.61%	14.65%	31.31%	8.08%	18.18%
KALUMBILA	22.22%	9.66%	14.01%	15.94%	17.39%	20.77%
KANCHIBIYA	32.14%	7.14%	3.57%	19.29%	4.29%	33.57%
KAOMA	18.14%	13.50%	4.64%	13.50%	19.83%	30.38%
KAPUTA	13.90%	18.18%	1.60%	11.76%	24.06%	30.48%
KASAMA	14.24%	12.03%	9.18%	21.84%	16.14%	26.58%
KASEMPA	22.61%	8.54%	8.54%	20.10%	15.08%	25.13%
KASENENGWA	27.86%	9.29%	1.43%	23.57%	2.86%	35.00%
KATETE	23.14%	6.11%	8.73%	28.82%	6.55%	26.64%
KAWAMBWA	6.47%	8.62%	10.34%	16.38%	51.72%	6.47%
KAZUNGULA	10.64%	21.28%	8.51%	2.13%	19.15%	38.30%
KITWE	15.77%	14.29%	8.33%	14.58%	23.81%	23.21%
LAVUSHIMAND A	27.87%	25.41%	3.28%	13.93%	3.28%	26.23%
LIMULUNGA	18.05%	12.78%	6.77%	27.82%	3.01%	31.58%
LIVINGSTONE	16.55%	11.38%	5.86%	12.07%	24.83%	29.31%
LUAMPA	17.02%	14.36%	3.72%	12.23%	28.72%	23.94%
LUANGWA	16.40%	7.41%	19.05%	24.34%	6.88%	25.93%
LUANSHYA	19.44%	13.89%	7.41%	11.11%	26.85%	21.30%
LUFWANYAMA	20.42%	5.83%	18.75%	25.00%	8.75%	21.25%
LUKULU	18.84%	18.12%	2.90%	16.67%	10.14%	33.33%
LUMEZI	15.79%	18.42%	4.21%	14.21%	17.89%	29.47%
LUNDAZI	15.79%	13.68%	1.58%	8.42%	33.68%	26.84%
LUNGA	15.33%	11.68%	12.41%	22.63%	11.68%	26.28%
LUNTE	15.83%	6.47%	30.94%	24.46%	4.32%	17.99%
LUPOSOSHI	15.00%	18.57%	4.29%	10.71%	19.29%	32.14%
LUSAKA	13.79%	11.77%	10.99%	17.15%	26.57%	19.73%
LUSANGAZI	49.29%	7.86%	0.71%	12.86%	2.14%	27.14%
LUWINGU	20.00%	12.11%	5.26%	25.26%	6.32%	31.05%
MAFINGA	17.92%	17.08%	12.08%	9.58%	12.92%	30.42%
MAMBWE	0.00%	0.00%	0.00%	0.00%	100.00%	0.00%
MANSA	21.74%	9.86%	8.41%	19.71%	12.17%	28.12%
MANYINGA	17.15%	11.30%	6.28%	17.99%	19.67%	27.62%
MASAITI	35.00%	2.86%	12.86%	30.00%	3.57%	15.71%
MAZABUKA	16.29%	17.65%	12.22%	12.67%	14.93%	26.24%
MBALA	20.51%	11.97%	17.52%	12.39%	11.97%	25.64%
MILENGE	31.72%	5.91%	7.53%	27.42%	6.99%	20.43%
MITETE	25.36%	6.52%	10.14%	27.54%	10.14%	20.29%
MONGU	15.79%	18.62%	9.31%	10.93%	19.84%	25.51%
MONZE	16.67%	14.54%	9.93%	13.12%	12.77%	32.98%



MPIKA	16.84%	5.96%	13.33%	17.89%	19.65%	26.32%
MPONGWE	27.51%	6.88%	1.06%	13.76%	16.40%	34.39%
MPOROKOSO	14.92%	5.52%	13.26%	29.28%	19.89%	17.13%
MPULUNGU	15.76%	21.20%	3.26%	10.33%	19.02%	30.43%
MUFULIRA	18.00%	9.00%	11.00%	10.50%	11.50%	40.00%
MUFUMBWE	16.49%	9.57%	15.43%	20.21%	11.17%	27.13%
MULOBEZI	13.14%	10.59%	8.90%	18.22%	16.53%	32.63%
MUNGWI	10.75%	20.43%	4.30%	8.60%	22.04%	33.87%
MUSHINDAMO	14.93%	11.94%	26.87%	14.93%	1.49%	29.85%
MWANDI	17.48%	7.72%	14.63%	21.54%	16.67%	21.95%
MWANSABOMBWE	16.57%	14.92%	11.60%	9.39%	8.29%	39.23%
MWENSE	16.96%	6.52%	19.13%	23.48%	12.17%	21.74%
MWINILUNGA	21.52%	4.48%	30.94%	16.59%	9.42%	17.04%
NAKONDE	18.62%	22.34%	3.72%	10.11%	15.96%	29.26%
NALOLO	17.65%	4.20%	27.73%	21.01%	15.97%	13.45%
NAMWALA	16.13%	13.98%	13.98%	12.90%	17.74%	25.27%
NCHELENGE	15.92%	18.78%	6.94%	13.88%	10.61%	33.88%
NDOLA	14.29%	13.35%	6.32%	8.67%	30.21%	27.17%
NKEYEMA	18.98%	7.30%	5.84%	18.25%	19.71%	29.93%
NSAMA	15.22%	13.04%	12.32%	18.12%	13.77%	27.54%
NYIMBA	16.32%	11.58%	1.05%	3.16%	3.68%	64.21%
PEMBA	17.52%	8.76%	14.60%	24.09%	17.52%	17.52%
PETAUKE	23.97%	12.67%	5.82%	16.10%	14.73%	26.71%
RUFUNSA	26.98%	8.99%	9.52%	17.99%	8.99%	27.51%
SAMFYA	26.21%	3.40%	12.14%	31.07%	8.74%	18.45%
SENANGA	7.33%	7.33%	34.03%	10.47%	18.32%	22.51%
SENGA	13.37%	13.37%	5.35%	14.44%	19.79%	33.69%
SESHEKE	21.28%	13.30%	9.57%	10.64%	16.49%	28.72%
SHANGOMBO	15.43%	11.70%	12.23%	14.36%	17.02%	29.26%
SHIWANG'AN DU	21.43%	2.86%	20.00%	25.71%	1.43%	28.57%
SIAVONGA	12.11%	16.84%	3.68%	14.21%	27.37%	25.79%
SIKONGO	26.81%	4.35%	10.87%	12.32%	10.14%	35.51%
SINAZONGWE	12.24%	19.39%	6.12%	13.27%	9.69%	39.29%
SINDA	27.13%	6.91%	11.17%	25.00%	10.64%	19.15%
SIOMA	18.84%	7.25%	6.52%	15.22%	7.25%	44.93%
SOLWEZI	9.13%	7.94%	27.78%	24.60%	17.86%	12.70%
VUBWI	18.54%	10.11%	18.54%	27.53%	2.81%	22.47%
ZAMBEZI	25.68%	5.82%	18.49%	23.63%	7.88%	18.49%
ZIMBA	20.18%	5.96%	11.01%	17.43%	16.51%	28.90%
Grand Total	18.63%	10.78%	10.63%	17.78%	16.07%	26.12%



INDEX 2 PRODUCT CATEGORY IMBALANCES

Program	According to Plan (2–4 MOS)	Emergency (≤0.5 MOS)	Overstock ≥12 MOS	Overstock 4–12 MOS	Stocked Out	Understocked (0.5–2 MOS)
ANAESTHESIA	15%	15%	8%	13%	18%	32%
ANALGESIA	21%	12%	9%	20%	15%	24%
ANTIBIOTIC	16%	12%	8%	16%	22%	25%
ANTICONVULSANTS	19%	7%	20%	24%	15%	15%
ANTIFUNGAL	2%	14%	5%	9%	57%	14%
ART	21%	12%	9%	15%	11%	33%
BLOOD CONDITIONS	16%	14%	4%	9%	26%	31%
CANCER	3%	7%	7%	17%	55%	10%
CANNULAE	19%	8%	19%	22%	11%	21%
CARDIOVASCULAR	14%	16%	7%	13%	23%	26%
CATHETER	11%	20%	7%	2%	40%	20%
CORTICOSTEROIDS	16%	10%	14%	22%	11%	27%
COTTON WOOL/SWABS/GAUZE	17%	15%	7%	18%	17%	26%
CREAMS/LOTIONS	20%	12%	2%	15%	20%	30%
DENTAL	9%	11%	25%	9%	26%	21%
DISINFECTANT	18%	13%	6%	10%	29%	24%
EMERGENCY	13%	21%	3%	10%	28%	26%
ENDOCRINE	18%	7%	18%	21%	20%	17%
FLUIDS/SALTS	20%	6%	22%	29%	7%	17%
GIT	14%	12%	6%	9%	37%	22%
GLOVES	19%	12%	7%	18%	12%	32%
IMAGING	5%	3%	18%	0%	63%	11%
LEPROSY	20%	0%	0%	7%	73%	0%
MALARIA	19%	11%	10%	19%	11%	30%
MENTAL HEALTH	12%	5%	15%	18%	41%	10%
NEEDLE	21%	10%	12%	16%	10%	31%
OPHTHALMOLOGY	10%	9%	17%	15%	35%	15%
OTHER EM	20%	14%	7%	19%	13%	27%
OTHER MS	18%	9%	20%	23%	11%	20%
RENAL	2%	10%	2%	3%	69%	15%
REPRODUCTIVE HEALTH	20%	9%	13%	19%	14%	24%
SUTURE	23%	10%	8%	19%	12%	28%
SYRINGES	23%	9%	9%	26%	7%	26%
TB-DS	18%	7%	9%	19%	34%	13%
TB-MDR	8%	8%	16%	15%	38%	15%
TEST KITS	22%	14%	5%	14%	11%	33%
VACCINES	29%	7%	5%	14%	2%	44%
VITAMINS/MINERALS	22%	7%	14%	23%	7%	27%
Grand Total	18.65%	10.74%	10.73%	17.84%	15.97%	26.07%

