

Ph - +91 7807506765 E-MAIL:-sales.pharmamachinery@gmail.com

Established in the year 1995, Pharma Machinery & Spares has created a market for its self as a manufacturer and exporter of precision engineered products that are extensively used in the pharmaceutical industry. Our multitude of products include Pharmaceutical Machinery, Tablet Press Machine, Rotary Tablet Press Machine, Fluid Bed Dryer, Mass Mixer, Planetary Mixer Machine, Tablet Compression Machine, Double Rotary Tablet Press, Single Rotary Tablet Press, Blister Packaging Machine, Multi Mill, Colloid Mill, Strip Packaging Machine, Tablet Coating Machines, Tube Filling Machine and Container Filling Machine Triple Head and etc...

Our machines are used in the Tablet, Capsule, Liquid, Ointment, & Injectable Section in the pharmaceuticals industry.

Since our inception we have installed around 400 machines in a number of pharmaceutical industries around the world. Our repertoire of clients spread across the globe speaks volumes about our market share. This has only been made possible because of our world class infrastructure and efficient and qualified team of workers.

With all of the above factors playing a major role in our successful endeavors the other factor that has made contribution in our huge market share is the pricing of our products. Cost effective products combined with on time delivery is the key to our unmatched success.

FLUID BED DRYER STANDARD / GMP










DESCRIPTION	FBD 30	FBD 60	FBD 120	FBD 200	FBD 250	
CAPACITY OF DRYER IN KG/IT AT 0.6 BULK DENSITY	25-40	50-70	120-150	200-220	250-270	
WORKING CAPACITY OF PRODUCT CONTAINER IN LITERS	50	100	200	330	415	
TOTAL VOLUME OF PRODUCT CONTAINER IN LTRS	100	200	400	600	800	
BLOWER MOTOR HP	5HP	10 HP	15 HP	20 HP	25 HP	
HEATER LOAD	18KW	36 KW	54 KW			
STEAM	25KGS	55 KGS	110KGS	180KGS	240KGS	
CONSUMPTION KGS HEATING CAPACIY IN KCL/HR	11610	23220	38700	77400	96750	
SPACE REQUIRED APP	5 (L) X	5 (L) X	6 (I) X	6.5 (L) X	6.5 (L) X	
(DIMENTION IN FEET)	3.5 (W) X	4 (W) X	5 (W) X	5.5 (W)	5.5 (W) X	

RAPID MIXTURE GRINDER RMG



DESCRIPTION	RMG	RMG	RMG	RMG
GROSS CAPCITY (LTR)	150	250	400	600
NET CAPCITY (LTR)	120	200	320	480
MIXER MOTOR	10/15 HP	22.5/30 HP	30/40 HP	40/50 HP
GRANULATOR MOTOR	3/5 HP	3/% HP	5.5.7 HP	7.5/10 HP
OVER ALL DIMENSION				
LXWXH (MM)	2400X2100X2100	2700X2200X2100	2800X2400X2150	2950/2500X2200
NETT WEIGHT (KG)	1600	1800		3000

DRYING OVEN 24/48/96 STD.. / GMP



TEMPERATUR RANGE	30* C TO 100* C	30* C TO 100* C		
ELECTRICAL RANGE	4 HEATER /EACH/EACH OF 1.5KW	6HEATER /EACH /EACH OF 1.5 KW		
ELECTRICAL MOTOR	0.37KW /0.5 HP /1440 RPM	0.77KW / 1 HP/1440 RPM 400V X50		
HZ, 3 PHASE	440 V,50 Hz PHASE			
POWER (TOTAL)	6.37KW	9.75KW		
S.S. TRAYS	24 TRAY OF 80 X40X3.5	48TTRAY OF 80X40X3.5		
OVER ALL DIMERSIONS	64"(L)X48"(H)X40"(W)	68"(L)X78"(H)X40"(w)		

OCTAGONAL BLENDER GPM



1	MODEL	OB 01	0B 02	OB 05	OB 10	OB 25	OB 50	OB 100	OB 200	OB 300	OB 500	OB 800	OB 1000	OB 1500	OB 1200	OB 2500
	GROSS CAPACITY (LTR) WORKING CAPACITY (LTR)	0.7	1.4	05 3. 5	10 7	25 17.5	50 35	100 75	200	300 210	500 350	800 560	1000 700	1200 840	1500 1050	2000 1400
	MACHINE RPM (MAX) DISCHARGE PORT DAIMETER (Inch)	24	24	24	3	3	3	24	24 6	24 6	16 6	16 8	16 8	16	16	12
	MAIN DRIVE MOTOR (HP)	0.5	0.5	0. 5	1	1	1	1	2	2	3	5	7.5	7.5	7.5	10

DOUBLE CONE BLENDER

Ideal For Mixing Of Powders And Homogeneous Lubication Of Granules Moc Ss 304 L / 316 L

Safety Gaurds Provided With Limit Switch Infelockd To Motor For Higher Capacity Model Available Capacities 5 kgs 100 Kgs.

Automatic Loading \$ Unloading Facilities Provided



MULTI MILL STANDARD

OUTPUT 50KG. TO 200KGS/HR RTOTO ASSLY. DIA 250MM (APPROX)

ROTOR SPEED 750/1500/2300/300RPM

BEATERS 12 NOS. WITH KNIFE \$ IMPACT EDGES AND 2NOS.SCRAPER BLADES

SCREEN DIMENSION DIA (ID) 260MM X(HT) 140MM

MOTOR 3 H.P /1440RMP/440V) 50HZ/3 PH/AC.

STARTER DOL WITH REVERSIBLE SWITCH

MATERIAL CHARGING HT. 1445MM (APPROX)

OVERALL DIMENSION 870MMx965MMx1630MM (HT)
CASE DIMENSION 1200x1550MMx1860MM(HT.)

NET WEIGHT 275 KGS (APPROX)
GROSS WEIGHT 425 KGS (APPROX)



COATING MACHINE STANDARD

All Coating Machine Are Provided With Interlocked Electrical Circuit To Heaters Can Be Operated Only After Blowers Are Made On To Avoid Buming Of Heaters.

Coating S.S Pan Mount Ring Is Welding At Therrim Cavities To Avoid Colltectomer Demond And All Electrical Controls Are Of Cutter Hammer Or L & T Make Digital Temparature Control Provide.

32",3642"48 Coating Machine Has Hot Air Bowling System Suitable Hot Air Blowing System Can Be Supplied Separately On Demand.



MODEL	C-30"	C-36"	C-42"	C-48"	C-60"	C-72"
CAPACITY	45LTR	80LTR	100LTR	150LTR	210LTR	
HEATER MOTOR	0.HP	4.5	6	6	6	6
BLOWER MOTOR	0.5HP	0.5HP	0.5HP	1HP	1HP	1HP
ELECTRICALS	1.5HP	2HP	2HP	2HP	5HP	5HP
	ЗРН	ЗРН	ЗРН	ЗРН	ЗРН	ЗРН

COLLOID MILL

OUTPUT

PARTICAL SIZE REDUCTION

HOPPER CAPACITY

MOTOR.

HIEGHT

FLOOR SPACE

CASE DIMENSION

NET WEIGHT

GROSS WEIGHT

120 TO 12000 KGS/SHIFT

5 TO 10 MICRONS (DEPENDING UPON THE MATERIAL)

15 LITRS.

3 H.P., 2850 RPM, 440V, 50Hz, 32PH, AC SUPPLY

1200MM

410x760MM

550x830x1300MM

130KGS. 220KGS





COMMINUTING MILL

MODEL ROTER SPEEC OUTPUT MAIN ELICTRIC MOTOR CEMTECH CO/MI 1000/2250/4500 RPM 25 TO 300 KGS./PER (DEPENDS ON MATERIAL) 7.5 HP / 1440 RPM/3 PH



SEMI AUTOMATIC CAPSULE FILLING

This Machine Is Suitable For Filling Capsules All Sizes With Powders Pellets Or Granules, The Out Put Of Machine Varies From 20,000 To 30,000 Capsules Per/Hr Depending, Characteristics Of The Filling Material And Ambeint Temperature Conditions



VERTICAL LOADER





MANUAL CAPSULE FILLIN



+91 7807506765 / +91 8320340951



sales.pharmamachinery@gmail.com

-HEAD OFFICE & FACTORY



Karnavti Industrial Estate, Nr. ONGC Well, Odhav, Ahmadabad – 38215 (Gujarat) India.

-BRANCH OFFICE & WORK SHOP



Suncity Road, Near Toll Plaza, Baddi, Dist - Solan, Himachal Pradesh - 173205 (INDIA)

OUR CLIENTS

BOIDEAL PHARMACEUTICALS | VENUS REMEDIES | VIP PHARMA | MEDIPOL
PHARMA | ASHA BIODEAL | LYKA LABORATORIES | ACME LIFETECH | HELIOS
PHARMA