

Use Case Document

Version:	
Created:	
Last Update:	
Print Date:	
By:	
Distribution:	

Table of Contents

Use Case Document	1
1 Introduction	3
1.1 Purpose of Document	3
1.2 Glossary	3
2 Application Overview	3
2.1 Define the Scope	3
2.2 Context	3
2.3 Technical Environment	3
Use Cases	4
3 Use Case Model	4
3.1 Actors	4
3.1.1 Administrator	6
3.1.2 LogbookAdministrator	6
3.1.3 LogbookUser	6
3.1.4 RegisteredUser	6
3.1.5 UserAdministrator	6
3.2 Primary Use Cases	6
3.2.1 AssignRole	7
3.2.2 Choose Locality (Locale)	7
3.2.3 Create User	8
3.2.4 CreateLogbook	8
3.2.5 Login	8
3.2.6 Lookup Address	8
3.2.7 NotifyAccountStatusChanged	8
3.2.8 Register	8
3.2.9 ResetPassword	8

1 Introduction

This document can be modified to reflect the company logo as well as the general corporate layout. To create an editable copy of this template:

- Press F8.
- Press the option: [Manage Templates] .
- From this select: [New]

In the Dialog box:

- In the field: *Template Name* - type in a name.
- From the *Copy Template* drop-down - select: {use case template}.

Below are some simple introductory remarks on the purpose of the document.

1.1 Purpose of Document

The Purpose of this Document is to define the Use Case for ...

This is to be a standard paragraph to layout that the Business Logic and the elements within the package which are laying out the Use Cases for the package under development. This text is definable as a template by the user and stored locally. The system variables are filled in by EA via the RTF Document Generator.

1.2 Glossary

2 Application Overview

Some text on the application Overview...

2.1 Define the Scope

Definition of the Scope of the application ...

2.2 Context

This is to give a brief definition of the context in which of the application will be implemented. Specifying the relationship this system will have to existing systems within the environment.

2.3 Technical Environment

This is to give a brief definition of any applications relevant to the system being implemented. There needs to be a definition of the relationship between these as well as any aspects that this system is reliant upon.

Use Cases

3 Use Case Model




Figure 1: Use Case Model

3.1 Actors

uc Actors

Generalization/Specialization: [http://en.wikipedia.org/wiki/Actor_\(UML\)](http://en.wikipedia.org/wiki/Actor_(UML))


Each user object represents a Role within the system.

Each set of elements that exhibit behavior.

A system is a



^
is a



^
is a




Figure 2: Actors

3.1.1 Administrator

3.1.2 LogbookAdministrator

3.1.3 LogbookUser

3.1.4 RegisteredUser

3.1.5 UserAdministrator

3.2 *Primary Use Cases*




Figure 3: Primary Use Cases

3.2.1 AssignRole

3.2.2 Choose Locality (Locale)

3.2.3 Create User

3.2.4 CreateLogbook

3.2.5 Login

3.2.6 Lookup Address

3.2.7 NotifyAccountStatusChanged

3.2.8 Register

3.2.9 ResetPassword