

Lab 1

Query	Query History	Scratch Pad
1	<code>CREATE ROLE cashier_role ;</code>	
2		
3		
4	<code>GRANT cashier_role TO mike ;</code>	
5	<code>GRANT cashier_role TO jon ;</code>	
6		
7	<code>GRANT SELECT ON film , staff TO cashier_role ;</code>	
8	<code>GRANT SELECT , INSERT ON payment TO cashier_role ;</code>	
9		

Lab2:

Query	Query History	Scratch Pad
1	<code>-- 1. Bật Row-Level Security</code>	
2	<code>ALTER TABLE payment ENABLE ROW LEVEL SECURITY;</code>	
3		
4		

Data Output	Messages	Notifications
<code>ALTER TABLE</code>		
<code>Query returned successfully in 48 msec.</code>		

Query

Query History

1

-- 2. Tạo policy cô lập payment theo nhân viên

2

CREATE POLICY isolate_cashier_payments

3

ON payment

4

FOR ALL

5

TO cashier_role

6

USING (

7

staff_id = (

8

SELECT s.staff_id

9

FROM staff AS s

10

WHERE s.username = current_user

11

)

12

)

13

WITH CHECK (

14

staff_id = (

15

SELECT s.staff_id

16

FROM staff AS s

17

WHERE s.username = current_user

18

)

19

);

Data Output

Messages

Notifications

CREATE POLICY

Query returned successfully in 48 msec.

1

GRANT SELECT ON payment TO cashier_role;

2

GRANT SELECT (staff_id, username) ON staff TO cashier_role;

Query

Query History

1

SET ROLE mike;

2

3

SELECT current_user;

4

5

SELECT *

6

FROM payment;

7

8

RESET ROLE;

Data Output

Messages

Notifications

RESET

Query returned successfully in 85 msec.