

PrintRunner

- LLM least-trusted • Deterministic mleg • Hash-chained
- PhiBao • Paper or nothing

Earnings move. Bots blow up.

- 2–5% expected move is real
- Most bots hallucinate strikes / prices
- Risk in a prompt = suggestion, not a gate

LLM picks. Code decides.

- Deterministic shortlist: verticals / condors
- Max loss known before submit
- 10 hard gates in code, re-checked on fresh quotes

Research → Code → Backtest → Live → Post-mortem → Fine-tune

- Breaker: 2× spread + 10 worst regimes
- Thesis hashed before submit
- Hypothesis graph feeds next swarm

5 specialists. No cross-talk.

- Earnings / Flow / Technicals / Sentiment / Macro
- Price hidden until aggregator
- 3 most similar failures injected first

One mleg. Defined risk.

- Vertical debit: run-up drift • $T-5 \rightarrow T-2$
- Iron condor: $VRP > 0$ • $T-2 \rightarrow T-1$, hold through print
- One order, fill together or not at all

Fail-closed. Latched.

- Stale quote → NO • Missing history → NO
- Hash chain: pr journal --verify
- Drawdown 8% / Day -5% → HALT until ACK

Paper \$100k. Verifiable.

- Alpaca paper: positions / orders / equity
- Dashboard: Pages, rebuilt every cycle
- Every fill has client_order_id pr...

One week proves process, not PnL.

- No backtest on free tier — honest
- Indicative feed disclosed
- Negative results are the asset

Clone. Add keys. Run the loop.

- github.com/PhiBao/printrunner
- `uv sync → cp .env.example .env → pr cycle`
- Actions cron + Pages dashboard