

PhigitalSDK – Initialization

Phigital Functions to use:

`initWithAppId:andAppSecret:`

Implementation:

At your project's AppDelegate.m, at
(UIApplication *)application
didFinishLaunchingWithOptions:

Add:

```
NSString* appId = @"YourAppId";  
NSString* appSecret = @"YourAppSecret";  
[Phigital initWithAppId:appId  
andAppSecret:appSecret];
```

PhigitalSDK – SignIn

Phigital Functions to use:

`setDelegate:`
`signinWithUserName:andPassword:`
`finishedSignIn:(BOOL)logInSuccess`

Implementation:

Create a SignIn method

```
– (void)phigitalSignIn  
{  
    NSString* userEmail = @"YourEmail";  
    NSString* userPassword = @"YourPassword";  
  
    [Phigital setDelegate:self];  
    [Phigital signinWithUserName:userEmail
```

```
andPassword:userPassword];  
}
```

Get response

```
- (void)finishedSignIn:(BOOL)logInSuccess  
{  
    if (logInSuccess)  
    {  
        Write some code ..  
    }  
}
```

PhigitalSDK - TimeLine

Phigital Functions to use:

```
startExperienceWithId:  
experienceStarted:(Experience*)experience  
getEventStreamWithId:
```

Implementation:

Create a StartExperience method

```
- (void)phigitalStartExperience  
{  
    NSString* expId = @"YourExperienceId";  
    [Phigital startExperienceWithId:expId];  
}
```

Get response

```
- (void)experienceStarted:(Experience*)experience  
{  
    UIViewController *timeLineController =  
    [Phigital getEventStreamWithId:[experience  
    identifier]];  
    [self.navigationController
```

```
pushViewController:timeLineController  
animated:YES];  
}
```

PhigitalSDK – ExperienceDetails

Phigital Functions to use:

getAboutWithId:

Implementation:

Create an ExperienceDetails method

```
- (void)phigitalExperienceDetails  
{  
    NSString* expId = @"YourExperienceId";  
    UIViewController *experienceDetailsController  
= [Phigital getAboutWithId:expId];  
    [self.navigationController  
pushViewController:experienceDetailsController  
animated:YES];  
}
```