

Central 24-2 Threshold Test

Fixation Monitor: Blindspot

Fixation Target: Central

Fixation Losses: 0/13

False POS Errors: 0 %

False NEG Errors: 0 %

Test Duration: 04:57

Fovea: OFF

Stimulus: Ill, White

Background: 31,5 ASB

Strategy: SITA-Fast

Pupil Diameter:





Visual Acuity:

RX: DS DC X

Date: 10-22-2018

Time: 10:22

Age: 48



GHT



Outside normal limits

MD -23.85 dB P < 0.5%

PSD 7.90 dB $P < 0.5\%$

Total
Deviation

Pattern Deviation

 $\therefore < 5\%$

✖ < 2%

 $\leq 1\%$

■ < 0.5%



Central 24-2 Threshold Test

Fixation Monitor: Blindspot

Stimulus: III, White

Pupil Diameter:

Date: 10-22-2018

Fixation Target: Central

Background: 31.5 ASB

Visual Acuity:

Time: 10:17

Fixation Losses: 0/12

Strategy: SITA-Fast

RX: DS DC X



Age: 48

False POS Errors: 3 %

False NEG Errors: 6 %

Test Duration: 04:17

Fovea: OFF



-18	-10	-9	-7				
-7	-7	-10	-9	-4	-10		
-19	-6	-11	-8	-9	-11	-9	-9
-18	-21	-7	-8	-9	-7	-8	-12
-16	-18	-16	-12	-4	-12	-21	-11
-30	-13	-18	-14	-11	-24	-11	-14
-19	-10	-13	-13	-11	-13		
-17	-9	-7	-11				



																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

GHT

Outside normal limits

MD -12.08 dB P < 0.5%

PSD 5.39 dB P < 0.5%

Total
DeviationPattern
Deviation

:: < 5%
⊗ < 2%
⊗ < 1%
■ < 0.5%






Central 24-2 Threshold Test

Fixation Monitor: Gaze/Blind Spot
 Fixation Target: Central
 Fixation Losses: 1/14
 False POS Errors: 0 %
 False NEG Errors: 0 %
 Test Duration: 05:20
 Fovea: OFF

Stimulus: III, White
 Background: 31.5 ASB
 Strategy: SITA-Fast

Pupil Diameter: 7.6 mm
 Visual Acuity:
 RX: DS DC X

Date: 2019-09-16
 Time: 11:21 AM
 Age: 49




Total Deviation

Pattern Deviation not shown for severely depressed fields. Refer to Total Deviation.

GHT
 Outside Normal Limits

VFI 34%
 MD -24.57 dB P < 0.5%
 PSD 10.04 dB P < 0.5%


Pattern Deviation



Pattern Deviation not shown for severely depressed fields. Refer to Total Deviation.

∴ < 5%
 ∴ < 2%
 ∴ < 1%
 ■ < 0.5%

Yun Nan Purui
 Eye Hospital



© 2010 Carl Zeiss Meditec
 HFA II 750-12108-5.0/5.0



扫描全能王 创建

Eye: Right

DOB: 1970-03-29

ID: 2018102919

Central 10-2 Threshold Test

Stimulus: III, White

Pupil Diameter: 5.8 mm

Date: 2019-09-16

Background: 31.5 ASB

Visual Acuity:

Time: 11:43 AM

Fixation Losses: 0/12

Strategy: SITA-Fast

RX: DS DC X





Age: 49

False POS Errors: 0 %

False NEG Errors: 12 %

Test Duration: 03:49

Fovea: OFF

MD -8.47 dB $P < 1\%$ PSD 1.49 dB $P < 5\%$


Total Deviation

 $\therefore < 5\%$


✧ < 2%

 $\leq 1\%$

Pattern Deviation



Yun Nan Purui
Eye Hospital



© 2010 Carl Zeiss Meditec
HFA II 750-12108-5.0/5.0



扫描全能王 创建

Single Field Analysis

Eye: Right

Name: chen xurui

DOB: 1970-03-29

ID: 2018102919

Central 24-2 Threshold Test

Fixation Monitor: Gaze/Blind Spot

Stimulus: III, White

Pupil Diameter: 5.9 mm

Date: 2019-09-16

Fixation Target: Central

Background: 31.5 ASB

Visual Acuity:

Time: 11:37 AM

Fixation Losses: 0/12

Strategy: SITA-Fast

RX: DS DC X



Age: 49

False POS Errors: 0 %


False NEG Errors: 6 %

Test Duration: 03:56

Fovea: OFF



Total Deviation



Pattern Deviation


GHT

Outside Normal Limits

VFI 86%

MD -10.91 dB P < 0.5%

PSD 4.99 dB P < 0.5%




:: < 5%

:: < 2%


:: < 1%

■ < 0.5%

Yun Nan Purui
Eye Hospital© 2010 Carl Zeiss Meditec
HFA II 750-12108-5.0/5.0

扫描全能王 创建


青光眼分期系统2 (GSS2) Glaucoma Staging System 2 (GSS2)



扫描全能王 创建



青光眼分期系统2 (GSS2)

Glaucoma Staging System 2 (GSS2)



False POS Errors: 0 %
 False NEG Errors: 0 %
 Test Duration: 05:07

Fovea: OFF





-25	-23
-17	-14
-17	-21
-8	-8
-7	-6
-7	-6
-6	-6
-6	-6
-9	-7
-13	-7
-24	-18

-20	-18
-12	-8
-12	-15
-3	-3
-1	-1
-2	0
0	-1
-3	-1
-7	-2
-19	-12

MD -16.79 dB P < 1%
 PSD 12.67 dB P < 1%

Total Deviation

Pattern Deviation



∴ < 5%
 ∴ < 2%
 ∴ < 1%

Yun Nan Purui
 Eye Hospital



扫描全能王 创建