Patient: fang, xiaoyan Date of Birth: Mar 28, 1986

Gender: Female Patient ID: 2018030510



OD Single Field Analysis

Central 24-2 Threshold Test


Fixation Monitor: Gaze/Blind Spot **Fixation Target:** Central Fixation Losses: 0/14 False POS Errors: 0% False NEG Errors: 4% Test Duration: 05:20

Stimulus: III, White Background: 31.5 asb Strategy: SITA-Fast Pupil Diameter: 6.3 mm * Visual Acuity:

Rx:

Date: Mar 05, 2018 Time: 11:02 AM 31 Age:

Fovea: Off



-21 -25 -13 -7 -21 -12 -10 -13 -10 -10 -33 -23 -20 -20 -18 -13 -10 -9 -31 -25 -27 -19 -29 -14 -14 -31 -18 -23 -21 -18 -20 -14

-20 -14 -15 -19 -17 -13 -15 -13 -16 -21 -21 -18 -15 -13 -19 -13 -14 -11


-2 4 -10 -14 -2 1 1 -10 -1 1 -22 -12 -9 -9 -7 -2 -20 -14 -16 -8 -18 -3 -20 -7 -12 -10 -7 -9 -3 -9 -3 -4 -8 -6 -2 -4 -2 -5 -10 -10 -7 -4 -2 -3 0 -8 -2


GHT: **Outside Normal Limits**

59% VFI:

MD: -17.73 dB P < 0.5% PSD: 5.91 dB P < 0.5%

Total Deviation





₩ P < 5% P < 2% P < 1% P < 0.5%

Comments

Carl Zeiss Meditec - Copyright 2014 All rights reserved.

Signature

