



ZENITH CRUSHING PLANT SOLUTION & QUOTATION

LOCATION: South Africa

MACHINE: Crusher&Screen

Capacity: 250/400 T/H

ATTN: Carmeuse

DATE: Sept. 4th, 2026

SHANGHAI ZENITH MINERAL CO.,LTD.

Add: No.1688 East Gaoke Road, Shanghai, China

Tel: 0086 21 58386085 Fax: 0086 21 58385887

Email:andy@zenith-crusher.com;



PART-1. PRICE FOR MAIN CRUSHING UNITS

No	Item	Model	Power (KW)	Unit Price (USD)	Qty (SET)	Subtotal Price (USD)
1	Roller crusher	2PG-1216CT	180*2	142043	1	\$142,043
2	Vibrating screen	S5X2760-2	30	41304	1	\$41,304
Total FOB Shanghai Price						\$183,348
BEST FOB Shanghai Price						\$177,847
Sea Freight&Insurance to Cape Town port						\$16,300
Total CIF Cape Town price						\$194,147




Note:

1.The above quote include the main units and auxiliary facilities including motor, motor base, v-belt,bolts,etc. All equipments with rustproff paint.

2.Descriptions on above equipments:

Note: The above goods passed CE certificate and follow ISO9001 standard; Motors are Siemens Brand, the Components of Control Systems are Siemens or ABB brand, Bearings for crushers are American Timken Brand; The steel of the main structure is the Q235 (UK standard is 4360-40B(C), and USA K02502), the steel is from Chinese biggest and best steel company Bao Steel (<http://www.baosteel.com>). We accept the buyer's inspection or the Third Part inspection(SGS, AI,COTECNA)

3.The Quotation doesn't include the Diesel generator Set and cables.



PART 2: Spare parts for stand by use (Optional)

No.	Item	Model	Qty	Unit Price	Sum Price
			(Set)	(USD)	(USD)
1	Roller Crusher 2PG-1216CT	Roller teach 2pcs/set	1	\$30,650	\$30,650
2		Bearing 4pcs/set	1	\$1,875	\$1,875
3		Oil Seal 8 pcs/set	1	\$46	\$46
4	Screen S5X2760-2	Screen Mesh 2 layers/set	2	\$1,904	\$3,807.60
5		Rubber Spring 8 pcs/set	1	\$603	\$603.25
6		V-belt 5 pcs/set	2	\$39	\$78
7		Flexible sheet 6 pcs/set	2	\$76	\$152
8	Total cost for Spare parts				\$37,212

PART-2 COMMERCIAL TERMS

1. Time of delivery: The Seller shall complete the production of the Contract Equipments within 40 working days upon receiving the down payment. After the Buyer shall pay all the balance/issue the acceptable LC, the Seller shall deliver the Contract Equipments to the carrier within 15(fifteen) working days.

The Seller shall not be liable for failure or delay of the delivery in consequence of any Force Majeure incidents or any serious anthropic factor caused by the Buyer.

2. Price terms: CIF Cape Town .

3. Packing: The products should be processed to be rustproof and moisture proof before delivery. The small parts are packed into wooden crates; the big parts are wrapped by plastic sheeting.

4. Payment: 30% Deposit by TT at PO/Sign of sales contract;
40% On irrevocable at sight L/C which opened by the world-famous bank, 30% After Validation on FAT by Carmeuse, but before shipping.

5. Documents: The Seller shall present relevant technical and commercial documents to the Buyer after the shipment.

6. Installation: Services of skilled technician(s) to supervise the assembly, installation, commissioning and train the local operator will be supplied after the seller confirms the preparation for installation is ready in the buyer's site. The buyer should prepare the necessary materials, tools, human labors and offer necessary assistance. The reasonable local cost of the technician(s) during installation period including the accommodation, round-trip ticket, insurance, communication fee, etc. are on the account for the buyer. In addition, the buyer shall pay the technician 100US dollars per day as salary within reasonable installation period and 150US dollars per day for the extra days. The Buyer shall guarantee the personal security and freedom of action of the technician whose behavior should comply with the local laws and regulations, cultural and religious practices.

The Seller has no obligation to install the machines purchased from other suppliers.

7. Warranty: **A.** All equipment is guaranteed free from defects or faults in materials and workmanship for a period of 12 months' operation or 15months from leaving seller's factory (whichever occurs first); **B.** During the warranty period, if any serious quality defect be found in the contractual machines, the seller should negotiate and solve the problem by repairing or replacement with new parts. If the defects are fatal and can not be recovered, the seller should accept returning of corresponding machine and refund to the buyer, without taking any other responsibility or expense; **C.** This warranty excludes damage caused by negligence, carelessness, incorrect maintenance, lubrication or operation, or any unauthorized modification; **D.** The seller will not guarantee the quality of the machines or other goods sourcing from other supplier at the request of the buyer. **E.** After-sale service center 24 hours hotline to solve difficulty the buyer may encounter.

8. Valid time: This quotation will be effective within 45 days after issuing.

9. BANK ACCOUNT INFO: (VERTEX is a wholly-owned subsidiary of ZENITH)

Account Holder: VERTEX (SHANGHAI) MINERAL PROCESSING CO.,LTD.

Account NO: 31050161393600007390

Beneficiary's Address: No.1688 East Gaoke Road, Pudong New District, Shanghai

Bank Name: CHINA CONSTRUCTION BANK CORPORATION SHANGHAI BRANCH ZHANGJIANG SUB-BRANCH

Bank Address: NO 220 KE YUAN ROAD SHANGHAI CHINA


SWIFT Code: PCBCCNBJSHX

TECHNICAL SPECIFICATION

We pursue the zenith of technology and quality

**Crush Rocks
Build Dreams**

ROLLER CRUSHER





Specifications

MODEL	2PG-1216CT
ROLLER DIAMETER	1200 MM
ROLLER LENGTH	1600MM
FEEDING SIZE	0-300MM
DISCHARGE OPENNING SET	40-800MM
DISCHARGE SIZE	0-100MM
WEIGHT	33TONS
MAX. CAPACITY	400TPH
POWER	180KW*2
SPEED REDUCER	ZLY-355*2
MAIN FRAME	Q235B
OVERALL SIZE	2900*3200*1300MM
ROLLER TYPE	TEETH ROLLER
Adjusting TYPE	Hydraulic



1. High crushing strength, capable to process hard material like Zirconia corundum moth Moh's hardness 9.
2. Longer life span, adapt the latest wearing resist material, life span is 3 times than traditional crusher.
3. Large crushing ratio, no requirement for moisture of materials
4. High efficiency, energy saving and environmental protection, power saving is 35% less than other crusher.
5. Big capacity, but samll land space, saving investment cost.
6. Small vibration, simple and convenient maintenance
7. Advanced design like "Hydraulic device, Double protecting device to prevent overload, Universal joint transmission method, etc.. "



VIBRATING SCREEN




Specifications

MODEL	S5X2760-2
SCREEN SPEC.(m ²)	2700X6000MM
NO. OF LAYERS	2
SCREEN MESH SIZE	2-70MM
FEED SIZE	≤200 MM
DOUBLE AMPLITUDE	7-12 MM
VIBRATING FREQUENCY	800-900 R/M
OVERALL DIMENSION	6223x4550x3469MM
CAPACITY	120-900T/H
WEIGHT	10.085T
MOTOR	30KW
FRAME	Q345
SIDE PLATE	Q355B
SCREEN MESH	60SIMN
SPRING	RUBBER SPRING

Main Structure


- | | |
|---------------|-------------------------|
| 1. Screen box | 5. Driving Device |
| 2. Spring | 6. Motor |
| 3. Bracket | 7. Transmission Support |
| 4. Vibrator | |





Advantages

1. Bigger capacity and high pressure resistance.
2. Lower operating temperature due to open type oil lubrication.
3. Optional frequency controller for wider applications.
4. Continuous feeding and starting with load.

Technical Features

SV Modular Vibrator	· Overall disassembly design · Longer bearing service life · Super power · Easy stroke adjustment · Grease lubrication system	
Flexible Drive	· Motor drives transmission bearing seat which drives the screen, rather than direct drives the screen, greatly protecting the motor from vibrating harm. · A felexible shaft joint is taken to connect the motor and vibrator, and it makes the screen run smoothly without shaking force from the motor.	
CNC Automatic Laser Cutting	The side plate of S5X screen adopts CNC laser cutting, including all small holes. The cut surfaces are fairly smooth with no seams with better shape and more accurate than drilling on hand drawing.	
High G-force and Good Performance	The advanced design and manufacturing technology brings better performance.	
The Ideal Bearing Load	Each S5X screen is equipped with two sets of SV vibrators and four sets of special bearings, realising bigger load with longer service life.	
Rubber Liners	S5X screen is equipped with feed box and rubber liner to increase the effective screening area and meanwhile take the function of buffering and anti-abrasion.	
Extra Deck Protection with Wear-resistant Steel	To protect the beams, S5X screen are configured with beam protective wrappers, which can protect the hollow beam against material erosion and abrasion to utter-most extent and prolong the service life of the whole screen.	
Modular Design - more efficient, less cost, convenient maintenance	· Modular beam frame realizes more reasonable intensive strength of screen box · Modular vibrtor can be installed and replaced as one unit. · The modular tension clamp, pressure strip, and upport strip of screen media, etc., can match all the models of S5X screen. · The large space between decks is much convenient for maintenance and replacement of screen media.	



STEEL STRUCTURE

1. Being safe and user-friendly, ZENITH steel structures are designed according to **world-class standards**, and based on our 30 years' experience and customers' feedback.

2. **Finite elements analysis:** more reasonable design of structure and make good use of material, creating good performance and less cost.

3. **Modular design:** quick production, more efficient and convenient connection, assembly, and transportation of steel structures.

4. **Universal parts:** some universal parts of steel structures can be used for different models of equipment, realizing volume production, and shortening manufacturing period. Thus, customers do not have to change the whole steel structures when replacing equipment.

5. **Various directions of outlet belt conveyors :** belt conveyors for discharged materials can be set of various directions making it more flexible for layout arrangement.

6. **Material liners:** Special design of hoppers and chutes to form material liners to protect the steel structures from being worn.

7. **Unified nice appearance:** optimized appearance design, same painting standard with steel structures with additional surface painting. The railings are made yellow colour for safety ensurance.




International Standard:

ISO_14122-4:2010-12, ISO_14122-3:2016

Australian Standard: AS_1657-1992

National Standard: GB4053.3-2009,
GB50040-1996, GB50017-2003, GB50205-2001,
GB50276-98, GB50661-2011

HASCO-standards GBP607,GBP608



ZENITH Machine



Jaw crusher

Feeding Wall & Jaw Crusher C6X160(with Concrete foundation & steel connecting)



Cone crusher



Hopper

Cone crusher

Cone Crusher(Steel Structure With hopper)

ZENITH Machine



S5X Vibrating Screen


Vibrating Screen(With Steel Structure)



Belt Conveyor with cover

Belt Conveyor(with cover,)

ZENITH Machine



Belt Conveyor(with cover, kick plates and hand rail)



Long distance Belt Conveyor



Operation Control Room



Shanghai Zenith Mineral Co., Ltd.


Add: No.1688 East Gaoke Road, Shanghai, China

Tel: 0086-18301908050 Fax: 0086-21-58385887

E-mail: andy@zenith-crusher.com

Crush Rocks, Build Dreams!

ZENITH Office & Factory



SHANGHAI ZENITH MINERAL Co., Ltd. (www.zenithcrusher.com)

Mobile: +86 18301908050 E-mail:andy@zenith-crusher.com

ZENITH Office & Factory



WHY ZENITH?

“Z”: Zeal ceaseless to be 24 hours responsive to your need.

“E”: EPC project strength to help you all-round in Engineering, Procurement, and Construction.

“N”: Nation-wide scale with 6 workshops making us the biggest crusher manufacturer in China.

“I”: International influence with almost 170 countries' sales coverage and 32 oversea offices.

“T”: Technological improvements to crushing, grinding, and ore beneficiation production lines.

“H”: Historical brand of more than 30 years' influence and centenary vision.



ZENITH IN CHINA

Shanghai ZENITH Mineral Co., Ltd has been one of the biggest manufacturers and top exporter of crushing and grinding equipment in China for 35 years with 160 countries' sales converge, with factory area of 900,000 square meters.

Since 2010, according to the statistics by Chinese Customs Authority, ZENITH group has been the No. 1 China Exporter of crushing and grinding machines. We have thousands of plants running in 170 countries in the world.





A. ZENITH Equipments all over the World.

In the past 35 years, ZENITH has established good business relations with customers from over **170 countries and regions** around the world, exporting over **6800 crushing, grinding and beneficiation plants**. In Middle East market (Saudi Arabia, Oman, U.A.E, Yemen, Iraq, Iran, Qatar...) we have over 100 production lines running there. In North America (Canada, USA), Europe (Greece, Germany, UK, Hungary, Romania), South America (Brazil, Peru, Colombia, Chile...) Middle America, about 168 lines running. In Africa in Nigeria, there have been 85 complete crushing lines running. In Ghana, we have about 28 production lines running. In Kenya, about 50 lines are running. In Congo, Tanzania, Ethiopia... totally 70 production lines are running there. In South Africa, Australia we have sold out more than 26 production lines.

B. ZENITH Branches all over the World.

In order to better guarantee the services and technical support, we've now established 30 branch offices & company all over the world in Switzerland, South Africa, U.A.E, Australia, Saudi Arabia, Nigeria, Kenya, Russia, Mongolia, Indonesia, Philippines, Malaysia, Vietnam, Brazil etc.

.....

C. ZENITH Export amount from 2009-2020 (growth rate 38.8%)

ZENITH group has been the No. 1 China Exporter of crushing and grinding machines. We are so proud to know that our equipment are widely recognized by customers all over the world. We ZENITH are on the way to be one of these top suppliers in the world market and to be the most valuable brand in China mining equipment market.





European CE

China CQC/ISO9001

Nigeria SONCAP

Russia GOST



Strong processing strength:

Shanghai Zenith Mining and Construction Machinery Co., Ltd. practise the strategy of precision manufacturing, global scientific arrangement by taking Asia as hinderland, radiating to the global middle and high-end customers.

So far the group has 6 large-scale production bases covering an area of nearly 1000 acres. It has become the leading company in the industry of crushers and grinding mills.

No.1 Production Base

The group aims to create an international production base which set specialization, information and intelligence as a whole.

Construction area is 71736 m² in total; Main products, including environmental protection equipment, large-scale crushing sand making equipment, precision micro powder equipment etc. which reached international advanced level with high technology content.



No.2 Production Base

Hard power is the guarantee for us to provide high-quality products to customers.

Its construction area is 67000m² in total; it is a high end equipment assembly display base which integrates research, production and administration, showing us all series of sophisticated products and our fine assembly work to customers.

No.3 Production Base

Production is an impetus to our continuous progress.

Its construction area is 20000m² in total. We focus on research and manufacturing crusher, grinding mill and some other mining machines to provide professional technical solutions.





No.4 Production Base

6S management, ERP system and the under construction Bar Code Management make the Production, logistics, quality inspection go on orderly and precisely.

It has standardized workshop with covering are of 30000 m² and become one of the most important large and medium-sized crushing equipment production bases in China. The crusher, sand making machine, refined powder equipment and some related matched equipment are mainly manufactured here.



No.5 Production Base

We will keep upgrading to strengthen our hard power by promoting production team strength and introducing advanced production technology.

Workshop covering area is 20000m² in total. It has international standard machine manufacturing technology. Series of highly standard production equipment, production capacity and technological level and equipment strength has ranked the leading position in the industry.



No.6 Production Base

Each production base is high-efficient production manufactory built by international standards.

This production base is another high-end production base, covering an area of 280000 m², which was built in 2015. The total investment of engineering is 15.7 billion yuan.

On behalf of Chinese high-end mining equipped with the most advanced research and development, innovation and creative powder. It is the global production base and R & D Center of automation, digitization and low energy consumption.

