

Report 'default'

Table Of Contents

Report for Domain	1
Table(s) of Model "RawEuropeanCarManufacturer"	5
Column(s) of Table "CommonColumnsForTriggerTemplate"	5
Domain(s) of Column "RowLevelHashKey"	5
Domain(s) of Column "Note"	5
Domain(s) of Column "IsDeleted"	5
Domain(s) of Column "TransactionNumber"	5
Domain(s) of Column "UserAuthenticatedKey"	5
Domain(s) of Column "SysStartTime"	5
Domain(s) of Column "SysEndTime"	5
Column(s) of Table "Country"	5
Domain(s) of Column "CountryId"	5
Domain(s) of Column "CountryISO3"	5
Domain(s) of Column "CountryName"	5
Domain(s) of Column "CountryISO2"	5
Domain(s) of Column "CountrySalesRegion"	6
Domain(s) of Column "UserAuthorizationId"	6
Domain(s) of Column "CountrySysStartTime"	6
Domain(s) of Column "CountrySysEndTime"	6
Domain(s) of Column "RowLevelHashKey"	6
Column(s) of Table "ManufacturerVehicleMake"	6
Domain(s) of Column "ManufacturerVehicleMakeId"	6
Domain(s) of Column "ManufacturerVehicleMakeName"	6
Domain(s) of Column "CountryId"	6
Domain(s) of Column "MarketingTypeId"	6
Domain(s) of Column "UserAuthorizationId"	6
Domain(s) of Column "SysStartTime"	6
Domain(s) of Column "SysEndTime"	6
Domain(s) of Column "RowLevelHashKey"	6
Column(s) of Table "ManufacturerVehicleStock"	6
Domain(s) of Column "ManufacturerVehicleStockId"	7
Domain(s) of Column "ManufacturerVehicleStockCode"	7
Domain(s) of Column "ManufacturerVehicleStockCost"	7
Domain(s) of Column "RepairsCharge"	7
Domain(s) of Column "StockPartsCharge"	7
Domain(s) of Column "StockDeliveryCharge"	7
Domain(s) of Column "IsPremiumRoadHandlingPackage"	7
Domain(s) of Column "VehicleColor"	7
Domain(s) of Column "CustomerComments"	7
Domain(s) of Column "PurchaseDate"	7
Domain(s) of Column "UserAuthorizationId"	7
Domain(s) of Column "SysStartTime"	7
Domain(s) of Column "SysEndTime"	7
Domain(s) of Column "ManufacturerVehicleModelId"	8
Domain(s) of Column "RowLevelHashKey"	8
Column(s) of Table "MarketingCategory"	8
Domain(s) of Column "MarketingCategoryType"	8
Domain(s) of Column "MarketingTypeId"	8
Domain(s) of Column "UserAuthorizationId"	8
Domain(s) of Column "MarketingCategorySysStartTime"	8
Domain(s) of Column "MarketingCategorySysEndTime"	8
Domain(s) of Column "RowLevelHashKey"	8
Column(s) of Table "SalesOrderVehicle"	8
Domain(s) of Column "SalesOrderVehicleId"	8
Domain(s) of Column "StaffId"	8
Domain(s) of Column "SalesOrderVehicleInvoiceNumber"	8
Domain(s) of Column "SalesOrderVehicleSaleDate"	9
Domain(s) of Column "SalesOrderVehicleCategoryDescription"	9
Domain(s) of Column "CustomerId"	9
Domain(s) of Column "SalesOrderVehicleLowerThreshold"	9
Domain(s) of Column "SalesOrderVehicleUpperThreshold"	9
Domain(s) of Column "UserAuthorizationId"	9
Domain(s) of Column "SysStartTime"	9
Domain(s) of Column "SysEndTime"	9
Domain(s) of Column "RowLevelHashKey"	9
Column(s) of Table "SalesOrderVehicleDetail"	9
Domain(s) of Column "SalesOrderVehicleDetailId"	9
Domain(s) of Column "SalesOrderVehicleId"	9
Domain(s) of Column "LineItemNumber"	9
Domain(s) of Column "LineItemDiscount"	9
Domain(s) of Column "DerivedDiscountedSalePrice"	10
Domain(s) of Column "ManufacturerVehicleStockId"	10
Domain(s) of Column "UserAuthorizationId"	10

Domain(s) of Column "SysStartTime"	10
Domain(s) of Column "SysEndTime"	10
Domain(s) of Column "SalesPrice"	10
Domain(s) of Column "RowLevelHashKey"	10
Column(s) of Table "Staff"	10
Domain(s) of Column "StaffId"	10
Domain(s) of Column "ManagerID"	10
Domain(s) of Column "DepartmentID"	10
Domain(s) of Column "UserAuthorizationId"	10
Domain(s) of Column "SysStartTime"	10
Domain(s) of Column "SysEndTime"	10
Domain(s) of Column "RowLevelHashKey"	11
Domain(s) of Column "StaffFirstName"	11
Domain(s) of Column "StaffLastName"	11
Column(s) of Table "sysdiagrams"	11
Domain(s) of Column "name"	11
Domain(s) of Column "principal_id"	11
Domain(s) of Column "diagram_id"	11
Domain(s) of Column "version"	11
Domain(s) of Column "definition"	11
Column(s) of Table "Department"	11
Domain(s) of Column "DepartmentID"	11
Domain(s) of Column "DepartmentName"	11
Domain(s) of Column "UserAuthorizationId"	11
Domain(s) of Column "DepartmentSysStartTime"	11
Domain(s) of Column "DepartmentSysEndTime"	12
Domain(s) of Column "RowLevelHashKey"	12
Column(s) of Table "Customer"	12
Domain(s) of Column "CustomerId"	12
Domain(s) of Column "CustomerLastName"	12
Domain(s) of Column "CustomerTown"	12
Domain(s) of Column "CustomerPostalCode"	12
Domain(s) of Column "CustomerIsCustomerReseller"	12
Domain(s) of Column "CustomerIsCustomerCreditRisk"	12
Domain(s) of Column "CountryId"	12
Domain(s) of Column "UserAuthorizationId"	12
Domain(s) of Column "SysStartTime"	12
Domain(s) of Column "SysEndTime"	12
Domain(s) of Column "CustomerFirstName"	13
Domain(s) of Column "CustomerStreetNumber"	13
Domain(s) of Column "CustomerStreetName"	13
Domain(s) of Column "RowLevelHashKey"	13
Column(s) of Table "UserAuthorization"	13
Domain(s) of Column "UserAuthorizationId"	13
Domain(s) of Column "ClassTime"	13
Domain(s) of Column "IndividualProject"	13
Domain(s) of Column "GroupMemberLastName"	13
Domain(s) of Column "GroupMemberFirstName"	13
Domain(s) of Column "GroupName"	13
Domain(s) of Column "SysStartTime"	13
Domain(s) of Column "SysEndTime"	13
Column(s) of Table "SpendCapacity"	13
Domain(s) of Column "SpendCapacityID"	14
Domain(s) of Column "SpendCapacity"	14
Domain(s) of Column "CustomerId"	14
Domain(s) of Column "RowLevelHashKey"	14
Column(s) of Table "ManufacturerVehicleModel"	14
Domain(s) of Column "ManufacturerVehicleModelId"	14
Domain(s) of Column "ManufacturerVehicleModelName"	14
Domain(s) of Column "ManufacturerVehicleMakeId"	14
Domain(s) of Column "UserAuthorizationId"	14
Domain(s) of Column "SysStartTime"	14
Domain(s) of Column "SysEndTime"	14
Domain(s) of Column "ManufacturerVehicleModelVariantCountryID"	14
Domain(s) of Column "RowLevelHashKey"	14
Column(s) of Table "Country"	14
Domain(s) of Column "CountryAuditId"	15
Domain(s) of Column "CountryId"	15
Domain(s) of Column "CountryAuditType"	15
Domain(s) of Column "CountryAuditDate"	15
Domain(s) of Column "CountryFieldName"	15
Domain(s) of Column "CountryOldValue"	15
Domain(s) of Column "CountryNewValue"	15
Domain(s) of Column "RowLevelHashKey"	15

Column(s) of Table "Customer"	15
Domain(s) of Column "CustomerAuditId"	15
Domain(s) of Column "CustomerId"	15
Domain(s) of Column "CustomerAuditType"	15
Domain(s) of Column "CustomerAuditDate"	15
Domain(s) of Column "CustomerFieldName"	16
Domain(s) of Column "CustomerOldValue"	16
Domain(s) of Column "CustomerNewValue"	16
Domain(s) of Column "RowLevelHashKey"	16
Column(s) of Table "ManufacturerVehicleModel"	16
Domain(s) of Column "ManufacturerModelAuditId"	16
Domain(s) of Column "ManufacturerVehicleModelID"	16
Domain(s) of Column "ManufacturerModelAuditType"	16
Domain(s) of Column "ManufacturerModelAuditDate"	16
Domain(s) of Column "ManufacturerModelFieldName"	16
Domain(s) of Column "ManufacturerModelOldValue"	16
Domain(s) of Column "ManufacturerModelNewValue"	16
Domain(s) of Column "RowLevelHashKey"	16
Column(s) of Table "ManufacturerVehicleMake"	16
Domain(s) of Column "ManufacturerMakeAuditId"	17
Domain(s) of Column "ManufacturerMakeId"	17
Domain(s) of Column "ManufacturerMakeAuditType"	17
Domain(s) of Column "ManufacturerMakeAuditDate"	17
Domain(s) of Column "ManufacturerMakeFieldName"	17
Domain(s) of Column "ManufacturerMakeOldValue"	17
Domain(s) of Column "ManufacturerMakeNewValue"	17
Domain(s) of Column "RowLevelHashKey"	17
Column(s) of Table "ManufacturerVehicleStock"	17
Domain(s) of Column "ManufacturerVehicleStockAuditId"	17
Domain(s) of Column "ManufacturerVehicleModelId"	17
Domain(s) of Column "ManufacturerVehicleStockAuditType"	17
Domain(s) of Column "ManufacturerVehicleStockAuditDate"	17
Domain(s) of Column "ManufacturerVehicleStockFieldName"	18
Domain(s) of Column "ManufacturerVehicleStockOldValue"	18
Domain(s) of Column "ManufacturerVehicleStockNewValue"	18
Domain(s) of Column "RowLevelHashKey"	18
Column(s) of Table "SalesOrderVehicle"	18
Domain(s) of Column "SalesOrderVehicleAuditId"	18
Domain(s) of Column "SalesOrderVehicleId"	18
Domain(s) of Column "SalesOrderVehicleAuditType"	18
Domain(s) of Column "SalesOrderVehicleAuditDate"	18
Domain(s) of Column "SalesOrderVehicleFieldName"	18
Domain(s) of Column "SalesOrderVehicleOldValue"	18
Domain(s) of Column "SalesOrderVehicleHNewValue"	18
Domain(s) of Column "RowLevelHashKey"	18
Column(s) of Table "SalesOrderVehicleDetail"	18
Domain(s) of Column "SalesOrderVehicleDetailAuditId"	19
Domain(s) of Column "SalesOrderVehicleDetailId"	19
Domain(s) of Column "SalesOrderVehicleDetailAuditType"	19
Domain(s) of Column "SalesOrderVehicleDetailAuditDate"	19
Domain(s) of Column "SalesOrderVehicleDetailFieldName"	19
Domain(s) of Column "SalesOrderVehicleDetailOldValue"	19
Domain(s) of Column "SalesOrderVehicleDetailNewValue"	19
Domain(s) of Column "RowLevelHashKey"	19
Column(s) of Table "Staff"	19
Domain(s) of Column "StaffAuditId"	19
Domain(s) of Column "StaffId"	19
Domain(s) of Column "StaffAuditType"	19
Domain(s) of Column "StaffAuditDate"	19
Domain(s) of Column "StaffFieldName"	20
Domain(s) of Column "StaffOldValue"	20
Domain(s) of Column "StaffNewValue"	20
Domain(s) of Column "RowLevelHashKey"	20
Index	

Table(s) of Model "RawEuropeanCarManufacturer"

Column(s) of Table "CommonColumnsForTriggerTemplate"

Physical Name	@Table Name
RowLevelHashKey	CommonColumnsForTriggerTemplate
Note	CommonColumnsForTriggerTemplate
IsDeleted	CommonColumnsForTriggerTemplate
TransactionNumber	CommonColumnsForTriggerTemplate
UserAuthenticatedKey	CommonColumnsForTriggerTemplate
SysStartTime	CommonColumnsForTriggerTemplate
SysEndTime	CommonColumnsForTriggerTemplate

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
default	Null	

Domain(s) of Column "Note"

Domain Parent	Null Option	Schema
default	Null	

Domain(s) of Column "IsDeleted"

Domain Parent	Null Option	Schema
default	Null	

Domain(s) of Column "TransactionNumber"

Domain Parent	Null Option	Schema
default	Null	

Domain(s) of Column "UserAuthenticatedKey"

Domain Parent	Null Option	Schema
default	Null	

Domain(s) of Column "SysStartTime"

Domain Parent	Null Option	Schema
default	Not Null	

Domain(s) of Column "SysEndTime"

Domain Parent	Null Option	Schema
default	Not Null	

Column(s) of Table "Country"

Physical Name	@Table Name
CountryId	Country
CountryISO3	Country
CountryName	Country
CountryISO2	Country
CountrySalesRegion	Country
UserAuthorizationId	Country
CountrySysStartTime	Country
CountrySysEndTime	Country
RowLevelHashKey	Country

Domain(s) of Column "CountryId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "CountryISO3"

Domain Parent	Null Option	Schema
sdChar	Not Null	sdChar

Domain(s) of Column "CountryName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "CountryISO2"

Domain Parent	Null Option	Schema

sdChar	Not Null	sdChar
--------	----------	--------

Domain(s) of Column "CountrySalesRegion"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "UserAuthorizationId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "CountrySysStartTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "CountrySysEndTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "ManufacturerVehicleMake"

Physical Name	@Table Name
ManufacturerVehicleMakeID	ManufacturerVehicleMake
ManufacturerVehicleMakeName	ManufacturerVehicleMake
CountryId	ManufacturerVehicleMake
MarketingTypeId	ManufacturerVehicleMake
UserAuthorizationId	ManufacturerVehicleMake
SysStartTime	ManufacturerVehicleMake
SysEndTime	ManufacturerVehicleMake
RowLevelHashKey	ManufacturerVehicleMake

Domain(s) of Column "ManufacturerVehicleMakeID"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "ManufacturerVehicleMakeName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "CountryId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "MarketingTypeId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "UserAuthorizationId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "SysStartTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "SysEndTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "ManufacturerVehicleStock"

Physical Name	@Table Name
---------------	-------------

ManufacturerVehicleStockID	ManufacturerVehicleStock
ManufacturerVehicleStockCode	ManufacturerVehicleStock
ManufacturerVehicleStockCost	ManufacturerVehicleStock
RepairsCharge	ManufacturerVehicleStock
StockPartsCharge	ManufacturerVehicleStock
StockDeliveryCharge	ManufacturerVehicleStock
IsPremiumRoadHandlingPackage	ManufacturerVehicleStock
VehicleColor	ManufacturerVehicleStock
CustomerComments	ManufacturerVehicleStock
PurchaseDate	ManufacturerVehicleStock
UserAuthorizationId	ManufacturerVehicleStock
SysStartTime	ManufacturerVehicleStock
SysEndTime	ManufacturerVehicleStock
ManufacturerVehicleModelId	ManufacturerVehicleStock
RowLevelHashKey	ManufacturerVehicleStock

Domain(s) of Column "ManufacturerVehicleStockID"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "ManufacturerVehicleStockCode"

Domain Parent	Null Option	Schema
sdNumericString	Not Null	sdNumericString

Domain(s) of Column "ManufacturerVehicleStockCost"

Domain Parent	Null Option	Schema
sdDouble	Not Null	sdDouble

Domain(s) of Column "RepairsCharge"

Domain Parent	Null Option	Schema
sdDouble	Not Null	sdDouble

Domain(s) of Column "StockPartsCharge"

Domain Parent	Null Option	Schema
sdDouble	Not Null	sdDouble

Domain(s) of Column "StockDeliveryCharge"

Domain Parent	Null Option	Schema
sdDouble	Not Null	sdDouble

Domain(s) of Column "IsPremiumRoadHandlingPackage"

Domain Parent	Null Option	Schema
sdNumericFlag	Null	sdNumericFlag

Domain(s) of Column "VehicleColor"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "CustomerComments"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "PurchaseDate"

Domain Parent	Null Option	Schema
sdDate	Not Null	sdDates

Domain(s) of Column "UserAuthorizationId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "SysStartTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "SysEndTime"

Domain Parent	Null Option	Schema

sdDateTime	Null	sdDateTime
------------	------	------------

Domain(s) of Column "ManufacturerVehicleModelId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "MarketingCategory"

Physical Name	@Table Name
MarketingCategoryType	MarketingCategory
MarketingTypeId	MarketingCategory
UserAuthorizationId	MarketingCategory
MarketingCategorySysStartTime	MarketingCategory
MarketingCategorySysEndTime	MarketingCategory
RowLevelHashKey	MarketingCategory

Domain(s) of Column "MarketingCategoryType"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "MarketingTypeId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "UserAuthorizationId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "MarketingCategorySysStartTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "MarketingCategorySysEndTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "SalesOrderVehicle"

Physical Name	@Table Name
SalesOrderVehicleId	SalesOrderVehicle
StaffId	SalesOrderVehicle
SalesOrderVehicleInvoiceNumber	SalesOrderVehicle
SalesOrderVehicleSaleDate	SalesOrderVehicle
SalesOrderVehicleCategoryDescription	SalesOrderVehicle
CustomerId	SalesOrderVehicle
SalesOrderVehicleLowerThreshold	SalesOrderVehicle
SalesOrderVehicleUpperThreshold	SalesOrderVehicle
UserAuthorizationId	SalesOrderVehicle
SysStartTime	SalesOrderVehicle
SysEndTime	SalesOrderVehicle
RowLevelHashKey	SalesOrderVehicle

Domain(s) of Column "SalesOrderVehicleId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "StaffId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "SalesOrderVehicleInvoiceNumber"

Domain Parent	Null Option	Schema

sdChar	Not Null	sdChar
--------	----------	--------

Domain(s) of Column "SalesOrderVehicleSaleDate"

Domain Parent	Null Option	Schema
sdDate	Not Null	sdDates

Domain(s) of Column "SalesOrderVehicleCategoryDescription"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "CustomerId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "SalesOrderVehicleLowerThreshold"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "SalesOrderVehicleUpperThreshold"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "UserAuthorizationId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "SysStartTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "SysEndTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "SalesOrderVehicleDetail"

Physical Name	@Table Name
SalesOrderVehicleDetailId	SalesOrderVehicleDetail
SalesOrderVehicleId	SalesOrderVehicleDetail
LineItemNumber	SalesOrderVehicleDetail
LineItemDiscount	SalesOrderVehicleDetail
DerivedDiscountedSalePrice	SalesOrderVehicleDetail
ManufacturerVehicleStockID	SalesOrderVehicleDetail
UserAuthorizationId	SalesOrderVehicleDetail
SysStartTime	SalesOrderVehicleDetail
SysEndTime	SalesOrderVehicleDetail
SalesPrice	SalesOrderVehicleDetail
RowLevelHashKey	SalesOrderVehicleDetail

Domain(s) of Column "SalesOrderVehicleDetailId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "SalesOrderVehicleId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "LineItemNumber"

Domain Parent	Null Option	Schema
sdDouble	Not Null	sdDouble

Domain(s) of Column "LineItemDiscount"

Domain Parent	Null Option	Schema
---------------	-------------	--------

sdDouble	Not Null	sdDouble
----------	----------	----------

Domain(s) of Column "DerivedDiscountedSalePrice"

Domain Parent	Null Option	Schema
sdDouble	Not Null	sdDouble

Domain(s) of Column "ManufacturerVehicleStockID"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "UserAuthorizationId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "SysStartTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "SysEndTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "SalesPrice"

Domain Parent	Null Option	Schema
sdDouble	Not Null	sdDouble

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "Staff"

Physical Name	@Table Name
StaffId	Staff
ManagerID	Staff
DepartmentID	Staff
UserAuthorizationId	Staff
SysStartTime	Staff
SysEndTime	Staff
RowLevelHashKey	Staff
StaffFirstName	Staff
StaffLastName	Staff

Domain(s) of Column "StaffId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "ManagerID"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "DepartmentID"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "UserAuthorizationId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "SysStartTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "SysEndTime"

Domain Parent	Null Option	Schema
---------------	-------------	--------

sdDateTime	Null	sdDateTime
------------	------	------------

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Domain(s) of Column "StaffFirstName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "StaffLastName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Column(s) of Table "sysdiagrams"

Physical Name	@Table Name
name	sysdiagrams
principal_id	sysdiagrams
diagram_id	sysdiagrams
version	sysdiagrams
definition	sysdiagrams

Domain(s) of Column "name"

Domain Parent	Null Option	Schema
default	Null	

Domain(s) of Column "principal_id"

Domain Parent	Null Option	Schema
default	Null	

Domain(s) of Column "diagram_id"

Domain Parent	Null Option	Schema
default	Null	

Domain(s) of Column "version"

Domain Parent	Null Option	Schema
default	Null	

Domain(s) of Column "definition"

Domain Parent	Null Option	Schema
default	Null	

Column(s) of Table "Department"

Physical Name	@Table Name
DepartmentID	Department
DepartmentName	Department
UserAuthorizationId	Department
DepartmentSysStartTime	Department
DepartmentSysEndTime	Department
RowLevelHashKey	Department

Domain(s) of Column "DepartmentID"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "DepartmentName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "UserAuthorizationId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "DepartmentSysStartTime"

Domain Parent	Null Option	Schema

sdDateTime	Null	sdDateTime
------------	------	------------

Domain(s) of Column "DepartmentSysEndTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "Customer"

Physical Name	@Table Name
CustomerId	Customer
CustomerLastName	Customer
CustomerTown	Customer
CustomerPostalCode	Customer
CustomerIsCustomerReseller	Customer
CustomerIsCustomerCreditRisk	Customer
CountryId	Customer
UserAuthorizationId	Customer
SysStartTime	Customer
SysEndTime	Customer
CustomerFirstName	Customer
CustomerStreetNumber	Customer
CustomerStreetName	Customer
RowLevelHashKey	Customer

Domain(s) of Column "CustomerId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "CustomerLastName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "CustomerTown"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "CustomerPostalCode"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Domain(s) of Column "CustomerIsCustomerReseller"

Domain Parent	Null Option	Schema
sdNumericFlag	Null	sdNumericFlag

Domain(s) of Column "CustomerIsCustomerCreditRisk"

Domain Parent	Null Option	Schema
sdNumericFlag	Null	sdNumericFlag

Domain(s) of Column "CountryId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "UserAuthorizationId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "SysStartTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "SysEndTime"

Domain Parent	Null Option	Schema
---------------	-------------	--------

sdDateTime	Null	sdDateTime
------------	------	------------

Domain(s) of Column "CustomerFirstName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "CustomerStreetNumber"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "CustomerStreetName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "UserAuthorization"

Physical Name	@Table Name
UserAuthorizationId	UserAuthorization
ClassTime	UserAuthorization
IndividualProject	UserAuthorization
GroupMemberLastName	UserAuthorization
GroupMemberFirstName	UserAuthorization
GroupName	UserAuthorization
SysStartTime	UserAuthorization
SysEndTime	UserAuthorization

Domain(s) of Column "UserAuthorizationId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "ClassTime"

Domain Parent	Null Option	Schema
sdTime	Null	sdTime

Domain(s) of Column "IndividualProject"

Domain Parent	Null Option	Schema
sdNames	Null	sdNames

Domain(s) of Column "GroupMemberLastName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "GroupMemberFirstName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "GroupName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "SysStartTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "SysEndTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Column(s) of Table "SpendCapacity"

Physical Name	@Table Name
SpendCapacityID	SpendCapacity

SpendCapacity	SpendCapacity
CustomerId	SpendCapacity
RowLevelHashKey	SpendCapacity

Domain(s) of Column "SpendCapacityID"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "SpendCapacity"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "CustomerId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "ManufacturerVehicleModel"

Physical Name	@Table Name
ManufacturerVehicleModelId	ManufacturerVehicleModel
ManufacturerVehicleModelName	ManufacturerVehicleModel
ManufacturerVehicleMakeID	ManufacturerVehicleModel
UserAuthorizationId	ManufacturerVehicleModel
SysStartTime	ManufacturerVehicleModel
SysEndTime	ManufacturerVehicleModel
ManufacturerVehicleModelVariantCountryID	ManufacturerVehicleModel
RowLevelHashKey	ManufacturerVehicleModel

Domain(s) of Column "ManufacturerVehicleModelId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "ManufacturerVehicleModelName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "ManufacturerVehicleMakeID"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "UserAuthorizationId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "SysStartTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "SysEndTime"

Domain Parent	Null Option	Schema
sdDateTime	Null	sdDateTime

Domain(s) of Column "ManufacturerVehicleModelVariantCountryID"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "Country"

Physical Name	@Table Name
---------------	-------------

CountryAuditId	Country
CountryId	Country
CountryAuditType	Country
CountryAuditDate	Country
CountryFieldName	Country
CountryOldValue	Country
CountryNewValue	Country
RowLevelHashKey	Country

Domain(s) of Column "CountryAuditId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "CountryId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "CountryAuditType"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "CountryAuditDate"

Domain Parent	Null Option	Schema
dApplication	Null	dApplication

Domain(s) of Column "CountryFieldName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "CountryOldValue"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "CountryNewValue"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "Customer"

Physical Name	@Table Name
CustomerAuditId	Customer
CustomerId	Customer
CustomerAuditType	Customer
CustomerAuditDate	Customer
CustomerFieldName	Customer
CustomerOldValue	Customer
CustomerNewValue	Customer
RowLevelHashKey	Customer

Domain(s) of Column "CustomerAuditId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "CustomerId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "CustomerAuditType"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "CustomerAuditDate"

Domain Parent	Null Option	Schema
---------------	-------------	--------

sdDateTime	Null	sdDateTime
------------	------	------------

Domain(s) of Column "CustomerFieldName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "CustomerOldValue"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "CustomerNewValue"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "ManufacturerVehicleModel"

Physical Name	@Table Name
ManufacturerModelAuditId	ManufacturerVehicleModel
ManufacturerVehicleModelID	ManufacturerVehicleModel
ManufacturerModelAuditType	ManufacturerVehicleModel
ManufacturerModelAuditDate	ManufacturerVehicleModel
ManufacturerModelFieldName	ManufacturerVehicleModel
ManufacturerModelOldValue	ManufacturerVehicleModel
ManufacturerModelNewValue	ManufacturerVehicleModel
RowLevelHashKey	ManufacturerVehicleModel

Domain(s) of Column "ManufacturerModelAuditId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "ManufacturerVehicleModelID"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "ManufacturerModelAuditType"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "ManufacturerModelAuditDate"

Domain Parent	Null Option	Schema
dApplication	Null	dApplication

Domain(s) of Column "ManufacturerModelFieldName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "ManufacturerModelOldValue"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "ManufacturerModelNewValue"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "ManufacturerVehicleMake"

Physical Name	@Table Name
ManufacturerMakeAuditId	ManufacturerVehicleMake

ManufacturerMakeId	ManufacturerVehicleMake
ManufacturerMakeAuditType	ManufacturerVehicleMake
ManufacturerMakeAuditDate	ManufacturerVehicleMake
ManufacturerMakeFieldName	ManufacturerVehicleMake
ManufacturerMakeOldValue	ManufacturerVehicleMake
ManufacturerMakeNewValue	ManufacturerVehicleMake
RowLevelHashKey	ManufacturerVehicleMake

Domain(s) of Column "ManufacturerMakeAuditId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "ManufacturerMakeId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "ManufacturerMakeAuditType"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "ManufacturerMakeAuditDate"

Domain Parent	Null Option	Schema
dApplication	Null	dApplication

Domain(s) of Column "ManufacturerMakeFieldName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "ManufacturerMakeOldValue"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "ManufacturerMakeNewValue"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "ManufacturerVehicleStock"

Physical Name	@ Table Name
ManufacturerVehicleStockAuditId	ManufacturerVehicleStock
ManufacturerVehicleModelId	ManufacturerVehicleStock
ManufacturerVehicleStockAuditType	ManufacturerVehicleStock
ManufacturerVehicleStockAuditDate	ManufacturerVehicleStock
ManufacturerVehicleStocFieldName	ManufacturerVehicleStock
ManufacturerVehicleStockOldValue	ManufacturerVehicleStock
ManufacturerVehicleStockNewValue	ManufacturerVehicleStock
RowLevelHashKey	ManufacturerVehicleStock

Domain(s) of Column "ManufacturerVehicleStockAuditId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "ManufacturerVehicleModelId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "ManufacturerVehicleStockAuditType"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "ManufacturerVehicleStockAuditDate"

Domain Parent	Null Option	Schema
---------------	-------------	--------

dApplication	Null	dApplication
--------------	------	--------------

Domain(s) of Column "ManufacturerVehicleStocFieldName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "ManufacturerVehicleStockOldValue"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "ManufacturerVehicleStockNewValue"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "SalesOrderVehicle"

Physical Name	@Table Name
SalesOrderVehicleAuditId	SalesOrderVehicle
SalesOrderVehicleId	SalesOrderVehicle
SalesOrderVehicleAuditType	SalesOrderVehicle
SalesOrderVehicleAuditDate	SalesOrderVehicle
SalesOrderVehicleFieldName	SalesOrderVehicle
SalesOrderVehicleOldValue	SalesOrderVehicle
SalesOrderVehicleHNewValue	SalesOrderVehicle
RowLevelHashKey	SalesOrderVehicle

Domain(s) of Column "SalesOrderVehicleAuditId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "SalesOrderVehicleId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "SalesOrderVehicleAuditType"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "SalesOrderVehicleAuditDate"

Domain Parent	Null Option	Schema
dApplication	Null	dApplication

Domain(s) of Column "SalesOrderVehicleFieldName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "SalesOrderVehicleOldValue"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "SalesOrderVehicleHNewValue"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "SalesOrderVehicleDetail"

Physical Name	@Table Name
SalesOrderVehicleDetailAuditId	SalesOrderVehicleDetail

SalesOrderVehicleDetailId	SalesOrderVehicleDetail
SalesOrderVehicleDetailAuditType	SalesOrderVehicleDetail
SalesOrderVehicleDetailAuditDate	SalesOrderVehicleDetail
SalesOrderVehicleDetailFieldName	SalesOrderVehicleDetail
SalesOrderVehicleDetailOldValue	SalesOrderVehicleDetail
SalesOrderVehicleDetailNewValue	SalesOrderVehicleDetail
RowLevelHashKey	SalesOrderVehicleDetail

Domain(s) of Column "SalesOrderVehicleDetailAuditId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "SalesOrderVehicleDetailId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "SalesOrderVehicleDetailAuditType"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "SalesOrderVehicleDetailAuditDate"

Domain Parent	Null Option	Schema
dApplication	Null	dApplication

Domain(s) of Column "SalesOrderVehicleDetailFieldName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "SalesOrderVehicleDetailOldValue"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "SalesOrderVehicleDetailNewValue"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Column(s) of Table "Staff"

Physical Name	@Table Name
StaffAuditId	Staff
StaffId	Staff
StaffAuditType	Staff
StaffAuditDate	Staff
StaffFieldName	Staff
StaffOldValue	Staff
StaffNewValue	Staff
RowLevelHashKey	Staff

Domain(s) of Column "StaffAuditId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "StaffId"

Domain Parent	Null Option	Schema
sdInteger	Not Null	sdInteger

Domain(s) of Column "StaffAuditType"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "StaffAuditDate"

Domain Parent	Null Option	Schema
---------------	-------------	--------

dApplication	Null	dApplication
--------------	------	--------------

Domain(s) of Column "StaffFieldName"

Domain Parent	Null Option	Schema
sdNames	Not Null	sdNames

Domain(s) of Column "StaffOldValue"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "StaffNewValue"

Domain Parent	Null Option	Schema
sdDescription	Null	sdDescription

Domain(s) of Column "RowLevelHashKey"

Domain Parent	Null Option	Schema
sdNumericString	Null	sdNumericString

Index

C

ClassTime 14
CommonColumnsForTriggerTemplate 6
Country 6, 15, 16
CountryAuditDate 16
CountryAuditId 16
CountryAuditType 16
CountryFieldName 16
CountryId 6, 7, 13, 16
CountryISO2 6
CountryISO3 6
CountryName 6
CountryNewValue 16
CountryOldValue 16
CountrySalesRegion 6, 7
CountrySysEndTime 6, 7
CountrySysStartTime 6, 7
Customer 13, 16
CustomerAuditDate 16
CustomerAuditId 16
CustomerAuditType 16
CustomerComments 8
CustomerFieldName 16, 17
CustomerFirstName 13, 14
CustomerId 9, 10, 13, 15, 16
CustomerIsCustomerCreditRisk 13
CustomerIsCustomerReseller 13
CustomerLastName 13
CustomerNewValue 16, 17
CustomerOldValue 16, 17
CustomerPostalCode 13
CustomerStreetName 13, 14
CustomerStreetNumber 13, 14
CustomerTown 13

d

definition 12

D

Department 12
DepartmentID 11, 12
DepartmentName 12
DepartmentSysEndTime 12, 13
DepartmentSysStartTime 12
DerivedDiscountedSalePrice 10, 11

d

diagram_id 12

G

GroupMemberFirstName 14
GroupMemberLastName 14
GroupName 14

I

IndividualProject 14
IsDeleted 6
IsPremiumRoadHandlingPackage 8

L

LineItemDiscount 10
LineItemNumber 10

M

ManagerID 11
ManufacturerMakeAuditDate 18
ManufacturerMakeAuditId 17, 18
ManufacturerMakeAuditType 18
ManufacturerMakeFieldName 18
ManufacturerMakeId 18

ManufacturerMakeNewValue 18
 ManufacturerMakeOldValue 18
 ManufacturerModelAuditDate 17
 ManufacturerModelAuditId 17
 ManufacturerModelAuditType 17
 ManufacturerModelFieldName 17
 ManufacturerModelNewValue 17
 ManufacturerModelOldValue 17
 ManufacturerVehicleMake 7, 17, 18
 ManufacturerVehicleMakeId 7, 15
 ManufacturerVehicleMakeName 7
 ManufacturerVehicleModel 15, 17
 ManufacturerVehicleModelId 8, 9, 15, 18
 ManufacturerVehicleModelID 17
 ManufacturerVehicleModelName 15
 ManufacturerVehicleModelVariantCountryID 15
 ManufacturerVehicleStocFieldName 18, 19
 ManufacturerVehicleStock 7, 8, 18
 ManufacturerVehicleStockAuditDate 18
 ManufacturerVehicleStockAuditId 18
 ManufacturerVehicleStockAuditType 18
 ManufacturerVehicleStockCode 8
 ManufacturerVehicleStockCost 8
 ManufacturerVehicleStockID 8, 10, 11
 ManufacturerVehicleStockNewValue 18, 19
 ManufacturerVehicleStockOldValue 18, 19
 MarketingCategory 9
 MarketingCategorySysEndTime 9
 MarketingCategorySysStartTime 9
 MarketingCategoryType 9
 MarketingTypeId 7, 9

n

name 12

N

Note 6

p

principal_id 12

P

PurchaseDate 8

R

RawEuropeanCarManufacturer 6

RepairsCharge 8

RowLevelHashKey 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21

S

SalesOrderVehicle 9, 19

SalesOrderVehicleAuditDate 19

SalesOrderVehicleAuditId 19

SalesOrderVehicleAuditType 19

SalesOrderVehicleCategoryDescription 9, 10

SalesOrderVehicleDetail 10, 19, 20

SalesOrderVehicleDetailAuditDate 20

SalesOrderVehicleDetailAuditId 19, 20

SalesOrderVehicleDetailAuditType 20

SalesOrderVehicleDetailFieldName 20

SalesOrderVehicleDetailId 10, 20

SalesOrderVehicleDetailNewValue 20

SalesOrderVehicleDetailOldValue 20

SalesOrderVehicleFieldName 19

SalesOrderVehicleHNewValue 19

SalesOrderVehicleId 9, 10, 19

SalesOrderVehicleInvoiceNumber 9

SalesOrderVehicleLowerThreshold 9, 10

SalesOrderVehicleOldValue 19

SalesOrderVehicleSaleDate 9, 10

SalesOrderVehicleUpperThreshold 9, 10

SalesPrice 10, 11

SpendCapacity 14, 15

SpendCapacityID 14, 15

Staff 11, 20
StaffAuditDate 20
StaffAuditId 20
StaffAuditType 20
StaffFieldName 20, 21
StaffFirstName 11, 12
StaffId 9, 11, 20
StaffLastName 11, 12
StaffNewValue 20, 21
StaffOldValue 20, 21
StockDeliveryCharge 8
StockPartsCharge 8

S

sysdiagrams 12

S

SysEndTime 6, 7, 8, 9, 10, 11, 13, 14, 15
SysStartTime 6, 7, 8, 9, 10, 11, 13, 14, 15

T

TransactionNumber 6

U

UserAuthenticatedKey 6
UserAuthorization 14
UserAuthorizationId 6, 7, 8, 9, 10, 11, 12, 13, 14, 15

V

VehicleColor 8

V

version 12