

Report 'Columns using PII'

Table(s) of Model "RawEuropeanCarManufacturer"

Column(s) of Table "CommonColumnsForTriggerTemplate"

Physical Name	PII
RowLevelHashKey	
Note	
IsDeleted	
TransactionNumber	
UserAuthenticatedKey	
SysStartTime	
SysEndTime	

Column(s) of Table "Country"

Physical Name	PII
CountryId	
CountryISO3	
CountryName	
CountryISO2	
CountrySalesRegion	
UserAuthorizationId	
CountrySysStartTime	
CountrySysEndTime	
RowLevelHashKey	

Column(s) of Table "ManufacturerVehicleMake"

Physical Name	PII
ManufacturerVehicleMakeId	
ManufacturerVehicleMakeName	
CountryId	
MarketingTypeId	
UserAuthorizationId	
SysStartTime	
SysEndTime	
RowLevelHashKey	

Column(s) of Table "ManufacturerVehicleStock"

Physical Name	PII
ManufacturerVehicleStockId	
ManufacturerVehicleStockCode	
ManufacturerVehicleStockCost	
RepairsCharge	
StockPartsCharge	
StockDeliveryCharge	
IsPremiumRoadHandlingPackage	
VehicleColor	
CustomerComments	
PurchaseDate	
UserAuthorizationId	
SysStartTime	
SysEndTime	
ManufacturerVehicleModelId	
RowLevelHashKey	

Column(s) of Table "MarketingCategory"

Physical Name	PII
MarketingCategoryType	
MarketingTypeId	
UserAuthorizationId	
MarketingCategorySysStartTime	
MarketingCategorySysEndTime	
RowLevelHashKey	

Column(s) of Table "SalesOrderVehicle"

Physical Name	PII
SalesOrderVehicleId	
StaffId	

SalesOrderVehicleInvoiceNumber	
SalesOrderVehicleSaleDate	
SalesOrderVehicleCategoryDescription	
CustomerId	
SalesOrderVehicleLowerThreshold	
SalesOrderVehicleUpperThreshold	
UserAuthorizationId	
SysStartTime	
SysEndTime	
RowLevelHashKey	

Column(s) of Table "SalesOrderVehicleDetail"

Physical Name	PII
SalesOrderVehicleDetailId	
SalesOrderVehicleId	
LineItemId	
LineItemDiscount	
DerivedDiscountedSalePrice	
ManufacturerVehicleStockID	
UserAuthorizationId	
SysStartTime	
SysEndTime	
SalesPrice	
RowLevelHashKey	

Column(s) of Table "Staff"

Physical Name	PII
StaffId	
ManagerID	
DepartmentID	
UserAuthorizationId	
SysStartTime	
SysEndTime	
RowLevelHashKey	
StaffFirstName	true
StaffLastName	true

Column(s) of Table "sysdiagrams"

Physical Name	PII
name	
principal_id	
diagram_id	
version	
definition	

Column(s) of Table "Department"

Physical Name	PII
DepartmentID	
DepartmentName	
UserAuthorizationId	
DepartmentSysStartTime	
DepartmentSysEndTime	
RowLevelHashKey	

Column(s) of Table "Customer"

Physical Name	PII
CustomerId	
CustomerLastName	true
CustomerTown	true
CustomerPostalCode	true
CustomerIsCustomerReseller	
CustomerIsCustomerCreditRisk	true
CountryId	
UserAuthorizationId	
SysStartTime	
SysEndTime	
CustomerFirstName	true
CustomerFullName	true

CustomerStreetNumber	true
CustomerStreetName	true
RowLevelHashKey	

Column(s) of Table "UserAuthorization"	
Physical Name	PII
UserAuthorizationId	
ClassTime	
IndividualProject	
GroupMemberLastName	true
GroupMemberFirstName	true
GroupName	
SysStartTime	
SysEndTime	

Column(s) of Table "SpendCapacity"	
Physical Name	PII
SpendCapacityID	
SpendCapacity	
CustomerId	
RowLevelHashKey	

Column(s) of Table "ManufacturerVehicleModel"	
Physical Name	PII
ManufacturerVehicleModelId	
ManufacturerVehicleModelName	
ManufacturerVehicleMakeID	
UserAuthorizationId	
SysStartTime	
SysEndTime	
ManufacturerVehicleModelVariantCountryID	
RowLevelHashKey	

Column(s) of Table "Country"	
Physical Name	PII
CountryAuditId	
CountryId	
CountryAuditType	
CountryAuditDate	
CountryFieldName	
CountryOldValue	
CountryNewValue	
RowLevelHashKey	

Column(s) of Table "Customer"	
Physical Name	PII
CustomerAuditId	
CustomerId	
CustomerAuditType	
CustomerAuditDate	
CustomerFieldName	
CustomerOldValue	
CustomerNewValue	
RowLevelHashKey	

Column(s) of Table "ManufacturerVehicleModel"	
Physical Name	PII
ManufacturerModelAuditId	
ManufacturerVehicleModelID	
ManufacturerModelAuditType	
ManufacturerModelAuditDate	
ManufacturerModelFieldName	
ManufacturerModelOldValue	
ManufacturerModelNewValue	
RowLevelHashKey	

Column(s) of Table "ManufacturerVehicleMake"	
Physical Name	PII

ManufacturerMakeAuditId	
ManufacturerMakeId	
ManufacturerMakeAuditType	
ManufacturerMakeAuditDate	
ManufacturerMakeFieldName	
ManufacturerMakeOldValue	
ManufacturerMakeNewValue	
RowLevelHashKey	

Column(s) of Table "ManufacturerVehicleStock"

Physical Name	PII
ManufacturerVehicleStockAuditId	
ManufacturerVehicleModelId	
ManufacturerVehicleStockAuditType	
ManufacturerVehicleStockAuditDate	
ManufacturerVehicleStockFieldName	
ManufacturerVehicleStockOldValue	
ManufacturerVehicleStockNewValue	
RowLevelHashKey	

Column(s) of Table "SalesOrderVehicle"

Physical Name	PII
SalesOrderVehicleAuditId	
SalesOrderVehicleId	
SalesOrderVehicleAuditType	
SalesOrderVehicleAuditDate	
SalesOrderVehicleFieldName	
SalesOrderVehicleOldValue	
SalesOrderVehicleHNewValue	
RowLevelHashKey	

Column(s) of Table "SalesOrderVehicleDetail"

Physical Name	PII
SalesOrderVehicleDetailAuditId	
SalesOrderVehicleDetailId	
SalesOrderVehicleDetailAuditType	
SalesOrderVehicleDetailAuditDate	
SalesOrderVehicleDetailFieldName	
SalesOrderVehicleDetailOldValue	
SalesOrderVehicleDetailNewValue	
RowLevelHashKey	

Column(s) of Table "Staff"

Physical Name	PII
StaffAuditId	
StaffId	
StaffAuditType	
StaffAuditDate	
StaffFieldName	
StaffOldValue	
StaffNewValue	
RowLevelHashKey	