

Report 'Standard reports'

## Table Of Contents

Entity and Attributes name	1
Entity(s) of Model "RawEuropeanCarManufacturer"	3
Attribute(s) of Entity "CommonColumnsForTriggerTemplate"	3
Attribute(s) of Entity "Country"	3
Attribute(s) of Entity "CountryHistory"	3
Attribute(s) of Entity "Customer"	3
Attribute(s) of Entity "CustomerHistory"	4
Attribute(s) of Entity "Department"	4
Attribute(s) of Entity "ManufacturerMake"	4
Attribute(s) of Entity "ManufacturerModel"	4
Attribute(s) of Entity "ManufacturerVehicleMake"	4
Attribute(s) of Entity "ManufacturerVehicleModel"	5
Attribute(s) of Entity "ManufacturerVehicleStock"	5
Attribute(s) of Entity "ManufacturerVehicleStockHistory"	5
Attribute(s) of Entity "MarketingCategory"	5
Attribute(s) of Entity "SalesOrderVehicle"	5
Attribute(s) of Entity "SalesOrderVehicleDetail"	6
Attribute(s) of Entity "SalesOrderVehicleDetailHistory"	6
Attribute(s) of Entity "SalesOrderVehicleHistory"	6
Attribute(s) of Entity "SpendCapacity"	6
Attribute(s) of Entity "Staff"	6
Attribute(s) of Entity "StaffHistory"	6
Attribute(s) of Entity "sysdiagrams"	7
Attribute(s) of Entity "UserAuthorization"	7
Index	

Entity(s) of Model "RawEuropeanCarManufacturer"	
Entity Name	Entity Definition
CommonColumnsForTriggerTemplate	
Country	A COUNTRY represent the countries where car manufacturers operate
CountryHistory	
Customer	The CUSTOMER represents individuals or organizations that purchase cars from the manufacturer
CustomerHistory	
Department	A DEPARTMENT is an area of specialized personel within the company
ManufacturerMake	
ManufacturerModel	
ManufacturerVehicleMake	A MANUFACTURERVEHICLEMAKE are the specific brands of vehicles produced by a car manufacturer
ManufacturerVehicleModel	The MANUFACTURERMODEL represents the specific models produced by a car manufacturer
ManufacturerVehicleStock	The MANUFACTURERVEHICLESTOCK represents the stock of vehicles held by a manufacturer
ManufacturerVehicleStockHistory	
MarketingCategory	A MARKETINGCATEGORY entity categorizes cars based on a marketing criteria.
SalesOrderVehicle	The SALESORDERVEHICLE entity represents information related to the sales of a vehicle
SalesOrderVehicleDetail	The SALESORDERVEHICLEDETAIL represents details about the transaction of vehicle sales
SalesOrderVehicleDetailHistory	
SalesOrderVehicleHistory	
SpendCapacity	A SPENDCAPACITY is the amount description of a customers spending capacity
Staff	A STAFF represent the individuals who work for the car manufacturer
StaffHistory	
sysdiagrams	
UserAuthorization	The USERAUTHORIZATION table defines authorized users that are able to manipulate other columns in the data model

Attribute(s) of Entity "CommonColumnsForTriggerTemplate"	
Attribute Name	Attribute's Definition
RowLevelHashKey	
Note	
IsDeleted	
TransactionNumber	
UserAuthenticatedKey	
SysStartTime	
SysEndTime	

Attribute(s) of Entity "Country"	
Attribute Name	Attribute's Definition
CountryId	
CountryISO3	
CountryName	
CountryISO2	
SalesRegion	
UserAuthorizationId	The USERAUTHORIZATIONID defines the UserAuthorizationId of the UserAuthorization
SysStartTime	
SysEndTime	
RowLevelHashKey	

Attribute(s) of Entity "CountryHistory"	
Attribute Name	Attribute's Definition
AuditId	
CountryId	
AuditType	
AuditDate	
FieldName	
OldValue	
NewValue	
RowLevelHashKey	

Attribute(s) of Entity "Customer"	
Attribute Name	Attribute's Definition

CustomerId	Converted nvarchar(5) to int
FirstName	
LastName	
FullName	
StreetNumber	
StreetName	
Town	
PostalCode	
IsCustomerReseller	
IsCustomerCreditRisk	
CountryId	
UserAuthorizationId	The USERAUTHORIZATIONID defines the UserAuthorizationId of the UserAuthorization
SysStartTime	
SysEndTime	
RowLevelHashKey	

#### Attribute(s) of Entity "CustomerHistory"

Attribute Name	Attribute's Definition
AuditId	
CustomerId	
AuditType	
AuditDate	
FieldName	
OldValue	
NewValue	
RowLevelHashKey	

#### Attribute(s) of Entity "Department"

Attribute Name	Attribute's Definition
DepartmentID	
Name	
UserAuthorizationId	The USERAUTHORIZATIONID defines the UserAuthorizationId of the UserAuthorization
SysStartTime	
SysEndTime	
RowLevelHashKey	

#### Attribute(s) of Entity "ManufacturerMake"

Attribute Name	Attribute's Definition
AuditId	
Id	
AuditType	
AuditDate	
FieldName	
OldValue	
NewValue	
RowLevelHashKey	

#### Attribute(s) of Entity "ManufacturerModel"

Attribute Name	Attribute's Definition
AuditId	
ManufacturerVehicleModelID	
AuditType	
AuditDate	
FieldName	
OldValue	
NewValue	
RowLevelHashKey	

#### Attribute(s) of Entity "ManufacturerVehicleMake"

Attribute Name	Attribute's Definition
ManufacturerVehicleMakeID	
MakeName	Testing
CountryId	
MarketingTypeId	Create a lookup table with a primary Key MarketingTypeId based upon the [dbo].[MarketingCategory] table. Make sure not to create data anomalies.

UserAuthorizationId	The USERAUTHORIZATIONID defines the UserAuthorizationId of the UserAuthorization
SysStartTime	
SysEndTime	
RowLevelHashKey	

#### Attribute(s) of Entity "ManufacturerVehicleModel"

Attribute Name	Attribute's Definition
ManufacturerModelId	
ModelName	
ManufacturerVehicleMakeID	
UserAuthorizationId	The USERAUTHORIZATIONID defines the UserAuthorizationId of the UserAuthorization
SysStartTime	
SysEndTime	
CountryId	
RowLevelHashKey	

#### Attribute(s) of Entity "ManufacturerVehicleStock"

Attribute Name	Attribute's Definition
ManufacturerVehicleStockId	
StockCode	
Cost	
RepairsCharge	
PartsCharge	
DeliveryCharge	
IsPremiumRoadHandlingPackage	
VehicleColor	
CustomerComments	
PurchaseDate	
ManufacturerModelId	
UserAuthorizationId	The USERAUTHORIZATIONID defines the UserAuthorizationId of the UserAuthorization
SysStartTime	
SysEndTime	
RowLevelHashKey	

#### Attribute(s) of Entity "ManufacturerVehicleStockHistory"

Attribute Name	Attribute's Definition
AuditId	
ManufacturerVehicleModelId	
AuditType	
AuditDate	
FieldName	
OldValue	
NewValue	
RowLevelHashKey	

#### Attribute(s) of Entity "MarketingCategory"

Attribute Name	Attribute's Definition
MarketingTypeId	Create a lookup table with a primary Key MarketingTypeId based upon the [dbo].[MarketingCategory] table. Make sure not to create data anomalies.
Type	
UserAuthorizationId	The USERAUTHORIZATIONID defines the UserAuthorizationId of the UserAuthorization
SysStartTime	
SysEndTime	
RowLevelHashKey	

#### Attribute(s) of Entity "SalesOrderVehicle"

Attribute Name	Attribute's Definition
SalesOrderVehicleId	
CustomerId	Converted nvarchar(5) to int
StaffId	
InvoiceNumber	
SaleDate	
LowerThreshold	
UpperThreshold	

CategoryDescription	
UserAuthorizationId	The USERAUTHORIZATIONID defines the UserAuthorizationId of the UserAuthorization
SysStartTime	
SysEndTime	
RowLevelHashKey	

#### Attribute(s) of Entity "SalesOrderVehicleDetail"

Attribute Name	Attribute's Definition
SalesOrderVehicleDetailId	
SalesOrderVehicleId	
LineItemNumber	
LineItemDiscount	
DerivedDiscountedSalePrice	
ManufacturerVehicleStockId	
UserAuthorizationId	The USERAUTHORIZATIONID defines the UserAuthorizationId of the UserAuthorization
SysStartTime	
SysEndTime	
SalesPrice	
RowLevelHashKey	

#### Attribute(s) of Entity "SalesOrderVehicleDetailHistory"

Attribute Name	Attribute's Definition
AuditId	
Id	
AuditType	
AuditDate	
FieldName	
OldValue	
NewValue	
RowLevelHashKey	

#### Attribute(s) of Entity "SalesOrderVehicleHistory"

Attribute Name	Attribute's Definition
AuditId	
Id	
AuditType	
AuditDate	
FieldName	
OldValue	
NewValue	
RowLevelHashKey	

#### Attribute(s) of Entity "SpendCapacity"

Attribute Name	Attribute's Definition
SpendCapacityID	
SpendCapacity	
CustomerId	Converted nvarchar(5) to int
RowLevelHashKey	

#### Attribute(s) of Entity "Staff"

Attribute Name	Attribute's Definition
StaffId	
StaffName	
ManagerID	
DepartmentID	
UserAuthorizationId	The USERAUTHORIZATIONID defines the UserAuthorizationId of the UserAuthorization
SysStartTime	
SysEndTime	
RowLevelHashKey	

#### Attribute(s) of Entity "StaffHistory"

Attribute Name	Attribute's Definition
Audit	
StaffId	

AuditType	
AuditDate	
FieldName	
OldValue	
NewValue	
RowLevelHashKey	

#### Attribute(s) of Entity "sysdiagrams"

Attribute Name	Attribute's Definition
diagram_id	
name	
principal_id	
version	
definition	

#### Attribute(s) of Entity "UserAuthorization"

Attribute Name	Attribute's Definition
UserAuthorizationId	The USERAUTHORIZATIONID defines the UserAuthorizationId of the UserAuthorization
ClassTime	The CLASSTIME defines the ClassTime of the UserAuthorization
IndividualProject	The INDIVIDUALPROJECT defines the IndividualProject of the UserAuthorization
GroupMemberFirstName	The GROUPMEMBERFIRSTNAME defines the GroupMemberFirstName of the UserAuthorization
GroupMemberLastName	The GROUPMEMBERLASTNAME defines the GroupMemberLastName of the UserAuthorization
GroupName	The GROUPNAME defines the GroupName of the UserAuthorization
SysStartTime	The SYSSTARTTIME defines the SysStartTime of the UserAuthorization
SysEndTime	The SYSENDTIME defines the SysEndTime of the UserAuthorization

# Index

## A

Audit 6  
AuditDate 3, 4, 5, 6, 7  
AuditId 3, 4, 5, 6  
AuditType 3, 4, 5, 6, 7

## C

CategoryDescription 6  
ClassTime 7  
CommonColumnsForTriggerTemplate 3  
Cost 5  
Country 3  
CountryHistory 3  
CountryId 3, 4, 5  
CountryISO2 3  
CountryISO3 3  
CountryName 3  
Customer 3  
CustomerComments 5  
CustomerHistory 3, 4  
CustomerId 4, 5, 6

## d

definition 7

## D

DeliveryCharge 5  
Department 3, 4  
DepartmentID 4, 6  
DerivedDiscountedSalePrice 6

## d

diagram\_id 7

## F

FieldName 3, 4, 5, 6, 7  
FirstName 4  
FullName 4

## G

GroupMemberFirstName 7  
GroupMemberLastName 7  
GroupName 7

## I

Id 4, 6  
IndividualProject 7  
InvoiceNumber 5  
IsCustomerCreditRisk 4  
IsCustomerReseller 4  
IsDeleted 3  
IsPremiumRoadHandlingPackage 5

## L

LastName 4  
LineItemDiscount 6  
LineItemNumber 6  
LowerThreshold 5

## M

MakeName 4  
ManagerID 6  
ManufacturerMake 3, 4  
ManufacturerModel 3, 4  
ManufacturerModelId 5  
ManufacturerVehicleMake 3, 4  
ManufacturerVehicleMakeId 4, 5  
ManufacturerVehicleModel 3, 5  
ManufacturerVehicleModelId 5  
ManufacturerVehicleModelID 4



ManufacturerVehicleStock 3, 5  
ManufacturerVehicleStockHistory 3, 5  
ManufacturerVehicleStockId 5, 6  
MarketingCategory 3, 5  
MarketingTypeId 4, 5  
ModelName 5

## n

name 7

## N

Name 4  
NewValue 3, 4, 5, 6, 7  
Note 3

## O

OldValue 3, 4, 5, 6, 7

## P

PartsCharge 5  
PostalCode 4

## p

principal\_id 7

## P

PurchaseDate 5

## R

RawEuropeanCarManufacturer 3  
RepairsCharge 5  
RowLevelHashKey 3, 4, 5, 6, 7

## S

SaleDate 5  
SalesOrderVehicle 3, 5  
SalesOrderVehicleDetail 3, 6  
SalesOrderVehicleDetailHistory 3, 6  
SalesOrderVehicleDetailId 6  
SalesOrderVehicleHistory 3, 6  
SalesOrderVehicleId 5, 6  
SalesPrice 6  
SalesRegion 3  
SpendCapacity 3, 6  
SpendCapacityID 6  
Staff 3, 6  
StaffHistory 3, 6  
StaffId 5, 6  
StaffName 6  
StockCode 5  
StreetName 4  
StreetNumber 4

## S

sysdiagrams 3, 7

## S

SysEndTime 3, 4, 5, 6, 7  
SysStartTime 3, 4, 5, 6, 7

## T

Town 4  
TransactionNumber 3  
Type 5

## U

UpperThreshold 5  
UserAuthenticatedKey 3  
UserAuthorization 3, 7  
UserAuthorizationId 3, 4, 5, 6, 7

## V

VehicleColor 5

## V

version 7

