

TOLERANCE: UNLESS OTHERWISE SPECIFIED		
UNOVER	1.5±0.1	1.5~10±0.2
		OVER10.0±0.3

NO	PART NAME	QUNT' Y	MATERIAL	REMARK
1	HOUSING	1	LCP UL94 V-0	WHITE
2	POSITIVE PIN	1	QSn6.5-0.1 t=0.15	SnSb-Plated
3	NEGATIVE PIN	1	QSn6.5-0.1 t=0.15	SnSb-Plated

Technical drawing of the battery holder showing front, side, and top views with dimensions.

Front View Dimensions:

- A: 16±0.2
- B: 3.5±0.1
- C: $\phi 20 \pm 0.15$
- D: 22.1±0.15
- E: 28.5±0.2
- F: 31.3±0.2
- G: 3.5±0.1

Side View Dimensions:

- H: 5.5±0.05
- I: 5.4^{+0.15}_{-0.05}
- J: 4.4^{+0.15}_{-0.05}
- K: 5.5±0.05

Top View Dimensions:

- 32^{+0.2}₋₀
- 26⁺⁰_{-0.2}
- 4.2

PCB LAYOUT DIAGRAM Top View

深圳市琦捷电子有限公司

SHENZHEN Q&J ELECTRONICS CO.,LTD

日期 DATE	单位UNITS	审核CHECK
2011/2/14	mm	QJ.LIU
比例 SCALE	制图 DRAW	设计DESIGN
1/1	QJ.QILIU	QJ.HUAN

BATTERY HOLDER

QJ.BS-6