

# Simultaneous inference in longitudinal settings: Examples using package **SimLongi**

Philip Pallmann

June 23, 2014

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Comparisons among treatment groups per time point</b>	<b>2</b>
<b>3</b>	<b>Comparisons among time points per treatment group</b>	<b>3</b>
<b>4</b>	<b>Comparing</b>	<b>4</b>

## 1 Introduction

The

## 2 Comparisons among treatment groups per time point

```
library(SimLongi)
```

### 3 Comparisons among time points per treatment group

## 4 Comparing

xxx

```
data(brady)
# Fixed-effects model
Fix <- SimLongi(data = brady, response = "logConc", group = "Drug", time = "Time",
  id = "ID", var = list("hett", "het"), cor = list("AR1", "UN"), direction = "gpt",
  type = "Dunnett", base = 3, df = "adj")
# Mixed-effects model
Mix <- SimLongiMix(data = brady, response = "logConc", group = "Drug", time = "Time",
  id = "ID", rand = list("time|id"), direction = "gpt", type = "Dunnett",
  base = 3, df = "kr")
# Multiple marginal models
MMM <- SimLongiMMM(data = brady, response = "logConc", group = "Drug", time = "Time",
  id = "ID", type = "Dunnett", base = 3, refdist = "t")
# SCI plot
PlotCI(list(Fixed = Fix, Mixed = Mix, `Multiple Marginals` = MMM), title = NULL)
```

