N	Part 1	Part 2	Part 3	Part 4	Part 5	Formatting
1	1.75	1.75	2.0	1.75	2.75	2.0
2	2.25	1.5	2.0	2.5	2.0	2.0
3	3.0	3.0	3.0	2.5	3.0	2.75
4	2.5	1.75	2.25	3.0	2.5	2.0
5	2.5	1.75	2.0	1.5	2.5	2.5
6	2.75	2.5	3.0	2.0	1.5	2.25
7	3.0	3.0	3.0	3.0	3.25	3.0
8	2.0	1.75	2.5	2.5	2.5	2.0
9	2.5	2.5	2.0	2.25	2.0	2.25
10	2.5	2.75	1.5	2.5	3.0	1.75
11	3.0	3.0	2.75	3.0	2.5	3.0
12	2.25	1.75	2.0	2.5	1.5	2.0
13	3.0	2.75	2.0	1.5	1.0	2.5
14	3.0	2.5	3.0	2.0	2.0	2.0
15	1.5	2.0	1.5	2.0	2.0	1.25
16	2.0	1.75	1.75	2.75	2.75	1.5
17	2.0	2.75	1.5	3.0	1.75	2.0
18	1.0	1.0	0.75	1.0	1.75	0.75
19	3.0	3.0	3.0	3.0	3.0	3.0
20	2.0	2.0	2.0	2.0	2.0	2.0
21	3.0	3.0	3.0	3.0	3.0	3.0
22	3.0	2.75	3.0	2.5	3.0	3.0
23	2.5	3.0	3.0	2.0	2.0	2.0
24	2.5	2.5	3.0	2.75	2.0	2.0
25	3.0	2.5	3.0	2.0	2.0	2.5
26	1.0	2.0	1.75	1.0	0.75	1.0
27	2.5	2.5	2.75	2.5	3.0	2.0
28	2.5	1.75	2.5	2.0	2.0	1.5
29	2.5	3.0	3.0	3.0	3.0	2.75
30	2.5	2.75	2.75	2.5	3.0	2.75
31	3.0	3.0	3.0	3.0	3.0	3.0
32	2.25	2.0	2.25	2.25	3.0	2.5
33	2.5	1.5	2.0	2.5	2.0	2.0

34 2.5 3.0 2.0 2.0 2.0 2.5 36 2.75 1.75 1.75 1.75 2.0 2.0 37 1.25 1.5 1.5 2.0 2.25 1.5 38 2.5 2.5 2.75 2.5 2.75 1.75 39 1.5 1.75 2.0 2.75 2.25 2.0 40 1.75 1.0 2.75 2.5 2.5 1.75 41 2.0 2.0 2.25 1.5 1.5 2.0 42 2.5 1.5 2.5 2.5 2.5 2.0 42 2.5 1.5 2.5 2.25 2.5 2.0 43 2.5 2.0 2.75 2.5 2.5 2.5 44 2.5 1.5 1.5 1.0 0.75 1.5 45 2.6 3.0 2.5 2.5 2.5 2.5 46 1.75 1.0 2.25 1.5 2.0 1.75 47 2.5							
36 2.75 1.75 1.75 1.75 2.0 2.0 37 1.25 1.5 1.5 2.0 2.25 1.5 38 2.5 2.5 2.75 2.5 2.75 1.75 39 1.5 1.75 2.0 2.75 2.25 2.0 40 1.75 1.0 2.75 2.75 2.5 1.75 41 2.0 2.0 2.25 1.5 1.5 2.0 42 2.5 1.5 2.5 2.25 2.5 2.0 42 2.5 1.5 2.5 2.25 2.5 2.0 43 2.5 2.0 2.75 2.5 2.5 2.5 44 2.5 1.5 1.0 0.75 1.5 45 2.5 3.0 2.5 2.5 3.0 2.5 46 1.75 1.0 2.25 2.5 2.0 1.75 47 2.5 3.0 3.0 2.5 2.5 2.0 2.0 48 3.0	34	2.5	3.0	2.0	2.0	2.0	2.5
37 1.25 1.5 1.5 2.0 2.25 1.5 38 2.5 2.5 2.75 2.5 2.75 1.75 39 1.5 1.75 2.0 2.75 2.25 2.0 40 1.75 1.0 2.75 2.75 2.5 1.75 41 2.0 2.0 2.25 1.5 1.5 2.0 42 2.5 1.5 2.5 2.25 2.5 2.0 43 2.5 2.0 2.75 2.5 2.5 2.5 44 2.5 1.5 1.0 0.75 1.5 45 2.5 3.0 2.5 2.5 3.0 2.5 45 2.5 3.0 2.5 2.5 3.0 2.5 46 1.75 1.0 2.25 2.5 2.0 1.75 47 2.5 3.0 2.5 2.5 2.0 2.0 48 3.0 2.0<	35	2.5	2.25	1.5	2.0	1.75	2.25
38 2.5 2.5 2.75 2.5 2.75 1.75 39 1.5 1.75 2.0 2.75 2.25 2.0 40 1.75 1.0 2.75 2.75 2.5 1.75 41 2.0 2.0 2.25 1.5 1.5 2.0 42 2.5 1.5 2.5 2.25 2.5 2.0 43 2.5 2.0 2.75 2.5 2.5 2.5 44 2.5 1.5 1.5 1.0 0.75 1.5 45 2.5 3.0 2.5 2.5 3.0 2.5 46 1.75 1.0 2.25 1.5 2.0 1.75 47 2.5 3.0 3.0 2.5 2.5 3.0 2.0 48 3.0 2.0 2.25 2.5 3.0 3.0 50 2.5 2.75 2.0 2.5 1.75 1.75 5	36	2.75	1.75	1.75	1.75	2.0	2.0
39 1.5 1.75 2.0 2.75 2.25 2.0 40 1.75 1.0 2.75 2.75 2.5 1.75 41 2.0 2.0 2.25 1.5 1.5 2.0 42 2.5 1.5 2.5 2.25 2.5 2.0 43 2.5 2.0 2.75 2.5 2.5 2.5 44 2.5 1.5 1.5 1.0 0.75 1.5 45 2.5 3.0 2.5 2.5 3.0 2.5 46 1.75 1.0 2.25 1.5 2.0 1.75 47 2.5 3.0 3.0 2.5 2.0 2.0 48 3.0 2.0 2.25 2.5 3.0 3.0 50 2.5 2.75 2.0 2.5 2.75 1.75 51 2.5 2.0 2.5 1.5 1.5 52 2.0 1.5 </th <th>37</th> <th>1.25</th> <th>1.5</th> <th>1.5</th> <th>2.0</th> <th>2.25</th> <th>1.5</th>	37	1.25	1.5	1.5	2.0	2.25	1.5
40 1.75 1.0 2.75 2.75 2.5 1.75 41 2.0 2.0 2.25 1.5 1.5 2.0 42 2.5 1.5 2.5 2.25 2.5 2.0 43 2.5 2.0 2.75 2.5 2.5 2.5 44 2.5 1.5 1.5 1.0 0.75 1.5 45 2.5 3.0 2.5 2.5 3.0 2.5 46 1.75 1.0 2.25 1.5 2.0 1.75 47 2.5 3.0 3.0 2.5 2.0 2.0 48 3.0 2.0 2.25 2.5 2.0 2.0 49 2.5 3.0 2.5 2.5 3.0 3.0 50 2.5 2.75 2.0 2.5 2.75 1.75 51 2.5 2.0 2.75 1.0 2.0 2.5 52 2.0 1.5 1.25 1.5 1.5 53 2.0 1.5 <t< th=""><th>38</th><th>2.5</th><th>2.5</th><th>2.75</th><th>2.5</th><th>2.75</th><th>1.75</th></t<>	38	2.5	2.5	2.75	2.5	2.75	1.75
41 2.0 2.0 2.25 1.5 1.5 2.0 42 2.5 1.5 2.5 2.25 2.5 2.0 43 2.5 2.0 2.75 2.5 2.5 2.5 44 2.5 1.5 1.5 1.0 0.75 1.5 45 2.5 3.0 2.5 2.5 3.0 2.5 46 1.75 1.0 2.25 1.5 2.0 1.75 47 2.5 3.0 3.0 2.5 3.0 2.0 48 3.0 2.0 2.25 2.5 2.0 2.0 49 2.5 3.0 2.5 2.5 3.0 3.0 50 2.5 2.75 2.0 2.5 2.75 1.75 51 2.5 2.0 2.75 1.0 2.0 2.5 52 2.0 1.5 1.25 1.5 1.5 53 2.0 1.5 1.5 2.75 2.0 1.5 54 3.0 3.0 3	39	1.5	1.75	2.0	2.75	2.25	2.0
42 2.5 1.5 2.5 2.25 2.5 2.0 43 2.5 2.0 2.75 2.5 2.5 2.5 44 2.5 1.5 1.5 1.0 0.75 1.5 45 2.5 3.0 2.5 2.5 3.0 2.5 46 1.75 1.0 2.25 1.5 2.0 1.75 47 2.5 3.0 3.0 2.5 3.0 2.0 48 3.0 2.0 2.25 2.5 2.0 2.0 49 2.5 3.0 2.5 2.5 2.0 2.0 49 2.5 3.0 2.5 2.5 2.0 2.0 49 2.5 2.75 2.0 2.5 2.75 1.75 51 2.5 2.0 2.5 2.75 1.75 1.75 51 2.5 2.0 2.75 1.0 2.0 2.5 52 2.0 1.5 1.5 1.5 1.5 1.5 53 2.0 1	40	1.75	1.0	2.75	2.75	2.5	1.75
43 2.5 2.0 2.75 2.5 2.5 2.5 44 2.5 1.5 1.5 1.0 0.75 1.5 45 2.5 3.0 2.5 2.5 3.0 2.5 46 1.75 1.0 2.25 1.5 2.0 1.75 47 2.5 3.0 3.0 2.5 3.0 2.0 48 3.0 2.0 2.25 2.5 2.0 2.0 49 2.5 3.0 2.5 2.5 2.0 2.0 49 2.5 3.0 2.5 2.5 2.0 2.0 49 2.5 3.0 2.5 2.5 3.0 3.0 50 2.5 2.75 2.0 2.5 2.75 1.75 51 2.5 2.0 2.75 1.0 2.0 2.5 52 2.0 1.5 1.5 1.25 1.5 1.5 53 2.0 1.5 1.5 2.75 2.0 1.5 54 3.0 3.0	41	2.0	2.0	2.25	1.5	1.5	2.0
44 2.5 1.5 1.5 1.0 0.75 1.5 45 2.5 3.0 2.5 2.5 3.0 2.5 46 1.75 1.0 2.25 1.5 2.0 1.75 47 2.5 3.0 3.0 2.5 3.0 2.0 48 3.0 2.0 2.25 2.5 2.0 2.0 49 2.5 3.0 2.5 2.5 3.0 3.0 50 2.5 2.75 2.0 2.5 2.75 1.75 51 2.5 2.0 2.75 1.0 2.0 2.5 52 2.0 1.5 1.5 1.5 1.5 1.5 53 2.0 1.5 1.5 2.75 2.0 1.5 54 3.0 3.0 3.0 3.0 3.0 3.0 55 2.75 2.5 2.25 2.5 1.5 1.5 56 3.0 2.5 3.0 2.75 1.75 57 1.5 1.75	42	2.5	1.5	2.5	2.25	2.5	2.0
45 2.5 3.0 2.5 2.5 3.0 2.5 46 1.75 1.0 2.25 1.5 2.0 1.75 47 2.5 3.0 3.0 2.5 3.0 2.0 48 3.0 2.0 2.25 2.5 2.0 2.0 49 2.5 3.0 2.5 2.5 3.0 3.0 50 2.5 2.75 2.0 2.5 2.75 1.75 51 2.5 2.0 2.75 1.0 2.0 2.5 52 2.0 1.0 1.5 1.25 1.5 1.5 52 2.0 1.5 1.5 2.75 2.0 1.5 53 2.0 1.5 1.5 2.75 2.0 1.5 54 3.0 3.0 3.0 3.0 3.0 3.0 55 2.75 2.5 2.25 2.5 1.5 1.5 56 3.0 2.5 3.0 2.75 1.75 57 1.5 1.75 <td< th=""><th>43</th><th>2.5</th><th>2.0</th><th>2.75</th><th>2.5</th><th>2.5</th><th>2.5</th></td<>	43	2.5	2.0	2.75	2.5	2.5	2.5
46 1.75 1.0 2.25 1.5 2.0 1.75 47 2.5 3.0 3.0 2.5 3.0 2.0 48 3.0 2.0 2.25 2.5 2.0 2.0 49 2.5 3.0 2.5 2.5 3.0 3.0 50 2.5 2.75 2.0 2.5 2.75 1.75 51 2.5 2.0 2.75 1.0 2.0 2.5 52 2.0 1.0 1.5 1.25 1.5 1.5 53 2.0 1.5 1.5 2.75 2.0 1.5 53 2.0 1.5 1.5 2.75 2.0 1.5 54 3.0 3.0 3.0 3.0 3.0 3.0 55 2.75 2.5 2.25 2.5 1.5 1.5 56 3.0 2.5 3.0 2.75 1.75 57 1.5 1.75 2.25 2.5 3.0 2.75 59 3.0 2.0 <	44	2.5	1.5	1.5	1.0	0.75	1.5
47 2.5 3.0 3.0 2.5 3.0 2.0 48 3.0 2.0 2.25 2.5 2.0 2.0 49 2.5 3.0 2.5 2.5 3.0 3.0 50 2.5 2.75 2.0 2.5 2.75 1.75 51 2.5 2.0 2.75 1.0 2.0 2.5 52 2.0 1.0 1.5 1.25 1.5 1.5 53 2.0 1.5 1.5 2.75 2.0 1.5 54 3.0 3.0 3.0 3.0 3.0 3.0 55 2.75 2.5 2.25 2.5 1.5 1.5 56 3.0 2.5 3.0 2.75 1.75 57 1.5 1.75 2.25 2.5 3.0 2.5 59 3.0 2.0 2.25 3.0 3.0 2.0 60 3.0 3.0 2.5 2.75 3.0 2.5 61 3.0 2.5	45	2.5	3.0	2.5	2.5	3.0	2.5
48 3.0 2.0 2.25 2.5 2.0 2.0 49 2.5 3.0 2.5 2.5 3.0 3.0 50 2.5 2.75 2.0 2.5 2.75 1.75 51 2.5 2.0 2.75 1.0 2.0 2.5 52 2.0 1.0 1.5 1.25 1.5 1.5 53 2.0 1.5 1.5 2.75 2.0 1.5 54 3.0 3.0 3.0 3.0 3.0 3.0 55 2.75 2.5 2.25 2.5 1.5 1.5 56 3.0 2.5 3.0 2.75 1.75 57 1.5 1.75 2.25 2.5 3.0 2.5 58 2.75 3.0 3.0 2.5 3.0 2.75 59 3.0 2.0 2.25 3.0 3.0 2.5 59 3.0 2.0 3.0 2.5 1.5 60 3.0 3.0 2.5 <td< th=""><th>46</th><th>1.75</th><th>1.0</th><th>2.25</th><th>1.5</th><th>2.0</th><th>1.75</th></td<>	46	1.75	1.0	2.25	1.5	2.0	1.75
49 2.5 3.0 2.5 2.5 3.0 3.0 50 2.5 2.75 2.0 2.5 2.75 1.75 51 2.5 2.0 2.75 1.0 2.0 2.5 52 2.0 1.0 1.5 1.25 1.5 1.5 53 2.0 1.5 1.5 2.75 2.0 1.5 54 3.0 3.0 3.0 3.0 3.0 3.0 55 2.75 2.5 2.25 2.5 1.5 1.5 56 3.0 2.5 3.0 2.75 2.75 1.75 57 1.5 1.75 2.25 2.5 3.0 2.5 58 2.75 3.0 3.0 2.5 3.0 2.75 59 3.0 2.0 2.25 3.0 3.0 2.5 59 3.0 2.0 2.5 3.0 2.5 60 3.0 3.0 2.5 2.75 3.0 61 3.0 2.5 2.5 <t< th=""><th>47</th><th>2.5</th><th>3.0</th><th>3.0</th><th>2.5</th><th>3.0</th><th>2.0</th></t<>	47	2.5	3.0	3.0	2.5	3.0	2.0
50 2.5 2.75 2.0 2.5 2.75 1.75 51 2.5 2.0 2.75 1.0 2.0 2.5 52 2.0 1.0 1.5 1.25 1.5 1.5 53 2.0 1.5 1.5 2.75 2.0 1.5 54 3.0 3.0 3.0 3.0 3.0 55 2.75 2.5 2.25 2.5 1.5 1.5 56 3.0 2.5 3.0 2.75 2.75 1.75 57 1.5 1.75 2.25 2.5 3.0 2.5 58 2.75 3.0 3.0 2.5 3.0 2.75 59 3.0 2.0 2.25 3.0 3.0 2.0 60 3.0 3.0 2.5 2.75 3.0 2.5 61 3.0 2.0 3.0 2.5 2.75 3.0 62 2.75 3.0 2.5 2.75 3.0 3.0 63 2.75 2.5	48	3.0	2.0	2.25	2.5	2.0	2.0
51 2.5 2.0 2.75 1.0 2.0 2.5 52 2.0 1.0 1.5 1.25 1.5 1.5 53 2.0 1.5 1.5 2.75 2.0 1.5 54 3.0 3.0 3.0 3.0 3.0 55 2.75 2.5 2.25 2.5 1.5 1.5 56 3.0 2.5 3.0 2.75 2.75 1.75 57 1.5 1.75 2.25 2.5 3.0 2.5 58 2.75 3.0 3.0 2.5 3.0 2.75 59 3.0 2.0 2.25 3.0 3.0 2.0 60 3.0 3.0 2.5 2.75 3.0 2.5 61 3.0 2.0 3.0 2.5 2.75 3.0 62 2.75 3.0 2.5 2.5 2.75 3.0 63 2.75 2.5 2.5 2.0 2.5 2.75 64 3.0 3.0	49	2.5	3.0	2.5	2.5	3.0	3.0
52 2.0 1.0 1.5 1.25 1.5 1.5 53 2.0 1.5 1.5 2.75 2.0 1.5 54 3.0 3.0 3.0 3.0 3.0 55 2.75 2.5 2.25 2.5 1.5 1.5 56 3.0 2.5 3.0 2.75 2.75 1.75 57 1.5 1.75 2.25 2.5 3.0 2.5 58 2.75 3.0 3.0 2.5 3.0 2.75 59 3.0 2.0 2.25 3.0 3.0 2.0 60 3.0 3.0 2.5 2.75 3.0 2.5 61 3.0 2.0 3.0 2.5 2.75 3.0 62 2.75 3.0 2.5 2.5 2.75 3.0 63 2.75 2.5 2.5 2.0 2.5 2.75 64 3.0 3.0 3.0 3.0 3.0 3.0 65 2.0 2.0 <	50	2.5	2.75	2.0	2.5	2.75	1.75
53 2.0 1.5 1.5 2.75 2.0 1.5 54 3.0 3.0 3.0 3.0 3.0 55 2.75 2.5 2.25 2.5 1.5 1.5 56 3.0 2.5 3.0 2.75 1.75 57 1.5 1.75 2.25 2.5 3.0 2.5 58 2.75 3.0 3.0 2.5 3.0 2.75 59 3.0 2.0 2.25 3.0 3.0 2.0 60 3.0 3.0 2.5 2.75 3.0 2.5 61 3.0 2.0 3.0 2.0 2.5 1.5 62 2.75 3.0 2.5 2.75 3.0 63 2.75 2.5 2.5 2.75 3.0 64 3.0 3.0 3.0 3.0 3.0 3.0 65 2.0 2.0 2.0 2.0 2.25 66 2.5 0.75 1.75 1.5 2.0 1.5 <th>51</th> <th>2.5</th> <th>2.0</th> <th>2.75</th> <th>1.0</th> <th>2.0</th> <th>2.5</th>	51	2.5	2.0	2.75	1.0	2.0	2.5
54 3.0 3.0 3.0 3.0 3.0 3.0 55 2.75 2.5 2.25 2.5 1.5 1.5 56 3.0 2.5 3.0 2.75 2.75 1.75 57 1.5 1.75 2.25 2.5 3.0 2.5 58 2.75 3.0 3.0 2.5 3.0 2.75 59 3.0 2.0 2.25 3.0 3.0 2.0 60 3.0 3.0 2.5 2.75 3.0 2.5 61 3.0 2.0 3.0 2.0 2.5 1.5 62 2.75 3.0 2.5 2.75 3.0 63 2.75 2.5 2.5 2.75 3.0 64 3.0 3.0 3.0 3.0 3.0 65 2.0 2.0 2.0 2.0 2.25 66 2.5 0.75 1.75 1.5 2.0 1.5	52	2.0	1.0	1.5	1.25	1.5	1.5
55 2.75 2.5 2.25 2.5 1.5 1.5 56 3.0 2.5 3.0 2.75 2.75 1.75 57 1.5 1.75 2.25 2.5 3.0 2.5 58 2.75 3.0 3.0 2.75 3.0 2.75 59 3.0 2.0 2.25 3.0 3.0 2.0 60 3.0 3.0 2.5 2.75 3.0 2.5 61 3.0 2.0 3.0 2.0 2.5 1.5 62 2.75 3.0 2.5 2.75 3.0 63 2.75 2.5 2.5 2.0 2.5 2.75 64 3.0 3.0 3.0 3.0 3.0 3.0 65 2.0 2.0 2.0 2.0 2.25 66 2.5 0.75 1.75 1.5 2.0 1.5	53	2.0	1.5	1.5	2.75	2.0	1.5
56 3.0 2.5 3.0 2.75 2.75 1.75 57 1.5 1.75 2.25 2.5 3.0 2.5 58 2.75 3.0 3.0 2.5 3.0 2.75 59 3.0 2.0 2.25 3.0 3.0 2.0 60 3.0 3.0 2.5 2.75 3.0 2.5 61 3.0 2.0 3.0 2.0 2.5 1.5 62 2.75 3.0 2.5 2.75 3.0 63 2.75 2.5 2.5 2.75 3.0 64 3.0 3.0 3.0 3.0 3.0 65 2.0 2.0 2.0 2.0 2.25 66 2.5 0.75 1.75 1.5 2.0 1.5	54	3.0	3.0	3.0	3.0	3.0	3.0
57 1.5 1.75 2.25 2.5 3.0 2.5 58 2.75 3.0 3.0 2.5 3.0 2.75 59 3.0 2.0 2.25 3.0 3.0 2.0 60 3.0 3.0 2.5 2.75 3.0 2.5 61 3.0 2.0 3.0 2.0 2.5 1.5 62 2.75 3.0 2.5 2.5 2.75 3.0 63 2.75 2.5 2.5 2.0 2.5 2.75 64 3.0 3.0 3.0 3.0 3.0 3.0 65 2.0 2.0 2.0 2.0 2.25 66 2.5 0.75 1.75 1.5 2.0 1.5	55	2.75	2.5	2.25	2.5	1.5	1.5
58 2.75 3.0 3.0 2.5 3.0 2.75 59 3.0 2.0 2.25 3.0 3.0 2.0 60 3.0 3.0 2.5 2.75 3.0 2.5 61 3.0 2.0 3.0 2.0 2.5 1.5 62 2.75 3.0 2.5 2.5 2.75 3.0 63 2.75 2.5 2.5 2.0 2.5 2.75 64 3.0 3.0 3.0 3.0 3.0 3.0 65 2.0 2.0 2.0 2.0 2.25 66 2.5 0.75 1.75 1.5 2.0 1.5	56	3.0	2.5	3.0	2.75	2.75	1.75
59 3.0 2.0 2.25 3.0 3.0 2.0 60 3.0 3.0 2.5 2.75 3.0 2.5 61 3.0 2.0 3.0 2.0 2.5 1.5 62 2.75 3.0 2.5 2.5 2.75 3.0 63 2.75 2.5 2.5 2.0 2.5 2.75 64 3.0 3.0 3.0 3.0 3.0 3.0 65 2.0 2.0 2.0 2.0 2.25 2.5 66 2.5 0.75 1.75 1.5 2.0 1.5	57	1.5	1.75	2.25	2.5	3.0	2.5
60 3.0 3.0 2.5 2.75 3.0 2.5 61 3.0 2.0 3.0 2.0 2.5 1.5 62 2.75 3.0 2.5 2.5 2.75 3.0 63 2.75 2.5 2.0 2.5 2.75 64 3.0 3.0 3.0 3.0 3.0 65 2.0 2.0 2.0 2.0 2.25 66 2.5 0.75 1.75 1.5 2.0 1.5	58	2.75	3.0	3.0	2.5	3.0	2.75
61 3.0 2.0 3.0 2.0 2.5 1.5 62 2.75 3.0 2.5 2.5 2.75 3.0 63 2.75 2.5 2.0 2.5 2.75 64 3.0 3.0 3.0 3.0 3.0 65 2.0 2.0 2.0 2.0 2.25 66 2.5 0.75 1.75 1.5 2.0 1.5	59	3.0	2.0	2.25	3.0	3.0	2.0
62 2.75 3.0 2.5 2.5 2.75 3.0 63 2.75 2.5 2.5 2.0 2.5 2.75 64 3.0 3.0 3.0 3.0 3.0 65 2.0 2.0 2.0 2.0 2.25 66 2.5 0.75 1.75 1.5 2.0 1.5	60	3.0	3.0	2.5	2.75	3.0	2.5
63 2.75 2.5 2.5 2.0 2.5 2.75 64 3.0 3.0 3.0 3.0 3.0 65 2.0 2.0 2.0 2.0 2.25 66 2.5 0.75 1.75 1.5 2.0 1.5	61	3.0	2.0	3.0	2.0	2.5	1.5
64 3.0 3.0 3.0 3.0 3.0 65 2.0 2.0 2.0 2.0 2.25 66 2.5 0.75 1.75 1.5 2.0 1.5	62	2.75	3.0	2.5	2.5	2.75	3.0
65 2.0 2.0 2.0 2.0 2.25 66 2.5 0.75 1.75 1.5 2.0 1.5	63	2.75	2.5	2.5	2.0	2.5	2.75
66 2.5 0.75 1.75 1.5 2.0 1.5	64	3.0	3.0	3.0	3.0	3.0	3.0
	65	2.0	2.0	2.0	2.0	2.0	2.25
67 3.0 2.5 2.0 2.0 2.0 3.0	66	2.5	0.75	1.75	1.5	2.0	1.5
	67	3.0	2.5	2.0	2.0	2.0	3.0

68	3.0	2.75	3.0	3.0	3.0	3.0
69	2.5	3.0	3.0	3.0	2.5	2.0
70	2.5	2.5	2.75	3.0	1.25	2.0
71	2.5	2.5	2.5	2.75	3.0	2.5
72	3.0	3.25	2.75	3.0	3.0	2.0
73	2.0	2.0	1.75	2.5	1.75	2.0
74	3.0	2.0	2.25	2.5	2.0	2.5
75	2.0	1.0	2.0	2.5	2.0	2.0
76	3.0	3.0	3.0	2.75	2.5	2.75
77	1.5	2.0	1.75	2.0	1.5	1.75
78	3.0	2.0	2.0	2.5	3.0	2.0
79	2.75	1.5	2.5	3.0	3.0	2.0
80	2.5	1.5	1.75	1.5	2.0	1.75