


# Renouveler un modem sigfox

## 1 Retirer le modem sigfox

Lorsque le contrat est expiré, se connecter au backend sigfox

<https://backend.sigfox.com/>

Sélectionner le device à renouveler



le PAC est une clé pour garantir que l'appareil ne peut pas être ajouté de manière malveillante à un nouveau compte. Lorsque le device est neuf, le PAC est imprimé sur l'étiquette. Il s'agit d'un code alphanumérique de 16 caractères. Une fois que vous avez ajouté un appareil à un compte, le PAC change. Vous pouvez obtenir le nouveau PAC à partir du compte auquel il est actuellement ajouté.

Recopier pour mémoire dans un fichier texte, le **PAC** et le **device id** puis supprimer le device.

Attendre une demi-heure environ, Le device devrait maintenant apparaître dans la liste des **deleted devices** comme le montre la copie d'écran suivante.

[DEVICE](#)
[DEVICE TYPE](#)
[USER](#)
[GROUP](#)

DEVICES

DELETED DEVICES

Deleted Device - List

Pending operations

Id

Deleted from date

Deleted to date

RESET

FILTER

page 1

Deleted by

Deletion date

Id

Name

PAC

Philippe Simier

2021-01-25 10:41:40

2EE048

Ballon 2021

71B71A59B2366046

page 1

## 2 Enregistrer le device

Vous pouvez maintenant allez sur Sigfox activate  
Connectez vous avec votre compte sigfox

[←](#)
[→](#)
[↻](#)
[🏠](#)

<https://buy.sigfox.com/activate/devkit/FR>

Google

Aggregator

SNIR

Présentation

Cisco Networking Aca...

PhilippeSimier

Manipulation des bits...

(4) Docker For Beginn...

Lycée Gabriel Toucha...

Buy

My Orders

Philippe S.

LPO Touchard ...

🌐

📁

👤

✅

Country

Devkit

Account

Confirmation

Next >

Provide your DevKit's details for identification

Device ID \*

ex: 123AB

Up to 8 numbers and letters (from A to F)

PAC \*

ex: 1234567890ABCDEF

Exactly 16 numbers and letters (from A to F)

?


Tell us about your project

Purpose of your project \*


Select...

Description \*


Entrez le device ID et le PAC  
cliquer sur next





[Buy](#)
[My Orders](#)




Philippe S.  
 LPO Touchard ...










Country
 Devkit
 Account
 Confirmation

## Congratulations !


Your device 2EE048 has been successfully registered on Sigfox Cloud.

To finalize its activation your device must send a first frame. After this first message, your device will be able to send a maximum of 140 messages per day during 1 year





Do you want to start an IoT project? Get technical support online and apply to the [Starter Program](#) (Free and open to everyone).



Pour finaliser vous devez envoyer un premier message  
 Rendez-vous sur le backend  
<https://backend.sigfox.com/auth/login>  
 choisir DEVICE



[DEVICE](#)
[DEVICE TYPE](#)
[USER](#)
[GROUP](#)

DEVICES

DELETED DEVICES

### Device - List





[New](#)
[New series](#)
[Edit series](#)
[Transfer series](#)
[Replace series](#)
[Delete series](#)

Id

State

Last seen from date

Last seen to date





[RESET](#)
[FILTER](#)


Count: 2 / 2

page 1

Communication status	Device type	Group	Id	Last seen	Name	Token state
<input type="radio"/>	groupe_inconnu	LPO Touchard Washington	21D5F5	2020-01-22 16:38:39	Modem_inconnu	<input type="radio"/>
<input type="radio"/>	SNOC_DevKit_3	LPO Touchard Washington	2EE048	2021-01-25 15:25:53	SNOC_DevKit_3-device	<input checked="" type="radio"/>

page 1

Cliquer sur le **Device type** du Device






DEVICE

DEVICE TYPE

USER

GROUP

INFORMATION

LOCATION

ASSOCIATED DEVICES

DEVICES BEING REGISTERED

STATISTICS

EVENT CONFIGURATION

CALLBACKS

BULK OPERATIONS

## Device type 'SNOC\_DevKit\_3' - Information

Disengage sequence number

Restart

Edit

Delete

**Id:** 600e9452e833d926539fe802

**Name:** SNOC\_DevKit\_3

**Description:** DevKit 3 (SNOC)

**Keep alive:** N/A

**Subscription automatic renewal:** ☒ ⓘ

**Group:** LPO Touchard Washington

**Payload display:** None

**Downlink mode:** CALLBACK

**Contracts:**

- 1. **lpo\_touc\_94bd\_12612** (no token left - geoloc: yes, end date: 2023-01-25)

**Alert Email:**

**Creation date:** 2021-01-25 10:50:10

**Created by:** buy.sigfox.com

**Last edition date:** 2021-01-25 10:50:10

**Last edited by:** buy.sigfox.com

Cliquer sur **Restart**

Vous pouvez maintenant envoyer votre premier message, puis vérifier sa réception sur le backend.

DEVICE

DEVICE TYPE

USER

GROUP

INFORMATION

LOCATION

MESSAGES

EVENTS

STATISTICS

EVENT CONFIGURATION

## Device 2EE048 - Messages

From date

To date

RESET

FILTER

CSV

page 1

Time	Seq Num	Data / Decoding	LQI	Callbacks	Location
2021-01-25 11:04:11	453	0100000a0000			
2021-01-25 11:02:16	452	010002000300			

page 1

A maximum of fifteen base stations can be displayed in this page. Please refer to APIs if you need to collect information about 15+ base stations.

vous pouvez à partir de maintenant reconfigurer les callBacks