```
/********************
2
3
    * Author : Philippe Ku
4
     * School / Class : CFPT Informatique / I.FA-P3B
5
    * Date : 15.06.2016
6
    * Programm : Event gestion website
7
    * File : mysql.inc.php
    * Description : This file contains the constans for the database connection
8
9
     * Version : 1.10
    ******************
10
11
12
    define('DB_NAME', 'tpi');
    define('DB_HOST', 'localhost');
13
14
    define('DB_PASSWORD', 'TPI2016');
    define('DB_USER', 'TPI2016');
15
16
```

```
2
3
     /***********************
4
     * Author : Philippe Ku
5
     * School / Class : CFPT Informatique / I.FA-P3B
     * Date : 15.06.2016
6
7
     * Programm : Event gestion website
8
     * File : functions.php
9
     * Description : This file is the model and contains all the functions of my website
     * Version : 1.10
10
     * ************************************
11
12
     //-----DATABASE FUNCTIONS -----\\
13
14
15
    require 'mysql.inc.php';
16
17
     / * *
18
     * Function that creates a database connector or returns it.
19
     * @staticvar type $dbc // Static connector to the database.
20
     * @return \PDO
                               // The PDO object (PHP data object).
21
     * /
    function myDatabase() {
22
23
        static $dbc = null;
2.4
25
        if ($dbc == null) {
26
            try {
                $dbc = new PDO('mysql:host=' . DB_HOST . ';dbname=' . DB_NAME, DB_USER,
27
                DB_PASSWORD, array(PDO::MYSQL_ATTR_INIT_COMMAND => "SET NAMES utf8",
                    PDO::ATTR_PERSISTENT => true));
2.8
2.9
            } catch (Exception $e) {
                echo 'Erreur : ' . $e->getMessage() . '<br />';
30
31
                echo 'N° : ' . $e->getCode();
32
                die('Could not connect to MySQL');
33
34
35
        return $dbc;
36
37
38
     * Function that inserts new events into the database.
39
40
     * @param type $datas
                              // The informations that we insert into the database.
41
     * /
42.
    function insertNewEvent($datas) {
        $query1 = "INSERT INTO location (street, city, iso_country) VALUES (:street,
43
        :city, :iso_country)";
44
      $query2 = "SELECT id_location FROM location WHERE street = :street AND city =
        :city AND iso_country = :iso_country";
45
        $query3 = "INSERT INTO event (title, dateStart, dateEnd, description, image,
        id_location, id_user) VALUES (:title, :dateStart, :dateEnd, :description,
        :image, :id_location, :id_user)";
46
47
        $ps1 = myDatabase()->prepare($query1);
48
        $ps2 = myDatabase()->prepare($query2);
49
        $ps3 = myDatabase()->prepare($query3);
50
51
        $ps1->bindParam(':street', $datas['event_street'], PDO::PARAM_STR);
        $ps1->bindParam(':city', $datas['event_city'], PDO::PARAM_STR);
52
```

```
$ps1->bindParam(':iso_country', $datas['event_country'], PDO::PARAM_STR);
 54
 55
          $ps2->bindParam(':street', $datas['event_street'], PDO::PARAM_STR);
 56
          $ps2->bindParam(':city', $datas['event_city'], PDO::PARAM_STR);
 57
          $ps2->bindParam(':iso_country', $datas['event_country'], PDO::PARAM_STR);
 58
 59
          $ps1->execute();
 60
          $isok = $ps2->execute();
 61
          $isok = $ps2->fetchAll(PDO::FETCH_NUM);
 62
 63
          $ps3->bindParam(':title', $datas['event_title'], PDO::PARAM_STR);
 64
          $ps3->bindParam(':dateStart', $datas['event_datestart'], PDO::PARAM_STR);
          $ps3->bindParam(':dateEnd', $datas['event_dateend'], PDO::PARAM_STR);
 65
          $ps3->bindParam(':description', $datas['event_desc'], PDO::PARAM_STR);
 66
          $ps3->bindParam(':image', $datas['event_image'], PDO::PARAM_STR);
 67
          $ps3->bindParam(':id_location', $isok[0][0]);
 68
          $ps3->bindParam(':id_user', $datas['user_id'], PDO::PARAM_STR);
 69
 70
 71
          $ps3->execute();
 72
 73
 74
      / * *
 75
       * Function that inserts a new user into the database.
                                 // The informations that we insert into the database.
 76
       * @param type $datas
 77
 78
      function insertNewUser($datas) {
          $query = "INSERT INTO user (email, nickname, password) VALUES (:email,
 79
          :nickname, :password)";
 80
 81
          $ps = myDatabase()->prepare($query);
 82
          $ps->bindParam(':email', $datas['user_email'], PDO::PARAM_STR);
 83
 84
          $ps->bindParam(':nickname', $datas['user_nickname'], PDO::PARAM_STR);
 85
          $ps->bindParam(':password', $datas['user_password'], PDO::PARAM_STR);
 86
 87
          $ps->execute();
 88
 89
 90
 91
       * Function that inserts a new comment into the database.
                                  // The informations that we insert into the database.
 92
       * @param type $datas
 93
       * /
 94
      function insertNewComment($datas) {
          $query = "INSERT INTO comment (time, text, id_user, id_event) VALUES (:time,
 95
          :text, :id_user, :id_event)";
 96
 97
          $ps = myDatabase()->prepare($query);
 98
 99
          $ps->bindParam(':time', $datas['comment_time'], PDO::PARAM_STR);
          $ps->bindParam(':text', $datas['comment_text'], PDO::PARAM_STR);
100
101
          $ps->bindParam(':id_user', $datas['user_id'], PDO::PARAM_STR);
102
          $ps->bindParam(':id_event', $datas['event_id'], PDO::PARAM_STR);
103
104
          $ps->execute();
105
106
107
```

```
108
       * Function that checks if the user is logged, with the correct credentials.
109
       * @param type $datas
                                  // The informations that we select from the database.
                                   // Returns TRUE if checked or FALSE if not.
110
       * @return boolean
111
       * /
112
      function checkUser($datas) {
          $query = "SELECT * FROM user where email = :email";
113
114
115
          $ps = myDatabase()->prepare($query);
116
          try {
              $ps->bindParam(':email', $datas['user_email'], PDO::PARAM_STR);
117
118
              $isok = $ps->execute();
119
              $isok = $ps->fetchAll(PDO::FETCH_NUM);
              if (count($isok)) {
120
                  if ($isok[0][1] == $datas['user_email'] && $isok[0][3] == sha1($datas[
121
                   'user_password'])) {
122
                      // Stores the user id and email in session.
123
                      $_SESSION['user_id'] = $isok[0][0];
                      $_SESSION['user_email'] = $isok[0][1];
124
125
126
                      $isok = true;
127
                  } else {
                      $isok = false;
128
129
130
131
          } catch (PDOException $e) {
              $isok = false;
132
133
134
          return $isok;
135
136
137
      /**
       * Function that returns the group of the user.
138
139
       * @param type $datas // The informations that we select from the database.
140
       * @return boolean
                                   // Returns the group of the user.
141
       * /
      function getUserGroupFromDatabase($datas) {
142
          $query = "SELECT privilege FROM user WHERE email = :email";
143
144
145
          $ps = myDatabase()->prepare($query);
146
147
          try {
148
              $ps->bindParam(':email', $datas['user_email'], PDO::PARAM_STR);
149
              $isok = $ps->execute();
150
              $isok = $ps->fetchAll(PDO::FETCH_NUM);
151
          } catch (PDOException $e) {
152
              $isok = false;
153
154
          return $isok[0][0];
155
156
157
158
      * Function that gets the different countries (iso and name) from the database and
       put them into an option list.
159
160
      function getCountriesList() {
161
          $query = "SELECT iso, name FROM country ORDER BY name ASC";
162
          $qr = myDatabase()->query($query);
```

```
163
          $result = $qr->fetchAll();
          foreach ($result as $row) {
164
165
              $country_iso = $row['iso'];
166
              $country_name = $row['name'];
167
              echo '<option value="' . $country_iso . '">' . $country_name . '</option>';
168
169
170
      /**
171
172
      * Function that displays all the events of the current day with a status unban
       (status = 1) order by the the event id.
173
      * /
      function getCurrentDayEvents() {
174
175
          $date = date("Y-m-d");
          $query = "SELECT event.id_event, title, dateStart, dateEnd, image, street, city,
176
          iso_country FROM event, location WHERE event.id_location = location.id_location
          AND event.status = 1 AND dateStart = :day ORDER BY event.id_event";
177
          $ps = myDatabase()->prepare($query);
178
          $ps->bindParam(':day', $date, PDO::PARAM_STR);
179
          $ps->execute();
180
          $results = $ps->fetchAll(PDO::FETCH_ASSOC);
          foreach ($results as $row) {
181
              $event_id = $row['id_event'];
182
              $event_title = $row['title'];
183
184
              $event_datestart = $row['dateStart'];
185
              $event_dateend = $row['dateEnd'];
              $event_image = $row['image'];
186
187
              $event_street = $row['street'];
              $event_city = $row['city'];
188
              $event_country = $row['iso_country'];
189
190
191
              echo '<div class="col-xs-6 col-lq-4">
192
                         <a href="event_details.php?event_id=' . $event_id . '"</pre>
                          class="thumbnail">
193
                              <img alt="Image" src="images/event_images/' . $event_image .</pre>
                              '" style="width:500px;height:300px;padding:2rem">
194
                          </a>
195
                          <h3>' . $event_title . '</h3>
196
                          Date de début : ' . $event_datestart . 'Date de fin : '
                           . $event_dateend . '
197
                          Lieu : ' . $event_street . ' ' . $event_city . ' ' .
                          $event_country . '
                          <a class="btn btn-primary" href="event_details.php?event_id="
198
                          . $event_id . ' " role="button">Détails »</a>
199
                      </div>';
200
201
      }
202
      /**
203
204
      * Function that displays all the events of the week with a status unban (status =
       1) order by the the event id.
205
      * /
206
     function getCurrentWeekEvents() {
207
          // Today day of week
208
          n = date("N");
209
          // The first day of the week (Monday).
210
          first = abs(n - 1);
```

```
211
          // The last day of the week (Sunday).
212
          \frac{1}{3} $\text{last} = \text{abs}(\frac{7}{7} - \frac{1}{3}n);
213
2.14
          // Format the dates.
215
          $sFirst = 'P' . $first . 'D';
          $sLast = 'P' . $last . 'D';
216
217
218
          // The day of today with an interval with the first day of the week.
219
          $today = new DateTime();
220
          $monday = $today->sub(new DateInterval($sFirst));
          // The day of today with an interval with the last day of the week.
2.2.1
222
          $today = new DateTime();
          $sunday = $today->add(new DateInterval($sLast));
2.2.3
224
225
          $dateMonday = $monday->format('Y-m-d');
226
          $dateSunday = $sunday->format('Y-m-d');
227
          $query = "SELECT * FROM event, location WHERE dateStart BETWEEN :dateMonday AND
          :dateSunday AND status = 1 AND event.id_location = location.id_location ORDER BY
          event.id_event ASC";
228
          $ps = myDatabase()->prepare($query);
229
          $ps->bindParam(':dateMonday', $dateMonday, PDO::PARAM_STR);
          $ps->bindParam(':dateSunday', $dateSunday, PDO::PARAM_STR);
230
231
          $ps->execute();
2.32
          $results = $ps->fetchAll(PDO::FETCH_ASSOC);
233
          foreach ($results as $row) {
234
              $event_id = $row['id_event'];
              $event_title = $row['title'];
235
236
              $event_datestart = $row['dateStart'];
              $event_dateend = $row['dateEnd'];
2.37
              $event_image = $row['image'];
238
239
              $event_street = $row['street'];
240
              $event_city = $row['city'];
241
              $event_country = $row['iso_country'];
242
243
              echo '<div class="col-xs-6 col-lg-4">
                          <a href="event_details.php?event_id=' . $event_id . '"</pre>
244
                           class="thumbnail">
245
                               <img alt="Image" src="images/event_images/' . $event_image .</pre>
                               '" style="width:500px;height:300px;padding:2rem">
246
                           </a>
                           <h3>' . $event_title . '</h3>
247
248
                           Date de début : ' . $event_datestart . 'Date de fin : '
                            . $event_dateend . '
                           Lieu: ' . $event_street . ' ' . $event_city . ' ' .
249
                           $event_country . '
250
                           <a class="btn btn-primary" href="event_details.php?event_id="
                           . $event_id . '" role="button">Détails</a>
251
                       </div>';
252
253
254
255
256
       * Function that displays all the events of the month with a status unban (status =
       1) order by the the event id.
      * /
257
258
      function getCurrentMonthEvents() {
259
          $date = date("m");
```

```
260
          $query = "SELECT event.id_event, title, dateStart, dateEnd, image, street, city,
          iso_country FROM event, location WHERE event.id_location = location.id_location
          AND event.status = 1 AND MONTH(dateStart) = :month ORDER BY event.id_event";
2.61
          $ps = myDatabase()->prepare($query);
262
          $ps->bindParam(':month', $date, PDO::PARAM_STR);
2.63
          $ps->execute();
264
          $results = $ps->fetchAll(PDO::FETCH_ASSOC);
265
          foreach ($results as $row) {
266
              $event_id = $row['id_event'];
267
              $event_title = $row['title'];
268
              $event_datestart = $row['dateStart'];
269
              $event dateend = $row['dateEnd'];
              $event_image = $row['image'];
2.70
271
              $event_street = $row['street'];
272
              $event_city = $row['city'];
273
              $event_country = $row['iso_country'];
274
              echo '<div class="col-xs-6 col-lq-4">
2.75
276
                         <a href="event_details.php?event_id=' . $event_id . '"</pre>
                          class="thumbnail">
277
                              <img alt="Image" src="images/event_images/' . $event_image .</pre>
                              '" style="width:500px;height:300px;padding:2rem">
2.78
                          </a>
279
                          <h3>' . $event_title . '</h3>
280
                          Nate de début : ' . $event_datestart . 'Date de fin : '
                           . $event_dateend . '
281
                          Lieu : ' . $event_street . ' ' . $event_city . ' ' .
                          $event_country . '
                          <a class="btn btn-primary" href="event_details.php?event_id="
282
                          . $event_id . '" role="button">Détails</a>
283
                      </div>';
284
285
      }
286
287
288
       * Function that displays the detail of an event.
                                 // The id of the event.
289
       * @param type $event_id
290
       * /
291
      function getEventDetail($event_id) {
292
          $query = "SELECT event.id_event, title, dateStart, dateEnd, image, description,
          street, city, iso_country FROM event, location WHERE event.id_event = $event_id
          AND event.status = 1 AND event.id_location = location.id_location";
293
          $ps = myDatabase()->prepare($query);
294
          $ps->execute();
295
          $results = $ps->fetchAll(PDO::FETCH_ASSOC);
296
          foreach ($results as $row) {
              $event_id = $row['id_event'];
297
298
              $event_title = $row['title'];
              $event_datestart = $row['dateStart'];
299
300
              $event_dateend = $row['dateEnd'];
301
              $event_desc = $row['description'];
302
              $event_image = $row['image'];
303
              $event_street = $row['street'];
              $event city = $row['city'];
304
305
              $event_country = $row['iso_country'];
306
307
              echo '<div class="panel">
```

```
308
                          <div class="panel-heading">
309
                              <div class="text-center">
310
                                   <div class="row">
311
                                       <div class="col-sm-9">
312
                                           <h1 class="pull-left">' . $event_title . '</h1>
313
                                       </div>
314
                                       <div class="col-sm-3">
315
                                           <h4 class="pull-right">';
316
              // If the user is a member or an admin display the add comment link.
              if (isUserMember() | isUserAdmin()) {
317
                  echo '<a href="insert_comment.php?event_id=' . $event_id . '" class="btn</pre>
318
                  btn-primary">Ajouter un commentaire</a>';
319
320
              echo ' </h4>
321
                                       </div>
322
                                   </div>
323
                              </div>
324
                          </div>
                          <div class="panel-body">
325
326
                              <div class="thumbnail">
327
                                  <img alt="Image" src="images/event_images/' .</pre>
                                   $event_image . '"
                                  style="width:600px;height:400px;padding:2rem">
328
                              </div>
329
                              Description : ' . $event_desc . '
                              >Date de début : ' . $event_datestart . '
330
                              >Date de début : ' . $event_dateend . '
331
332
                              Lieu: '. $event_street . ' '. $event_city . ' '.
                              $event country . '
                              <div class="pull-right"><a class="btn btn-primary"</pre>
333
                              href="index.php" role="button">Accueil</a></div>
334
                          </div>
335
                       </div>';
336
337
338
      /**
339
340
       * Function that returns the events searched in the searchbar.
341
       * @param type $search_query
                                          // The information to search.
       * /
342
343
      function searchAnEvent($search query) {
344
          $query = "SELECT event.id_event, title, dateStart, dateEnd, image, street, city,
          iso_country FROM event, location WHERE event.id_location = location.id_location
          AND event.status = 1 AND title LIKE '%$search_query%'";
          $qr = myDatabase()->query($query);
345
346
          $results = $qr->fetchAll(PDO::FETCH_ASSOC);
          foreach ($results as $row) {
347
348
              $event_id = $row['id_event'];
              $event title = $row['title'];
349
350
              $event_datestart = $row['dateStart'];
351
              $event_dateend = $row['dateEnd'];
352
              $event_image = $row['image'];
353
              $event_street = $row['street'];
              $event city = $row['city'];
354
355
              $event_country = $row['iso_country'];
356
357
              echo '<div class="row col-md-offset-0"><h1>Résultat(s) de la recherche "' .
```

```
$search_query . '"</h1><br/>
                      <div class="col-xs-6 col-lg-4">
358
359
                          <a href="event_details.php?event_id=' . $event_id . '"</pre>
                          class="thumbnail">
360
                              <imq alt="Image" src="images/event images/' . $event image .</pre>
                              '" style="width:500px;height:300px;padding:2rem">
361
                          </a>
                          <h3>' . $event_title . '</h3>
362
363
                          Date de début : ' . $event_datestart . 'Date de fin : '
                           . $event_dateend . '
364
                          Lieu : ' . $event_street . ' ' . $event_city . ' ' .
                          $event country . '
365
                          <a class="btn btn-primary" href="event_details.php?event_id="
                          . $event_id . '" role="button">Détails</a>
366
                      </div>';
367
368
369
      /**
370
371
      * Function that displays all the unban comments.
372
       * @param type $event_id
                                    // The id of the event.
373
      * /
374
      function displayCommentUser($event_id) {
375
         $query = "SELECT comment.id_comment, time, text, nickname, avatar FROM comment,
          user, event WHERE event.id_event = $event_id AND comment.id_user = user.id_user
          AND comment.id_event = event.id_event AND comment.status = 1";
376
          $ps = myDatabase()->prepare($query);
377
          $ps->execute();
          $results = $ps->fetchAll(PDO::FETCH ASSOC);
378
379
          foreach ($results as $row) {
380
              $comment_id = $row['id_comment'];
381
              $comment_text = $row['text'];
382
              $comment datetime = $row['time'];
383
              $comment_pseudo = $row['nickname'];
384
              $comment_avatar = $row['avatar'];
385
386
              echo '<div class = "panel-body">
                      <div id="comments" class="col-lg-12">
387
388
                          389
                              class="media well">
390
                                  <div class="pull-left user-info col-lg-1" href="#">
391
                                      <img class="avatar img-circle img-thumbnail"</pre>
                                      src="images/avatar_images/' . $comment_avatar . '"
392
                                           width="64" alt="Generic placeholder image">
393
                                      <br/>
394
                                      <strong>' . $comment_pseudo . '</strong>
395
396
                                  </div>
397
                                  <div class="media-body">
398
                                  ' . $comment_text . '
399
                                  </div>
400
                                  <div id="postOptions" class="media-right"</pre>
                                  style="width:100px;">' . $comment_datetime . '
401
                                      <br/>
402
                                      <br/>
                                      <form method="POST" action="#">
403
404
                                      <input type="hidden" name="hidden_id" value = ' .</pre>
```

```
$comment_id . '>
405
                                       </form>
406
                                   </div>
407
                               408
                          409
                      </div>
410
                  </div>';
411
412
413
414
      /**
       * Function that displays all the comments ban and unban.
415
416
       * @param type $event id
                                      // The id of the event.
417
       * /
418
      function displayCommentAdmin($event_id) {
419
          $query = "SELECT comment.id_comment, time, text, nickname, avatar,
          comment.status FROM comment, user, event WHERE event.id_event = $event_id AND
          comment.id_user = user.id_user AND comment.id_event = event.id_event";
420
          $ps = myDatabase()->prepare($query);
421
          $ps->execute();
422
          $results = $ps->fetchAll(PDO::FETCH_ASSOC);
423
          foreach ($results as $row) {
424
              $comment_id = $row['id_comment'];
425
              $comment_text = $row['text'];
426
              $comment_datetime = $row['time'];
427
              $comment_pseudo = $row['nickname'];
              $comment_avatar = $row['avatar'];
428
429
              $comment_status = $row['status'];
430
431
              echo '<div class = "panel-body">
432
                      <div id="comments" class="col-lg-12">
433
                          434
                              class="media well">
435
                                   <div class="pull-left user-info col-lg-1" href="#">
436
                                       <img class="avatar img-circle img-thumbnail"</pre>
                                       src="images/avatar images/' . $comment avatar . '"
                                            width="64" alt="Generic placeholder image">
437
438
439
                                       <strong>' . $comment_pseudo . '</strong>
440
                                       <br>>
441
                                   </div>
442
                                   <div class="media-body">
443
                                   ' . $comment_text . '
444
                                   </div>
445
                                   <div id="postOptions" class="media-right"</pre>
                                   style="width:100px;">' . $comment_datetime . '
446
                                       <br/>
447
                                       <br/>
448
                                       <form method="POST" action="#">
449
                                       <input type="hidden" name="hidden_idcommentadmin"</pre>
                                       value = ' . $comment_id . '>';
450
              if ($comment_status == 1) {
451
                  echo '<button style="width:100px;" type="submit" name="ban_comment"</pre>
                  class="btn btn-danger btn-sm">Bloquer <span class="glyphicon
                  glyphicon-remove"></span></button><br/>';
452
453
                  echo '<button style="width:100px;"type="submit" name="unban_comment"</pre>
```

```
class="btn btn-success btn-sm">Débloquer <span class="glyphicon
                  glyphicon-ok"></span></button><br/>';
454
455
              echo '<button onclick="return confirmDeletion()"</pre>
              style="width:100px;"type="submit" name="delete_comment" class="btn
              btn-primary btn-sm">Supprimer <span class="glyphicon"
              glyphicon-trash"></span></button>
456
                                      </form>
457
                                  </div>
458
                              459
                          460
                      </div>
461
                  </div>';
462
463
464
465
466
       * Function that modify the user informations from the database.
467
       * @param type $datas // The informations that we insert into the database.
468
469
      function editUserData($datas) {
          $query = "UPDATE user SET name = :name, firstname = :firstname, organisation =
470
          :organisation, adress = :adress, avatar = :avatar, description = :description
          WHERE id user = :id user";
471
          $ps = myDatabase()->prepare($query);
472
          $ps->bindParam(':name', $datas['user_name'], PDO::PARAM_STR);
473
474
          $ps->bindParam(':firstname', $datas['user_firstname'], PDO::PARAM_STR);
          $ps->bindParam(':organisation', $datas['user_organisation'], PDO::PARAM_STR);
475
          $ps->bindParam(':adress', $datas['user_adress'], PDO::PARAM_STR);
476
477
          $ps->bindParam(':avatar', $datas['user_avatar'], PDO::PARAM_STR);
          $ps->bindParam(':description', $datas['user_desc'], PDO::PARAM_STR);
478
479
          $ps->bindParam(':id_user', $datas['user_id'], PDO::PARAM_STR);
480
481
          $ps->execute();
482
483
484
485
       * Function that modify the event informations from the database.
                                // The informations that we insert into the database.
486
       * @param type $datas
487
488
      function editUserEvent($datas) {
          $query = "UPDATE event, location SET title = :title, street = :street, city =
489
          :city, iso_country = :iso_country, dateStart = :dateStart, dateEnd = :dateEnd,
          description = :description, image = :image WHERE id_event = :id_event AND
          event.id_location = location.id_location";
490
          $ps = myDatabase()->prepare($query);
491
492
          $ps->bindParam(':title', $datas['event_title'], PDO::PARAM_STR);
493
          $ps->bindParam(':street', $datas['event_street'], PDO::PARAM_STR);
494
          $ps->bindParam(':city', $datas['event_city'], PDO::PARAM_STR);
495
          $ps->bindParam(':iso_country', $datas['event_country'], PDO::PARAM_STR);
496
          $ps->bindParam(':dateStart', $datas['event_datestart'], PDO::PARAM_STR);
497
          $ps->bindParam(':dateEnd', $datas['event_dateend'], PDO::PARAM_STR);
498
          $ps->bindParam(':description', $datas['event_desc'], PDO::PARAM_STR);
499
          $ps->bindParam(':image', $datas['event_image'], PDO::PARAM_STR);
500
          $ps->bindParam(':id_event', $datas['event_id'], PDO::PARAM_STR);
```

```
501
502
          $ps->execute();
503
504
505
      /**
      * Function that bans a comment.
506
507
       * @param type $datas
                                 // The informations that we update into the database.
508
      * /
509
      function banComment($datas) {
          $query = "UPDATE comment SET status = 0 WHERE id_comment = :id_comment";
510
511
          $ps = myDatabase()->prepare($query);
512
          $ps->bindParam(':id comment', $datas['comment id'], PDO::PARAM STR);
513
          $ps->execute();
514
      }
515
      /**
516
      * Function that unbans a comment.
517
       * @param type $datas
                                 // The informations that we update into the database.
518
519
       * /
520
      function unbanComment($datas) {
521
          $query = "UPDATE comment SET status = 1 WHERE id_comment = :id_comment";
522
          $ps = myDatabase()->prepare($query);
523
          $ps->bindParam(':id_comment', $datas['comment_id'], PDO::PARAM_STR);
          $ps->execute();
524
525
      }
526
527
      /**
528
      * Function that delete from the database the selected event posted by the user.
                             // The informations that we delete into the database.
529
       * @param type $datas
530
       * /
531
      function deleteComment($datas) {
          $query = "DELETE FROM comment WHERE id_comment = :id_comment";
532
533
          $ps = myDatabase()->prepare($query);
534
          $ps->bindParam(':id_comment', $datas['comment_id'], PDO::PARAM_STR);
535
          $ps->execute();
536
537
      /**
538
539
       * Function that bans an event.
540
       * @param type $datas // The informations that we update into the database.
541
542
      function banEvent($datas) {
          $query = "UPDATE event SET status = 0 WHERE id_event = :id_event ";
543
544
          $ps = myDatabase()->prepare($query);
          $ps->bindParam(':id_event', $datas['event_id'], PDO::PARAM_STR);
545
546
          $ps->execute();
547
      }
548
      /**
549
550
      * Function that unbans an event.
551
       * @param type $datas // The informations that we update into the database.
552
       * /
      function unbanEvent($datas) {
553
          $query = "UPDATE event SET status = 1 WHERE id event = :id event";
554
555
          $ps = myDatabase()->prepare($query);
556
          $ps->bindParam(':id_event', $datas['event_id'], PDO::PARAM_STR);
557
          $ps->execute();
```

```
558
559
560
      /**
561
      * Function that deletes an event.
562
       * @param type $datas
                              // The informations that we delete into the database.
563
564
      function deleteEvent($datas) {
565
          $query = "DELETE FROM event WHERE id_event = :id_event";
566
          $ps = myDatabase()->prepare($query);
567
          $ps->bindParam(':id_event', $datas['event_id'], PDO::PARAM_STR);
568
          $ps->execute();
569
570
571
      /**
572
      * Function that bans a user.
573
       * @param type $datas
                               // The informations that we update into the database.
574
      * /
      function banUser($datas) {
575
576
          $query = "UPDATE user SET status = 0 WHERE id_user = :id_user";
577
          $ps = myDatabase()->prepare($query);
578
          $ps->bindParam(':id_user', $datas['user_id'], PDO::PARAM_STR);
579
          $ps->execute();
580
      }
581
582
      /**
583
       * Function that unbans a user.
584
                             // The informations that we update into the database.
       * @param type $datas
585
       * /
      function unbanUser($datas) {
586
          $query = "UPDATE user SET status = 1 WHERE id_user = :id_user";
587
588
          $ps = myDatabase()->prepare($query);
589
          $ps->bindParam(':id_user', $datas['user_id'], PDO::PARAM_STR);
590
          $ps->execute();
591
592
      /**
593
594
      * Function that deletes an user.
595
       * @param type $datas // The informations that we delete into the database.
596
597
      function deleteUser($datas) {
598
          $query = "DELETE FROM user WHERE id user = :id user";
599
          $ps = myDatabase()->prepare($query);
          $ps->bindParam(':id_user', $datas['user_id'], PDO::PARAM_STR);
600
601
          $ps->execute();
602
603
      /**
604
605
      * Function that displays all the events posted by a user.
                                   // The informations that we select from the database.
606
       * @param type $datas
607
       * /
      function displayAllUserEvents($datas) {
608
609
          $query = "SELECT event.id_event, title, dateStart, dateEnd, image, description,
          street, city, iso_country FROM event, location WHERE id_user = :id_user AND
          event.id location = location.id location";
610
          $ps = myDatabase()->prepare($query);
611
          $ps->bindParam(':id_user', $datas['user_id'], PDO::PARAM_STR);
612
          $ps->execute();
```

```
613
          $results = $ps->fetchAll(PDO::FETCH_ASSOC);
614
          foreach ($results as $row) {
615
              $event_id = $row['id_event'];
              $event_title = $row['title'];
616
617
              $event_street = $row['street'];
618
              $event_city = $row['city'];
619
              $event_country = $row['iso_country'];
              $event_datestart = $row['dateStart'];
620
621
              $event_dateend = $row['dateEnd'];
622
              $event_desc = $row['description'];
              $event_image = $row['image'];
623
624
             echo '
625
                          ' . $event title . '
626
                          ' . $event_street . '
                          ' . $event_city . '
627
628
                          ' . $event_country . '
629
                          ' . $event_datestart . '
630
                          ' . $event_dateend . '
631
                          ' . $event_desc . '
632
                          <img class="avatar img-circle img-thumbnail"
                         src="images/event_images/' . $event_image . '"width="64"
                         alt="Generic placeholder image">' . $event_image . '
633
                          < t.d >
                          <form method="POST" action="#">
634
635
                          <input type="hidden" name="hidden_idevent" value = ' . $event_id</pre>
636
                          <a href="edit_event.php?event_id=' . $event_id . '" class="btn</pre>
                         btn-primary btn-sm">Modifier <span class="glyphicon"
                         glyphicon-pencil"></span></a>
                          <button onclick="return confirmDeletion()" style="width:100px;"</pre>
637
                          type="submit" name="delete_userevent" class="btn btn-danger
                         btn-sm">Supprimer <span class="glyphicon"
                         glyphicon-trash"></span></button>
638
                          </form>
639
                          ';
640
641
642
643
      * Function that displays all the events posted by all the users.
644
645
646
      function displayAllAdminEvents() {
          $query = "SELECT * FROM event, location WHERE event.id_location =
647
          location.id_location";
648
          $ps = myDatabase()->prepare($query);
649
          $ps->execute();
          $results = $ps->fetchAll(PDO::FETCH_ASSOC);
650
651
          foreach ($results as $row) {
652
              $event_status = $row['status'];
653
              $event_id = $row['id_event'];
654
              $event_title = $row['title'];
655
              $event_street = $row['street'];
656
              $event_city = $row['city'];
              $event country = $row['iso country'];
657
658
              $event_datestart = $row['dateStart'];
659
              $event_dateend = $row['dateEnd'];
660
              $event_desc = $row['description'];
```

```
661
             $event_image = $row['image'];
662
             echo '
663
                         ' . $event_title . '
664
                         ' . $event_street . '
665
                         ' . $event_city . '
                         ' . $event_country . '
666
667
                         ' . $event_datestart . '
                         ' . $event_dateend . '
668
669
                         ' . $event_desc . '
670
                         <img class="avatar img-circle img-thumbnail"
                         src="images/event_images/' . $event_image . '"width="64"
                         alt="Generic placeholder image">' . $event_image . '
671
672
                         <form method="POST" action="#">
                         <input type="hidden" name="hidden_ideventadmin" value = ' .</pre>
673
                         $event_id . '>';
674
             if ($event_status == 1) {
675
                 echo '<button style="width:100px ;" type="submit" name="ban_adminevent"</pre>
                 class="btn btn-danger btn-sm">Bloquer <span class="glyphicon
                 glyphicon-remove"></span></button>';
676
                 echo '<button style="width:100px;" type="submit" name="unban_adminevent"
677
                 class="btn btn-success btn-sm">Débloquer <span class="glyphicon
                 glyphicon-ok"></span></button>';
678
679
             echo '<button onclick="return confirmDeletion()" style="width:100px;
             margin-left:5px;" type="submit" name="delete_adminevent" class="btn
             btn-primary btn-sm" > Supprimer <span class="glyphicon"</pre>
             glyphicon-trash"></span></button>
680
                         </form>
681
                         ';
682
683
684
685
686
      * Function that display all the users of the database.
687
688
     function displayAllUsers() {
689
         $query = "SELECT * FROM user WHERE privilege = 0";
690
         $ps = myDatabase()->prepare($query);
691
         $ps->execute();
692
         $results = $ps->fetchAll(PDO::FETCH_ASSOC);
693
         foreach ($results as $row) {
694
             $user_id = $row['id_user'];
695
             $user_status = $row['status'];
696
             $user_email = $row['email'];
             $user nickname = $row['nickname'];
697
698
             $user_name = $row['name'];
699
             $user_firstname = $row['firstname'];
700
             $user_organisation = $row['organisation'];
701
             $user_adress = $row['adress'];
702
             $user_avatar = $row['avatar'];
703
             $user_desc = $row['description'];
704
             echo '
                         ' . $user_email . '
705
706
                         ' . $user_nickname . '
707
                         ' . $user_name . '
```

```
708
                         ' . $user_firstname . '
709
                         ' . $user_organisation . '
710
                         ' . $user_adress . '
                         <img class="avatar img-circle img-thumbnail"
711
                         src="images/avatar_images/' . $user_avatar . '"width="64"
                         alt="Generic placeholder image">' . $user_avatar . '
712
                         ' . $user_desc . '
713
                             >
714
                         <form method="POST" action="#">
                         <input type="hidden" name="hidden_iduseradmin" value = ' .</pre>
715
                         $user_id . '>';
716
             if ($user status == 1) {
                 echo '<button style="width:100px ;" type="submit" name="ban_adminuser"</pre>
717
                 class="btn btn-danger btn-sm">Bloquer <span class="glyphicon
                 glyphicon-remove"></span></button>';
718
               else {
719
                 echo '<button style="width:100px;" type="submit" name="unban_adminuser"
                 class="btn btn-success btn-sm">Débloquer <span class="glyphicon
                 glyphicon-ok"></span></button>';
720
721
             echo '<button onclick="return confirmDeletion()" style="width:100px;</pre>
             margin-left:5px;" type="submit" name="delete_adminuser" class="btn
             btn-primary btn-sm">Supprimer <span class="glyphicon"</pre>
             glyphicon-trash"></span></button>
722
                         </form>
723
                 ';
724
725
726
72.7
728
      * Function that displays the profile of a user.
729
      * @param type $datas // The informations that we update into the database.
730
731
     function displayUserProfile($datas) {
732
         $query = "SELECT * FROM user WHERE id_user = :id_user";
733
         $ps = myDatabase()->prepare($query);
         $ps->bindParam(':id_user', $datas['user_id'], PDO::PARAM_STR);
734
735
         $ps->execute();
736
         $results = $ps->fetchAll(PDO::FETCH_ASSOC);
         foreach ($results as $row) {
737
738
             $user email = $row['email'];
739
             $user_nickname = $row['nickname'];
740
             $user_name = $row['name'];
741
             $user_firstname = $row['firstname'];
742
             $user_organisation = $row['organisation'];
743
             $user_adress = $row['adress'];
             $user avatar = $row['avatar'];
744
745
             $user_desc = $row['description'];
746
             echo '
747
                         ' . $user_email . '
748
                         ' . $user_nickname . '
749
                         ' . $user_name . '
750
                         ' . $user_firstname . '
                         ' . $user_organisation . '
751
752
                         ' . $user_adress . '
753
                         <img class="avatar img-circle img-thumbnail"
                         src="images/avatar_images/' . $user_avatar . '"width="64"
```

```
alt="Generic placeholder image">' . $user_avatar . '
754
                         ' . $user_desc . '
755
                 ';
756
757
      }
758
759
      /**
760
     * Function that select all the informations of the event and put them in an array.
761
       * @param type $datas // The informations that we select into the database.
      * @return type // The array with the selected info from the database.
762
763
      * /
764
      function getEventInfo($datas) {
765
         $query = "SELECT * FROM event, location WHERE id_event = :id_event AND
         event.id_location = location.id_location";
766
         $ps = myDatabase()->prepare($query);
767
         $ps->bindParam(':id_event', $datas['event_id'], PDO::PARAM_STR);
768
         $ps->execute();
769
         $results = $ps->fetchAll(PDO::FETCH_ASSOC);
770
         return $results;
771
772
      /**
773
774
      * Function that select all the informations of the user and put them in an array.
      * @return type // The array with the selected info from the database.
775
776
777
      function getUserInfo() {
778
         $user_id = getUserId();
779
         $query = "SELECT * FROM user WHERE id_user = :id_user";
780
         $ps = myDatabase()->prepare($query);
781
         $ps->bindParam(':id_user', $user_id, PDO::PARAM_STR);
782
         $ps->execute();
783
         $results = $ps->fetchAll(PDO::FETCH_ASSOC);
784
         return $results;
785
786
787
      //-----GENERAL FUNCTIONS -----\\
788
789
      // Upload constants.
790
      define('INPUT', 'event_image'); // The name of the input file.
      define('TARGET', './images/event_images/');  // The target directory for the event
791
792
      define('TARGET2', './images/avatar_images/'); // The target directory for the
      avatar image.
793
     define('MAX_SIZE', 10000000); // Maximum size in octets for the file.
794
     define('WIDTH_MAX', 2000); // Maximum width in pixels for the file.
795
     define('HEIGHT_MAX', 2000);
                                  // Maximum height in pixels for the file.
796
797
798
      * Fonction that uploads the event image in the correct folder.
       * @return type // The error messages.
799
800
801
      function uploadEventImage() {
802
         $tabExt = array('jpg', 'JPG', 'PNG', 'JPEG', 'GIF', 'TIFF', 'BMP', 'gif', 'png',
803
          'jpeg', 'bmp', 'tiff'); // Allowed extensions.
804
         $infosImg = array();
805
```

```
806
          // Variables.
807
          $extension = '';
808
          $message = '';
          $nomImage = '';
809
810
          $status = false;
811
812
813
          // Create the repository if it doesn't exists.
814
          if (!is_dir(TARGET)) {
815
              if (!mkdir(TARGET, 0755)) {
                  exit ('Erreur : le répertoire cible ne peut être créé ! Vérifiez que vous
816
                  disposiez des droits suffisants pour le faire ou créez le manuellement !'
817
818
819
          // Check if the field is filled.
820
          if (!empty($_FILES[INPUT]['name'])) {
              // Get the file extension.
821
              $extension = pathinfo($_FILES[INPUT]['name'], PATHINFO_EXTENSION);
822
823
              // Check the file extension.
824
              if (in_array(strtolower($extension), $tabExt)) {
                  // Get the size of the file.
825
                  if (!$_FILES[INPUT]['tmp_name'] == "") {
826
                       $infosImg = getimagesize($_FILES[INPUT]['tmp_name']);
827
828
                       // Check the type of file and the header (if it's not an image file).
829
                       if ($infosImg[2] >= 1 && $infosImg[2] <= 14) {</pre>
830
                           // Check the size and dimension of the file.
831
                           if (($infosImg[0] <= WIDTH_MAX) && ($infosImg[1] <= HEIGHT_MAX)</pre>
                           && (filesize($_FILES[INPUT]['tmp_name']) <= MAX_SIZE)) {
832
                               // Run through the errors array
833
                               if (isset($_FILES[INPUT]['error']) && UPLOAD_ERR_OK ===
                               $ FILES[INPUT]['error']) {
834
                                   // Rename the file with a uniq id.
835
                                   $nomImage = uniqid() . '.' . $extension;
836
                                   // Store the value in session.
837
                                   $ SESSION['imageevent name'] = $nomImage;
838
839
                                   // If it's ok then test the upload.
840
                                   if (move_uploaded_file($_FILES[INPUT]['tmp_name'],
                                   TARGET . $nomImage)) {
841
                                        $message = 'Upload réussi !';
842
                                        $status = true;
843
                                   } else {
844
                                       // Else, display a system error.
845
                                        $message = 'Problème lors de l\'upload !';
846
                               } else {
847
848
                                   $message = 'Une erreur interne a empêché l\'uplaod de
                                   1\'image';
849
850
                           } else {
851
                               // Else, display a size image error.
852
                               $message = 'Erreur dans les dimensions de 1\'image !';
853
854
855
                   } else {
856
                       // Else, display a type of image error.
```

```
857
                      $message = 'Le fichier envoyé n\'est pas une image, ou le fichier
                      est trop grand, merci de consulter l\'aide en ligne!';
858
              } else {
859
860
                  // Else, display an extension error.
                  $message = 'L\'extension du fichier est incorrecte !';
861
862
863
          } else {
864
              // Else, display an empty file error.
865
              $message = 'Veuillez remplir le formulaire svp !';
866
867
          return array($message, $status);
868
869
      /**
870
871
       * Fonction that uploads the avatar image in the correct folder.
872
                       // The error messages.
       * @return type
873
874
      function uploadAvatarImage() {
875
876
          $tabExt = array('jpg', 'JPG', 'PNG', 'JPEG', 'GIF', 'TIFF', 'BMP', 'gif', 'png',
          'jpeg', 'bmp', 'tiff'); // Allowed extensions.
877
          $infosImg = array();
878
879
          // Variables.
880
          $extension = '';
          $message = '';
881
882
          $nomImage = '';
883
884
          $status = false;
885
886
          // Create the repository if it doesn't exists.
887
          if (!is_dir(TARGET2)) {
888
              if (!mkdir(TARGET2, 0755)) {
889
                  exit ('Erreur : le répertoire cible ne peut être créé ! Vérifiez que vous
                  disposiez des droits suffisants pour le faire ou créez le manuellement !'
                  );
890
891
          // Check if the field is filled.
892
893
          if (!empty($ FILES[INPUT]['name'])) {
894
              // Get the file extension.
              $extension = pathinfo($_FILES[INPUT]['name'], PATHINFO_EXTENSION);
895
              // Check the file extension.
896
              if (in_array(strtolower($extension), $tabExt)) {
897
898
                  // Get the size of the file.
                  if (!$ FILES[INPUT]['tmp name'] == "") {
899
900
                      $infosImg = getimagesize($_FILES[INPUT]['tmp_name']);
                       // Check the type of file and the header (if it's not an image file).
901
902
                      if ($infosImg[2] >= 1 && $infosImg[2] <= 14) {</pre>
903
                           // Check the size and dimension of the file.
904
                          if (($infosImg[0] <= WIDTH_MAX) && ($infosImg[1] <= HEIGHT_MAX)</pre>
                          && (filesize($_FILES[INPUT]['tmp_name']) <= MAX_SIZE)) {
905
                               // Run through the errors array
906
                               if (isset($_FILES[INPUT]['error']) && UPLOAD_ERR_OK ===
                               $_FILES[INPUT]['error']) {
907
                                   // Rename the file with a uniq id.
```

```
908
                                  $nomImage = uniqid() . '.' . $extension;
909
                                  // Store the value in session.
910
                                  $_SESSION['imageavatar_name'] = $nomImage;
911
912
                                  // If it's ok then test the upload.
                                  if (move_uploaded_file($_FILES[INPUT]['tmp_name'],
913
                                  TARGET2 . $nomImage)) {
914
                                      $message = 'Upload réussi !';
915
                                      $status = true;
916
                                  } else {
917
                                      // Else, display a system error.
918
                                      $message = 'Problème lors de l\'upload !';
919
920
                              } else {
                                  $message = 'Une erreur interne a empêché l\'uplaod de
921
                                  1\'image';
922
923
                          } else {
                              // Else, display a size image error.
924
925
                              $message = 'Erreur dans les dimensions de l\'image !';
926
927
928
                  } else {
                      // Else, display a type of image error.
929
930
                      $message = 'Le fichier envoyé n\'est pas une image, ou le fichier
                      est trop grand, merci de consulter l\'aide en ligne!';
931
932
              } else {
933
                  // Else, display an extension error.
934
                  $message = 'L\'extension du fichier est incorrecte !';
935
936
          } else {
937
              // Else, display an empty file error.
938
              $message = 'Veuillez remplir le formulaire svp !';
939
940
         return array($message, $status);
941
942
943
      //-----SESSION FUNCTIONS -----\\
944
945
946
      * Function that checks if the user is logged or not.
      * @return boolean True // If logged return TRUE.
947
948
      function isLoggedIn() {
949
         return (isset($_SESSION['login'])) ? $_SESSION['login'] : false;
950
951
      }
952
953
      /**
954
      * Function that returns the id of the user from the sessions.
      * @return type // The id of the user from the sessions.
955
956
      * /
957
     function getUserId() {
958
         return (isset($_SESSION['user_id'])) ? $_SESSION['user_id'] : -1;
959
960
961
```

1008

```
962
        * Function that define if the user is logged or not.
 963
        * @param type $value // TRUE if logged or FALSE if not.
 964
       * /
 965
       function setLoggedIn($value) {
 966
          $_SESSION['login'] = $value;
 967
 968
       /**
 969
 970
       * Function that sets the group in the session.
 971
       * @param type $value // The group you want to put in session.
 972
       function setUserGroup($value) {
 973
 974
           $_SESSION['group'] = $value;
 975
 976
 977
       /**
 978
       * Function that returns the group of the user from the session.
 979
        * @return type // Return the group of the user.
 980
       * /
 981
       function getUserGroup() {
 982
          return (isset($_SESSION['group'])) ? $_SESSION['group'] : -1;
 983
 984
 985
       /**
 986
       * Function that disconnect the user and destroy the session.
 987
 988
       function logOutUser() {
 989
         $_SESSION = array();
 990
          session_destroy();
 991
       }
 992
 993
       /**
 994
       * Function that sets the privilege to member.
       * @return type // The privilege 0 (member).
 995
 996
       * /
 997
       function isUserMember() {
 998
         return (getUserGroup() == 0);
999
       }
1000
1001
       /**
1002
       * Function that sets the privilege to admin.
       * @return type // The privilege 1 (admin).
1003
       * /
1004
1005
       function isUserAdmin() {
          return (getUserGroup() == 1);
1006
1007
```

```
2
3
    /*************************
4
     * Author : Philippe Ku
5
     * School / Class : CFPT Informatique / I.FA-P3B
     * Date : 15.06.2016
6
7
     * Programm : Event gestion website
8
     * File : controller.php
9
     * Description : This file is the controller that checks all the datas of my website
10
     * Version : 1.10
11
12
13
    session start();
14
15
    // Sets the errors to null.
16
    $signin_error = "";
17
    $passwordcheck_error = "";
    $passwordlength_error = "";
18
19
    $date_error = "";
20
    $editdate error = "";
21
    $comment_error = "";
    $banconnect_error = "";
22
2.3
24
    // Checks if the insert event button is pressed.
25
    if (isset($_POST['insert_event'])) {
26
        // Getting the datas with security check from the form field.
       $datas['event_title'] = filter_var($_POST['event_title'],
27
        FILTER_SANITIZE_SPECIAL_CHARS);
     $datas['event_street'] = filter_var($_POST['event_street'],
28
        FILTER_SANITIZE_SPECIAL_CHARS);
2.9
     $datas['event_city'] = filter_var($_POST['event_city'],
        FILTER_SANITIZE_SPECIAL_CHARS);
30
     $datas['event_country'] = filter_var($_POST['event_country'],
        FILTER_SANITIZE_SPECIAL_CHARS);
31
     $datas['event_datestart'] = filter_var($_POST['event_datestart'],
        FILTER SANITIZE SPECIAL CHARS);
      $datas['event_dateend'] = filter_var($_POST['event_dateend'],
32
        FILTER_SANITIZE_SPECIAL_CHARS);
33
        $datas['event_desc'] = $_POST['event_desc'];
                                                          // The TinyMCE script
        handles the security check.
34
        35
        if ($_POST['event_datestart'] <= $_POST['event_dateend']) {</pre>
36
            // Upload the image in the correct folder.
37
38
            uploadEventImage();
39
            // Getting the datas from the image.
40
            $datas['event_image'] = $_SESSION['imageevent_name'];
41
42.
43
            // Add the event into the database.
            insertNewEvent($datas);
44
45
46
            // Redirect to the index page.
            header('location: index.php');
47
48
        } else {
49
            $date_error = '<div class="alert alert-warning"><strong>ATTENTION
            !</strong>La date de fin doit être supérieur ou égale à celle de début
```

```
!</div>';
50
51
52
53
     // Checks if the insert user button is pressed.
54
55
     if (isset($_POST['insert_user'])) {
         // Getting the datas with security check from the form field.
56
57
         $datas['user_email'] = filter_var($_POST['user_email'],
         FILTER_SANITIZE_SPECIAL_CHARS);
         $datas['user_nickname'] = filter_var($_POST['user_nickname'],
58
         FILTER SANITIZE SPECIAL CHARS);
59
         // Checks if the two passwords are matching.
         if ($_POST['user_password'] == $_POST['user_checkpassword']) {
60
             if (strlen($_POST['user_password']) >= 3) {
61
                 $datas['user_password'] = sha1($_POST['user_password']);
62
                 // Add the new user in the database.
63
                 insertNewUser($datas);
64
                 // Shows a succes message.
65
                 echo '<script type="text/javascript">
66
67
                     alert("Votre compte à été crée !");
                     document.location.href = "index.php";
68
                   </script>';
69
70
             } else {
71
                 $passwordlength_error = '<div class="alert</pre>
                 alert-warning"><strong>ATTENTION !</strong> Le mot de passe doit faire
                 au minimum 3 caractères !</div>';
72
73
         } else {
             $passwordcheck_error = '<div class="alert alert-warning"><strong>ATTENTION
74
             !</strong> Les mots de passe ne correspondent pas !</div>';
75
76
77
78
     // Checks if the connect button is pressed.
79
     if (isset($ POST['connect user'])) {
80
         // Getting the datas from the form field.
         $datas['user_email'] = (isset($_POST['user_email']) ? $_POST['user_email'] : "");
81
82
         $datas['user_password'] = (isset($_POST['user_password']) ? $_POST[
         'user_password'] : "");
83
84
         // Connect the user with the datas he gave us. If all the datas are true then
         log him.
         if (checkuser($datas)) {
85
86
87
             $results = getUserInfo();
             if ($results[0]['status'] == 1) {
88
89
                 // Sets the logged status to true.
                 setLoggedIn(true);
90
                 // Set his group.
91
92
                 setUserGroup(getUserGroupFromDatabase($datas));
93
             } else {
94
                 $banconnect error = '<div class="alert alert-warning"><strong>ATTENTION
                 !</strong> Votre compte a été banni veuillez contacter l\'administrateur
                 !</div>';
95
96
         } else
```

```
$signin_error = '<div class="alert alert-warning"><strong>ATTENTION
              !</strong> La combinaison email / mot de passe est incorrecte!</div>';
 98
 99
      }
100
      // Checks if the comment button is pressed.
101
102
      if (isset($_POST['insert_comment'])) {
103
          // Getting the datas from the form field.
104
          $datas['comment_time'] = date('Y-m-d H:i:s');
105
          $datas['comment_text'] = $_POST['comment_text'];
106
          $datas['user_id'] = getUserId();
107
          $datas['event id'] = $ REQUEST['event id'];
108
109
          if ($_POST['comment_text'] != "") {
110
              // Add the new comment into the database.
111
              insertNewComment($datas);
              // Redirect to the event detail page.
112
              header('Location: event_details.php?event_id=' . $_REQUEST['event_id']);
113
114
          } else {
115
              $comment error = '<div class="alert alert-warning"><strong>ATTENTION
              !</strong> Le texte du commentaire ne doit pas être vide !</div>';
116
117
      }
118
119
      // Checks if the logout button is pressed.
120
      if (isset($_REQUEST['logout'])) {
121
          logOutUser();
122
          header('Location: index.php');
123
124
      // Change the menubar depending if it's a visitor, member or admin that signin.
125
      switch (getUserGroup()) {
126
127
          case -1: require '/menu/default_menu.php';
128
129
          case 0: require '/menu/user_menu.php';
130
              break;
          case 1: require '/menu/admin_menu.php';
131
132
              break;
133
          default :require '/menu/default_menu.php';
134
              break;
135
136
137
      // Checks if the edit profile button is pressed.
138
      if (isset($_POST['edit_profile'])) {
          // Getting the datas (secured!) from the form fields.
139
140
       $datas['user_name'] = filter_var($_POST['edit_name'],
          FILTER_SANITIZE_SPECIAL_CHARS);
141
          $datas['user_firstname'] = filter_var($_POST['edit_firstname'],
          FILTER_SANITIZE_SPECIAL_CHARS);
          $datas['user_organisation'] = filter_var($_POST['edit_organisation'],
142
          FILTER_SANITIZE_SPECIAL_CHARS);
143
          $datas['user_adress'] = filter_var($_POST['edit_adress'],
          FILTER SANITIZE SPECIAL CHARS);
          $datas['user desc'] = $ POST['edit desc'];
144
          $datas['user_id'] = getUserId();
145
146
147
         // Upload the image in the correct file.
```

```
148
          uploadAvatarImage();
149
150
          // Getting the datas for the image.
          $datas['user_avatar'] = $_SESSION['imageavatar_name'];
151
152
          // Edit the new profile in the database.
153
154
          editUserData($datas);
155
156
          // Redirect to the index page.
157
          header('Location: myaccount.php');
158
159
160
      // Checks if the edit event button is pressed.
161
      if (isset($_POST['edit_event'])) {
          // Getting the datas (secured!) from the form fields.
162
          $datas['event_title'] = filter_var($_POST['editevent_title'],
163
          FILTER_SANITIZE_SPECIAL_CHARS);
       $datas['event_street'] = filter_var($_POST['editevent_street'],
164
          FILTER_SANITIZE_SPECIAL_CHARS);
165
          $datas['event_city'] = filter_var($_POST['editevent_city'],
          FILTER_SANITIZE_SPECIAL_CHARS);
          $datas['event_country'] = filter_var($_POST['editevent_country'],
166
          FILTER_SANITIZE_SPECIAL_CHARS);
          $datas['event_datestart'] = filter_var($_POST['editevent_datestart'],
167
          FILTER_SANITIZE_SPECIAL_CHARS);
168
          $datas['event_dateend'] = filter_var($_POST['editevent_dateend'],
          FILTER_SANITIZE_SPECIAL_CHARS);
169
          $datas['event_desc'] = $_POST['editevent_desc'];
          $datas['event_id'] = $_GET['event_id'];
170
171
172
          if ($_POST['editevent_datestart'] <= $_POST['editevent_dateend']) {</pre>
173
174
              // Upload the image in the correct folder.
175
              uploadEventImage();
176
              // Getting the datas for the image.
              $datas['event_image'] = $_SESSION['imageevent_name'];
177
178
179
              // Edit the new profile in the database.
180
              editUserEvent($datas);
181
              // Redirect to the index page.
182
183
              header('Location: myaccount.php');
184
          } else {
              $editdate_error = '<div class="alert alert-warning"><strong>ATTENTION
185
              !</strong>La date de fin doit être supérieur ou égale à celle de début
              !</div>';
186
187
188
189
      // Checks if the searchbox is not empty and displays the results of the search.
190
      if (isset($_GET['search'])) {
191
          $search_query = filter_var($_GET['user_query'], FILTER_SANITIZE_SPECIAL_CHARS);
192
          if ($search_query != "") {
193
              searchAnEvent($search_query);
194
          } else {
195
              echo '<div class="row col-md-offset-0"><h1>Veuillez entrer un élément de
              recherche...</hl><br/>';
```

```
196
197
198
199
      // Checks if the delete user event button is pressed.
200
      if (isset($_POST['delete_userevent'])) {
          $datas['event_id'] = $_POST['hidden_idevent'];
201
202
          deleteEvent($datas);
203
204
205
      // Checks if the ban admin event button is pressed.
      if (isset($_POST['ban_adminevent'])) {
206
207
          $datas['event_id'] = $_POST['hidden_ideventadmin'];
          banEvent($datas);
208
209
210
211
      // Checks if the unban event admin button is pressed.
      if (isset($_POST['unban_adminevent'])) {
2.12
          $datas['event_id'] = $_POST['hidden_ideventadmin'];
2.13
214
          unbanEvent($datas);
215
216
217
      // Checks if the delete admin event button is pressed
218
      if (isset($_POST['delete_adminevent'])) {
          $datas['event_id'] = $_POST['hidden_ideventadmin'];
219
220
          deleteEvent($datas);
221
222
223
      // Checks if the ban comment button is pressed.
      if (isset($_POST['ban_comment'])) {
224
          $datas['comment_id'] = $_POST['hidden_idcommentadmin'];
225
226
          banComment($datas);
227
228
229
      // Checks if the unban comment button is pressed.
230
      if (isset($_POST['unban_comment'])) {
231
          $datas['comment_id'] = $_POST['hidden_idcommentadmin'];
232
          unbanComment($datas);
233
      }
234
      // Checks if the delete comment button is pressed.
235
      if (isset($ POST['delete comment'])) {
2.36
237
          $datas['comment_id'] = $_POST['hidden_idcommentadmin'];
238
          deleteComment($datas);
239
240
241
      // Checks if the ban admin user button is pressed.
      if (isset($_POST['ban_adminuser'])) {
242
243
          $datas['user_id'] = $_POST['hidden_iduseradmin'];
244
          banUser($datas);
245
246
247
      // Checks if the unban admin user button is pressed.
248
      if (isset($_POST['unban_adminuser'])) {
          $datas['user_id'] = $_POST['hidden_iduseradmin'];
249
250
          unbanUser($datas);
251
252
```

```
// Checks if the delete admin user button is pressed

if (isset($_POST['delete_adminuser'])) {
    $datas['user_id'] = $_POST['hidden_iduseradmin'];
    deleteUser($datas);
}
```

```
<!-----
2
    * Author : Philippe Ku
3
    * School / Class : CFPT Informatique / I.FA-P3B
    * Date : 15.06.2016
4
5
    * Programm : Event gestion website
    * File : default menu.php
6
7
    * Description : This file is the menubar for the un-authentified user (visitors)
    * Version : 1.10
8
9
    ----->
10
    <nav class="navbar navbar-inverse">
       <div class="container-fluid">
11
12
           <a href="index.php"><b>Events Manager</b></a>
13
14
               <a href="index.php">Accueil</a>
15
               <a href="about.php">A propos</a>
           16
           <form class="navbar-form navbar-right inline-form" method="GET" action=</pre>
17
           "results.php">
18
              <input type="text" name="user_query" class="input-sm form-control"</pre>
              placeholder="Recherche...">
19
               <button type="submit" name="search" style="margin-right: 10px;" class=</pre>
               "btn btn-primary"><span class="glyphicon glyphicon-search"
              ></span></button>
               <a href="signup.php" style="margin-right: 10px;"><span class="glyphicon"</pre>
2.0
              glyphicon-pencil"></span> S'inscrire </a>
21
               <a href="signin.php" style="margin-right: 10px;"><span class="glyphicon"
               glyphicon-log-in"></span> Se connecter </a>
22
           </form>
23
       </div>
24
    </nav>
25
```

```
<!-----
2
    * Author : Philippe Ku
3
    * School / Class : CFPT Informatique / I.FA-P3B
    * Date : 15.06.2016
4
5
    * Programm : Event gestion website
    * File : user menu.php
6
7
    * Description : This file is the menubar for the authentified user (members)
8
    * Version : 1.10
9
    ---->
10
    <nav class="navbar navbar-inverse">
        <div class="container-fluid">
11
12
           <a href="index.php"><b>Events Manager</b></a>
13
14
               <a href="index.php">Accueil</a>
15
               <a href="insert_event.php">Ajouter un événement</a>
16
               <a href="about.php">A propos</a>
17
           </11]>
           <form class="navbar-form navbar-right inline-form" method="GET" action=</pre>
18
           "results.php">
19
               <input type="text" name="user_query" class="input-sm form-control"</pre>
               placeholder="Recherche...">
               <button type="submit" name="search" style="margin-right: 10px;" class=</pre>
20
               "btn btn-primary"><span class="glyphicon glyphicon-search"
               ></span></button>
21
               <a href="myaccount.php" style="margin-right: 10px;"><span class=</pre>
               "glyphicon glyphicon-user"></span> Mon compte </a>
               <a href="index.php?logout=true" style="margin-right: 10px;"><span class=
22
               "glyphicon glyphicon-off"></span> Se déconnecter </a>
23
           </form>
       </div>
2.4
25
    </nav>
26
```

```
<!-----
2
    * Author : Philippe Ku
3
    * School / Class : CFPT Informatique / I.FA-P3B
    * Date : 15.06.2016
4
5
    * Programm : Event gestion website
    * File : admin menu.php
6
7
    * Description : This file is the menubar for the authentified users (administrators)
8
    * Version : 1.10
9
    ---->
10
    <nav class="navbar navbar-inverse">
        <div class="container-fluid">
11
12
           <a href="index.php"><b>Events Manager</b></a>
13
14
               <a href="index.php">Accueil</a>
15
               <a href="insert_event.php">Ajouter un événement</a>
16
               <a href="about.php">A propos</a>
17
           </11]>
           <form class="navbar-form navbar-right inline-form" method="GET" action=</pre>
18
           "results.php">
19
               <input type="text" name="user_query" class="input-sm form-control"</pre>
               placeholder="Recherche...">
               <button type="submit" name="search" id="navbarbutton" class="btn</pre>
20
               btn-primary"><span class="glyphicon glyphicon-search"></span></button>
               <a href="administration.php" style="margin-right: 10px;"><span class=</pre>
2.1
               "glyphicon glyphicon-cog"></span> Administration </a>
22
               <a href="myaccount.php" style="margin-right: 10px;"><span class=</pre>
               "glyphicon glyphicon-user"></span> Mon compte </a>
23
               <a href="index.php?logout=true" style="margin-right: 10px;"><span class=</pre>
               "glyphicon glyphicon-off"></span> Se déconnecter </a>
           </form>
2.4
2.5
        </div>
26
    </nav>
27
```

```
2
     * Author : Philippe Ku
 3
     * School / Class : CFPT Informatique / I.FA-P3B
     * Date : 15.06.2016
 4
 5
     * Programm : Event gestion website
 6
     * File : index.php
 7
     * Description : The index page of the website
 8
     * Version : 1.10
9
10
     <?php
     require 'functions/functions.php';
11
12
     require 'controller.php';
13
14
     <!DOCTYPE html>
15
     <html>
         <head>
16
17
             <meta charset="UTF-8">
             <meta http-equiv="X-UA-Compatible" content="IE=edge">
18
19
             <meta name="viewport" content="width=device-width, initial-scale=1">
20
             <title>Accueil</title>
21
             <link href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
22
             <script src="</pre>
             https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
23
             <script src="bootstrap/js/bootstrap.min.js"></script>
24
         </head>
25
         <body>
             <div class="row col-md" style="padding-left: 20px;">
26
27
                 <form method="POST" action="">
                     <select class="input-sm" name="event_filter">
2.8
2.9
                          <option value="default">Séléctionner un filtre</option>
30
                          <option value="day">Jour</option>
                          <option value="week">Semaine</option>
31
32
                          <option value="month">Mois</option>
33
                     </select>
34
                     <input class="btn btn-primary btn-sm" type="submit" name="filter"/>
35
                 </form>
             </div>
36
37
             <?php
38
             // Changes the date to a french format.
39
             setlocale(LC_TIME, 'fr', 'fr_FR', 'fr_FR.IS08859-1');
             $date = strftime("%A %d %B %Y.");
40
             $month = strftime("%B %Y.");
41
42.
43
             // Displays the events depending on the filter (day, week, month).
             if (isset($_POST['filter'])) {
44
45
                 if ($_POST['event_filter'] == "day") {
                     echo '<div class="row col-md-offset-0"><h1>Les événements du jour : '
46
                       . $date . '</h1><br/>';
                     getCurrentDayEvents();
47
48
49
                 if ($_POST['event_filter'] == "week") {
                     echo '<div class="row col-md-offset-0"><h1>Les événements de la
50
                     semaine</hl><br/>';
51
                     getCurrentWeekEvents();
52
53
                 if ($_POST['event_filter'] == "month") {
54
                     echo '<div class="row col-md-offset-0"><h1>Les événements du mois : '
```

```
. $month . '</h1><br/>';
55
                     getCurrentMonthEvents();
56
57
             } else {
58
                 echo '<div class="row col-md-offset-0"><h1>Les événements du jour : ' .
                 $date . '</h1><br/>';
59
                 getCurrentDayEvents();
60
61
             ?>
62
         </body>
63
     </html>
64
65
66
67
68
```

```
<!-----
 2
     * Author : Philippe Ku
 3
     * School / Class : CFPT Informatique / I.FA-P3B
    * Date : 15.06.2016
 4
 5
    * Programm : Event gestion website
    * File : event details.php
 6
 7
    * Description : The event details page of the website
 8
     * Version : 1.10
9
10
     <?php
    require 'functions/functions.php';
11
12
    require 'controller.php';
13
14
     <!DOCTYPE html>
15
     <html>
         <head>
16
17
             <meta charset="UTF-8">
             <meta http-equiv="X-UA-Compatible" content="IE=edge">
18
19
            <meta name="viewport" content="width=device-width, initial-scale=1">
20
             <title>Détails de l'événement</title>
21
             <link href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
             <script src="</pre>
22
            https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
23
            <script src="bootstrap/js/bootstrap.min.js"></script>
24
            <script type="text/javascript">
25
                 // Function that generate a message for the delete confirmation.
                function confirmDeletion() {
26
27
                     return (confirm("Voulez-vous supprimer cette entrée ?"));
28
                 }
29
            </script>
30
         </head>
31
         <body>
32
             <?php
33
            // Checks if there is an event id and if so displays the event details and
            the comments.
34
            if (isset($ GET['event id'])) {
                 $event_id = $_GET['event_id'];
35
36
                getEventDetail($event_id);
37
                if (isUserAdmin()) {
                     displayCommentAdmin($event_id);
38
39
40
                     displayCommentUser($event_id);
41
42
43
44
         </body>
     </html>
45
46
47
48
49
50
51
```

```
<!-----
2
    * Author : Philippe Ku
3
    * School / Class : CFPT Informatique / I.FA-P3B
    * Date : 15.06.2016
4
5
    * Programm : Event gestion website
6
    * File : about.php
7
    * Description : The about page of the website
8
    * Version : 1.10
9
10
    <?php
    require 'functions/functions.php';
11
12
    require 'controller.php';
13
14
    <!DOCTYPE html>
15
    <html>
        <head>
16
17
            <meta charset="UTF-8">
            <meta http-equiv="X-UA-Compatible" content="IE=edge">
18
19
            <meta name="viewport" content="width=device-width, initial-scale=1">
20
            <title>A propos</title>
21
            <link href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
22
            <script src="</pre>
            https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
23
            <script src="bootstrap/js/bootstrap.min.js"></script>
24
        </head>
25
        <body>
            <div class="container">
26
27
                <div class="row col-md-offset-0">
2.8
                     <h1>A propos</h1><br/>
2.9
                    <div class="row">
30
                        <h2>Le site :</h2><br/>
                        Sed ut perspiciatis unde omnis iste natus error sit
31
                        voluptatem accusantium doloremque laudantium,
32
                             totam rem aperiam, eaque ipsa quae ab illo inventore
                            veritatis et quasi architecto beatae vitae
                            dicta sunt explicabo. Nemo enim ipsam voluptatem quia
33
                            voluptas sit aspernatur aut odit aut fugit,
34
                            sed quia consequuntur magni dolores eos qui ratione
                            voluptatem sequi nesciunt. Neque porro quisquam
35
                            est, qui dolorem ipsum quia dolor sit amet, consectetur,
                            adipisci velit, sed quia non numquam eius modi
36
                            tempora incidunt ut labore et dolore magnam aliquam quaerat
                            voluptatem. Ut enim ad minima veniam, quis
                            nostrum exercitationem ullam corporis suscipit laboriosam,
37
                            nisi ut aliquid ex ea commodi consequatur? Quis
38
                            autem vel eum iure reprehenderit qui in ea voluptate velit
                            esse quam nihil molestiae consequatur, ve
39
                            1 illum qui dolorem eum fugiat quo voluptas nulla pariatur?
                            40
                    </div>
41
                    <div class="row">
42
                        <h2>L'auteur :</h2><br/>
43
                        Sed ut perspiciatis unde omnis iste natus error sit
                        voluptatem accusantium doloremque laudantium,
44
                            totam rem aperiam, eaque ipsa quae ab illo inventore
                            veritatis et quasi architecto beatae vitae
45
                            dicta sunt explicabo. Nemo enim ipsam voluptatem quia
```

voluptas sit aspernatur aut odit aut fugit, sed quia consequuntur magni dolores eos qui ratione 46 voluptatem sequi nesciunt. Neque porro quisquam 47 est, qui dolorem ipsum quia dolor sit amet, consectetur, adipisci velit, sed quia non numquam eius modi 48 tempora incidunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim ad minima veniam, quis 49 nostrum exercitationem ullam corporis suscipit laboriosam, nisi ut aliquid ex ea commodi consequatur? Quis 50 autem vel eum iure reprehenderit qui in ea voluptate velit esse quam nihil molestiae consequatur, ve 51 1 illum qui dolorem eum fugiat quo voluptas nulla pariatur? 52 </div> 53 <div class="row"> 54 <h2>F.A.Q :</h2>
 55 Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, 56 totam rem aperiam, eaque ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae 57 dicta sunt explicabo. Nemo enim ipsam voluptatem quia voluptas sit aspernatur aut odit aut fugit, 58 sed quia consequuntur magni dolores eos qui ratione voluptatem sequi nesciunt. Neque porro quisquam 59 est, qui dolorem ipsum quia dolor sit amet, consectetur, adipisci velit, sed quia non numquam eius modi tempora incidunt ut labore et dolore magnam aliquam quaerat 60 voluptatem. Ut enim ad minima veniam, quis 61 nostrum exercitationem ullam corporis suscipit laboriosam, nisi ut aliquid ex ea commodi consequatur? Quis 62 autem vel eum iure reprehenderit qui in ea voluptate velit esse quam nihil molestiae consequatur, ve 63 1 illum qui dolorem eum fugiat quo voluptas nulla pariatur? 64 </div> 65 </div> </div> 66 67 </body> 68 </html>

```
<!-----
 2
     * Author : Philippe Ku
 3
    * School / Class : CFPT Informatique / I.FA-P3B
    * Date : 15.06.2016
 4
 5
    * Programm : Event gestion website
    * File : signin.php
 6
 7
    * Description : The sign in page of the website
 8
     * Version : 1.10
9
10
     <?php
    require 'functions/functions.php';
11
12
    require 'controller.php';
13
14
     <!DOCTYPE html>
     <html>
15
         <head>
16
17
             <meta charset="UTF-8">
             <meta http-equiv="X-UA-Compatible" content="IE=edge">
18
19
             <meta name="viewport" content="width=device-width, initial-scale=1">
20
             <title>Connexion</title>
21
             <link href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
22
             <script src="</pre>
             https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
23
             <script src="bootstrap/js/bootstrap.min.js"></script>
24
         </head>
25
         <body>
             <div class="container">
26
27
                 <?php
                 // If the user is already logged.
2.8
2.9
                 if (isLoggedIn()) {
30
                     // Redirect to the index.
31
                     header('location: index.php');
                 }
32
33
                 ?>
34
                 <div class="row col-md-offset-0">
35
                     <h1>Connexion</h1>
                 </div>
36
37
                 <div class="row">
38
                     <div class="col-md-4 col-md-offset-2 pull-left">
                         <div class="panel panel-default" style="width: 800px;">
39
40
                             <div class="panel-heading">
41
                                 <h3 class="panel-title">Connexion</h3>
42.
                             </div>
                             <div class="panel-body" style="width: 800px;">
43
44
                                 <form method="POST" action="#">
45
                                     <fieldset>
                                         <div class="form-group">
46
47
                                              <label>Email :</label>
                                              <input class="form-control" placeholder=</pre>
48
                                              "Email..." name="user_email" type="email"
                                             required="">
49
                                         </div>
50
                                          <div class="form-group">
                                              <label>Mot de passe :</label>
51
52
                                              <input class="form-control" placeholder="Mot</pre>
                                              de passe..." name="user_password" type=
                                              "password" required="">
```

```
53
                                            </div>
54
                                            <input class="btn btn-lg btn-primary btn-block"</pre>
                                            type="submit" name="connect_user" value="Se
                                            connecter">
55
                                        </fieldset>
56
                                   </form>
57
                                   <?php
58
                                   // Displays the error messages.
59
                                   echo $signin_error;
60
                                   echo $banconnect_error;
61
62
                               </div>
                           </div>
63
64
                      </div>
65
                  </div>
66
              </div>
67
         </body>
68
     </html>
69
70
71
72
73
74
75
```

```
<!-----
 2
     * Author : Philippe Ku
 3
     * School / Class : CFPT Informatique / I.FA-P3B
     * Date : 15.06.2016
 4
 5
     * Programm : Event gestion website
     * File : signup.php
 6
 7
     * Description : The sign up page of the website
 8
     * Version : 1.10
9
10
     <?php
     require 'functions/functions.php';
11
12
     require 'controller.php';
13
14
     <!DOCTYPE html>
     <html>
15
         <head>
16
17
             <meta charset="UTF-8">
             <meta http-equiv="X-UA-Compatible" content="IE=edge">
18
19
             <meta name="viewport" content="width=device-width, initial-scale=1">
20
             <title>Inscription</title>
21
             <link href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
22
             <script src="</pre>
             https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
23
             <script src="bootstrap/js/bootstrap.min.js"></script>
24
         </head>
25
         <body>
             <div class="container">
26
27
                 <?php
                 // If the user is already logged.
2.8
2.9
                 if (isLoggedIn()) {
30
                     // Redirect to the index.
31
                     header('location: index.php');
                 }
32
33
                 ?>
34
                 <div class="row col-md-offset-0">
35
                     <h1>Inscription</h1>
                 </div>
36
37
                 <div class="row">
38
                     <div class="col-md-4 col-md-offset-2 pull-left">
                         <div class="panel panel-default" style="width: 800px;">
39
40
                             <div class="panel-heading">
41
                                  <h3 class="panel-title">Inscription</h3>
42.
                             </div>
                             <div class="panel-body" style="width: 800px;">
43
44
                                  <form method="POST" action="#">
45
                                      <fieldset>
                                          <div class="form-group">
46
47
                                              <label>Email :</label>
                                              <input class="form-control" placeholder=</pre>
48
                                              "Email..." name="user_email" type="email"
                                              required="">
49
                                          </div>
50
                                          <div class="form-group">
                                              <label>Pseudo :</label>
51
52
                                              <input class="form-control" placeholder=</pre>
                                              "Pseudo..." name="user_nickname" type="text"
                                              required="">
```

```
53
                                            </div>
54
                                            <div class="form-group">
55
                                                <label>Mot de passe :</label>
56
                                                <input class="form-control" placeholder="Mot</pre>
                                                de passe..." name="user_password" type=
                                                "password" required="">
57
                                            </div>
                                            <div class="form-group">
58
59
                                                <label>Vérification Mot de passe :</label>
60
                                                <input class="form-control" placeholder=</pre>
                                                "Vérification du mot de passe..." name=
                                                "user checkpassword" type="password" required
                                                = " " >
                                            </div>
61
62
                                            <input class="btn btn-lg btn-primary btn-block"</pre>
                                            type="submit" name="insert_user" value=
                                            "S'inscrire">
                                        </fieldset>
63
64
                                   </form>
65
                                   <?php
66
                                   // Displays the error messages.
67
                                   echo $passwordlength_error;
68
                                   echo $passwordcheck_error;
69
70
                               </div>
71
                          </div>
72
                      </div>
73
                  </div>
74
             </div>
75
         </body>
76
     </html>
77
78
79
80
81
82
83
```

```
<!-----
2
    * Author : Philippe Ku
3
    * School / Class : CFPT Informatique / I.FA-P3B
    * Date : 15.06.2016
4
5
    * Programm : Event gestion website
6
    * File : results.php
7
    * Description : The search results page of the website
    * Version : 1.10
8
9
10
    <?php
11
    require 'functions/functions.php';
    require 'controller.php';
12
13
    <!DOCTYPE html>
14
15
    <html>
        <head>
16
17
            <meta charset="UTF-8">
18
            <meta http-equiv="X-UA-Compatible" content="IE=edge">
19
            <meta name="viewport" content="width=device-width, initial-scale=1">
20
            <title>Résultats de la recherche</title>
21
            <link href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
            <script src="
22
            https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
23
            <script src="bootstrap/js/bootstrap.min.js"></script>
24
        </head>
25
        <body>
26
        </body>
27
    </html>
28
29
30
31
32
```

```
<!-----
 2
     * Author : Philippe Ku
 3
    * School / Class : CFPT Informatique / I.FA-P3B
    * Date : 15.06.2016
 4
 5
    * Programm : Event gestion website
    * File : insert_event.php
 6
 7
    * Description : The insert event page of the website
 8
     * Version : 1.10
9
10
     <?php
    require 'functions/functions.php';
11
12
    require 'controller.php';
13
14
     <!DOCTYPE html>
     <html>
15
         <head>
16
17
             <meta charset="UTF-8">
             <meta http-equiv="X-UA-Compatible" content="IE=edge">
18
19
             <meta name="viewport" content="width=device-width, initial-scale=1">
20
             <title>Ajouter un événement</title>
21
             <link href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
22
             <script src="</pre>
             https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
23
             <script src="bootstrap/js/bootstrap.min.js"></script>
24
             <!-- Script that adds TinyMCE, a JavaScript text editor for the textarea. -->
25
             <script src="//cdn.tinymce.com/4/tinymce.min.js"></script>
             <script>tinymce.init({selector: 'textarea'});</script>
26
27
         </head>
         <body>
2.8
2.9
             <?php
30
             // If the user is not a member or an admin.
31
             if (!isUserAdmin() && !isUserMember()) {
32
                 // Redirect to the index.
33
                 header('location: index.php');
34
             }
             ?>
35
             <div class="container">
36
37
                 <div class="row col-md-offset-0">
38
                     <h1>Ajouter un événement</h1><br/>
                 </div>
39
                 <div class="row">
40
41
                     <div class="col-md-4 col-md-offset-2 pull-left">
42.
                         <div class="panel panel-default" style="width: 800px;">
                             <div class="panel-heading">
43
44
                                 <h3 class="panel-title">Ajouter un événement</h3>
45
                             <div class="panel-body" style="width: 800px;">
46
47
                                 <form method="POST" action="#" enctype=</pre>
                                 "multipart/form-data">
48
                                     <fieldset>
49
                                         <div class="form-group">
50
                                             <label>Titre :</label>
51
                                             <input class="form-control" placeholder=</pre>
                                             "Titre..." name="event title" type="text"
                                             required="">
52
                                         </div>
53
                                         <div class="form-group">
```

```
54
                                                <label>Rue :</label>
55
                                                <input class="form-control" placeholder=</pre>
                                                "Rue..." name="event_street" type="text"
                                                required="">
56
                                            </div>
                                            <div class="form-group">
57
58
                                                <label>Ville :</label>
                                                <input class="form-control" placeholder=</pre>
59
                                                "Ville..." name="event_city" type="text"
                                                required="">
60
                                            </div>
61
                                            <div class="form-group">
62
                                                <label>Pays :</label>
63
                                                <select class="form-control" name=</pre>
                                                "event_country" required="">
64
                                                     <option>Séléctionnez un pays</option>
                                                     <?php getCountriesList(); // Gets the</pre>
65
                                                     list of all the countries in the world. ?>
66
                                                </select>
67
                                            </div>
68
                                            <div class="form-group">
69
                                                <label>Date de début :</label>
                                                <input class="form-control" name=</pre>
70
                                                "event_datestart" type="date" required="">
71
                                            </div>
72
                                            <div class="form-group">
73
                                                <label>Date de fin :</label>
74
                                                <input class="form-control" name=</pre>
                                                "event_dateend" type="date">
75
                                            </div>
76
                                            <div class="form-group">
77
                                                <label>Description :</label>
78
                                                <textarea class="form-control" name=</pre>
                                                "event_desc" cols="50" rows="10" style=
                                                "max-width: 100%;"></textarea>
79
                                            </div>
80
                                            <div class="form-group">
81
                                                <label>Image :</label>
82
                                                <input class="form-control" name="<?php echo</pre>
                                                INPUT; ?>" type="file" required="">
83
84
                                            <input class="btn btn-lg btn-primary btn-block"</pre>
                                            type="submit" name="insert_event" value="Ajouter
                                            l'événement">
85
                                        </fieldset>
86
                                   </form>
87
                                   <?php
88
                                   // Displays the error messages.
89
                                   echo $date error;
90
                                   ?>
                               </div>
91
92
                           </div>
                      </div>
93
94
                  </div>
95
             </div>
96
         </body>
97
     </html>
```

```
<!-----
 2
     * Author : Philippe Ku
 3
    * School / Class : CFPT Informatique / I.FA-P3B
    * Date : 15.06.2016
 4
 5
    * Programm : Event gestion website
     * File : insert comment.php
 6
 7
    * Description : The insert comment page of the website
 8
     * Version : 1.10
9
10
     <?php
    require 'functions/functions.php';
11
12
    require 'controller.php';
13
14
     <!DOCTYPE html>
     <html>
15
         <head>
16
17
             <meta charset="UTF-8">
             <meta http-equiv="X-UA-Compatible" content="IE=edge">
18
19
             <meta name="viewport" content="width=device-width, initial-scale=1">
20
             <title>Ajouter un commentaire</title>
21
             <link href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
22
             <script src="</pre>
             https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
2.3
             <script src="bootstrap/js/bootstrap.min.js"></script>
24
             <!-- Script that adds TinyMCE, a JavaScript text editor for the textarea. -->
25
             <script src="//cdn.tinymce.com/4/tinymce.min.js"></script>
             <script>tinymce.init({selector: 'textarea'});</script>
26
27
         </head>
         <body>
2.8
2.9
             <?php
30
             // If the user is not a member or an admin.
31
             if (!isUserAdmin() && !isUserMember()) {
32
                 // Redirect to the index.
33
                 header('location: index.php');
34
             }
             ?>
35
             <div class="container">
36
37
                 <div class="row col-md-offset-0">
38
                     <h1>Ajouter un commentaire</h1><br/>
                 </div>
39
                 <div class="row">
40
41
                     <div class="col-md-4 col-md-offset-2 pull-left">
42.
                         <div class="panel panel-default" style="width: 800px;">
                             <div class="panel-heading">
43
44
                                 <h3 class="panel-title">Ajouter un commentaire</h3>
45
                             <div class="panel-body" style="width: 800px;">
46
47
                                 <form method="POST" action="#" enctype=</pre>
                                 "multipart/form-data">
48
                                     <fieldset>
49
                                         <div class="form-group">
50
                                             <label>Texte :</label>
51
                                              <textarea class="form-control" name=</pre>
                                              "comment text" cols="50" rows="10" style=
                                              "max-width: 100%;"></textarea>
52
53
                                         <input class="btn btn-lg btn-primary btn-block"</pre>
```

```
type="submit" name="insert_comment" value=
                                          "Ajouter le commentaire">
54
                                      </fieldset>
55
                                  </form>
56
                                  <?php
57
                                  // Displays the error messages.
58
                                  echo $comment_error;
59
60
                              </div>
61
                         </div>
62
                     </div>
63
                 </div>
             </div>
64
65
         </body>
66
     </html>
67
68
```

```
2
    * Author : Philippe Ku
3
    * School / Class : CFPT Informatique / I.FA-P3B
    * Date : 15.06.2016
4
5
    * Programm : Event gestion website
    * File : myaccount.php
6
7
    * Description : The personal account page of the website
    * Version : 1.10
8
9
10
    <?php
11
    require 'functions/functions.php';
12
    require 'controller.php';
    // The user id.
13
14
    $datas['user_id'] = getUserId();
15
    <!DOCTYPE html>
16
17
    <html>
18
        <head>
            <meta charset="UTF-8">
19
20
            <meta http-equiv="X-UA-Compatible" content="IE=edge">
21
            <meta name="viewport" content="width=device-width, initial-scale=1">
22
            <title>Mon compte</title>
23
            <link href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
2.4
            <script src="
            https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
25
            <script src="bootstrap/js/bootstrap.min.js"></script>
            <script type="text/javascript">
26
27
                // Function in JavaScript that generate a message for the delete
                confirmation.
                function confirmDeletion() {
2.8
29
                    return (confirm("Voulez-vous supprimer cette entrée ?"));
30
                }
31
            </script>
32
        </head>
33
        <body>
34
35
            // If the user is not a member or an admin.
36
            if (!isUserAdmin() && !isUserMember()) {
37
                // Redirect to the index.
                header('location: index.php');
38
39
40
            ?>
            <div class="container col-lg-11" style="padding-left: 150px;">
41
42
                <div class="row col-md">
43
                    <h1>Mon profil</h1><br/>
44
                </div>
                <div class="row">
45
46
                    47
                        <thead>
48
                           49
                               Email
50
                               Pseudo
51
                               Nom
                               Prénom
52
53
                               Organisation
54
                               Adresse
55
                               Avatar
```

```
56
                          >Description
57
                       58
                    </thead>
59
                    60
                       <?php
61
                       // Dsiplays the user's profile.
                       displayUserProfile($datas);
62
63
64
                    65
                66
                <?php echo '<a href="edit_profile.php" class="btn btn-primary"</pre>
                pull-right">Modifier mon profil</a><br/>'; ?>
67
68
             <div class="row col-md">
69
                <h1>Mes événements</h1><br/>
70
             </div>
71
             <div class="row">
                72
73
                    <thead>
74
                       75
                          Titre
76
                          Rue
                          Ville
77
78
                          Pays
79
                          Date de début
80
                          Date de fin
81
                          >Description
82
                          Image
83
                          Gestion
84
                       85
                    </thead>
86
                    87
                       <?php
88
                       // Displays all the user's events.
89
                       displayAllUserEvents($datas);
90
                       ?>
91
                    92
                93
             </div>
94
          </div>
95
       </body>
96
   </html>
```

```
<!-----
 2
     * Author : Philippe Ku
 3
    * School / Class : CFPT Informatique / I.FA-P3B
    * Date : 15.06.2016
 4
 5
    * Programm : Event gestion website
    * File : edit_event.php
 6
 7
    * Description : The edit event page of the website
 8
     * Version : 1.10
9
10
     <?php
    require 'functions/functions.php';
11
12
    require 'controller.php';
     // Get the id from the url.
13
     $datas['event_id'] = $_GET['event_id'];
14
     // Get the informations of the event from the dsatabase.
15
16
     $results = getEventInfo($datas);
17
18
     <!DOCTYPE html>
     <html>
19
20
         <head>
21
             <meta charset="UTF-8">
22
             <meta http-equiv="X-UA-Compatible" content="IE=edge">
2.3
             <meta name="viewport" content="width=device-width, initial-scale=1">
             <title>Modifier un événement</title>
2.4
25
             <link href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
26
             <script src="
             https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
27
             <script src="bootstrap/js/bootstrap.min.js"></script>
             <!-- Script that adds TinyMCE, a JavaScript text editor for the textarea. -->
2.8
             <script src="//cdn.tinymce.com/4/tinymce.min.js"></script>
2.9
30
             <script>tinymce.init({selector: 'textarea'});</script>
31
         </head>
32
         <body>
33
             <?php
34
             // If the user is not a member or an admin.
35
             if (!isUserAdmin() && !isUserMember()) {
36
                 // Redirect to the index.
37
                header('location: index.php');
38
             }
             ?>
39
             <div class="container">
40
41
                 <div class="row col-md-offset-0">
                     <h1>Modifier un événement</h1><br/>
42.
43
                 </div>
                 <div class="row">
44
45
                     <div class="col-md-4 col-md-offset-2 pull-left">
                         <div class="panel panel-default" style="width: 800px;">
46
47
                             <div class="panel-heading">
                                 <h3 class="panel-title">Modifier un événement</h3>
48
49
                             </div>
50
                             <div class="panel-body" style="width: 800px;">
51
                                 <form method="POST" action="#" enctype=</pre>
                                 "multipart/form-data">
52
                                     <fieldset>
53
                                         <div class="form-group">
54
                                             <label>Titre :</label>
55
                                             <input class="form-control" placeholder=</pre>
```

```
"Titre..." name="editevent_title" type="text"
                                                 value="<?php echo $results[0]['title']; ?>"
                                                required="">
56
                                            </div>
57
                                            <div class="form-group">
58
                                                <label>Rue :</label>
59
                                                <input class="form-control" placeholder=</pre>
                                                "Rue..." name="editevent_street" type="text"
                                                value="<?php echo $results[0]['street']; ?>"
                                                required="">
60
                                            </div>
61
                                            <div class="form-group">
62
                                                <label>Ville :</label>
63
                                                <input class="form-control" placeholder=</pre>
                                                "Ville..." name="editevent_city" type="text"
                                                value="<?php echo $results[0]['city']; ?>"
                                                required="">
64
                                            </div>
65
                                            <div class="form-group">
66
                                                <label>Pays :</label>
67
                                                <select class="form-control" name=</pre>
                                                "editevent_country" required="">
68
                                                    <option>Séléctionnez un pays</option>
69
                                                    <?php getCountriesList(); ?>
70
                                                </select>
71
                                            </div>
72
                                            <div class="form-group">
73
                                                <label>Date de début :</label>
                                                <input class="form-control" name=</pre>
74
                                                "editevent_datestart" type="date" value="
                                                <?php echo $results[0]['dateStart']; ?>"
                                                required="">
75
                                            </div>
76
                                            <div class="form-group">
77
                                                <label>Date de fin :</label>
78
                                                <input class="form-control" name=</pre>
                                                "editevent_dateend" value="<?php echo</pre>
                                                $results[0]['dateEnd']; ?>" type="date">
79
                                            </div>
80
                                            <div class="form-group">
81
                                                <label>Description :</label>
82
                                                <textarea class="form-control" name=</pre>
                                                "editevent_desc" cols="50" rows="10" style=
                                                "max-width: 100%;"><?php echo $results[0][</pre>
                                                'description']; ?></textarea>
83
                                            </div>
84
                                            <div class="form-group">
85
                                                <label>Image :</label>
                                                <input class="form-control" name="<?php echo</pre>
86
                                                INPUT; ?>" type="file" required="">
87
                                            </div>
88
                                            <input class="btn btn-lg btn-primary btn-block"</pre>
                                            type="submit" name="edit_event" value="Modifier
                                            1'événement">
                                       </fieldset>
89
90
                                   </form>
91
                                   <?php
```

```
92
                                    // Displays the error messages.
 93
                                    echo $editdate_error;
 94
 95
                                </div>
                           </div>
 96
 97
                       </div>
                   </div>
 98
 99
              </div>
100
          </body>
101
      </html>
```

```
2
     * Author : Philippe Ku
 3
     * School / Class : CFPT Informatique / I.FA-P3B
     * Date : 15.06.2016
 4
 5
     * Programm : Event gestion website
     * File : edit_profile.php
 6
 7
     * Description : The edit profile page of the website
 8
     * Version : 1.10
9
10
     <?php
     require 'functions/functions.php';
11
12
     require 'controller.php';
     // Gets the user infos from the database.
13
     $results = getUserInfo();
14
15
     <!DOCTYPE html>
16
17
     <html>
         <head>
18
19
             <meta charset="UTF-8">
20
             <meta http-equiv="X-UA-Compatible" content="IE=edge">
21
             <meta name="viewport" content="width=device-width, initial-scale=1">
22
             <title>Modifier mon profil</title>
23
             <link href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
2.4
             <script src="
             https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
25
             <script src="bootstrap/js/bootstrap.min.js"></script>
             <!-- Script that adds TinyMCE, a JavaScript text editor for the textarea. -->
26
27
             <script src="//cdn.tinymce.com/4/tinymce.min.js"></script>
             <script>tinymce.init({selector: 'textarea'});</script>
2.8
2.9
         </head>
30
         <body>
31
             <?php
32
             // If the user is not a member or an admin.
33
             if (!isUserAdmin() && !isUserMember()) {
34
                 // Redirect to the index.
35
                 header('location: index.php');
             }
36
             ?>
37
38
             <div class="container">
                 <div class="row col-md-offset-0">
39
                      <h1>Modifier mon profil</h1><br/>
40
41
                 </div>
                 <div class="row">
42.
43
                     <div class="col-md-4 col-md-offset-2 pull-left">
                          <div class="panel panel-default" style="width: 800px;">
44
45
                              <div class="panel-heading">
46
                                  <h3 class="panel-title">Modifier mon profil</h3>
                              </div>
47
                              <div class="panel-body" style="width: 800px;">
48
                                  <form method="POST" action="#" enctype=</pre>
49
                                  "multipart/form-data">
50
                                      <fieldset>
51
                                          <div class="form-group">
                                               <label>Nom :</label>
52
53
                                               <input class="form-control" placeholder=</pre>
                                               "Nom..." name="edit_name" type="text" value="
                                               <?php echo $results[0]['name']; ?>" required=
```

```
54
                                            </div>
55
                                            <div class="form-group">
56
                                                <label>Prénom :</label>
57
                                                <input class="form-control" placeholder=</pre>
                                                "Prénom..." name="edit firstname" type="text"
                                                 value="<?php echo $results[0]['firstname'];</pre>
                                                ?>" required="">
58
                                            </div>
59
                                            <div class="form-group">
60
                                                <label>Organisation :</label>
                                                <input class="form-control" placeholder=</pre>
61
                                                 "Organisation..." name="edit organisation"
                                                type="text" value="<?php echo $results[0][</pre>
                                                 'organisation']; ?>" required="">
                                            </div>
62
63
                                            <div class="form-group">
64
                                                <label>Adresse :</label>
65
                                                <input class="form-control" placeholder=</pre>
                                                "Adresse..." name="edit adress" type="text"
                                                value="<?php echo $results[0]['adress']; ?>"
                                                required="">
                                            </div>
66
67
                                            <div class="form-group">
68
                                                <label>Avatar :</label>
                                                <input class="form-control" name="<?php echo</pre>
69
                                                INPUT; ?>" type="file" required="">
70
                                            </div>
71
                                            <div class="form-group">
72
                                                <label>Description :</label>
73
                                                <textarea class="form-control" name=</pre>
                                                "edit desc" cols="50" rows="10" style=
                                                "max-width: 100%;"><?php echo $results[0][</pre>
                                                 'description']; ?></textarea>
74
                                            </div>
75
                                            <input class="btn btn-lg btn-primary btn-block"</pre>
                                            type="submit" name="edit_profile" value=
                                            "Modifier mon profil">
76
                                        </fieldset>
77
                                   </form>
                               </div>
78
79
                           </div>
                      </div>
80
81
                  </div>
82
             </div>
83
         </body>
84
     </html>
85
86
```

```
<!-----
2
    * Author : Philippe Ku
3
    * School / Class : CFPT Informatique / I.FA-P3B
    * Date : 15.06.2016
4
5
    * Programm : Event gestion website
    * File : administration.php
6
7
    * Description : The administration page of the website (reserved to administrators)
8
    * Version : 1.10
9
10
    <?php
    require 'functions/functions.php';
11
12
    require 'controller.php';
13
14
    <!DOCTYPE html>
    <html>
15
        <head>
16
17
           <meta charset="UTF-8">
           <meta http-equiv="X-UA-Compatible" content="IE=edge">
18
19
           <meta name="viewport" content="width=device-width, initial-scale=1">
20
           <title>Administration</title>
21
           <link href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
22
           <script src="</pre>
           https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
23
           <script src="bootstrap/js/bootstrap.min.js"></script>
24
           <script type="text/javascript">
25
               // Function that generate a message for the delete confirmation.
               function confirmDeletion() {
26
27
                   return (confirm("Voulez-vous supprimer cette entrée ?"));
               }
2.8
2.9
           </script>
30
        </head>
31
        <body>
32
           <?php
33
           // If the user is not an admin.
34
           if (!isUserAdmin()) {
35
               // Redirect to the index page.
               header('location: index.php');
36
37
            }
38
           <div class="container col-lg-12">
39
40
               <div class="row col-md">
41
                   <h1>Mon profil</h1><br/>
               </div>
42.
               <div class="row">
43
44
                   45
                       <thead>
46
                          47
                              Email
48
                              Pseudo
49
                              Nom
50
                              Prénom
51
                              Organisation
52
                              Adresse
53
                              avatar
54
                              Description
55
                              Gestion
56
```

```
</thead>
58
                   59
                     <?php
60
                     // Display all the users from the database.
61
                     displayAllUsers();
62
63
                   64
                65
            </div>
66
            <div class="row col-md">
67
               <h1>Gérer les événements</h1><br/>
68
            </div>
69
            <div class="row">
70
               71
                   <thead>
72
                     73
                         Titre
74
                         Rue
75
                         Ville
76
                         Pays
77
                         Date de début
78
                         Date de fin
79
                         >Description
80
                        Image
81
                         Gestion
82
                     83
                   </thead>
84
                   85
                     <?php
                     // Displays all the events from the database.
86
87
                     displayAllAdminEvents();
88
                     ?>
89
                   90
               91
            </div>
92
         </div>
93
      </body>
94
   </html>
```