

CLIENT DELIVERABLE

Internal Implementation Guide

Systack Documentation

ROLE	COLOR	HEX
Headers, CTAs	Navy	 #001a2d
Navy Light	Navy Light	 #002845
Secondary accents	Teal	 #007da9
Primary buttons, links	Cyan	 #00a1db
Gradients	Cyan Bright	 #00c5e0
Backgrounds	Gray 50	 #f8fafc
Cards	Gray 100	 #f1f5f9
Borders	Gray 200	 #e2e8f0
Muted text	Gray 400	 #94a3b8
Body text	Gray 600	 #475569
Headings	Gray 800	 #1e293b
Success	Green	 #22c55e
Error	Red	 #ef4444
Accent highlights	Purple	 #8b5cf6

Utopia Deli — Online Ordering System

Internal Implementation Guide

Document ID: UD-IMPL-001

Version: 1.0

Status: Internal — Systack Only

Source System: Utopia Deli (Live since 2026-06-03)

Date: 2026-06-29

Builder: SOL / Assembly

Brand Reference

ROLE	COLOR	HEX
Headers, CTAs	Navy	#001a2d
Navy Light	Navy Light	#002845

ROLE	COLOR	HEX
Secondary accents	Teal	#007da9
Primary buttons, links	Cyan	#00a1db
Gradients	Cyan Bright	#00c5e0
Backgrounds	Gray 50	#f8fafc
Cards	Gray 100	#f1f5f9
Borders	Gray 200	#e2e8f0
Muted text	Gray 400	#94a3b8
Body text	Gray 600	#475569
Headings	Gray 800	#1e293b
Success	Green	#22c55e
Error	Red	#ef4444
Accent highlights	Purple	#8b5cf6

1. System Architecture

```
Frontend (HTML/JS)
  → n8n Webhook
  → Validation + Normalization
  → Business Logic (hours, totals)
  → Order ID generation
  → Square Checkout Link
  → Payment (Square)
  → Square Webhook
    → n8n Confirmation Workflow
      → Kitchen Notification + Customer Email
```

2. Core Components

Frontend

- Static HTML ordering page
- Sends POST request to webhook
- Handles redirect to Square

n8n Workflow (Order Intake)

Workflow ID: Utopia-Deli-Simple-Checkout-v4

Key nodes:

#	NODE	PURPOSE
1	Webhook (POST)	Receives order data from frontend
2	Validate + Normalize (Code Node)	Normalizes items, converts prices, handles dual schema
3	Hours Gate (Code Node)	Enforces business hours, handles ASAP
4	Generate Order ID	Creates unique order identifier
5	Build Payment Link	Constructs Square Checkout API request
6	Response Node	Returns payment URL to frontend

Square Integration

- Square Checkout API v2
- Payment link generated dynamically
- Webhook triggers confirmation workflow

Confirmation Workflow

Workflow ID: Utopia-Deli-Confirmation

Handles:

- Payment verification
- Kitchen notification
- Customer email

3. Setup Process (Replication)

Step 1 — Create Webhook

- **Method:** POST
- **Path:** utopia-deli-order-v4
- **Mode:** responseNode

Step 2 — Add Validation Node

- Normalize items
- Convert prices to cents
- Handle dual schema (cents vs dollars)

Step 3 — Implement Hours Gate

- **Timezone:** America/Chicago
- Enforce Mon–Sat, 12:30–19:30

- Add ASAP handling (+30 minutes)

Step 4 — Generate Order ID

Format:

```
UD-YYYYMMDD-HHMMSS-RANDOM
```

Step 5 — Square Payment Link

- Use Square API
- Return URL to frontend

Step 6 — Response Node

Return:

```
{
  "success": true,
  "order_id": "UD-20260616-143022-4782",
  "payment_url": "https://square.link/u/xxxxx"
}
```

Step 7 — Confirmation Workflow

- Create second webhook for Square
- Validate signature
- Send notifications

4. Configuration Requirements

Credentials

CREDENTIAL	TYPE	PURPOSE
Square API	n8n credential	Payment link generation
SMTP (Gmail)	n8n credential	Email delivery
Twilio (SMS)	Optional	Kitchen SMS notifications

Environment Variables

VARIABLE	PURPOSE
SQUARE_WEBHOOK_SECRET	Validates Square webhook signatures

VARIABLE	PURPOSE
SQUARE_ACCESS_TOKEN	Square API authentication
SQUARE_LOCATION_ID	Square location identifier

5. Testing Procedure

STEP	ACTION	VERIFY
1	Submit test order	Webhook receives data
2	Confirm payment redirect works	Square link generated
3	Complete payment (sandbox)	Payment processes
4	Verify kitchen notification	Notification received
5	Verify confirmation email	Email delivered
6	Simulate failure (cancel payment)	No order created

6. Maintenance

- Monitor webhook activity
- Check email delivery
- Review Square logs
- Update menu manually in frontend

7. Critical Constraints

CONSTRAINT	DETAIL
Response order	Do not send webhook response before processing
Webhook mode	Use <code>responseNode</code> mode
Currency	Use cents, not floating dollars
JavaScript	Avoid ES6 spread in code nodes

Internal document — do not share with clients.

© 2026 Systack. All rights reserved.