

CLIENT DELIVERABLE

Utopia Deli — Catering Lead System

Systack Documentation

ROLE	COLOR	HEX
Primary	Deep Burgundy	 #590B3F
Primary Light	Burgundy Light	 #7a1a55
Accent	Rust Red	 #AF3D4B
Accent Hover	Rust Light	 #c44d5b
Secondary	Purple	 #754681
Gold	Warm Gold	 #D59F5C
Gold Light	Cream	 #f5e6d0
Background	Off-White	 #FBFCFE
Card	White	 #FFFFFF
Text	Dark Gray	 #1F2937
Text Light	Medium Gray	 #6B7280
Border	Light Gray	 #E5E7EB
Success	Green	 #22c55e
Error	Red	 #dc2626

Utopia Deli — Catering Lead System

Internal Implementation Guide

Document ID: UD-CAT-IMPL-001

Version: 1.0

Status: Internal — Systack Only

Source System: Utopia Deli (Live since 2026-06-08)

Date: 2026-06-16

Builder: SOL / Assembly

Brand Reference

ROLE	COLOR	HEX
Primary	Deep Burgundy	#590B3F
Primary Light	Burgundy Light	#7a1a55

ROLE	COLOR	HEX
Accent	Rust Red	#AF3D4B
Accent Hover	Rust Light	#c44d5b
Secondary	Purple	#754681
Gold	Warm Gold	#D59F5C
Gold Light	Cream	#f5e6d0
Background	Off-White	#FBFCFE
Card	White	#FFFFFF
Text	Dark Gray	#1F2937
Text Light	Medium Gray	#6B7280
Border	Light Gray	#E5E7EB
Success	Green	#22c55e
Error	Red	#dc2626

1. System Architecture

```
Customer visits /catering/  
  → 5-Step Form (progressive disclosure)  
  → n8n Webhook (POST)  
    → Lead Scoring (Code Node)  
      → Conditional Email Router  
        |— High (80+): Detailed quote + calendar link  
        |— Medium (50-79): Standard info + follow-up offer  
        |— Low (<50): Basic info  
      → SQLite Logging  
      → Internal Notification
```

2. Core Components

Frontend

- 5-step HTML form with progressive disclosure
- Field validation via `catering-form.js`
- Located at `order.theutopiadeli.com/catering/`

n8n Workflow

Webhook: POST `https://utopia-api.systack.net/webhook/utopia-deli-catering-v2`

Key nodes:

#	NODE	PURPOSE
1	Webhook (POST)	Receives form submission
2	Validate Fields	Checks required fields present
3	Score Lead (Code Node)	Calculates lead score
4	Route by Score (Switch)	Branches based on score threshold
5	High Score Email	Detailed quote template
6	Medium Score Email	Standard info template
7	Low Score Email	Basic info template
8	Log to SQLite	Stores lead in database
9	Internal Notification	Alerts deli of new lead

Database

- **Type:** SQLite
- **File:** utopia-deli-catering.db
- **Table:** catering_leads

3. Lead Scoring Algorithm

Scoring Formula

```
Score = (GuestCountScore × 0.40) + (DateProximityScore × 0.30) + (ServiceTypeScore × 0.20) + (BudgetMentionedScore × 0.10)
```

Factor Breakdown

FACTOR	WEIGHT	SCORING LOGIC
Guest Count	40%	>100 guests = 100 pts, 50–100 = 65 pts, <50 = 30 pts
Date Proximity	30%	<2 weeks = 100 pts, 2–4 weeks = 65 pts, >4 weeks = 30 pts
Service Type	20%	Full service = 100 pts, Drop-off = 30 pts
Budget Mentioned	10%	Budget provided = 100 pts, Not provided = 0 pts

Thresholds

SCORE RANGE	CATEGORY	ACTION
80–100	High	Send detailed quote + calendar link
50–79	Medium	Send standard info + follow-up offer
0–49	Low	Send basic info

4. Setup Process (Replication)

Step 1 — Deploy Frontend

- Copy `catering-form.html` and `catering-form.js`
- Deploy to client domain (e.g., `order.client.com/catering/`)
- Update webhook endpoint URL in form JS

Step 2 — Create n8n Webhook

- **Method:** POST
- **Path:** `CLIENT-catering-v2`
- **Mode:** `responseNode`

Step 3 — Add Scoring Node

```
// Lead scoring code node
const guestCount = $json.guest_count || 0;
const eventDate = new Date($json.event_date);
const now = new Date();
const daysUntil = Math.ceil((eventDate - now) / (1000 * 60 * 60 * 24));
const serviceType = $json.service_type || 'drop-off';
const hasBudget = $json.budget && $json.budget > 0;

// Guest count score
let guestScore = 30;
if (guestCount > 100) guestScore = 100;
else if (guestCount >= 50) guestScore = 65;

// Date proximity score
let dateScore = 30;
if (daysUntil <= 14) dateScore = 100;
else if (daysUntil <= 28) dateScore = 65;

// Service type score
let serviceScore = serviceType === 'full-service' ? 100 : 30;

// Budget bonus
let budgetScore = hasBudget ? 100 : 0;

// Weighted total
const totalScore = Math.round(
  (guestScore * 0.40) + (dateScore * 0.30) + (serviceScore * 0.20) + (budgetScore * 0.10)
);

return [{
  json: {
    ...$json,
    lead_score: totalScore,
    lead_category: totalScore >= 80 ? 'high' : totalScore >= 50 ? 'medium' : 'low'
  }
}];
```

Step 4 — Configure Email Templates

Three templates based on score category. See Email Template Library document for full templates.

Step 5 — Set Up SQLite Logging

- Create database file
- Create `catering_leads` table
- Configure n8n SQLite node

Step 6 — Configure Internal Notification

- Set deli owner email for high-score alerts
- Optionally add SMS via Twilio

5. Configuration Requirements

Credentials

CREDENTIAL	TYPE	PURPOSE
SMTP (Gmail)	n8n credential	Email delivery
SQLite	n8n credential	Lead storage
Twilio (SMS)	Optional	Internal alerts

Environment Variables

VARIABLE	PURPOSE
<code>CATERING_WEBHOOK_PATH</code>	Webhook endpoint path
<code>DELI_NOTIFICATION_EMAIL</code>	Where internal alerts are sent

6. Testing Procedure

STEP	ACTION	VERIFY
1	Submit test lead (high score)	Detailed quote email sent
2	Submit test lead (medium score)	Standard info email sent
3	Submit test lead (low score)	Basic info email sent
4	Check SQLite database	Lead row inserted
5	Check internal notification	Deli alert received
6	Submit incomplete form	Validation errors display

7. Maintenance

- Monitor webhook activity in n8n
 - Review lead scores for accuracy
 - Check email delivery rates
 - Update email templates as services change
-

8. Critical Constraints

CONSTRAINT	DETAIL
Response order	Score → route → email → THEN respond to webhook
Webhook mode	Use <code>responseNode</code> mode
Scoring weights	Must total 1.0 (100%)
SQLite path	Must be accessible from n8n runtime

Internal document — do not share with clients.

© 2026 Systack. All rights reserved.