

CLIENT DELIVERABLE

Systack — Lead Scraper + CRM System

Systack Documentation

ROLE	COLOR	HEX
Headers, CTAs	Navy	 #001a2d
Navy Light	Navy Light	 #002845
Secondary accents	Teal	 #007da9
Primary buttons, links	Cyan	 #00a1db
Gradients	Cyan Bright	 #00c5e0
Backgrounds	Gray 50	 #f8fafc
Cards	Gray 100	 #f1f5f9
Borders	Gray 200	 #e2e8f0
Muted text	Gray 400	 #94a3b8
Body text	Gray 600	 #475569
Headings	Gray 800	 #1e293b
Success	Green	 #22c55e
Error	Red	 #ef4444
Accent highlights	Purple	 #8b5cf6

Systack — Lead Scraper + CRM System

Internal Implementation Guide

Automation ID: `lead-scraper`

Version: 1.0

Status: Live — Service Offered

Date: 2026-06-16

Builder: SOL / Assembly

Brand Reference

ROLE	COLOR	HEX
Headers, CTAs	Navy	<code>#001a2d</code>
Secondary accents	Teal	<code>#007da9</code>

ROLE	COLOR	HEX
Primary buttons, links	Cyan	#00a1db
Body text	Gray 600	#475569
Headings	Gray 800	#1e293b
Success	Green	#22c55e
Error	Red	#ef4444

1. Overview

Automated lead generation system that scrapes Google Maps for businesses matching target criteria, enriches with website/contact data, and stores in a PostgreSQL CRM database. Used for outbound sales prospecting.

Workflows: - `Green_Systems_-_Lead_Scraper_(Little_Rock_Restaurants).json` - `Green_Systems_-_Service_Business_Lead_Scraper.json` - `Systack_Lead_Scraper_-_PostgreSQL_CRM.json`

2. System Architecture

```
Google Maps API query
  → Search: "restaurants Little Rock" (or configured query)
  → For each result:
    → Extract: name, address, phone, website, place_id, rating
    → Visit website → extract email/contact if available
    → Score lead (completeness + relevance)
    → Upsert to PostgreSQL CRM
  → Generate lead report
  → Feed into Outreach Sequencer
```

3. Core Components

Data Sources

SOURCE	DATA EXTRACTED
Google Maps API	Name, address, phone, place_id, rating, website
Website scraping	Email, contact form, about page text
Enrichment	Business category, hours, social links

Database Schema

```
CREATE TABLE leads (
  id SERIAL PRIMARY KEY,
  place_id TEXT UNIQUE,
  name TEXT,
  address TEXT,
```

```
phone TEXT,  
email TEXT,  
website TEXT,  
rating REAL,  
category TEXT,  
status TEXT DEFAULT 'new',  
notes JSONB,  
scraped_at TIMESTAMP,  
enriched_at TIMESTAMP  
);
```

4. Setup Process

Step 1 — Configure Google Maps API

- Enable Places API in Google Cloud Console
- Set API key in n8n credential
- Configure search query + radius

Step 2 — Import Workflows

- Lead Scraper workflow
- PostgreSQL CRM workflow
- Configure database credential

Step 3 — Set Scraping Schedule

- Cron: daily or weekly
- Rate limit: respect Google API quotas
- Deduplication: check `place_id` before insert

5. Configuration

VARIABLE	PURPOSE
<code>GOOGLE_MAPS_API_KEY</code>	Places API access
<code>SEARCH_QUERY</code>	What to search for
<code>SEARCH_RADIUS</code>	Search radius in meters
<code>PG_CONNECTION</code>	PostgreSQL credential

6. Lead Statuses

STATUS	MEANING
<code>new</code>	Freshly scraped, not contacted
<code>contacted</code>	Outreach sent

STATUS	MEANING
responded	Prospect replied
qualified	Meeting booked or interested
client	Converted to paying client
dead	Not interested / bad contact

Internal document — do not share with clients.

© 2026 Systack. All rights reserved.