

CLIENT DELIVERABLE

Missed-Lead Recovery Engine — Specification Document

Systack Documentation

ROLE	COLOR	HEX
Headers, CTAs	Navy	 #001a2d
Navy Light	Navy Light	 #002845
Secondary accents	Teal	 #007da9
Primary buttons, links	Cyan	 #00a1db
Gradients	Cyan Bright	 #00c5e0
Backgrounds	Gray 50	 #f8fafc
Cards	Gray 100	 #f1f5f9
Borders	Gray 200	 #e2e8f0
Muted text	Gray 400	 #94a3b8
Body text	Gray 600	 #475569
Headings	Gray 800	 #1e293b
Success	Green	 #22c55e
Error	Red	 #ef4444
Accent highlights	Purple	 #8b5cf6

Missed-Lead Recovery Engine — Specification Document

Automation ID: missed-lead-recovery

Version: 1.0

Status: Draft — Specification

Date: 2026-06-16

Builder: SOL / Assembly

Brand Reference

ROLE	COLOR	HEX
Headers, CTAs	Navy	#001a2d
Secondary accents	Teal	#007da9
Primary buttons, links	Cyan	#00a1db

ROLE	COLOR	HEX
Body text	Gray 600	#475569
Headings	Gray 800	#1e293b
Success	Green	#22c55e
Error	Red	#ef4444

1. Executive Summary

What It Does

Captures every abandoned booking attempt and follows up automatically at three intervals: 5 minutes (“forgot something?”), 2 hours (“still interested?”), 24 hours (“here’s a reason to come back”). Converts lost sessions into revenue.

Business Value

METRIC	BEFORE	AFTER (TARGET)
Abandoned session recovery	0%	> 15%
Revenue from recovered leads	\$0	\$300–1,000/mo
Customer acquisition cost	Baseline	–20% (recovered vs new)

2. System Architecture

Flow Diagram

```
Customer Visits Booking Page
  → Partial Data Captured?
    → Email entered → Store in recovery_queue
    → Phone entered → Store in recovery_queue
    → Neither → Cookie-based retargeting only
  → Timer: T+5 minutes
    → Email/SMS: "Did something go wrong? Complete your booking."
  → No booking?
    → Timer: T+2 hours
      → Email: "Your slot is still available" + urgency
    → No booking?
      → Timer: T+24 hours
        → Email: "Come back for X% off" or "Bonus add-on free"
  → Booked? → Remove from queue → End
  → Still no? → Tag: "lost lead" → Monthly report
```

Components

COMPONENT	TECHNOLOGY	PURPOSE
Abandonment Detector	Frontend JS	Captures partial form data

COMPONENT	TECHNOLOGY	PURPOSE
Recovery Queue	Postgres/SQLite	Stores abandoned sessions
Follow-Up Engine	n8n Cron + Email	Timed follow-up messages
Conversion Tracker	Postgres	Tracks recovered vs lost

3. Technical Specifications

Abandonment Detection

- Trigger: User enters email/phone but doesn't complete booking
- Capture: On field blur or form abandonment (beforeunload event)
- Storage: `recovery_queue` table with timestamp

Follow-Up Schedule

INTERVAL	CHANNEL	MESSAGE TYPE
T+5 min	Email/SMS	"Did something go wrong?" — helpful, not salesy
T+2 hours	Email	"Your slot is still available" — mild urgency
T+24 hours	Email	Incentive: discount or free add-on

Database Schema

```
CREATE TABLE recovery_queue (  
  id SERIAL PRIMARY KEY,  
  customer_email TEXT,  
  customer_phone TEXT,  
  service_interest TEXT,  
  abandoned_at TIMESTAMP,  
  followup_5min_sent BOOLEAN DEFAULT FALSE,  
  followup_2hr_sent BOOLEAN DEFAULT FALSE,  
  followup_24hr_sent BOOLEAN DEFAULT FALSE,  
  recovered BOOLEAN DEFAULT FALSE,  
  recovered_at TIMESTAMP,  
  status TEXT DEFAULT 'active'  
);
```

4. Implementation Plan

PHASE	TASK	EST. EFFORT
1	Frontend abandonment detection (JS)	3 hours
2	Recovery queue database + webhook	2 hours
3	T+5min follow-up workflow	2 hours
4	T+2hr follow-up workflow	1 hour

PHASE	TASK	EST. EFFORT
5	T+24hr incentive workflow	2 hours
6	Conversion tracking + reporting	2 hours
Total		~12 hours

5. ROI Projection

ASSUMPTION	VALUE
Monthly booking attempts	200
Abandonment rate	~30% (60 sessions)
Recovery rate (target)	15% (9 recovered)
Average booking value	\$50
Monthly recovered revenue	\$450
Annual recovered revenue	\$5,400

Specification document — not yet built.
 © 2026 Systack. All rights reserved.