



CLIENT DELIVERABLE

SAOS Production Deployment Checklist v1.0

Systack Documentation

Table of Contents

SAOS Production Deployment Checklist

Pre-Deployment

Deployment Steps

Post-Deployment

Rollback Plan

Service Registry (Production)

ROLE	COLOR	HEX
Headers, CTAs	Navy	 #001a2d
Navy Light	Navy Light	 #002845
Secondary accents	Teal	 #007da9
Primary buttons, links	Cyan	 #00a1db
Gradients	Cyan Bright	 #00c5e0
Backgrounds	Gray 50	 #f8fafc
Cards	Gray 100	 #f1f5f9
Borders	Gray 200	 #e2e8f0
Muted text	Gray 400	 #94a3b8
Body text	Gray 600	 #475569
Headings	Gray 800	 #1e293b
Success	Green	 #22c55e
Error	Red	 #ef4444
Accent highlights	Purple	 #8b5cf6

SAOS Production Deployment Checklist

Version: 1.0

Date: 2026-07-06

Status: Active

Pre-Deployment

Environment Variables

- ☐ `PGHOST` — Production PostgreSQL host (not localhost)
- ☐ `PGPORT` — Production PostgreSQL port (default: 5432)
- ☐ `PGDATABASE` — Production database name (recommend: `systack_memory`)
- ☐ `PGUSER` — Production database user (not `philliplowe`)
- ☐ `SAOS_INTERNAL_API_KEY` — Generate a strong random key (replace `saos-internal-dev-key`)
- ☐ `SYSTACK_ADMIN_PIN` — Set a strong admin PIN for Command Center
- ☐ `SYSTACK_VPS_CONFIG` — JSON array of VPS configurations
- ☐ `PGPASSWORD` — Set for backup script access

Database

- ☐ Create production PostgreSQL database
- ☐ Run schema creation scripts (all tables)
- ☐ Insert default `saos_roles` (5 roles)
- ☐ Insert default `compliance_policies` (5 policies)
- ☐ Insert `agent_state` records (10 agents)
- ☐ Create first admin client account
- ☐ Set admin client role to `admin`
- ☐ Verify all tables exist: `\dt` should show 25+ tables

Network

- ☐ Tailscale installed and connected on production server
- ☐ Tailscale ACLs configured to restrict access
- ☐ No public ports open (everything via Tailscale)
- ☐ CORS origins set to production domain only

Security

- ☐ Replace `saos-internal-dev-key` with strong random key
 - ☐ Set production admin PIN (not `1234`)
 - ☐ Enable MFA on admin account
 - ☐ Verify rate limiting is active (test with rapid login attempts)
 - ☐ Verify RBAC is enforced (test customer role → admin endpoint → 403)
 - ☐ Verify audit logging is working (login, check `audit_log` table)
-

Deployment Steps

1. Database Setup

```
# Create production database
createdb -h <prod_host> systack_memory

# Run schema (from customer-dashboard directory)
python3 -c "
import psycopg2
conn = psycopg2.connect(host='<prod_host>', dbname='systack_memory', user='<prod_user>')
cur = conn.cursor()
# Run all CREATE TABLE statements from api.py
conn.commit()
"
```

2. Start Services

```
# Customer Portal
cd /path/to/customer-dashboard
PGHOST=<prod_host> PGPORT=5432 PGDATABASE=systack_memory PGUSER=<prod_user> \
SAOS_INTERNAL_API_KEY=<strong_key> \
python3 api.py --port 8768

# Command Center
cd /path/to/systack-command-center
SYSTACK_ADMIN_PIN=<strong_pin> \
PGHOST=<prod_host> PGPORT=5432 PGDATABASE=systack_memory PGUSER=<prod_user> \
python3 api.py --port 8770
```

3. Verify Deployment

```
# Run test suite
python3 tests/test_endpoints.py

# Run backup verification
python3 scripts/backup_verify.py

# Check Command Center
curl -H "X-Admin-PIN: <pin>" http://localhost:8770/api/fleet/services-health
```

Post-Deployment

Day 1

- ☐ All services responding (test_endpoints.py: 65/65 pass)
- ☐ First backup verified (backup_verify.py: all checks pass)
- ☐ Trust center accessible (GET /api/compliance/trust-center returns 200)
- ☐ Audit log entries being created (login, navigate, check audit_log)
- ☐ Rate limiting working (5 failed logins → 429)
- ☐ RBAC working (customer role → admin endpoint → 403)

Week 1

- ☐ Daily backup cron running (check backup_log table)

- ☐ No unresolved security events
- ☐ No open incidents
- ☐ All compliance policies active
- ☐ Client onboarding tested end-to-end

Ongoing

- ☐ Quarterly compliance policy review
- ☐ Monthly backup verification drill
- ☐ Weekly audit log review
- ☐ Daily health check (automated via Command Center)

Rollback Plan

If deployment fails: 1. Stop all SAOS services 2. Restore database from latest verified backup: `psql -d systack_memory -f backup.sql` 3. Restart previous version 4. Investigate failure via `audit_log` and `security_events`

Service Registry (Production)

SERVICE	PORT	ENVIRONMENT VARIABLES REQUIRED
Customer Portal	8768	PGHOST, PGPORT, PGDATABASE, PGUSER, SAOS_INTERNAL_API_KEY
Command Center	8770	SYSTACK_ADMIN_PIN, PGHOST, PGPORT, PGDATABASE, PGUSER, SYSTACK_VPS_CONFIG
Invoice Dashboard	8766	PGHOST, PGPORT, PGDATABASE, PGUSER
Webhook Bridge	8767	PGHOST, PGPORT, PGDATABASE, PGUSER
Booking Dashboard	8772	PGHOST, PGPORT, PGDATABASE, PGUSER

Created by SOL on 2026-07-06