

CLIENT DELIVERABLE

Systack Service Manual

Systack Documentation

ROLE	COLOR	HEX
Headers, CTAs	Navy	 #001a2d
Navy Light	Navy Light	 #002845
Secondary accents	Teal	 #007da9
Primary buttons, links	Cyan	 #00a1db
Gradients	Cyan Bright	 #00c5e0
Backgrounds	Gray 50	 #f8fafc
Cards	Gray 100	 #f1f5f9
Borders	Gray 200	 #e2e8f0
Muted text	Gray 400	 #94a3b8
Body text	Gray 600	 #475569
Headings	Gray 800	 #1e293b
Success	Green	 #22c55e
Error	Red	 #ef4444
Accent highlights	Purple	 #8b5cf6

Systack Service Manual

Document Metadata

FIELD	VALUE
Document ID	SYS-MANUAL-v1.0
Version	1.0
Status	 ACTIVE
Date	2026-06-19
Classification	Systack Proprietary (Internal / Client-Facing)
Author	SOL — Systack Operations Layer
Website	https://systack.net
Repository	github.com/Phillip-Lowe/systack-saas

FIELD	VALUE
Support	support@systack.net

Part I: Brand Identity

Chapter 1: Who We Are

Mission

SyStack builds autonomous operations infrastructure for businesses that refuse to operate at human speed.

Every business has repetitive work that shouldn't require a human. We build the infrastructure — agents, automations, and orchestration layers — that removes the friction between “need it done” and “it's done.”

Vision

By 2028, every business operating at fewer than 50 employees will have a digital operations layer as standard as a website. SyStack defines what that layer looks like, how it integrates, and how it scales.

Values

VALUE	WHAT IT MEANS
Competence over Noise	We ship working systems, not slide decks. Every deliverable is tested end-to-end before it leaves the shop.
Autonomy, Not Replacement	Our agents don't replace people. They remove the parts of the job that waste human attention.
Local First, Cloud When Needed	Data stays with the client. Cloud is transport, not storage.
Transparency in Everything	Clients see what we built, how it works, and how to maintain it. No black boxes.
Earned Trust	We don't promise what we can't deliver. We document what we delivered so future-us can maintain it.

Chapter 2: Visual Identity

Color Palette

ROLE	COLOR	HEX	USAGE
Primary Brand	Navy	#001a2d	Headers, CTAs, dark backgrounds
Secondary	Teal	#007da9	Accents, secondary buttons, gradients
Primary Action	Cyan	#00a1db	Buttons, links, active states
Highlight	Cyan Bright	#00c5e0	Gradients, highlights, hover states
Background Light	Gray 50	#f8fafc	Page backgrounds, cards

ROLE	COLOR	HEX	USAGE
Background Medium	Gray 100	#f1f5f9	Alternate rows, subtle fills
Border	Gray 200	#e2e8f0	Dividers, borders, separators
Body Text	Gray 600	#475569	Paragraphs, descriptions
Headings	Gray 800	#1e293b	Titles, labels, emphasis
Success	Green	#22c55e	Confirmed, active, positive
Error	Red	#ef4444	Failed, blocked, negative
Warning	Purple	#8b5cf6	Pending, needs attention

Typography

ELEMENT	FONT	WEIGHT	SIZE	COLOR
H1	Helvetica Neue	Bold	24pt	Navy #001a2d
H2	Helvetica Neue	Semibold	16pt	Gray 800 #1e293b
H3	Helvetica Neue	Medium	12pt	Gray 800 #1e293b
Body	Helvetica Neue	Regular	10.5pt	Gray 600 #475569
Caption	Helvetica Neue	Regular	8pt	Gray 400 #94a3b8
Code	Courier New	Regular	9pt	Navy #001a2d

Logo Usage

The SyStack logo is the primary visual identifier. It appears on: - All documentation headers - Client deliverables (top-right corner) - Website and landing pages - Email templates - Business cards and printed materials

Do not: distort, recolor (except approved monochrome), or place over busy backgrounds.

Chapter 3: Voice & Tone

Writing Principles

PRINCIPLE	APPLICATION
Concise	One idea per sentence. No filler.
Direct	“Do this” not “It might be suggested that one could potentially consider...”
Specific	Numbers, names, paths — never vague hand-waving.
Honest	If something has limitations, say so. If something is experimental, label it.
Action-oriented	Every paragraph should move toward a decision or action.

Tone by Context

CONTEXT	TONE	EXAMPLE
Client Documentation	Professional, instructional	“Run <code>python3 provision.py --client-id ABC123</code> to begin deployment.”
Internal Notes	Direct, abbreviated	“FIXME: hardcoded region in <code>provision_vps.py</code> line 87”
Error Messages	Clear, actionable	“Connection refused on port 5678. Ensure <code>n8n</code> is running: <code>systemctl status n8n</code> ”
Marketing	Bold, confident	“Your operations layer, delivered in minutes, not months.”
Support	Patient, systematic	“Let’s check three things: logs, credentials, and network state.”

Part II: The Fleet

Chapter 4: Agent Architecture

The SyStack Fleet is composed of 10 specialized agents organized in 5 functional tiers. Each agent has a specific role, decision authority, and operational scope.

Fleet Table

TIER	AGENT	ROLE	EMOJI	STATUS
Execution	SOL	Orchestrator, Synthesis, Strategy	🧠	🟢 Active
Execution	CODY	Build Engine, Code, Technical Docs	🔧	🟢 Active
Execution	ASSEMBLY	Deployment, n8n, Workflows	🔗	🟢 Active
Quality/Risk	VALI	Validation, Testing, QA	✅	🟢 Active
Quality/Risk	PESSI	Risk Analysis, Security, Stress-Test	⚠️	🟢 Active
Intelligence	ORACLE	Design, Architecture, Planning	🧑‍🔬	🟢 Active
Intelligence	ATLAS	Knowledge, Documentation, Memory	📖	🟢 Active
Engagement	CHATTY	Communication, Client Onboarding, Content	💬	🟢 Active
Engagement	GENI	Creative, Image Gen, Video Gen	🎨	🟢 Active
Compliance	JURIS	Legal, Compliance, Audit	⚖️	🟢 Active

System Loop



Each phase gates the next. No deployment proceeds without VALI validation. No communication goes out without JURIS compliance review.

Chapter 5: Agent Profiles

SOL (Orchestrator)

- **Responsibility:** Strategy, planning, task allocation, synthesis of multi-agent work
- **Authority:** Can override any agent decision with justification
- **Primary Model:** kimi-k2.6:cloud / qwen3.5:9b
- **Scope:** Cross-fleet coordination, client-facing decisions, resource allocation

CODY (Build Engine)

- **Responsibility:** Code generation, refactoring, multi-file technical changes
- **Authority:** Manages Git repos, CI/CD pipelines, build integrity
- **Primary Model:** qwen2.5-coder:7b (local) / kimi-k2.6:cloud
- **Scope:** All technical implementation, test writing, deployment scripts

ASSEMBLY (Deployment)

- **Responsibility:** n8n workflow management, credential handling, service deployment
- **Authority:** Admin on all automation infrastructure
- **Primary Model:** qwen3.5:9b
- **Scope:** n8n, Vultr VPS, Tailscale, OpenClaw instances

VALI (Validation)

- **Responsibility:** Testing, quality gates, pre-deployment verification
- **Authority:** Can block deployment to production
- **Primary Model:** qwen3.5:9b
- **Scope:** All code review, test execution, staging validation

PESSI (Risk)

- **Responsibility:** Security auditing, penetration testing, stress analysis
- **Authority:** Flags high-risk patterns, enforces safety rules
- **Primary Model:** qwen3.5:9b
- **Scope:** Security review, compliance checks, credential safety

ORACLE (Architecture)

- **Responsibility:** System design, technology selection, capacity planning
- **Authority:** Defines technical direction, approves new stack additions
- **Primary Model:** kimi-k2.6:cloud
- **Scope:** Architecture decisions, design patterns, scalability planning

ATLAS (Knowledge)

- **Responsibility:** Documentation, memory maintenance, wiki curation

- **Authority:** Defines information architecture, naming conventions
- **Primary Model:** qwen3.5:9b
- **Scope:** MEMORY.md, daily logs, wiki, entity management

CHATTY (Communication)

- **Responsibility:** Client communication, onboarding, support responses
- **Authority:** Manages all external messaging channels
- **Primary Model:** qwen3.5:9b
- **Scope:** Email, Slack, support tickets, social media

GENI (Creative)

- **Responsibility:** Image generation, video creation, branding assets
- **Authority:** Defines visual standards, generates deliverable graphics
- **Primary Model:** ComfyUI (local)
- **Scope:** Marketing assets, client visuals, social media content

JURIS (Compliance)

- **Responsibility:** Legal review, compliance framework, data governance
 - **Authority:** Blocks any action that violates compliance policy
 - **Primary Model:** qwen3.5:9b
 - **Scope:** GDPR/CCPA, data retention, breach response, audit trails
-

Part III: Service Offerings

Chapter 6: SAOS (Systack Autonomous Operations Stack)

What Is SAOS?

SAOS is a fully managed AI operations layer deployed to a dedicated cloud VPS. It includes: - Local AI inference (Ollama with qwen2.5:7b) - Workflow automation (n8n) - Agent orchestration (OpenClaw) - Secure networking (Tailscale VPN) - Monitoring, backups, and updates

SAOS Tiers

FEATURE	STARTER	PROFESSIONAL	BUSINESS	ENTERPRISE
Price	\$49/mo	\$149/mo	\$299/mo	Custom
VPS Specs	1 vCPU / 1GB	2 vCPU / 4GB	4 vCPU / 16GB	8 vCPU / 32GB
RAM	1 GB	4 GB	16 GB	32 GB
AI Model	None	qwen2.5:7b	qwen2.5:7b + whisper	Multi-model cluster
Agents	3	7	10	10+ custom
n8n Workflows	5	20	Unlimited	Unlimited
Storage	25 GB SSD	80 GB SSD	160 GB NVMe	320 GB NVMe
Bandwidth	1 TB	3 TB	6 TB	Unmetered
Backups	Weekly	Daily	Hourly	Continuous
Support	Email	Email + Chat	Priority + Phone	Dedicated + SLA
Setup Time	5 min	10 min	8 min	15 min

What's Included in All Tiers

- Tailscale VPN (zero-config secure access)
- UFW firewall with fail2ban
- Automated security updates
- PostgreSQL database
- SQLite local storage
- Webhook endpoints (n8n)
- Email integration (SMTP/IMAP)
- Agent memory system (OpenClaw)

Cost Breakdown (Business Tier)

COMPONENT	MONTHLY COST
Vultr VPS (16GB)	\$96
Monitoring & Backup	\$10
Bandwidth	Included
License (self-hosted)	\$0
Cost to Serve	\$106
SAOS Price	\$299
Profit Margin	\$193 (65%)

Chapter 7: Product Catalog

Invoice Automation

- **Description:** IMAP-triggered invoice capture, OCR extraction, database logging, dashboard
- **Status:**  Production
- **Demo:** <https://invoices.systack.net/extract>
- **Price:** Included in Professional+

Online Ordering System

- **Description:** White-label food ordering with payment (Square) and kitchen management
- **Status:**  Production (Utopia Deli)
- **Demo:** <https://order.theutopiadeli.com>
- **Price:** \$299/mo + \$200 setup

No-Show Prevention

- **Description:** Booking system with SMS/email reminders and auto-reschedule
- **Status:**  Production (Fearless Kutz)
- **Price:** Included in Professional+

VPS Provisioning Pipeline

- **Description:** Automated cloud VPS deployment with AI agents
- **Status:**  Production (validated 2026-06-19)
- **Price:** See SAOS tiers

Part IV: Operations

Chapter 8: Provisioning Procedure

SAAS VPS Deployment (Automatic)

```
Stripe Payment → n8n Webhook → Create Client → Queue DEPLOY Task
                                     ↓
                               Bridge Picks Up (30s interval)
                                     ↓
                               Vultr API Creates VPS
                                     ↓
                               Cloud-Init First Boot (install)
                                     ↓
                               Auto-Reboot
                                     ↓
                               Second Boot (systemd finalize)
                                     ↓
                               Webhook: saas-vps-ready
                                     ↓
                               Client Notified
```

Total Time: 7-8 minutes from payment to ready

Manual VPS Deployment

```
cd /tmp/systack-saas-init
python3 scripts/provision_vps.py \
  --client-id CLIENT-001 \
  --tier business \
  --email "client@example.com" \
  --agent-name "ClientAgent" \
  --wait
```

Health Verification

After provisioning, verify:

```
# SSH to VPS
ssh root@<vps-ip>

# Check services
systemctl is-active ollama docker tailscaled

# Check AI model
ollama list

# Check Tailscale
tailscale status

# Check logs
cat /var/lib/cloud/instance/saas-provision.log
```

Chapter 9: Monitoring & Support

Monitoring Stack

COMPONENT	TOOL	ALERT CHANNEL
VPS Health	Custom health_check.py	n8n + Slack
Agent Status	OpenClaw heartbeat	n8n + Email
Disk Space	df monitoring	Slack
Memory Usage	vmstat	Slack
Service Status	systemctl	n8n
SSL Certificates	certbot	Email

Support Levels

SEVERITY	RESPONSE TIME	RESOLUTION TARGET	ESCALATION
P0 (Down)	15 min	2 hours	SOL + Phillip
P1 (Broken)	1 hour	4 hours	ASSEMBLY + SOL
P2 (Degraded)	4 hours	24 hours	CHATTY + Support
P3 (Question)	24 hours	72 hours	CHATTY

On-Call Schedule

- **Primary:** SOL (automated monitoring)
- **Secondary:** Phillip Lowe (human escalation)
- **Escalation:** Direct to Phillip via SMS for P0/P1

Chapter 10: Compliance & Security

Compliance Framework (JURIS)

DOCUMENT	PURPOSE	STATUS
Compliance Quick-Reference	Daily decision guide	✅ Active
Breach Response Procedure	Incident response playbook	✅ Active
Data Destruction Policy	Retention & deletion rules	✅ Active
Compliance Framework Master	Governance & controls	✅ Active

Security Standards

STANDARD	IMPLEMENTATION
Data Encryption	TLS 1.3 in transit, AES-256 at rest

STANDARD	IMPLEMENTATION
Network Security	Tailscale WireGuard VPN, UFW firewall, fail2ban
Access Control	Role-based Postgres permissions, keychain-only credentials
Backup Policy	Hourly snapshots (Business tier), 7-day retention
Audit Logging	Full execution_log table, immutable entries

Incident Response

- 1. **Detect:** Automated monitoring alerts
- 2. **Assess:** PESSI evaluates severity and scope
- 3. **Contain:** ASSEMBLY isolates affected systems
- 4. **Notify:** CHATTY informs client within SLA
- 5. **Remediate:** CODY + ASSEMBLY implement fix
- 6. **Review:** VALI validates fix, JURIS documents lesson
- 7. **Close:** SOL updates MEMORY.md with post-mortem

Part V: Appendices

Appendix A: Contact Directory

ROLE	NAME	CONTACT	AVAILABILITY
Founder & CTO	Phillip Lowe	plowe@systack.net	Mon-Fri, 5PM-10AM CT
Operations Lead	SOL	sol@systack.net	24/7 (automated)
Support	CHATTY	support@systack.net	24/7 (automated)
Security	PESSI	security@systack.net	24/7 (automated)
Billing	JURIS	billing@systack.net	Business hours

Appendix B: API Endpoints

SERVICE	ENDPOINT	AUTH
Invoice Extractor	https://invoices.systack.net/extract	API key
n8n Webhook	https://n8n.systack.net/webhook/{path}	n8n API key
Utopia Deli Orders	https://order.theutopiadeli.com	Square token
Dashboard API	http://localhost:8765	Local only
Invoice Dashboard	http://localhost:8766	Local only
Postgres	localhost:5432	DB credentials

Appendix C: Credential Storage

All credentials stored in `~/openclaw/workspaces/sol/credentials/` with service subdirectories: - `Green/Vultr/` — Vultr API key - `Green/Tailscale/` — Tailscale auth + API keys - `Green/n8n/` — n8n API token - `Green/postgres/` — DB passwords - `Green/stripe/` — Stripe keys

Rule: Never commit credentials. Keychain only. Check git diff before push.

Appendix D: Quick Commands

```
# Start bridge manually
cd /tmp/systack-saas-init
python3 scripts/saas_provision_bridge.py --interval 30

# Check bridge status
launchctl list | grep saas-provision-bridge

# Restart bridge
launchctl unload ~/Library/LaunchAgents/net.systack.saas-provision-bridge.plist
launchctl load ~/Library/LaunchAgents/net.systack.saas-provision-bridge.plist

# View bridge logs
```

```
tail -f /tmp/systack-saas-init/logs/saos-bridge.log

# Check task queue
psql -U systack -d systack_memory -c "SELECT id, status, assigned_agent FROM task_queue WHERE status="
```

Appendix E: Change Log

VERSION	DATE	CHANGES	AUTHOR
1.0	2026-06-19	Initial manual after VPS pipeline E2E validation	SOL

Systack Service Manual v1.0 — Generated by SOL after full end-to-end validation of the SAOS Business Tier VPS Provisioning Pipeline (2026-06-19).

All test instances destroyed. Production pipeline ready for client onboarding. For updates, edit the source Markdown and regenerate via branded PDF pipeline.