

1. Ingest Video Content:

2. Store Embeddings:


3. Develop User Interface:


4. Implement RAG Retrieval:

5. Generate Responses:











Use the Twelve Labs
Embed API to convert a
selected library of 15-20
movie and TV show
trailers, including
popular titles like
"Deadpool & Wolverine,"
into high-quality video
embeddings. This
process involves
analyzing each trailer's
visual, audio, and textual
elements to create
detailed vector
representations.

Store the generated video embeddings in a high-performance vector database, such as Pinecone or Milvus, to enable fast and efficient retrieval of relevant data when processing user queries.

Design and implement a user-friendly interface using Streamlit that allows users to interact with the chatbot. This interface should support intuitive navigation and enable users to input specific questions about the trailers, such as "What is Wolverine's role in the Deadpool trailer?"

Integrate RetrievalAugmented Generation
(RAG) into the system.
This involves using the
vector database to
retrieve the most
relevant video
embeddings based on
the user's question and
then passing these
embeddings to the
language model to
generate contextually
accurate answers.

Utilize a sophisticated language model to generate precise and informative responses. The model incorporates the context from the retrieved video embeddings to provide detailed answers to user questions. For example, it can describe specific action scenes or character roles in trailers like "Deadpool & Wolverine."






Twelve Labs Embed API to convert movie video trailers

SEARCH

GENERATE

CLASSIFY



SEARCH

GENERATE

CLASSIFY

User Query: "Show me Deadpool's first appearance in the trailer."

Response: The system retrieves the clip where Deadpool first appears on screen.

User Prompt:

"Generate a
summary of the
Deadpool &
Wolverine trailer."

Response: "The trailer introduces Deadpool and Wolverine, highlighting their conflict and humorous interactions. The action-packed scenes are interspersed with witty banter and dramatic moments."

Classify all of your content in seconds

Categories:
Action: Classify
scenes with highintensity action,
such as fights or
explosions.






How does it work?


SEARCH

User Query: "Show me Deadpool's first appearance in the trailer."

Find any scene in natural language

- User Query: "Show me Deadpool's first appearance in the trailer."
 - Response: The system retrieves the clip where Deadpool first appears on screen.
- User Query: "Find the scene where Deadpool fights Wolverine."
 - Response: The system retrieves the specific moments in the trailer where
 Deadpool and Wolverine are engaged in a fight.











How does it work?


GENERATE


Generate any text about your video through prompting


- Generate Summary:
 - User Prompt: "Generate a summary of the Deadpool & Wolverine trailer."
 - Response: "The trailer introduces Deadpool and Wolverine, highlighting their conflict and humorous interactions. The action-packed scenes are interspersed with witty banter and dramatic moments."
- Generate Highlights:
 - User Prompt: "Create highlights for the Deadpool & Wolverine trailer."
 - Response: "I. Deadpool's first appearance. 2. Wolverine's dramatic entrance. 3. The epic fight between Deadpool and Wolverine. 4. Deadpool's witty remark about Wolverine's claws."














including Anxiety, Envy, and Embarrassment, each bringing their unique perspective to the evolving emotional dynamics.


The plot thickens as the original emotions face the daunting task of integrating these new feelings into the Headquarters. The introduction of Anxiety is met with a mix of curiosity and concern, reflecting the typical apprehension associated with new experiences. Envy, with its keen observations and sharp remarks, brings a new dimension to the emotional interplay, highlighting the complexities of social interactions and selfperception. Embarrassment adds a relatable and poignant layer, representing the acute self-awareness and sensitivity that come with adolescence.

As Riley prepares for a significant transition, the emotions grapple with their roles and the introduction of sophisticated emotions required to navigate the complexities of high school life. The concept of suppressed emotions is explored, shedding light on the internal struggles that accompany perso

The narrative cleverly addresses the importance of embracing change, the value of inevitability of leaving certain aspects of childhood behind.

"Inside Out 2" masterfully weaves humor, adventure, and heartfelt moments to portra of human emotions. The interactions among the emotions, both old and new, provide on the psychological processes involved in growing up. The film not only entertains audiences a deeper understanding of emotional intelligence and psychological resil The sequel's vibrant animation and dynamic character design further enrich the store workings of Riley's mind to life with creativity and flair. The emotional journey of Riley

as a compelling narrative that resonates with viewers of all ages, making "Inside Out 2" a worthy successor to









How does it work?


CLASSIFY


Classify all of your content in seconds


- Categories:
 - Action: Classify scenes with high-intensity action, such as fights or explosions.
 - Comedy: Classify humorous scenes, especially those with Deadpool's jokes and witty remarks.
 - Drama: Classify dramatic moments, such as emotional dialogues or intense standoffs.
- Action:
 - Scene: Deadpool and Wolverine's fight scene.
 - Classification: This scene is tagged under the "Action" category.
- Comedy:
 - Scene: Deadpool making a witty remark about Wolverine's claws.
 - Classification: This scene is tagged under the "Comedy" category.
- Drama:
 - Scene: Wolverine's dramatic entrance.
 - Classification: This scene is tagged under the "Drama" category.






























1. Ingest Video Content:

2. Store Embeddings:







5. Generate Responses:











Use the Twelve Labs
Embed API to convert a
selected library of 15-20
movie and TV show
trailers, including
popular titles like
"Deadpool & Wolverine,"
into high-quality video
embeddings. This
process involves
analyzing each trailer's
visual, audio, and textual
elements to create
detailed vector
representations.

Store the generated video embeddings in a high-performance vector database, such as Pinecone or Milvus, to enable fast and efficient retrieval of relevant data when processing user queries.

Design and implement a user-friendly interface using Streamlit that allows users to interact with the chatbot. This interface should support intuitive navigation and enable users to input specific questions about the trailers, such as "What is Wolverine's role in the Deadpool trailer?"

Integrate RetrievalAugmented Generation
(RAG) into the system.
This involves using the
vector database to
retrieve the most
relevant video
embeddings based on
the user's question and
then passing these
embeddings to the
language model to
generate contextually
accurate answers.

Utilize a sophisticated language model to generate precise and informative responses. The model incorporates the context from the retrieved video embeddings to provide detailed answers to user questions. For example, it can describe specific action scenes or character roles in trailers like "Deadpool & Wolverine."

Video Embedding



https://deuqpmn4rs7j5.cloudfront.net/66649f09937ce44a0402bad4/66659a3efa7835326810120c/thumbnails/fd 31bdd0-eaf4-427f-bc27-6cb7939e6249.0000001.jpg

```
VIDEO ID: 66659a48d22b3a3c97bf1d5f
{'_id': '66659a3efa7835326810120c',
'created_at': '2024-06-09T12:04:14.069Z',
 'estimated_time': '2024-06-09T12:07:40.728Z',
 'hls': {'status': 'COMPLETE',
         'thumbnail_urls': ['https://deuqpmn4rs7j5.cloudfront.net/66649f09937ce44a0402bad4/6665
        'updated_at': '2024-06-09T12:04:59.781Z',
        'video_url': 'https://deuqpmn4rs7j5.cloudfront.net/66649f09937ce44a0402bad4/66659a3efa
 'index_id': '666599d4e6fb7df29de0f89c',
 'metadata': {'duration': 159,
              'filename': 'Deadpool & Wolverine | Official Trailer | In '
                          'Theaters July 26',
              'height': 720,
              'width': 1280},
 'status': 'ready',
 'type': 'index_task_info',
 'updated_at': '2024-06-09T12:08:52.222Z',
 'video_id': '66659a48d22b3a3c97bf1d5f'}
```



Video Embedding

Convert "Deadpool & Wolverine," into em la la capturing various aspects such as visuals, sounds and teachers.

For example, key scenes from the Deadwool transmit broken down into embeddings representing Dead iconic lines and action sequences.

INFINITE JEST

```
[ ] end = time.time()
    print("Finish uploading video")
    print("Time elapsed (in seconds): ", end - start)
   Start uploading video
   Status code: ready
   Finish uploading video
   Time elapsed (in seconds): 245.4978461265564
                                                ↑ ↓ ⇔ 国 🛊 🗓
# Retrieve the unique identifier of the video
    VIDEO_ID = response.json().get('video_id')
    # Print the status code, the unique identifier of the video, and the
    print(f"VIDEO ID: {VIDEO_ID}")
    pprint(response.json())
   VIDEO ID: 66659a48d22b3a3c97bf1d5f
   {'_id': '66659a3efa7835326810120c',
     'created_at': '2024-06-09T12:04:14.069Z',
     'estimated_time': '2024-06-09T12:07:40.728Z',
     'hls': {'status': 'COMPLETE',
             'thumbnail_urls': ['https://deuqpmn4rs7j5.cloudfront.net/66
             'updated_at': '2024-06-09T12:04:59.781Z',
             'video_url': 'https://deuqpmn4rs7j5.cloudfront.net/66649f09
     'index_id': '666599d4e6fb7df29de0f89c',
     'metadata': {'duration': 159,
                  'filename': 'Deadpool & Wolverine | Official Trailer
                              'Theaters July 26',
                  'height': 720,
                  'width': 1280},
     'status': 'ready',
     'type': 'index_task_info',
     'updated_at': '2024-06-09T12:08:52.222Z',
     'video id': '66659a48d22b3a3c97bf1d5f'}
```



INFINITE JEST

```
Status code: 200
    {'data': [{'_id': '66649f31937ce44a0402bad8',
₹
                'addons': ['thumbnail'],
               'created_at': '2024-06-08T18:13:05.563Z',
                'engines': [{'engine_name': 'marengo2.6',
                             'engine_options': ['visual',
                                                'conversation',
                                                'text_in_video',
                                                'logo']},
                           {'engine_name': 'pegasus1',
                             'engine_options': ['visual', 'conversation']
                'expires_at': '2024-09-06T18:13:05.563Z',
                'index_name': 'My Index (Default)',
               'total_duration': 0,
                'updated_at': '2024-06-08T18:13:05.563Z',
               'video_count': 0},
              {'_id': '66653a83fa7835326810108d',
                'addons': ['thumbnail'],
                'created_at': '2024-06-09T05:15:47.545Z',
               'engines': [{'engine_name': 'marengo2.6',
                             'engine_options': ['visual',
                                                'conversation',
                                                'text_in_video',
                                                'logo']},
                           {'engine_name': 'pegasus1',
                             'engine_options': ['visual', 'conversation']
                'expires_at': '2024-09-07T05:15:47.545Z',
               'index_name': 'Infinite Jest',
               'total_duration': 3110.949375,
               'updated_at': '2024-06-09T05:35:47.667Z',
               'video_count': 20},
              {'_id': '666599d4e6fb7df29de0f89c',
                'addons': ['thumbnail'],
                'created_at': '2024-06-09T12:02:28.658Z',
               'engines': [{'engine_name': 'marengo2.6',
                             'engine_options': ['visual',
```



INFINITE JEST

```
'total_duration': 3110.949375,
                'updated_at': '2024-06-09T05:35:47.667Z',
                'video_count': 20},
₹
               {'_id': '666599d4e6fb7df29de0f89c',
                'addons': ['thumbnail'],
                'created_at': '2024-06-09T12:02:28.658Z',
                'engines': [{'engine_name': 'marengo2.6',
                             'engine_options': ['visual',
                                                 'conversation',
                                                 'text_in_video',
                                                 'logo']},
                            {'engine_name': 'pegasus1',
                             'engine_options': ['visual', 'conversation']
                'expires_at': '2024-09-07T12:02:28.658Z',
                'index_name': 'Content Creator Videos',
                'total_duration': 159,
                'updated_at': '2024-06-09T12:04:24.197Z',
                'video_count': 1}],
      'page_info': {'limit_per_page': 10,
                    'page': 1,
                    'total_page': 1,
                    'total_results': 3}}
For this demo, let's go with Content Creator videos.
    %env INDEX_ID=666599d4e6fb7df29de0f89c
    env: INDEX_ID=666599d4e6fb7df29de0f89c
```





PINECONE MOVIE VECTOR DATABASE

Stored the video embeddings in a Pinecone vector database for efficient retrieval. The database allows us to quickly access specific moments from trailers based on the user's queries.


1. Ingest Video Content:

2. Store Embeddings:


3. Develop User Interface:


4. Implement RAG Retrieval:

5. GenerateResponses:












Use the Twelve Labs
Embed API to convert a
selected library of 15-20
movie and TV show
trailers, including
popular titles like
"Deadpool & Wolverine,"
into high-quality video
embeddings. This
process involves
analyzing each trailer's
visual, audio, and textual
elements to create
detailed vector
representations.


Store the generated video embeddings in a high-performance vector database, such as Pinecone or Milvus, to enable fast and efficient retrieval of relevant data when processing user queries.


Design and implement a user-friendly interface using Streamlit that allows users to interact with the chatbot. This interface should support intuitive navigation and enable users to input specific questions about the trailers, such as "What is Wolverine's role in the Deadpool trailer?"

Integrate RetrievalAugmented Generation
(RAG) into the system.
This involves using the
vector database to
retrieve the most
relevant video
embeddings based on
the user's question and
then passing these
embeddings to the
language model to
generate contextually
accurate answers.

Utilize a sophisticated language model to generate precise and informative responses. The model incorporates the context from the retrieved video embeddings to provide detailed answers to user questions. For example, it can describe specific action scenes or character roles in trailers like "Deadpool & Wolverine."












Al-Powered Chatbot







Al-Powered Chatbot

SEARCH

GENERATE

CLASSIFY

1. Ingest Video Content:

2. Store Embeddings:

3. Develop User Interface:

4. Implement RAG Retrieval:

5. Generate Responses:

Q



Use the Twelve Labs
Embed API to convert a
selected library of 15-20
movie and TV show
trailers, including
popular titles like
"Deadpool & Wolverine,"
into high-quality video
embeddings. This
process involves
analyzing each trailer's
visual, audio, and textual
elements to create
detailed vector
representations.

Store the generated video embeddings in a high-performance vector database, such as Pinecone or Milvus, to enable fast and efficient retrieval of relevant data when processing user queries.

Design and implement a user-friendly interface using Streamlit that allows users to interact with the chatbot. This interface should support intuitive navigation and enable users to input specific questions about the trailers, such as "What is Wolverine's role in the Deadpool trailer?"

Integrate RetrievalAugmented Generation
(RAG) into the system.
This involves using the
vector database to
retrieve the most
relevant video
embeddings based on
the user's question and
then passing these
embeddings to the
language model to
generate contextually
accurate answers.

Utilize a sophisticated language model to generate precise and informative responses. The model incorporates the context from the retrieved video embeddings to provide detailed answers to user questions. For example, it can describe specific action scenes or character roles in trailers like "Deadpool & Wolverine."




RAG VIDEO CHATBOT



<u>User: "Tell me about Deadpool's first appearance in the trailer."</u>

Chatbot Response: "Deadpool's first appearance in the trailer occurs around the 15-second mark. He makes a dramatic entrance with his signature red suit and mask, immediately engaging in witty banter."





RAG VIDEO CHATBOT



<u>User: "Summarize the main plot of the Deadpool & Wolverine trailer."</u>

Chatbot Response: "The 'Deadpool & Wolverine' trailer introduces a thrilling clash between the two iconic characters. It highlights Deadpool's irreverent humor and Wolverine's brooding intensity. The trailer showcases several action scenes, including an epic fight between the two, while also hinting at an underlying plot involving a new threat they must face together. The combination of humor, action, and character dynamics promises an exciting and entertaining movie."





RAG VIDEO CHATBOT



<u>User: "What are some funny moments in</u> the trailer?"

Chatbot Response: "There are several funny moments in the trailer: Deadpool makes a sarcastic comment about Wolverine's claws during their fight, saying, 'Nice manicure, did you get those done at a salon?' Deadpool's dramatic entrance is followed by a quip about his costume being 'freshly laundered.'

In a brief scene, Deadpool tries to annoy Wolverine by imitating his growling voice and stance, leading to a comical exchange."

