

Jobs

Generated by Talend Data Management Platform

Project Name	NAV_MOV	GENERATION DATE	Dec 17, 2019 12:54:39 PM
AUTHOR		Talend Data Management Platform VERSION	7.0.1.20180411_1414

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description


Properties	Values
Name	NAV_MOV
Language	java

Description	

Description

Properties	Values
Name	j_NavExport_010_CustomerDummy
Author	
Version	0.1
Purpose	
Status	
Description	
Creation	Apr 16, 2019 2:51:08 AM
Modification	Nov 15, 2019 10:12:13 AM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt
objectType	objectType?	false
Pool	Pool?	false
group	group?	false
description	description?	false
mafAppSpace	mafAppSpace?	false
source	source?	false

customer_bundle_count	customer_bundle_count?	false
responseXML	responseXML?	false
mom_Host	mom_Host?	false
mom_Password	mom_Password?	false
mom_Port	mom_Port?	false
mom_To	mom_To?	false
mom_Username	mom_Username?	false
AttName	AttName?	false
batch	batch?	false
CRC	CRC?	false
Customer_Process_Queue	Customer_Process_Queue?	false
database	database?	false
directory	directory?	false
environment	environment?	false
ErrorMsg	ErrorMsg?	false
filepath	filepath?	false
implicit_db_environment	implicit_db_environment?	false

instance	instance?	true
key	key?	false
keystore	keystore?	false
message1	message1?	false
message2	message2?	false
movilizerURL	movilizerURL?	false
movilizerVersion	movilizerVersion?	false
Nested_Context	Nested_Context?	false
object	object?	false
objectId	objectId?	false
objectName	objectName?	false
partition	partition?	false
ProcessTimeStamp	ProcessTimeStamp?	false
SystemId	SystemId?	false
SystemPassword	SystemPassword?	false
table_view	table_view?	false
type	type?	false

UseIndex	UseIndex?	false
DB_AMC_AdditionalParams	DB_AMC_AdditionalParams?	false
DB_AMC_Database	DB_AMC_Database?	false
DB_AMC_Login	DB_AMC_Login?	false
DB_AMC_Password	DB_AMC_Password?	false
DB_AMC_Port	DB_AMC_Port?	false
DB_AMC_Schema	DB_AMC_Schema?	false
DB_AMC_Server	DB_AMC_Server?	false
DB_ERP_DSD_Integration_AdditionalParams	DB_ERP_DSD_Integration_AdditionalParams?	false
DB_ERP_DSD_Integration_Database	DB_ERP_DSD_Integration_Database?	false
DB_ERP_DSD_Integration_Login	DB_ERP_DSD_Integration_Login?	false
DB_ERP_DSD_Integration_Password	DB_ERP_DSD_Integration_Password?	false
DB_ERP_DSD_Integration_Port	DB_ERP_DSD_Integration_Port?	false
DB_ERP_DSD_Integration_Schema	DB_ERP_DSD_Integration_Schema?	false
DB_ERP_DSD_Integration_Server	DB_ERP_DSD_Integration_Server?	false
DB_Navision_AdditionalParams	DB_Navision_AdditionalParams?	false
DB_Navision_Database	DB_Navision_Database?	false

DB_Navision_Login	DB_Navision_Login?	false
DB_Navision_Password	DB_Navision_Password?	false
DB_Navision_Port	DB_Navision_Port?	false
DB_Navision_Schema	DB_Navision_Schema?	false
DB_Navision_Server	DB_Navision_Server?	false
DB_Navision_Target_Staging	DB_Navision_Target_Staging?	false
DB_Talend_Context_AdditionalParams	DB_Talend_Context_AdditionalParams?	false
DB_Talend_Context_Database	DB_Talend_Context_Database?	false
DB_Talend_Context_Login	DB_Talend_Context_Login?	false
DB_Talend_Context_Password	DB_Talend_Context_Password?	false
DB_Talend_Context_Port	DB_Talend_Context_Port?	false
DB_Talend_Context_Schema	DB_Talend_Context_Schema?	false
DB_Talend_Context_Server	DB_Talend_Context_Server?	false
NAV_Contact	NAV_Contact?	false
NAV_Customer	NAV_Customer?	false
RM_Customer_Encoding	RM_Customer_Encoding?	false
RM_Customer_FieldSeparator	RM_Customer_FieldSeparator?	false

RM_Customer_File	RM_Customer_File?	false
RM_Customer_RowSeparator	RM_Customer_RowSeparator?	false

ContextQA

Name	Prompt	Need Prompt
objectType	objectType?	false
Pool	Pool?	false
group	group?	false
description	description?	false
mafAppSpace	mafAppSpace?	false
source	source?	false
customer_bundle_count	customer_bundle_count?	false
responseXML	responseXML?	false
mom_Host	mom_Host?	false
mom_Password	mom_Password?	false
mom_Port	mom_Port?	false
mom_To	mom_To?	false

mom_Username	mom_Username?	false
AttName	AttName?	false
batch	batch?	false
CRC	CRC?	false
Customer_Process_Queue	Customer_Process_Queue?	false
database	database?	false
directory	directory?	false
environment	environment?	false
ErrorMsg	ErrorMsg?	false
filepath	filepath?	false
implicit_db_environment	implicit_db_environment?	false
instance	instance?	true
key	key?	false
keystore	keystore?	false
message1	message1?	false
message2	message2?	false
movilizerURL	movilizerURL?	false

movilizerVersion	movilizerVersion?	false
Nested_Context	Nested_Context?	false
object	object?	false
objectId	objectId?	false
objectName	objectName?	false
partition	partition?	false
ProcessTimeStamp	ProcessTimeStamp?	false
SystemId	SystemId?	false
SystemPassword	SystemPassword?	false
table_view	table_view?	false
type	type?	false
UseIndex	UseIndex?	false
DB_AMC_AdditionalParams	DB_AMC_AdditionalParams?	false
DB_AMC_Database	DB_AMC_Database?	false
DB_AMC_Login	DB_AMC_Login?	false
DB_AMC_Password	DB_AMC_Password?	false
DB_AMC_Port	DB_AMC_Port?	false

DB_AMC_Schema	DB_AMC_Schema?	false
DB_AMC_Server	DB_AMC_Server?	false
DB_ERP_DSD_Integration_AdditionalParams	DB_ERP_DSD_Integration_AdditionalParams?	false
DB_ERP_DSD_Integration_Database	DB_ERP_DSD_Integration_Database?	false
DB_ERP_DSD_Integration_Login	DB_ERP_DSD_Integration_Login?	false
DB_ERP_DSD_Integration_Password	DB_ERP_DSD_Integration_Password?	false
DB_ERP_DSD_Integration_Port	DB_ERP_DSD_Integration_Port?	false
DB_ERP_DSD_Integration_Schema	DB_ERP_DSD_Integration_Schema?	false
DB_ERP_DSD_Integration_Server	DB_ERP_DSD_Integration_Server?	false
DB_Navision_AdditionalParams	DB_Navision_AdditionalParams?	false
DB_Navision_Database	DB_Navision_Database?	false
DB_Navision_Login	DB_Navision_Login?	false
DB_Navision_Password	DB_Navision_Password?	false
DB_Navision_Port	DB_Navision_Port?	false
DB_Navision_Schema	DB_Navision_Schema?	false
DB_Navision_Server	DB_Navision_Server?	false
DB_Navision_Target_Staging	DB_Navision_Target_Staging?	false

DB_Talend_Context_AdditionalParams	DB_Talend_Context_AdditionalParams?	false
DB_Talend_Context_Database	DB_Talend_Context_Database?	false
DB_Talend_Context_Login	DB_Talend_Context_Login?	false
DB_Talend_Context_Password	DB_Talend_Context_Password?	false
DB_Talend_Context_Port	DB_Talend_Context_Port?	false
DB_Talend_Context_Schema	DB_Talend_Context_Schema?	false
DB_Talend_Context_Server	DB_Talend_Context_Server?	false
NAV_Contact	NAV_Contact?	false
NAV_Customer	NAV_Customer?	false
RM_Customer_Encoding	RM_Customer_Encoding?	false
RM_Customer_FieldSeparator	RM_Customer_FieldSeparator?	false
RM_Customer_File	RM_Customer_File?	false
RM_Customer_RowSeparator	RM_Customer_RowSeparator?	false

ContextPROD

Name	Prompt	Need Prompt
objectType	objectType?	false

Pool	Pool?	false
group	group?	false
description	description?	false
mafAppSpace	mafAppSpace?	false
source	source?	false
customer_bundle_count	customer_bundle_count?	false
responseXML	responseXML?	false
mom_Host	mom_Host?	false
mom_Password	mom_Password?	false
mom_Port	mom_Port?	false
mom_To	mom_To?	false
mom_Username	mom_Username?	false
AttName	AttName?	false
batch	batch?	false
CRC	CRC?	false
Customer_Process_Queue	Customer_Process_Queue?	false
database	database?	false

directory	directory?	false
environment	environment?	false
ErrorMsg	ErrorMsg?	false
filepath	filepath?	false
implicit_db_environment	implicit_db_environment?	false
instance	instance?	true
key	key?	false
keystore	keystore?	false
message1	message1?	false
message2	message2?	false
movilizerURL	movilizerURL?	false
movilizerVersion	movilizerVersion?	false
Nested_Context	Nested_Context?	false
object	object?	false
objectId	objectId?	false
objectName	objectName?	false
partition	partition?	false

ProcessTimeStamp	ProcessTimeStamp?	false
SystemId	SystemId?	false
SystemPassword	SystemPassword?	false
table_view	table_view?	false
type	type?	false
UseIndex	UseIndex?	false
DB_AMC_AdditionalParams	DB_AMC_AdditionalParams?	false
DB_AMC_Database	DB_AMC_Database?	false
DB_AMC_Login	DB_AMC_Login?	false
DB_AMC_Password	DB_AMC_Password?	false
DB_AMC_Port	DB_AMC_Port?	false
DB_AMC_Schema	DB_AMC_Schema?	false
DB_AMC_Server	DB_AMC_Server?	false
DB_ERP_DSD_Integration_AdditionalParams	DB_ERP_DSD_Integration_AdditionalParams?	false
DB_ERP_DSD_Integration_Database	DB_ERP_DSD_Integration_Database?	false
DB_ERP_DSD_Integration_Login	DB_ERP_DSD_Integration_Login?	false
DB_ERP_DSD_Integration_Password	DB_ERP_DSD_Integration_Password?	false

DB_ERP_DSD_Integration_Port	DB_ERP_DSD_Integration_Port?	false
DB_ERP_DSD_Integration_Schema	DB_ERP_DSD_Integration_Schema?	false
DB_ERP_DSD_Integration_Server	DB_ERP_DSD_Integration_Server?	false
DB_Navision_AdditionalParams	DB_Navision_AdditionalParams?	false
DB_Navision_Database	DB_Navision_Database?	false
DB_Navision_Login	DB_Navision_Login?	false
DB_Navision_Password	DB_Navision_Password?	false
DB_Navision_Port	DB_Navision_Port?	false
DB_Navision_Schema	DB_Navision_Schema?	false
DB_Navision_Server	DB_Navision_Server?	false
DB_Navision_Target_Staging	DB_Navision_Target_Staging?	false
DB_Talend_Context_AdditionalParams	DB_Talend_Context_AdditionalParams?	false
DB_Talend_Context_Database	DB_Talend_Context_Database?	false
DB_Talend_Context_Login	DB_Talend_Context_Login?	false
DB_Talend_Context_Password	DB_Talend_Context_Password?	false
DB_Talend_Context_Port	DB_Talend_Context_Port?	false
DB_Talend_Context_Schema	DB_Talend_Context_Schema?	false

DB_Talend_Context_Server	DB_Talend_Context_Server?	false
NAV_Contact	NAV_Contact?	false
NAV_Customer	NAV_Customer?	false
RM_Customer_Encoding	RM_Customer_Encoding?	false
RM_Customer_FieldSeparator	RM_Customer_FieldSeparator?	false
RM_Customer_File	RM_Customer_File?	false
RM_Customer_RowSeparator	RM_Customer_RowSeparator?	false

ContextPREPROD

Name	Prompt	Need Prompt
objectType	objectType?	false
Pool	Pool?	false
group	group?	false
description	description?	false
mafAppSpace	mafAppSpace?	false
source	source?	false
customer_bundle_count	customer_bundle_count?	false

responseXML	responseXML?	false
mom_Host	mom_Host?	false
mom_Password	mom_Password?	false
mom_Port	mom_Port?	false
mom_To	mom_To?	false
mom_Username	mom_Username?	false
AttName	AttName?	false
batch	batch?	false
CRC	CRC?	false
Customer_Process_Queue	Customer_Process_Queue?	false
database	database?	false
directory	directory?	false
environment	environment?	false
ErrorMsg	ErrorMsg?	false
filepath	filepath?	false
implicit_db_environment	implicit_db_environment?	false
instance	instance?	true

key	key?	false
keystore	keystore?	false
message1	message1?	false
message2	message2?	false
movilizerURL	movilizerURL?	false
movilizerVersion	movilizerVersion?	false
Nested_Context	Nested_Context?	false
object	object?	false
objectId	objectId?	false
objectName	objectName?	false
partition	partition?	false
ProcessTimeStamp	ProcessTimeStamp?	false
SystemId	SystemId?	false
SystemPassword	SystemPassword?	false
table_view	table_view?	false
type	type?	false
UseIndex	UseIndex?	false

DB_AMC_AdditionalParams	DB_AMC_AdditionalParams?	false
DB_AMC_Database	DB_AMC_Database?	false
DB_AMC_Login	DB_AMC_Login?	false
DB_AMC_Password	DB_AMC_Password?	false
DB_AMC_Port	DB_AMC_Port?	false
DB_AMC_Schema	DB_AMC_Schema?	false
DB_AMC_Server	DB_AMC_Server?	false
DB_ERP_DSD_Integration_AdditionalParams	DB_ERP_DSD_Integration_AdditionalParams?	false
DB_ERP_DSD_Integration_Database	DB_ERP_DSD_Integration_Database?	false
DB_ERP_DSD_Integration_Login	DB_ERP_DSD_Integration_Login?	false
DB_ERP_DSD_Integration_Password	DB_ERP_DSD_Integration_Password?	false
DB_ERP_DSD_Integration_Port	DB_ERP_DSD_Integration_Port?	false
DB_ERP_DSD_Integration_Schema	DB_ERP_DSD_Integration_Schema?	false
DB_ERP_DSD_Integration_Server	DB_ERP_DSD_Integration_Server?	false
DB_Navision_AdditionalParams	DB_Navision_AdditionalParams?	false
DB_Navision_Database	DB_Navision_Database?	false
DB_Navision_Login	DB_Navision_Login?	false

DB_Navision_Password	DB_Navision_Password?	false
DB_Navision_Port	DB_Navision_Port?	false
DB_Navision_Schema	DB_Navision_Schema?	false
DB_Navision_Server	DB_Navision_Server?	false
DB_Navision_Target_Staging	DB_Navision_Target_Staging?	false
DB_Talend_Context_AdditionalParams	DB_Talend_Context_AdditionalParams?	false
DB_Talend_Context_Database	DB_Talend_Context_Database?	false
DB_Talend_Context_Login	DB_Talend_Context_Login?	false
DB_Talend_Context_Password	DB_Talend_Context_Password?	false
DB_Talend_Context_Port	DB_Talend_Context_Port?	false
DB_Talend_Context_Schema	DB_Talend_Context_Schema?	false
DB_Talend_Context_Server	DB_Talend_Context_Server?	false
NAV_Contact	NAV_Contact?	false
NAV_Customer	NAV_Customer?	false
RM_Customer_Encoding	RM_Customer_Encoding?	false
RM_Customer_FieldSeparator	RM_Customer_FieldSeparator?	false
RM_Customer_File	RM_Customer_File?	false

RM_Customer_RowSeparator?	RM	Customer	RowSeparator?
---------------------------	----	----------	---------------

false

Component List

Component Name	Component Type
jlet_CustomLogging_NAV_1	jlet_CustomLogging_NAV
tContextLoad_1	tContextLoad
tCreateTable_1	tCreateTable
tDBCommit_1	tMSSqlCommit
tDBCommit_2	tMSSqlCommit
tDBCommit_3	tMSSqlCommit
tDBConnection_1	tMSSqlConnection
tDBConnection_2	tMSSqlConnection
tDBInput_1	tMSSqlInput
tDBOutput_1	tMSSqlOutput
tFileInputPositional_1	tFileInputPositional
tFileList_1	tFileList
tFixedFlowInput_2	tFixedFlowInput

tFlowToIterate_2	tFlowTolterate
tJava_1	tJava
tJava_2	tJava
tLogCatcher_1	tLogCatcher
tLogRow_3	tLogRow
tMap_4	tMap
tPostjob_1	tPostjob
tPrejob_1	tPrejob
tSetKeystore_1	tSetKeystore

Components Description

Component tContextLoad

UNIQUE NAME	tContextLoad_1	INPUT(S)	tDBInput_1
LABEL	UNIQUE_NAME		tLogRow_1 , tDBConnection_1

Component Parameters:

Properties	Values
Unique Name	tContextLoad_1
Component Name	tContextLoad

0.101 (ALPHA)
Misc
false
false
false
true
false
false
org.talend.help.tContextLoad
true
C:\Talend\7.0.1\studio\configuration\lib\java
false
2
false

REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
If a variable loaded, but not in the context	Warning
If a variable in the context, but not loaded	Warning
Print operations	false
Disable errors	true
Disable warnings	true
Disable info	true
Die on error	false
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tContextLoad_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
key	false	String	255		true	
value	false	String	255		true	

Original Function Parameters: Component tCreateTable

	UNIQUE NAME	tCreateTable_1	INPUT(S)	tDBConnection_1	
	LABEL	UNIQUE_NAME	OUTPUT(S)	tDBCommit_3	

Component Parameters:

Component Parameters:			
Properties	Values		
Unique Name	tCreateTable_1		
Component Name	tCreateTable		
Version	0.102 (ALPHA)		
Family	Databases		
Start	false		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	true		
Activate	true		

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tCreateTable
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
Database Type	MSSQL
Table Action	DROP_IF_EXIST_CREATE
Case Sensitive	false
Use an existing connection	true
Host	пп

Database Name	ш
Local Service Name	пп
URL	"jdbc:oracle:oci:/@db10g_test"
UserName	ш
Password	**
Port	ш
Schema	ш
Access File	"C:/Talend/7.0.1/studio/workspace-remote-dev-multi-compa
DB Version	jt400_V6R1.jar
Firebird File	"C:/Talend/7.0.1/studio/workspace-remote-dev-multi-compa
Running Mode	HSQLDB_SERVER
Use TLS/SSL Sockets	false
DB Path	1111
Database Name	ш
DB Alias	ни
Instance	пп
Interbase File	"C:/Talend/7.0.1/studio/workspace-remote-dev-multi-compa

EMBEDED
false
mn
""
tDBConnection_1
JTDS
false
MYSQL_5
ORACLE_SID
""
ORACLE_12
PRIOR_TO_V9
"C:/Talend/7.0.1/studio/workspace-remote-dev-multi-compa
SYBSEIQ_16
пи
true
vertica_3.0_jdk_5.jar

Table Name	"NAV_Customer"
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Mapping	id_MSSQL
Create	SET
Additional JDBC Parameters	"prompt=false"
!!!ENCODING.NAME!!!	"ISO-8859-15"
Create projection	true
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tCreateTable_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment	

CustomerNo	false	String	255	false
ShippingNo	false	String	255	true
Name	false	String	255	true
Address	false	String	255	true
Address_2	false	String	255	true
Region_Code	false	String	255	true
ZIP	false	String	255	true
Phone	false	String	255	true
Tax_Area_Code	false	String	255	true
Shipping_Address	false	String	255	true
Shipping_Address2	false	String	255	true
Shipping_Region_Code	false	String	255	true
Shipping_City	false	String	255	true
Shipping_ZIP	false	String	255	true
Shipping_Phone	false	String	255	true
Shipping_Tax_Area	false	String	255	true
Customer_Buying_Group_Code	false	String	255	true

Payment_Terms_Code	false	String	255		true
Bill_to_Customer_No	false	String	255		true
Order_Rule_Group	false	String	255		true
Credit_Limit_LCY	false	BigDecimal	38	6	true
Minimum_Sales_Order_Amount	false	BigDecimal	38	6	true
Guaranteed_Order	false	Integer	30		true
Blocked	false	Integer	30		true
Invoice_Copies	false	Integer	30		true
Payment_Method_Code	false	String	255		true
Store_Identification	false	String	255		true
Retail_Price_Group	false	String	255		true
Latitude	false	BigDecimal	38	6	true
Longitude	false	BigDecimal	38	6	true
Customer_Invoice_Service_Type	false	Integer	30		true
DiscountPercent	false	BigDecimal	38	6	true
ROUTE	false	String	255		true
FACILITY	false	String	255		true

LOCATION	false	String	255	true
ROUTEGROUP	false	String	255	true
CRC	false	long	30	false
ProcessTimeStamp	false	String	255	false

Original Function Parameters: Component tMSSqlCommit

	UNIQUE NAME	tDBCommit_1	INPUT(S)	tJava_1	
	LABEL	UNIQUE_NAME	OUTPUT(S)	tDBCommit_2	

Component Parameters:

Component Parameters:		
Properties	Values	
Database	tMSSqlCommit	
Unique Name	tDBCommit_1	
Component Name	tMSSqlCommit	
Version	0.102 (ALPHA)	
Family	Databases/DB Specifics/MS_SQL_Server	
Start	false	
Startable	true	
SUBTREE_START	true	

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlCommit
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Component List	tDBConnection_1
Close Connection	true
Schema	Built-In
Label format	UNIQUE_NAME

Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBCommit_1:

Column	Key	Туре	Length	Precision	Nullable	Comment

Original Function Parameters: Component tMSSqlCommit

UNIQUE NAME	tDBCommit_2	INPUT(S)	tDBCommit_1
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:

Component i arameters.		
Properties	Values	
Database	tMSSqlCommit	
Unique Name	tDBCommit_2	
Component Name	tMSSqlCommit	
Version	0.102 (ALPHA)	

Family	Databases/DB Specifics/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlCommit
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

Component List	tDBConnection_2
Close Connection	true
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBCommit_2:

Column Key Type	Length	Precision	Nullable	Comment	
-----------------	--------	-----------	----------	---------	--

Original Function Parameters: Component tMSSqlCommit

UNIQUE NAME	tDBCommit_3	INPUT(S)	tCreateTable_1
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Properties	Values

tMSSqlCommit
tDBCommit_3
tMSSqlCommit
0.102 (ALPHA)
Databases/DB Specifics/MS_SQL_Server
false
true
true
true
true
false
false
org.talend.help.tMSSqlCommit
true
C:\Talend\7.0.1\studio\configuration\lib\java

Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Component List	tDBConnection_1
Close Connection	false
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBCommit_3 :

	Column	Key	Туре	Length	Precision	Nullable	Comment	
--	--------	-----	------	--------	-----------	----------	---------	--

Original Function Parameters: Component tMSSqlConnection

UNIQUE NAME	tDBConnection_1	INPUT(S)	tContextLoad_1
			tDBConnection_2
LABEL	ERP_DSD_Integration	OUTPUT(S)	, tCreateTable_1

Component Parameters:			
Properties	Values		
Database	tMSSqlConnection		
Unique Name	tDBConnection_1		
Component Name	tMSSqlConnection		
Version	0.102 (ALPHA)		
Family	Databases/DB Specifics/MS_SQL_Server ELT/Connections		
Start	false		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		

Help	org.talend.help.tMSSqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MSSQL):DB_ERP_DSD_Integration
JDBC Provider	JTDS
Host	context.DB_ERP_DSD_Integration_Server
Database Driver	MSSQL
Port	context.DB_ERP_DSD_Integration_Port
Schema	context.DB_ERP_DSD_Integration_Schema
Database	context.DB_ERP_DSD_Integration_Database
Username	context.DB_ERP_DSD_Integration_Login

	1
Password	context.DB_ERP_DSD_Integration_Password
Encoding	"ISO-8859-15"
Additional JDBC Parameters	context.DB_ERP_DSD_Integration_AdditionalParams
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	false
Data source alias	11 11
Auto Commit	false
Share identity insert in multi table	false
Label format	ERP_DSD_Integration
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

/alidation Rule Type

Original Function Parameters: Component tMSSqlConnection

3	UNIQUE NAME	tDBConnection_2	INPUT(S)	tDBConnection_1	
	LABEL	DB_Navision	OUTPUT(S)	tSetKeystore_1	

Component Parameters:				
Properties	Values			
Database	tMSSqlConnection			
Unique Name	tDBConnection_2			
Component Name	tMSSqlConnection			
Version	0.102 (ALPHA)			
Family	Databases/DB Specifics/MS_SQL_Server ELT/Connections			
Start	false			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	true			
Activate	true			

DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tMSSqlConnection	
Update components	true	
IREPORT_PATH		
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java	
Subjob color		
Title color		
Enable parallel execution	false	
Number of parallel executions	2	
	false	
Property Type	repository: DB (MSSQL):DB_Navision	
JDBC Provider	MSSQL_PROP	
Host context.DB_Navision_Server		
Database Driver	MSSQL	
Port	context.DB_Navision_Port	
Schema	context.DB_Navision_Schema	

Database	context.DB_Navision_Database
Username	context.DB_Navision_Login
Password	context.DB_Navision_Password
Encoding	"ISO-8859-15"
Additional JDBC Parameters	context.DB_Navision_AdditionalParams
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	false
Data source alias	11.11
Auto Commit	false
Share identity insert in multi table	false
Label format	DB_Navision
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tMSSqlInput

	UNIQUE NAME	tDBInput_1	INPUT(S)	tJava_2
	LABEL	DB_Talend_Context	OUTPUT(S)	tContextLoad_1

Properties	Values
Database	tMSSqlInput
Unique Name	tDBInput_1
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	true

END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Use an existing connection	false
Component List	
Property Type	repository: DB (MSSQL):DB_Talend_Context
Host	context.DB_Talend_Context_Server

JDBC Provider	JTDS
Database Driver	MSSQL
Port	context.DB_Talend_Context_Port
Schema	context.DB_Talend_Context_Schema
Database	context.DB_Talend_Context_Database
Username	context.DB_Talend_Context_Login
Password	context.DB_Talend_Context_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	н
Query Type	Built-In
Guess Schema	пп
Query	"SELECT [key] ,[value] FROM [" +context.DB_Talend_Context_Database+ "].[" +context.DB_Talend_Context_Schema+ "].[IMPLICIT_CONTEXT_" +context.implicit_db_environme where (instance='"+context.source+"_"+context.instance.substring or (instance='RM_"+context.instance.substring(4,6)+"' and like '%Customer%' or [key] = 'directory'))"
Specify a data source alias	false
Data source alias	11.11

Mapping	id_MSSQL
Additional JDBC Parameters	context.DB_Talend_Context_AdditionalParams
Encoding	"ISO-8859-15"
Trim all the String/Char columns	true
Trim column	[{SCHEMA_COLUMN=key, TRIM=false}, {SCHEMA_COLUMN=value, TRIM=false}]
Label format	DB_Talend_Context
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBInput_1:

Column	Key	Туре	Length	Precision	Nullable	Comment
key	false	String	255		true	
value	false	String	255		true	

Original Function Parameters: Component tMSSqlOutput

	UNIQUE NAME	tDBOutput_1	INPUT(S)	tMap_4	
	LABEL	Delta	OUTPUT(S)	none	

Component Parameters:			
Properties	Values		
Database	tMSSqlOutput		
Unique Name	tDBOutput_1		
Component Name	tMSSqlOutput		
Version	0.102 (ALPHA)		
Family	Databases/DB Specifics/MS_SQL_Server		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tMSSqlOutput		
Update components	true		

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MSSQL):DB_ERP_DSD_Integration
Use an existing connection	true
Component List	tDBConnection_1
JDBC Provider	JTDS
Host	context.DB_ERP_DSD_Integration_Server
Port	context.DB_ERP_DSD_Integration_Port
Schema	context.DB_ERP_DSD_Integration_Schema
Database	context.DB_ERP_DSD_Integration_Database
Database Driver	MSSQL
Username	context.DB_ERP_DSD_Integration_Login

Password	context.DB_ERP_DSD_Integration_Password
Table	"NAV_Customer_PriceTab_All"
Action on table	CREATE_IF_NOT_EXISTS
Turn on Identity insert	false
Action on data	INSERT
Specify identity field	false
Identity field	DB_CUST_CUST_NUMBER
Start value	1
Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	пп
Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	context.DB_ERP_DSD_Integration_AdditionalParams

Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	
Use field options	false
Field options	[{SCHEMA_COLUMN=DB_CUST_CUST_NUMBER, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=DB_CUST_WHOLESALE_PRICE_TUPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Instance, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, INSERTABLE=tr {SCHEMA_COLUMN=DB_CUST_CUST_NUMBER_Origin UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}]
Ignore date out of range	false
Enable debug mode	false
Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	10000
Label format	Delta
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBOutput_1 :

oonema for toboutput_1.						
Column	Key	Туре	Length	Precision	Nullable	Comment
DB_CUST_CUST_NUMBER	false	String	20		false	
DB_CUST_WHOLESALE_PRICE_TAB	false	Integer	4		true	
Instance	false	String	20		true	
DB_CUST_CUST_NUMBER_Original	false	Integer	9		true	

Original Function Parameters: Component tFileInputPositional

	UNIQUE NAME	tFileInputPositional_1	INPUT(S)	tFileList_1
	LABEL	Customer File	OUTPUT(S)	tMap_4

Properties	Values	
Unique Name	tFileInputPositional_1	
Component Name	tFileInputPositional	
Version	0.102 (ALPHA)	

Family	File/Input
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	true
Help	org.talend.help.tFileInputPositional
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

Property Type	Built-In
Use existing dynamic	false
Component List	
File name/Stream	((String)globalMap.get("tFileList_1_CURRENT_FILEPATH
Row Separator	"\n"
Customize	false
Pattern	context.RM_Customer_FieldSeparator
Pattern units	SYMBOLS
	[{SCHEMA_COLUMN=DB_CUST_CUST_NUMBER, SIZE PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_NAME, SIZE=30, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_ADDR2, SIZE=30 PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_ADDR3, SIZE=30 PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_CITY, SIZE=20, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_STATE, SIZE=2, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_ZIP_CODE, SIZE PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_AREA_CODE, SI. PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_PHONE_3, SIZE=PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_PHONE_4, SIZE=PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_ACCOUNT_TYPE, SIZE PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_ACCOUNT_TYPE, SIZE PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_ACTIVE_SWITCH, SIZE PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_PAYMENT_TYPE, SIZE PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_PAYMENT_TYPE, SIZE PADDING_CHAR=' ', ALIGN='L'},

```
{SCHEMA_COLUMN=DB_CUST_WHOLESALE_PRICE_7
SIZE=4, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_RETAIL_PRICE_TABLE
SIZE=4, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_DELIVERY_DAYS, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CHAIN_NUMBER, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST AR NUMBER, SIZE=9,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST GROUP CODE, SIZE=:
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST COMM TYPE, SIZE=1,
PADDING_CHAR=' ', ALIGN='L'},
(SCHEMA COLUMN=DB CUST COMP BID SHR TABL
SIZE=4, PADDING_CHAR=' ', ALIGN='L'},
(SCHEMA COLUMN=DB CUST DSTB BID SHR TABL
SIZE=4, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST LBS PRICE TABLE, SI
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST STORE NUMBER, SIZI
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_ROUTE_NUMBER, SIZI
PADDING_CHAR=' ', ALIGN='L'},
SCHEMA COLUMN=DB CUST BILL NAME, SIZE=30,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST BILL ADDR2, SIZE=30,
PADDING_CHAR=' ', ALIGN='L'},
SCHEMA COLUMN=DB CUST BILL ADDR3, SIZE=30,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BILL_CITY, SIZE=20,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST BILL STATE, SIZE=2,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BILL_ZIP_CODE, SIZE=
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BILL_AREA_CODE, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BILL_PHONE_3, SIZE=
PADDING_CHAR=' ', ALIGN='L'},
SCHEMA COLUMN=DB CUST BILL PHONE 4, SIZE=
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PRINT_INVOICE, SIZE:
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_NO_OF_INVOICE_COF
SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PAGE_PER_CATG, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST SUBTOTAL CATG, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PRINT_CREDIT_INVOI
```

```
SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_MESSAGE_1, SIZE=20;
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_MESSAGE_2, SIZE=20.
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_1, SIZE=7,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_2, SIZE=7,
PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_3, SIZE=7,
PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_4, SIZE=7,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB_CUST_CAT_DISC_5, SIZE=7,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_6, SIZE=7,
PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_7, SIZE=7,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_8, SIZE=7,
PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_9, SIZE=7,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_10, SIZE=7.
PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PRINT_WHSLE_PRICE
SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BALANCE_METHOD, S
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_TERMS_DISC_PERCEI
SIZE=7, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_TERMS_DISC_DAYS,
SIZE=5, PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_TERMS_NET_DAYS, S
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CREDIT_LIMIT, SIZE=1
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BILLING_FREQ, SIZE=
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SALES_TAX_CODE, SI
PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_UNIT_BILLING, SIZE=1
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PRINT_STATEMENTS,
SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST UNIT HISTORY, SIZE=
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_ADDITIONAL_DISC, SIZ
PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_LBS_BILLING, SIZE=1,
PADDING CHAR=' ', ALIGN='L'},
```

{SCHEMA COLUMN=DB CUST LAST PMT DATE, SIZI PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_LAST_PMT_AMOUNT, SIZE=11, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_CHECK_AUTH_PROD_ SIZE=1, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_STOP_NO, SIZE=4, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA COLUMN=DB CUST TAX RATE, SIZE=5, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA COLUMN=DB CUST CONTRACT POINTER SIZE=3, PADDING_CHAR=' ', ALIGN='L'}, SCHEMA COLUMN=DB CUST STOP INV DISC PCT, SIZE=5, PADDING_CHAR=' ', ALIGN='L'}, (SCHEMA COLUMN=DB CUST ONHAND METHOD, SI PADDING_CHAR=' ', ALIGN='L'}, (SCHEMA COLUMN=DB CUST PRINT UPC, SIZE=1, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA COLUMN=DB CUST PRINT PRICE CTRL, SIZE=1, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA COLUMN=DB CUST PRINT RETAIL, SIZE= PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA COLUMN=DB CUST STAMP SIG SWITCH, SIZE=1, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA COLUMN=DB CUST RETURN CTRL, SIZE= PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA COLUMN=DB CUST AUTH PROD, SIZE=2, PADDING_CHAR=' ', ALIGN='L'}, SCHEMA COLUMN=DB CUST INV PRICE GROUP, S PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_BALANCE_CORRECTION | SCHEMA_COLUMN=DB_CUST_BALANCE_CORRECTION | SCHEMA_COLUMN=DB_CUST_BA SIZE=10, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA COLUMN=DB CUST REDIST CTRL, SIZE=1 PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_PICK_LIST_FLAG, SIZE PADDING_CHAR=' ', ALIGN='L'}, (SCHEMA COLUMN=DB CUST PREORDER FLAG, SIZ PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_GST_EXEMPT_FLAG, SIZE=1, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA COLUMN=DB CUST DEX FLAG, SIZE=1, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_PRINT_MARGIN_CTRL SIZE=1, PADDING_CHAR=' ', ALIGN='L'}, SCHEMA COLUMN=DB CUST FAMILY GROUP COD SIZE=2, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_MASTER_CHAIN, SIZE PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA COLUMN=DB CUST COMM TABLE, SIZE=2 PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_FORECASTING_TABLE

Formats

```
SIZE=3, PADDING_CHAR=' ', ALIGN='L'},
(SCHEMA COLUMN=DB CUST ORDER ADJ CONTRO
SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BALANCE_TYPE, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_AUTH_PROD_TBL, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_STATEMENT_GROUP,
SIZE=1, PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_AR_CUST_SW, SIZE=1
PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CHAIN_CUST_SW, SIZ
PADDING CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST MAST CHAIN CUST {
SIZE=1, PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CONTACT_PERSON,
SIZE=20, PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SH_FAX_AREA_CODE
SIZE=3, PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SH_FAX_PHONE_3, SI
PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SH_FAX_PHONE_4, SI
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BL_FAX_AREA_CODE,
SIZE=3, PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BL_FAX_PHONE_3, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BL_FAX_PHONE_4, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_INACTIVE_DATE, SIZE
PADDING_CHAR=' ', ALIGN='L'},
SCHEMA COLUMN=DB CUST ACCOUNT DATE, SIZE
PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=OCCURS_7_TIMES, SIZE=21,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SS_UNIT_CASE, SIZE=
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST STALE PRICING SW.
SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST PREVIOUS LINK, SIZE
PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_LOAD_SEQUENCE, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_INV_ACCNT_NUMBER
SIZE=9, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST ESCL DISC TYPE, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SETTL_COMM_RTE_N
SIZE=4, PADDING CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_IVR_FLAG, SIZE=1,
PADDING_CHAR=' ', ALIGN='L'},
```

```
{SCHEMA_COLUMN=DB_CUST_IVR_PASSWORD, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SALES_MANAGER, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SALES_MANAGER_DE
SIZE=25, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SALES_REP, SIZE=3,
PADDING_CHAR=' ', ALIGN='L'},
(SCHEMA COLUMN=DB CUST SALES REP DESC,
SIZE=25, PADDING_CHAR=' ', ALIGN='L'},
(SCHEMA COLUMN=DB CUST BUYING GROUP COD
SIZE=3, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST STOP RATE, SIZE=8,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST LITRE RATE, SIZE=11.
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST DEPT INVOICE, SIZE=
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST LBS TABLE, SIZE=4,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST COMM TABLE NEW,
SIZE=4, PADDING_CHAR=' ', ALIGN='L'},
(SCHEMA COLUMN=DB CUST RET CAP TABLE, SIZI
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB SALES MODE FLAG, SIZE=1
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST LAST SERVICE DATE
SIZE=8, PADDING_CHAR=' ', ALIGN='L'},
(SCHEMA COLUMN=DB CUST LANGUAGE CODE, SI)
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_DEI_ACTIVE_SW, SIZE
PADDING_CHAR=' ', ALIGN='L'},
(SCHEMA COLUMN=DB CUST EDI TRANS SET 1, SI
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_EDI_TRANS_SET_2, SI
PADDING_CHAR=' ', ALIGN='L'},
SCHEMA COLUMN=DB CUST EDI PARTNER DUNS
SIZE=9, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_EDI_PARTNER_SUFFI}
SIZE=4, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA COLUMN=DB CUST EDI PARTNER TRADI
SIZE=13, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_EDI_PARTNER_ID_CO
SIZE=2, PADDING_CHAR=' ', ALIGN='L'},
(SCHEMA COLUMN=DB CUST EDI PARTNER ID, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_RETAIL_DISC_TABLE, SIZE=4
PADDING_CHAR=' ', ALIGN='L'},
(SCHEMA COLUMN=DB MERCHANDISER ACCT, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_DROP_ROUTE_NUMBER, SIZ
```

PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_MIN_ORDER_CONTROL_TAB
SIZE=4, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_INV_ALT_NUMBER, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_ANTI_DISC_TABLE, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CPART_PRICE_TABLE

	SIZE=4, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_END_OF_RECORD, SIZ PADDING_CHAR=' ', ALIGN='L'}]
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Header	0
Footer	0
Limit	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
Needed to process rows longer than 100 000 characters	false
Advanced separator (for numbers)	false
Thousands separator	II II ,
Decimal separator	II II .
Trim all columns	true
Validate date	false
	[{SCHEMA_COLUMN=DB_CUST_CUST_NUMBER,

```
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SHIP_NAM
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SHIP ADI
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SHIP_AD[
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SHIP_CIT
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SHIP_STA
TRIM=false}.
{SCHEMA_COLUMN=DB_CUST_SHIP_ZIP_CODE,
TRIM=false},
{SCHEMA COLUMN=DB CUST SHIP AREA CODE,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SHIP_PH(
TRIM=false}, {SCHEMA COLUMN=DB CUST SHIP PH(
TRIM=false}.
{SCHEMA COLUMN=DB CUST ACCOUNT TYPE,
TRIM=false},
{SCHEMA COLUMN=DB CUST ACTIVE SWITCH,
TRIM=false}.
{SCHEMA COLUMN=DB CUST PAYMENT TYPE,
TRIM=false},
{SCHEMA COLUMN=DB CUST WHOLESALE PRICE ]
TRIM=false},
(SCHEMA COLUMN=DB CUST RETAIL PRICE TABLE
TRIM=false}.
{SCHEMA COLUMN=DB CUST DELIVERY DAYS,
TRIM=false},
{SCHEMA COLUMN=DB CUST CHAIN NUMBER,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_AR_NUME
TRIM=false}, {SCHEMA COLUMN=DB CUST GROUP (
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_COMM_T\
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_COMP_BID_SHR_TABL
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_DSTB_BID_SHR_TABL
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_LBS_PRICE_TABLE,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_STORE_NUMBER,
TRIM=false},
SCHEMA COLUMN=DB CUST ROUTE NUMBER.
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_BILL_NAW
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_BILL ADD
TRIM=false}, {SCHEMA COLUMN=DB CUST BILL ADD
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_BILL_CIT}
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_BILL_STA
TRIM=false}.
{SCHEMA_COLUMN=DB_CUST_BILL_ZIP_CODE,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_BILL_AREA_CODE,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_BILL_PHC
TRIM=false}, {SCHEMA COLUMN=DB CUST BILL PHC
TRIM=false}.
{SCHEMA_COLUMN=DB_CUST_PRINT_INVOICE,
```

```
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_NO_OF_INVOICE_COF
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_PAGE_PER_CATG,
TRIM=false},
{SCHEMA COLUMN=DB CUST SUBTOTAL CATG.
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_PRINT_CREDIT_INVOI
TRIM=false}, {SCHEMA COLUMN=DB CUST MESSAGE
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_MESSAGE
TRIM=false}, {SCHEMA COLUMN=DB CUST CAT DISC
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_CAT_DISC
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_PRINT_WHSLE_PRICE
TRIM=false}.
{SCHEMA_COLUMN=DB_CUST_BALANCE_METHOD,
TRIM=false}.
{SCHEMA_COLUMN=DB_CUST_TERMS_DISC_PERCEI
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_TERMS_DISC_DAYS,
TRIM=false).
{SCHEMA_COLUMN=DB_CUST_TERMS_NET_DAYS,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_CREDIT_L
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_BILLING_F
TRIM=false},
{SCHEMA COLUMN=DB CUST SALES TAX CODE,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_UNIT_BILL
TRIM=false},
SCHEMA COLUMN=DB CUST PRINT STATEMENTS,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_UNIT_HIS
TRIM=false},
(SCHEMA COLUMN=DB CUST ADDITIONAL DISC.
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_LBS_BILL
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_LAST_PMT_DATE,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_LAST_PMT_AMOUNT,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_CHECK_AUTH_PROD_
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_STOP_NC
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_TAX_RATI
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_CONTRACT_POINTER
```

Check column to trim

```
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_STOP_INV_DISC_PCT,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_ONHAND_METHOD,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_PRINT_UF
TRIM=false}.
{SCHEMA COLUMN=DB CUST PRINT PRICE CTRL,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_PRINT_RE
TRIM=false},
{SCHEMA COLUMN=DB CUST STAMP SIG SWITCH.
TRIM=false}, {SCHEMA COLUMN=DB CUST RETURN
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_AUTH_PR
TRIM=false}.
{SCHEMA COLUMN=DB CUST INV PRICE GROUP.
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_BALANCE_CORRECTION
TRIM=false}, {SCHEMA COLUMN=DB CUST REDIST (
TRIM=false},
{SCHEMA COLUMN=DB CUST PICK LIST FLAG,
TRIM=false},
(SCHEMA COLUMN=DB CUST PREORDER FLAG,
TRIM=false}.
{SCHEMA COLUMN=DB CUST GST EXEMPT FLAG,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_DEX_FLAGE
TRIM=false}.
{SCHEMA_COLUMN=DB_CUST_PRINT_MARGIN_CTRL
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_FAMILY_GROUP_COD
TRIM=false}.
{SCHEMA_COLUMN=DB_CUST_MASTER_CHAIN,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_COMM_T/
TRIM=false},
SCHEMA COLUMN=DB CUST FORECASTING TABLE
TRIM=false},
KSCHEMA COLUMN=DB CUST ORDER ADJ CONTRO
TRIM=false},
{SCHEMA COLUMN=DB CUST BALANCE TYPE,
TRIM=false},
{SCHEMA COLUMN=DB CUST AUTH PROD TBL,
TRIM=false},
SCHEMA COLUMN=DB CUST STATEMENT GROUP,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_AR_CUST
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_CHAIN_CUST_SW,
TRIM=false},
{SCHEMA COLUMN=DB CUST MAST CHAIN CUST {
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_CONTACT_PERSON,
TRIM=false},
```

{SCHEMA_COLUMN=DB_CUST_SH_FAX_AREA_CODE

TRIM=false},

```
{SCHEMA_COLUMN=DB_CUST_SH_FAX_PHONE_3,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_SH_FAX_PHONE_4,
TRIM=false}.
{SCHEMA_COLUMN=DB_CUST_BL_FAX_AREA_CODE,
TRIM=false}.
{SCHEMA_COLUMN=DB_CUST_BL_FAX_PHONE_3,
TRIM=false},
{SCHEMA COLUMN=DB CUST BL FAX PHONE 4,
TRIM=false}.
SCHEMA COLUMN=DB CUST INACTIVE DATE,
TRIM=false}.
{SCHEMA COLUMN=DB CUST ACCOUNT DATE,
TRIM=false}, {SCHEMA_COLUMN=OCCURS_7_TIMES,
TRIM=false}, {SCHEMA COLUMN=DB CUST SS UNIT
TRIM=false}.
SCHEMA COLUMN=DB CUST STALE PRICING SW,
TRIM=false},
SCHEMA COLUMN=DB CUST PREVIOUS LINK,
TRIM=false},
{SCHEMA COLUMN=DB CUST LOAD SEQUENCE,
TRIM=false}.
SCHEMA COLUMN=DB CUST INV ACCNT NUMBER
TRIM=false},
{SCHEMA COLUMN=DB CUST ESCL DISC TYPE,
TRIM=false},
{SCHEMA COLUMN=DB CUST SETTL COMM RTE N
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_IVR_FLAG
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_IVR_PASSWORD,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_SALES_MANAGER,
TRIM=false},
{SCHEMA COLUMN=DB CUST SALES MANAGER DE
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SALES_RI
TRIM=false}.
{SCHEMA COLUMN=DB CUST SALES REP DESC,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_BUYING_GROUP_COD
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_STOP_RA
TRIM=false}, {SCHEMA COLUMN=DB CUST LITRE RA
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_DEPT_IN\
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_LBS_TABL
TRIM=false}.
{SCHEMA_COLUMN=DB_CUST_COMM_TABLE_NEW,
TRIM=false},
{SCHEMA COLUMN=DB CUST RET CAP TABLE,
TRIM=false}, {SCHEMA_COLUMN=DB_SALES_MODE_F
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_LAST_SERVICE_DATE
TRIM=false},
```

Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for Customer:

Schema for Customer :						
Column	Key	Туре	Length	Precision	Nullable	Comment
DB_CUST_CUST_NUMBER	false	Integer	9		true	
DB_CUST_SHIP_NAME	false	String	30		true	
DB_CUST_SHIP_ADDR2	false	String	30		true	
DB_CUST_SHIP_ADDR3	false	String	30		true	
DB_CUST_SHIP_CITY	false	String	20		true	
DB_CUST_SHIP_STATE	false	String	2		true	
DB_CUST_SHIP_ZIP_CODE	false	String	10		true	
DB_CUST_SHIP_AREA_CODE	false	String	3		true	
DB_CUST_SHIP_PHONE_3	false	String	3		true	
DB_CUST_SHIP_PHONE_4	false	String	4		true	
DB_CUST_ACCOUNT_TYPE	false	Integer	2		true	
DB_CUST_ACTIVE_SWITCH	false	String	1		true	

false	String	1	true
false	Integer	4	true
false	Integer	4	true
false	String	7	true
false	Integer	9	true
false	Integer	9	true
false	String	2	true
false	String	1	true
false	Integer	4	true
false	Integer	4	true
false	Integer	4	true
false	String	10	true
false	Integer	9	true
false	String	30	true
false	String	30	true
false	String	30	true
false	String	20	true
	false	false Integer false Integer false String false Integer false String false String false Integer false Integer false Integer false Integer false Integer false String false String false String false String false String	false Integer 4 false Integer 4 false String 7 false Integer 9 false String 2 false String 1 false Integer 4 false Integer 4 false Integer 4 false Integer 9 false String 10 false String 30 false String 30 false String 30

DB_CUST_BILL_STATE	false	String	2		true
DB_CUST_BILL_ZIP_CODE	false	String	10		true
DB_CUST_BILL_AREA_CODE	false	Integer	3		true
DB_CUST_BILL_PHONE_3	false	Integer	3		true
DB_CUST_BILL_PHONE_4	false	Integer	4		true
DB_CUST_PRINT_INVOICE	false	String	1		true
DB_CUST_NO_OF_INVOICE_COPIES	false	Integer	1		true
DB_CUST_PAGE_PER_CATG	false	String	1		true
DB_CUST_SUBTOTAL_CATG	false	String	1		true
DB_CUST_PRINT_CREDIT_INVOICE	false	String	1		true
DB_CUST_MESSAGE_1	false	String	20		true
DB_CUST_MESSAGE_2	false	String	20		true
DB_CUST_CAT_DISC_1	false	Float	7	4	true
DB_CUST_CAT_DISC_2	false	Float	7	4	true
DB_CUST_CAT_DISC_3	false	Float	7	4	true
DB_CUST_CAT_DISC_4	false	Float	7	4	true
DB_CUST_CAT_DISC_5	false	Float	7	4	true

DB_CUST_CAT_DISC_6	false	Float	7	4	true
DB_CUST_CAT_DISC_7	false	Float	7	4	true
DB_CUST_CAT_DISC_8	false	Float	7	4	true
DB_CUST_CAT_DISC_9	false	Float	7	4	true
DB_CUST_CAT_DISC_10	false	Float	7	4	true
DB_CUST_PRINT_WHSLE_PRICE	false	String	1		true
DB_CUST_BALANCE_METHOD	false	String	1		true
DB_CUST_TERMS_DISC_PERCENT	false	Float	7	3	true
DB_CUST_TERMS_DISC_DAYS	false	Integer	5		true
DB_CUST_TERMS_NET_DAYS	false	Integer	5		true
DB_CUST_CREDIT_LIMIT	false	Integer	10		true
DB_CUST_BILLING_FREQ	false	String	1		true
DB_CUST_SALES_TAX_CODE	false	String	2		true
DB_CUST_UNIT_BILLING	false	String	1		true
DB_CUST_PRINT_STATEMENTS	false	String	1		true
DB_CUST_UNIT_HISTORY	false	String	1		true
DB_CUST_ADDITIONAL_DISC	false	String	1		true

DB_CUST_LAST_PMT_DATE DB_CUST_LAST_PMT_AMOUNT false Float 11 4 true DB_CUST_CHECK_AUTH_PROD_SW false String 1 true DB_CUST_STOP_NO false String 1 true DB_CUST_TAX_RATE false Float DB_CUST_CONTRACT_POINTER false String 3 true DB_CUST_STOP_INV_DISC_PCT false Float DB_CUST_ONHAND_METHOD false Integer 1 true DB_CUST_PRINT_UPC false String 1 true DB_CUST_PRINT_PRICE_CTRL false Integer false String 1 true DB_CUST_PRINT_RETAIL false String 1 true DB_CUST_STAMP_SIG_SWITCH false Integer false Integer true DB_CUST_RETURN_CTRL false Integer true DB_CUST_AUTH_PROD false Integer true DB_CUST_AUTH_PROD false Integer true DB_CUST_AUTH_PROD false Integer true						
DB_CUST_LAST_PMT_AMOUNT false Float 11 4 true DB_CUST_CHECK_AUTH_PROD_SW false String 1 true DB_CUST_STOP_NO false String 4 true DB_CUST_TAX_RATE false Float 5 3 true DB_CUST_CONTRACT_POINTER false String 3 true DB_CUST_STOP_INV_DISC_PCT false Float 5 3 true DB_CUST_ONHAND_METHOD false Integer 1 true DB_CUST_PRINT_UPC false String 1 true DB_CUST_PRINT_PRICE_CTRL false Integer 1 true DB_CUST_PRINT_RETAIL false String 1 true DB_CUST_PRINT_RETAIL false Integer 1 true DB_CUST_STAMP_SIG_SWITCH false Integer 1 true DB_CUST_RETURN_CTRL false Integer 1 true DB_CUST_AUTH_PROD false Integer 2 true DB_CUST_INV_PRICE_GROUP false String 1 true	DB_CUST_LBS_BILLING	false	String	1		true
DB_CUST_CHECK_AUTH_PROD_SW false String 1 true DB_CUST_STOP_NO false String 4 true DB_CUST_TAX_RATE false Float 5 3 true DB_CUST_CONTRACT_POINTER false String 3 true DB_CUST_STOP_INV_DISC_PCT false Float 5 3 true DB_CUST_STOP_INV_DISC_PCT false Float 5 3 true DB_CUST_ONHAND_METHOD false Integer 1 true DB_CUST_PRINT_UPC false String 1 true DB_CUST_PRINT_PRICE_CTRL false Integer 1 true DB_CUST_PRINT_RETAIL false String 1 true DB_CUST_STAMP_SIG_SWITCH false Integer 1 true DB_CUST_STAMP_SIG_SWITCH false Integer 1 true DB_CUST_RETURN_CTRL false Integer 1 true DB_CUST_AUTH_PROD false Integer 2 true DB_CUST_INV_PRICE_GROUP false String 1 true	DB_CUST_LAST_PMT_DATE	false	String	8		true
DB_CUST_STOP_NO false String 4 true DB_CUST_TAX_RATE false Float 5 3 true DB_CUST_CONTRACT_POINTER false String 3 true DB_CUST_STOP_INV_DISC_PCT false Float 5 3 true DB_CUST_ONHAND_METHOD false Integer 1 true DB_CUST_PRINT_UPC false String 1 true DB_CUST_PRINT_PRICE_CTRL false Integer 1 true DB_CUST_PRINT_RETAIL false String 1 true DB_CUST_STAMP_SIG_SWITCH false Integer 1 true DB_CUST_RETURN_CTRL false Integer 1 true DB_CUST_RETURN_CTRL false Integer 1 true DB_CUST_AUTH_PROD false Integer 2 true DB_CUST_INV_PRICE_GROUP false String 1	DB_CUST_LAST_PMT_AMOUNT	false	Float	11	4	true
DB_CUST_TAX_RATE false Float false String true DB_CUST_STOP_INV_DISC_PCT false Float false	DB_CUST_CHECK_AUTH_PROD_SW	false	String	1		true
DB_CUST_CONTRACT_POINTER false String 3 true DB_CUST_STOP_INV_DISC_PCT false Float 5 3 true DB_CUST_ONHAND_METHOD false Integer 1 true DB_CUST_PRINT_UPC false String 1 true DB_CUST_PRINT_PRICE_CTRL false Integer 1 true DB_CUST_PRINT_RETAIL false String 1 true DB_CUST_STAMP_SIG_SWITCH false Integer 1 true DB_CUST_RETURN_CTRL false Integer 1 true DB_CUST_RETURN_CTRL false Integer 1 true DB_CUST_AUTH_PROD false Integer 2 true DB_CUST_INV_PRICE_GROUP false String 1 true	DB_CUST_STOP_NO	false	String	4		true
DB_CUST_STOP_INV_DISC_PCT false Float 5 3 true DB_CUST_ONHAND_METHOD false Integer 1 true DB_CUST_PRINT_UPC false String 1 true DB_CUST_PRINT_PRICE_CTRL false Integer 1 true DB_CUST_PRINT_RETAIL false String 1 true DB_CUST_STAMP_SIG_SWITCH false Integer 1 true DB_CUST_RETURN_CTRL false Integer 1 true DB_CUST_RETURN_CTRL false Integer 1 true DB_CUST_AUTH_PROD false Integer 2 true DB_CUST_INV_PRICE_GROUP false String 1 true	DB_CUST_TAX_RATE	false	Float	5	3	true
DB_CUST_ONHAND_METHOD false Integer 1 true DB_CUST_PRINT_UPC false String 1 true DB_CUST_PRINT_PRICE_CTRL false Integer 1 true DB_CUST_PRINT_RETAIL false String 1 true DB_CUST_STAMP_SIG_SWITCH false Integer 1 true DB_CUST_RETURN_CTRL false Integer 1 true DB_CUST_AUTH_PROD false Integer 2 true DB_CUST_INV_PRICE_GROUP false String 1 true	DB_CUST_CONTRACT_POINTER	false	String	3		true
DB_CUST_PRINT_UPC false String 1 true DB_CUST_PRINT_PRICE_CTRL false Integer 1 true DB_CUST_PRINT_RETAIL false String 1 true DB_CUST_STAMP_SIG_SWITCH false Integer 1 true DB_CUST_RETURN_CTRL false Integer 1 true DB_CUST_AUTH_PROD false Integer 2 true DB_CUST_INV_PRICE_GROUP false String 1 true	DB_CUST_STOP_INV_DISC_PCT	false	Float	5	3	true
DB_CUST_PRINT_PRICE_CTRL false Integer 1 true DB_CUST_PRINT_RETAIL false String 1 true DB_CUST_STAMP_SIG_SWITCH false Integer 1 true DB_CUST_RETURN_CTRL false Integer 1 true DB_CUST_AUTH_PROD false Integer 2 true DB_CUST_INV_PRICE_GROUP false String 1 true	DB_CUST_ONHAND_METHOD	false	Integer	1		true
DB_CUST_PRINT_RETAIL false String 1 true DB_CUST_STAMP_SIG_SWITCH false Integer 1 true DB_CUST_RETURN_CTRL false Integer 1 true DB_CUST_AUTH_PROD false Integer 2 true DB_CUST_INV_PRICE_GROUP false String 1 true	DB_CUST_PRINT_UPC	false	String	1		true
DB_CUST_STAMP_SIG_SWITCH false Integer 1 true DB_CUST_RETURN_CTRL false Integer 1 true DB_CUST_AUTH_PROD false Integer 2 true DB_CUST_INV_PRICE_GROUP false String 1 true	DB_CUST_PRINT_PRICE_CTRL	false	Integer	1		true
DB_CUST_RETURN_CTRL false Integer 1 true DB_CUST_AUTH_PROD false Integer 2 true DB_CUST_INV_PRICE_GROUP false String 1 true	DB_CUST_PRINT_RETAIL	false	String	1		true
DB_CUST_AUTH_PROD false Integer 2 true DB_CUST_INV_PRICE_GROUP false String 1 true	DB_CUST_STAMP_SIG_SWITCH	false	Integer	1		true
DB_CUST_INV_PRICE_GROUP false String 1 true	DB_CUST_RETURN_CTRL	false	Integer	1		true
	DB_CUST_AUTH_PROD	false	Integer	2		true
DB_CUST_BALANCE_CORRECTION false Float 10 3 true	DB_CUST_INV_PRICE_GROUP	false	String	1		true
	DB_CUST_BALANCE_CORRECTION	false	Float	10	3	true

DB_CUST_REDIST_CTRL	false	Integer	1	true
DB_CUST_PICK_LIST_FLAG	false	String	1	true
DB_CUST_PREORDER_FLAG	false	String	1	true
DB_CUST_GST_EXEMPT_FLAG	false	String	1	true
DB_CUST_DEX_FLAG	false	String	1	true
DB_CUST_PRINT_MARGIN_CTRL	false	Integer	1	true
DB_CUST_FAMILY_GROUP_CODE	false	String	2	true
DB_CUST_MASTER_CHAIN	false	Integer	9	true
DB_CUST_COMM_TABLE	false	String	2	true
DB_CUST_FORECASTING_TABLE	false	Integer	3	true
DB_CUST_ORDER_ADJ_CONTROL	false	String	1	true
DB_CUST_BALANCE_TYPE	false	String	1	true
DB_CUST_AUTH_PROD_TBL	false	Integer	5	true
DB_CUST_STATEMENT_GROUP	false	Integer	1	true
DB_CUST_AR_CUST_SW	false	String	1	true
DB_CUST_CHAIN_CUST_SW	false	String	1	true
DB_CUST_MAST_CHAIN_CUST_SW	false	String	1	true
DB_CUST_COMM_TABLE DB_CUST_FORECASTING_TABLE DB_CUST_ORDER_ADJ_CONTROL DB_CUST_BALANCE_TYPE DB_CUST_AUTH_PROD_TBL DB_CUST_STATEMENT_GROUP DB_CUST_AR_CUST_SW DB_CUST_CHAIN_CUST_SW	false false false false false false	String Integer String Integer Integer String String	2 3 1 1 5 1	true true true true true true true true

DB_CUST_CONTACT_PERSON	false	String	20	true
DB_CUST_SH_FAX_AREA_CODE	false	Integer	3	true
DB_CUST_SH_FAX_PHONE_3	false	Integer	3	true
DB_CUST_SH_FAX_PHONE_4	false	Integer	4	true
DB_CUST_BL_FAX_AREA_CODE	false	Integer	3	true
DB_CUST_BL_FAX_PHONE_3	false	Integer	3	true
DB_CUST_BL_FAX_PHONE_4	false	Integer	4	true
DB_CUST_INACTIVE_DATE	false	String	8	true
DB_CUST_ACCOUNT_DATE	false	String	8	true
OCCURS_7_TIMES	false	String	21	true
DB_CUST_SS_UNIT_CASE	false	String	1	true
DB_CUST_STALE_PRICING_SW	false	String	1	true
DB_CUST_PREVIOUS_LINK	false	String	9	true
DB_CUST_LOAD_SEQUENCE	false	Integer	1	true
DB_CUST_INV_ACCNT_NUMBER	false	Integer	9	true
DB_CUST_ESCL_DISC_TYPE	false	Integer	2	true
DB_CUST_SETTL_COMM_RTE_NUM	false	Integer	4	true

DB_CUST_IVR_FLAG	false	String	1	true
DB_CUST_IVR_PASSWORD	false	String	7	true
DB_CUST_SALES_MANAGER	false	Integer	3	true
DB_CUST_SALES_MANAGER_DESC	false	String	25	true
DB_CUST_SALES_REP	false	Integer	3	true
DB_CUST_SALES_REP_DESC	false	String	25	true
DB_CUST_BUYING_GROUP_CODE	false	String	3	true
DB_CUST_STOP_RATE	false	Float	8	true
DB_CUST_LITRE_RATE	false	Float	11	true
DB_CUST_DEPT_INVOICE	false	Integer	1	true
DB_CUST_LBS_TABLE	false	Integer	4	true
DB_CUST_COMM_TABLE_NEW	false	Integer	4	true
DB_CUST_RET_CAP_TABLE	false	Integer	4	true
DB_SALES_MODE_FLAG	false	Integer	1	true
DB_CUST_LAST_SERVICE_DATE	false	String	8	true
DB_CUST_LANGUAGE_CODE	false	Integer	1	true
DB_CUST_DEI_ACTIVE_SW	false	Integer	1	true

DB_CUST_EDI_TRANS_SET_1	false	Integer	3	true	
DB_CUST_EDI_TRANS_SET_2	false	Integer	3	true	
DB_CUST_EDI_PARTNER_DUNS_NO	false	Integer	9	true	
DB_CUST_EDI_PARTNER_SUFFIX	false	Integer	4	true	
DB_CUST_EDI_PARTNER_TRADING_ID	false	String	13	true	
DB_CUST_EDI_PARTNER_ID_CODE	false	String	2	true	
DB_CUST_EDI_PARTNER_ID	false	String	15	true	
DB_RETAIL_DISC_TABLE	false	Integer	4	true	
DB_MERCHANDISER_ACCT	false	String	1	true	
DB_DROP_ROUTE_NUMBER	false	Integer	4	true	
DB_MIN_ORDER_CONTROL_TABLE	false	Integer	4	true	
DB_CUST_INV_ALT_NUMBER	false	String	12	true	
DB_CUST_ANTI_DISC_TABLE	false	Integer	4	true	
DB_CUST_CPART_PRICE_TABLE	false	Integer	4	true	
DB_CUST_END_OF_RECORD	false	String	1	true	

Original Function Parameters: Component tFileList

	UNIQUE NAME	tFileList_1	INPUT(S)	tFlowToIterate_2	
	LABEL	UNIQUE_NAME	OUTPUT(S)	tFileInputPositional_1	

Component Paramete	rs:
Properties	Values
Unique Name	tFileList_1
Component Name	tFileList
Version	0.102 (ALPHA)
Family	File/Management Orchestration
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileList
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Directory	context.directory.replace("CUST04",(String)globalMap.get("row16.instance"))
FileList Type	FILES
Includes subdirectories	false
Case Sensitive	YES
Generate Error if no file found	false
Use Glob Expressions as Filemask (Unchecked means Perl5 Regex Expressions)	true
Files	[{FILEMASK="*CUST*"}]
By default	true

By file name	false
By file size	false
By modified date	false
ASC	true
DESC	false
Use Exclude Filemask	false
Exclude Filemask	"*.txt"
Format file path to slash(/) style (useful on Windows)	false
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tFixedFlowInput

a 2 3 z	UNIQUE NAME	tFixedFlowInput_2	INPUT(S)	none	
	LABEL	UNIQUE_NAME	OUTPUT(S)	tLogRow_3	

Component Parameters:	
Properties	Values
Unique Name	tFixedFlowInput_2
Component Name	tFixedFlowInput
Version	0.102 (ALPHA)
Family	Misc
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFixedFlowInput
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Number of rows	1
Use Single Table	false
Values	[{SCHEMA_COLUMN=instance, VALUE=}]
Use Inline Table	true
Inline Table	[{instance="CUST01"}, {instance="CUST02"}, {instance="CUST04"}, {instance="CUST05"}]
Use Inline Content(delimited file)	false
Row Separator	"\n"
Field Separator	. , ,

Content	
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFixedFlowInput_2:

Column	Key	Туре	Length	Precision	Nullable	Comment
instance	false	String			true	

Original Function Parameters: Component tFlowTolterate

- A	UNIQUE NAME	tFlowToIterate_2	INPUT(S)	tLogRow_3
	LABEL	UNIQUE_NAME	OUTPUT(S)	tFileList_1

Properties	Values	
Unique Name	tFlowTolterate_2	

Component Name	tFlowToIterate
Version	0.101 (ALPHA)
Family	Orchestration
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFlowTolterate
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

	false
Use the default (key, value) in global variables.	true
Customize	
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFlowTolterate_2:

Column	Key	Туре	Length	Precision	Nullable	Comment	

Original Function Parameters: Component tJava

_ 400	UNIQUE NAME	tJava_1	INPUT(S)	tPostjob_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tDBCommit_1

Component Parameters	
Properties	Values
Unique Name	tJava_1
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	

Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Code	String foo = "bar";
Import	//import java.util.List;
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_1 :

Original Function Parameters: Component tJava

 UNIQUE NAME	tJava_2	INPUT(S)	tPrejob_1	
LABEL	UNIQUE_NAME	OUTPUT(S)	tDBInput_1	

Component Parameters:				
Properties	Values			
Unique Name	tJava_2			
Component Name	tJava			
Version	0.101 (ALPHA)			
Family	Custom_Code			
Start	false			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	true			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tJava			
Update components	true			

IREPORT_PATH	
JAVA_LIBRARY_PATH	HC:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Code	context.ProcessTimeStamp=TalendDate.formatDate("yyyy-MM-dd HH:mm:ss", TalendDate.getCurrentDate()); System.out.println("\n\nPool: "+context.Pool+"\nProcessTimestamp: "+context.ProcessTimeStamp+"\n\n\n");
Import	//import java.util.List;
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false	
Validation Rule Type		

Schema for tJava_2:

Column Key Type Lo	Length Precision	Nullable	Comment
--------------------	------------------	----------	---------

Original Function Parameters: Component tLogCatcher

UNIQUE NAME	tLogCatcher_1	INPUT(S)	none	
LABEL	UNIQUE_NAME	OUTPUT(S)	jlet_CustomLogging_NAV_1	

component i didineters.				
Properties	Values			
Unique Name	tLogCatcher_1			
Component Name	tLogCatcher			
Version	0.101 (ALPHA)			
Family	Logs_Errors			
Start	true			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	false			

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogCatcher
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Catch Java Exception	true
Catch tDie	true
Catch tWarn	true

Catch tJobFailure	true
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogCatcher_1:

Oonema ioi	LLUGGalcile					
Column	Key	Туре	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
root_pid	false	String	20		true	
father_pid	false	String	20		true	
project	false	String	50		true	
job	false	String	255		true	
context	false	String	50		true	

priority	false	Integer	3	true	
type	false	String	255	true	
origin	false	String	255	true	
message	false	String	255	true	
code	false	Integer	3	true	

Original Function Parameters: Component tLogRow

UNIQUE NAME	tLogRow_3	INPUT(S)	tFixedFlowInput_2
LABEL	UNIQUE_NAME	OUTPUT(S)	tFlowTolterate_2

Component Farameters.		
Properties	Values	
Unique Name	tLogRow_3	
Component Name	tLogRow	
Version	0.101 (ALPHA)	
Family	Logs_Errors	
Startable	false	
SUBTREE_START	false	
END_OF_FLOW	false	

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false

Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=instance, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_3:

Column	Key	Туре	Length	Precision	Nullable	Comment
instance	false	String			true	

Original Function Parameters: Component tPostjob

M	UNIQUE NAME	tPostjob_1	INPUT(S)	none
	LABEL	UNIQUE_NAME	OUTPUT(S)	tJava_1

Component Parameters:		
Properties	Values	
Unique Name	tPostjob_1	
Component Name	tPostjob	
Version	0.102 (ALPHA)	
Family	Orchestration	
Start	true	
Startable	true	
SUBTREE_START	true	

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	!!!HELP!!!
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	255;220;180
Title color	230;100;0
Enable parallel execution	false
Number of parallel executions	2
	false
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tPrejob

UNIQUE NAME	tPrejob_1	INPUT(S)	none
LABEL	UNIQUE_NAME	OUTPUT(S)	tJava_2

Properties	Values
Unique Name	tPrejob_1
Component Name	tPrejob
Version	0.102 (ALPHA)
Family	Orchestration
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPrejob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	255;220;180
Title color	230;100;0
Enable parallel execution	false
Number of parallel executions	2
	false
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tSetKeystore

UNIQUE NAME	tSetKeystore_1	INPUT(S)	tDBConnection_2
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:		
Properties	Values	
Unique Name	tSetKeystore_1	
Component Name	tSetKeystore	
Version	0.102 (ALPHA)	
Family	Internet	
Start	false	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	true	
Activate	true	

DUMMY	false
tStatCatcher Statistics	false
Help	!!!HELP!!!
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
TrustStore type	JKS
TrustStore file	context.keystore
TrustStore password	**
Need Client authentication	false
KeyStore type	JKS
KeyStore file	"C:/client.keystore"

KeyStore password	*****
Check server identity	true
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component jlet_CustomLogging_NAV


The second second	UNIQUE NAME	jlet_CustomLogging_NAV_1	INPUT(S)	tLogCatcher_1
	LABEL	jlet_CustomLogging_NAV	OUTPUT(S)	none


component i diameters.	
Properties	Values
Version	Latest
Schema	INPUT_1:moment pid root_pid father_pid project job context priority type origin message code

Show Information	false
Comment	

Schema fo	r jlet_Cus	stomLogging_N	AV_1 :			
Column	Key	Туре	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
root_pid	false	String	20		true	
father_pid	false	String	20		true	
project	false	String	50		true	
job	false	String	255		true	
context	false	String	50		true	
priority	false	Integer	3		true	
type	false	String	255		true	
origin	false	String	255		true	
message	false	String	255		true	
code	false	Integer	3		true	
		· · · · · · · · · · · · · · · · · · ·				

Component tMap





Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false

Comment	
Use an existing validation rule	false

Mapper table for tMap_4 (input):
Mapper table Properties(xrow1):

mapper table Properties (xrow1):		
Properties	Values	
Name	xrow1	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries(xrow1):

wetauata rabie Entries (xrow i).			
Name	Туре	Expression	isNullable
DB_CUST_CUST_NUMBER	Integer		true
DB_CUST_SHIP_NAME	String		true
DB_CUST_SHIP_ADDR2	String		true
DB_CUST_SHIP_ADDR3	String		true

DB_CUST_SHIP_CITY	String	true
DB_CUST_SHIP_STATE	String	true
DB_CUST_SHIP_ZIP_CODE	String	true
DB_CUST_SHIP_AREA_CODE	String	true
DB_CUST_SHIP_PHONE_3	String	true
DB_CUST_SHIP_PHONE_4	String	true
DB_CUST_ACCOUNT_TYPE	Integer	true
DB_CUST_ACTIVE_SWITCH	String	true
DB_CUST_PAYMENT_TYPE	String	true
DB_CUST_WHOLESALE_PRICE_TAB	Integer	true
DB_CUST_RETAIL_PRICE_TABLE	Integer	true
DB_CUST_DELIVERY_DAYS	String	true
DB_CUST_CHAIN_NUMBER	Integer	true
DB_CUST_AR_NUMBER	Integer	true
DB_CUST_GROUP_CODE	String	true
DB_CUST_COMM_TYPE	String	true
DB_CUST_COMP_BID_SHR_TABLE	Integer	true

DB_CUST_DSTB_BID_SHR_TABLE	Integer	true
DB_CUST_LBS_PRICE_TABLE	Integer	true
DB_CUST_STORE_NUMBER	String	true
DB_CUST_ROUTE_NUMBER	Integer	true
DB_CUST_BILL_NAME	String	true
DB_CUST_BILL_ADDR2	String	true
DB_CUST_BILL_ADDR3	String	true
DB_CUST_BILL_CITY	String	true
DB_CUST_BILL_STATE	String	true
DB_CUST_BILL_ZIP_CODE	String	true
DB_CUST_BILL_AREA_CODE	Integer	true
DB_CUST_BILL_PHONE_3	Integer	true
DB_CUST_BILL_PHONE_4	Integer	true
DB_CUST_PRINT_INVOICE	String	true
DB_CUST_NO_OF_INVOICE_COPIES	Integer	true
DB_CUST_PAGE_PER_CATG	String	true
DB_CUST_SUBTOTAL_CATG	String	true

String	true
String	true
String	true
Float	true
String	true
String	true
Float	true
Integer	true
	String String Float Float Float Float Float Float Float String String String Float Float

DB_CUST_TERMS_NET_DAYS	Integer	true
DB_CUST_CREDIT_LIMIT	Integer	true
DB_CUST_BILLING_FREQ	String	true
DB_CUST_SALES_TAX_CODE	String	true
DB_CUST_UNIT_BILLING	String	true
DB_CUST_PRINT_STATEMENTS	String	true
DB_CUST_UNIT_HISTORY	String	true
DB_CUST_ADDITIONAL_DISC	String	true
DB_CUST_LBS_BILLING	String	true
DB_CUST_LAST_PMT_DATE	String	true
DB_CUST_LAST_PMT_AMOUNT	Float	true
DB_CUST_CHECK_AUTH_PROD_SW	String	true
DB_CUST_STOP_NO	String	true
DB_CUST_TAX_RATE	Float	true
DB_CUST_CONTRACT_POINTER	String	true
DB_CUST_STOP_INV_DISC_PCT	Float	true
DB_CUST_ONHAND_METHOD	Integer	true

DB_CUST_PRINT_UPC	String	true
DB_CUST_PRINT_PRICE_CTRL	Integer	true
DB_CUST_PRINT_RETAIL	String	true
DB_CUST_STAMP_SIG_SWITCH	Integer	true
DB_CUST_RETURN_CTRL	Integer	true
DB_CUST_AUTH_PROD	Integer	true
DB_CUST_INV_PRICE_GROUP	String	true
DB_CUST_BALANCE_CORRECTION	Float	true
DB_CUST_REDIST_CTRL	Integer	true
DB_CUST_PICK_LIST_FLAG	String	true
DB_CUST_PREORDER_FLAG	String	true
DB_CUST_GST_EXEMPT_FLAG	String	true
DB_CUST_DEX_FLAG	String	true
DB_CUST_PRINT_MARGIN_CTRL	Integer	true
DB_CUST_FAMILY_GROUP_CODE	String	true
DB_CUST_MASTER_CHAIN	Integer	true
DB_CUST_COMM_TABLE	String	true

DB_CUST_FORECASTING_TABLE	Integer	true
DB_CUST_ORDER_ADJ_CONTROL	String	true
DB_CUST_BALANCE_TYPE	String	true
DB_CUST_AUTH_PROD_TBL	Integer	true
DB_CUST_STATEMENT_GROUP	Integer	true
DB_CUST_AR_CUST_SW	String	true
DB_CUST_CHAIN_CUST_SW	String	true
DB_CUST_MAST_CHAIN_CUST_SW	String	true
DB_CUST_CONTACT_PERSON	String	true
DB_CUST_SH_FAX_AREA_CODE	Integer	true
DB_CUST_SH_FAX_PHONE_3	Integer	true
DB_CUST_SH_FAX_PHONE_4	Integer	true
DB_CUST_BL_FAX_AREA_CODE	Integer	true
DB_CUST_BL_FAX_PHONE_3	Integer	true
DB_CUST_BL_FAX_PHONE_4	Integer	true
DB_CUST_INACTIVE_DATE	String	true
DB_CUST_ACCOUNT_DATE	String	true

OCCURS_7_TIMES	String	true
DB_CUST_SS_UNIT_CASE	String	true
DB_CUST_STALE_PRICING_SW	String	true
DB_CUST_PREVIOUS_LINK	String	true
DB_CUST_LOAD_SEQUENCE	Integer	true
DB_CUST_INV_ACCNT_NUMBER	Integer	true
DB_CUST_ESCL_DISC_TYPE	Integer	true
DB_CUST_SETTL_COMM_RTE_NUM	Integer	true
DB_CUST_IVR_FLAG	String	true
DB_CUST_IVR_PASSWORD	String	true
DB_CUST_SALES_MANAGER	Integer	true
DB_CUST_SALES_MANAGER_DESC	String	true
DB_CUST_SALES_REP	Integer	true
DB_CUST_SALES_REP_DESC	String	true
DB_CUST_BUYING_GROUP_CODE	String	true
DB_CUST_STOP_RATE	Float	true
DB_CUST_LITRE_RATE	Float	true

DB_CUST_DEPT_INVOICE	Integer	true
DB_CUST_LBS_TABLE	Integer	true
DB_CUST_COMM_TABLE_NEW	Integer	true
DB_CUST_RET_CAP_TABLE	Integer	true
DB_SALES_MODE_FLAG	Integer	true
DB_CUST_LAST_SERVICE_DATE	String	true
DB_CUST_LANGUAGE_CODE	Integer	true
DB_CUST_DEI_ACTIVE_SW	Integer	true
DB_CUST_EDI_TRANS_SET_1	Integer	true
DB_CUST_EDI_TRANS_SET_2	Integer	true
DB_CUST_EDI_PARTNER_DUNS_NO	Integer	true
DB_CUST_EDI_PARTNER_SUFFIX	Integer	true
DB_CUST_EDI_PARTNER_TRADING_ID	String	true
DB_CUST_EDI_PARTNER_ID_CODE	String	true
DB_CUST_EDI_PARTNER_ID	String	true
DB_RETAIL_DISC_TABLE	Integer	true
DB_MERCHANDISER_ACCT	String	true

DB_DROP_ROUTE_NUMBER	Integer	true
DB_MIN_ORDER_CONTROL_TABLE	Integer	true
DB_CUST_INV_ALT_NUMBER	String	true
DB_CUST_ANTI_DISC_TABLE	Integer	true
DB_CUST_CPART_PRICE_TABLE	Integer	true
DB_CUST_END_OF_RECORD	String	true

Constraint Table Entries(xrow1):

	Name	Туре	Expression	isNullable	
- 1					

Mapper table for tMap_4 (output):

Mapper table Properties(out12):

mapper tamere respectively	
Properties	Values
Name	out12
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(out12):

motadata rabio Entrico (sati E).			
Name	Туре	Expression	isNullal
DB_CUST_CUST_NUMBER	String	Var.DB_CUST_CUST_NUMBER	false
DB_CUST_WHOLESALE_PRICE_TAB	Integer	xrow1.DB_CUST_WHOLESALE_PRICE_TAB	true
Instance	String	(String)globalMap.get("row16.instance")	true
DB_CUST_CUST_NUMBER_Original	Integer	xrow1.DB_CUST_CUST_NUMBER	true

Constraint Table Entries(out12):

lame Type	Expression	isNullable
-----------	------------	------------

Mapper table for tMap_4 (var):

Mapper table Properties(Var):

mapper table i roperties var j.	
Properties	Values
Name	Var
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Туре	Expression
DB_CUST_CUST_NUMBER	String	((String)globalMap.get("row16.instance")).replace("CUST0","")+xr

Constraint Table Entries(Var):

	Name	Туре	Expression	isN	
--	------	------	------------	-----	--