![talend]

Jobs

Generated by Talend Data Management Platform

Project Name	NAV_MOV	GENERATION DATE	Dec 17, 2019 1:15:56 PM
AUTHOR		Talend Data Management Platform VERSION	7.0.1.20180411_1414

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	NAV_MOV
Language	java

Description	

Description

Properties	Values
Name	j_NavExport_010_CustomerDummy
Author	
Version	0.1
Purpose	
Status	
Description	
Creation	Apr 16, 2019 2:51:08 AM
Modification	Nov 15, 2019 10:12:13 AM

Preview Picture

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt
objectType	objectType?	false
Pool	Pool?	false
group	group?	false
description	description?	false
mafAppSpace	mafAppSpace?	false
source	source?	false

customer_bundle_count	customer_bundle_count?	false
responseXML	responseXML?	false
mom_Host	mom_Host?	false
mom_Password	mom_Password?	false
mom_Port	mom_Port?	false
mom_To	mom_To?	false
mom_Username	mom_Username?	false
AttName	AttName?	false
batch	batch?	false
CRC	CRC?	false
Customer_Process_Queue	Customer_Process_Queue?	false
database	database?	false
directory	directory?	false
environment	environment?	false
ErrorMsg	ErrorMsg?	false
filepath	filepath?	false
implicit_db_environment	implicit_db_environment?	false

instance	instance?	true
key	key?	false
keystore	keystore?	false
message1	message1?	false
message2	message2?	false
movilizerURL	movilizerURL?	false
movilizerVersion	movilizerVersion?	false
Nested_Context	Nested_Context?	false
object	object?	false
objectId	objectId?	false
objectName	objectName?	false
partition	partition?	false
ProcessTimeStamp	ProcessTimeStamp?	false
SystemId	SystemId?	false
SystemPassword	SystemPassword?	false
table_view	table_view?	false
type	type?	false

UseIndex	UseIndex?	false
DB_AMC_AdditionalParams	DB_AMC_AdditionalParams?	false
DB_AMC_Database	DB_AMC_Database?	false
DB_AMC_Login	DB_AMC_Login?	false
DB_AMC_Password	DB_AMC_Password?	false
DB_AMC_Port	DB_AMC_Port?	false
DB_AMC_Schema	DB_AMC_Schema?	false
DB_AMC_Server	DB_AMC_Server?	false
DB_ERP_DSD_Integration_AdditionalParams	DB_ERP_DSD_Integration_AdditionalParams?	false
DB_ERP_DSD_Integration_Database	DB_ERP_DSD_Integration_Database?	false
DB_ERP_DSD_Integration_Login	DB_ERP_DSD_Integration_Login?	false
DB_ERP_DSD_Integration_Password	DB_ERP_DSD_Integration_Password?	false
DB_ERP_DSD_Integration_Port	DB_ERP_DSD_Integration_Port?	false
DB_ERP_DSD_Integration_Schema	DB_ERP_DSD_Integration_Schema?	false
DB_ERP_DSD_Integration_Server	DB_ERP_DSD_Integration_Server?	false
DB_Navision_AdditionalParams	DB_Navision_AdditionalParams?	false
DB_Navision_Database	DB_Navision_Database?	false

DB_Navision_Login	DB_Navision_Login?	false
DB_Navision_Password	DB_Navision_Password?	false
DB_Navision_Port	DB_Navision_Port?	false
DB_Navision_Schema	DB_Navision_Schema?	false
DB_Navision_Server	DB_Navision_Server?	false
DB_Navision_Target_Staging	DB_Navision_Target_Staging?	false
DB_Talend_Context_AdditionalParams	DB_Talend_Context_AdditionalParams?	false
DB_Talend_Context_Database	DB_Talend_Context_Database?	false
DB_Talend_Context_Login	DB_Talend_Context_Login?	false
DB_Talend_Context_Password	DB_Talend_Context_Password?	false
DB_Talend_Context_Port	DB_Talend_Context_Port?	false
DB_Talend_Context_Schema	DB_Talend_Context_Schema?	false
DB_Talend_Context_Server	DB_Talend_Context_Server?	false
NAV_Contact	NAV_Contact?	false
NAV_Customer	NAV_Customer?	false
RM_Customer_Encoding	RM_Customer_Encoding?	false
RM_Customer_FieldSeparator	RM_Customer_FieldSeparator?	false

RM_Customer_File	RM_Customer_File?	false
RM_Customer_RowSeparator	RM_Customer_RowSeparator?	false

ContextQA

Name	Prompt	Need Prompt
objectType	objectType?	false
Pool	Pool?	false
group	group?	false
description	description?	false
mafAppSpace	mafAppSpace?	false
source	source?	false
customer_bundle_count	customer_bundle_count?	false
responseXML	responseXML?	false
mom_Host	mom_Host?	false
mom_Password	mom_Password?	false
mom_Port	mom_Port?	false
mom_To	mom_To?	false

mom_Username	mom_Username?	false
AttName	AttName?	false
batch	batch?	false
CRC	CRC?	false
Customer_Process_Queue	Customer_Process_Queue?	false
database	database?	false
directory	directory?	false
environment	environment?	false
ErrorMsg	ErrorMsg?	false
filepath	filepath?	false
implicit_db_environment	implicit_db_environment?	false
instance	instance?	true
key	key?	false
keystore	keystore?	false
message1	message1?	false
message2	message2?	false
movilizerURL	movilizerURL?	false

movilizerVersion	movilizerVersion?	false
Nested_Context	Nested_Context?	false
object	object?	false
objectId	objectId?	false
objectName	objectName?	false
partition	partition?	false
ProcessTimeStamp	ProcessTimeStamp?	false
SystemId	SystemId?	false
SystemPassword	SystemPassword?	false
table_view	table_view?	false
type	type?	false
UseIndex	UseIndex?	false
DB_AMC_AdditionalParams	DB_AMC_AdditionalParams?	false
DB_AMC_Database	DB_AMC_Database?	false
DB_AMC_Login	DB_AMC_Login?	false
DB_AMC_Password	DB_AMC_Password?	false
DB_AMC_Port	DB_AMC_Port?	false

DB_AMC_Schema	DB_AMC_Schema?	false
DB_AMC_Server	DB_AMC_Server?	false
DB_ERP_DSD_Integration_AdditionalParams	DB_ERP_DSD_Integration_AdditionalParams?	false
DB_ERP_DSD_Integration_Database	DB_ERP_DSD_Integration_Database?	false
DB_ERP_DSD_Integration_Login	DB_ERP_DSD_Integration_Login?	false
DB_ERP_DSD_Integration_Password	DB_ERP_DSD_Integration_Password?	false
DB_ERP_DSD_Integration_Port	DB_ERP_DSD_Integration_Port?	false
DB_ERP_DSD_Integration_Schema	DB_ERP_DSD_Integration_Schema?	false
DB_ERP_DSD_Integration_Server	DB_ERP_DSD_Integration_Server?	false
DB_Navision_AdditionalParams	DB_Navision_AdditionalParams?	false
DB_Navision_Database	DB_Navision_Database?	false
DB_Navision_Login	DB_Navision_Login?	false
DB_Navision_Password	DB_Navision_Password?	false
DB_Navision_Port	DB_Navision_Port?	false
DB_Navision_Schema	DB_Navision_Schema?	false
DB_Navision_Server	DB_Navision_Server?	false
DB_Navision_Target_Staging	DB_Navision_Target_Staging?	false

DB_Talend_Context_AdditionalParams	DB_Talend_Context_AdditionalParams?	false
DB_Talend_Context_Database	DB_Talend_Context_Database?	false
DB_Talend_Context_Login	DB_Talend_Context_Login?	false
DB_Talend_Context_Password	DB_Talend_Context_Password?	false
DB_Talend_Context_Port	DB_Talend_Context_Port?	false
DB_Talend_Context_Schema	DB_Talend_Context_Schema?	false
DB_Talend_Context_Server	DB_Talend_Context_Server?	false
NAV_Contact	NAV_Contact?	false
NAV_Customer	NAV_Customer?	false
RM_Customer_Encoding	RM_Customer_Encoding?	false
RM_Customer_FieldSeparator	RM_Customer_FieldSeparator?	false
RM_Customer_File	RM_Customer_File?	false
RM_Customer_RowSeparator	RM_Customer_RowSeparator?	false

ContextPROD

Name	Prompt	Need Prompt
objectType	objectType?	false

Pool	Pool?	false
group	group?	false
description	description?	false
mafAppSpace	mafAppSpace?	false
source	source?	false
customer_bundle_count	customer_bundle_count?	false
responseXML	responseXML?	false
mom_Host	mom_Host?	false
mom_Password	mom_Password?	false
mom_Port	mom_Port?	false
mom_To	mom_To?	false
mom_Username	mom_Username?	false
AttName	AttName?	false
batch	batch?	false
CRC	CRC?	false
Customer_Process_Queue	Customer_Process_Queue?	false
database	database?	false

directory	directory?	false
environment	environment?	false
ErrorMsg	ErrorMsg?	false
filepath	filepath?	false
implicit_db_environment	implicit_db_environment?	false
instance	instance?	true
key	key?	false
keystore	keystore?	false
message1	message1?	false
message2	message2?	false
movilizerURL	movilizerURL?	false
movilizerVersion	movilizerVersion?	false
Nested_Context	Nested_Context?	false
object	object?	false
objectId	objectId?	false
objectName	objectName?	false
partition	partition?	false

ProcessTimeStamp	ProcessTimeStamp?	false
SystemId	SystemId?	false
SystemPassword	SystemPassword?	false
table_view	table_view?	false
type	type?	false
UseIndex	UseIndex?	false
DB_AMC_AdditionalParams	DB_AMC_AdditionalParams?	false
DB_AMC_Database	DB_AMC_Database?	false
DB_AMC_Login	DB_AMC_Login?	false
DB_AMC_Password	DB_AMC_Password?	false
DB_AMC_Port	DB_AMC_Port?	false
DB_AMC_Schema	DB_AMC_Schema?	false
DB_AMC_Server	DB_AMC_Server?	false
DB_ERP_DSD_Integration_AdditionalParams	DB_ERP_DSD_Integration_AdditionalParams?	false
DB_ERP_DSD_Integration_Database	DB_ERP_DSD_Integration_Database?	false
DB_ERP_DSD_Integration_Login	DB_ERP_DSD_Integration_Login?	false
DB_ERP_DSD_Integration_Password	DB_ERP_DSD_Integration_Password?	false

DB_ERP_DSD_Integration_Port	DB_ERP_DSD_Integration_Port?	false
DB_ERP_DSD_Integration_Schema	DB_ERP_DSD_Integration_Schema?	false
DB_ERP_DSD_Integration_Server	DB_ERP_DSD_Integration_Server?	false
DB_Navision_AdditionalParams	DB_Navision_AdditionalParams?	false
DB_Navision_Database	DB_Navision_Database?	false
DB_Navision_Login	DB_Navision_Login?	false
DB_Navision_Password	DB_Navision_Password?	false
DB_Navision_Port	DB_Navision_Port?	false
DB_Navision_Schema	DB_Navision_Schema?	false
DB_Navision_Server	DB_Navision_Server?	false
DB_Navision_Target_Staging	DB_Navision_Target_Staging?	false
DB_Talend_Context_AdditionalParams	DB_Talend_Context_AdditionalParams?	false
DB_Talend_Context_Database	DB_Talend_Context_Database?	false
DB_Talend_Context_Login	DB_Talend_Context_Login?	false
DB_Talend_Context_Password	DB_Talend_Context_Password?	false
DB_Talend_Context_Port	DB_Talend_Context_Port?	false
DB_Talend_Context_Schema	DB_Talend_Context_Schema?	false

DB_Talend_Context_Server	DB_Talend_Context_Server?	false
NAV_Contact	NAV_Contact?	false
NAV_Customer	NAV_Customer?	false
RM_Customer_Encoding	RM_Customer_Encoding?	false
RM_Customer_FieldSeparator	RM_Customer_FieldSeparator?	false
RM_Customer_File	RM_Customer_File?	false
RM_Customer_RowSeparator	RM_Customer_RowSeparator?	false

ContextPREPROD

Name	Prompt	Need Prompt
objectType	objectType?	false
Pool	Pool?	false
group	group?	false
description	description?	false
mafAppSpace	mafAppSpace?	false
source	source?	false
customer_bundle_count	customer_bundle_count?	false

responseXML	responseXML?	false
mom_Host	mom_Host?	false
mom_Password	mom_Password?	false
mom_Port	mom_Port?	false
mom_To	mom_To?	false
mom_Username	mom_Username?	false
AttName	AttName?	false
batch	batch?	false
CRC	CRC?	false
Customer_Process_Queue	Customer_Process_Queue?	false
database	database?	false
directory	directory?	false
environment	environment?	false
ErrorMsg	ErrorMsg?	false
filepath	filepath?	false
implicit_db_environment	implicit_db_environment?	false
instance	instance?	true

key	key?	false
keystore	keystore?	false
message1	message1?	false
message2	message2?	false
movilizerURL	movilizerURL?	false
movilizerVersion	movilizerVersion?	false
Nested_Context	Nested_Context?	false
object	object?	false
objectId	objectId?	false
objectName	objectName?	false
partition	partition?	false
ProcessTimeStamp	ProcessTimeStamp?	false
SystemId	SystemId?	false
SystemPassword	SystemPassword?	false
table_view	table_view?	false
type	type?	false
UseIndex	UseIndex?	false

DB_AMC_AdditionalParams	DB_AMC_AdditionalParams?	false
DB_AMC_Database	DB_AMC_Database?	false
DB_AMC_Login	DB_AMC_Login?	false
DB_AMC_Password	DB_AMC_Password?	false
DB_AMC_Port	DB_AMC_Port?	false
DB_AMC_Schema	DB_AMC_Schema?	false
DB_AMC_Server	DB_AMC_Server?	false
DB_ERP_DSD_Integration_AdditionalParams	DB_ERP_DSD_Integration_AdditionalParams?	false
DB_ERP_DSD_Integration_Database	DB_ERP_DSD_Integration_Database?	false
DB_ERP_DSD_Integration_Login	DB_ERP_DSD_Integration_Login?	false
DB_ERP_DSD_Integration_Password	DB_ERP_DSD_Integration_Password?	false
DB_ERP_DSD_Integration_Port	DB_ERP_DSD_Integration_Port?	false
DB_ERP_DSD_Integration_Schema	DB_ERP_DSD_Integration_Schema?	false
DB_ERP_DSD_Integration_Server	DB_ERP_DSD_Integration_Server?	false
DB_Navision_AdditionalParams	DB_Navision_AdditionalParams?	false
DB_Navision_Database	DB_Navision_Database?	false
DB_Navision_Login	DB_Navision_Login?	false

DB_Navision_Password	DB_Navision_Password?	false
DB_Navision_Port	DB_Navision_Port?	false
DB_Navision_Schema	DB_Navision_Schema?	false
DB_Navision_Server	DB_Navision_Server?	false
DB_Navision_Target_Staging	DB_Navision_Target_Staging?	false
DB_Talend_Context_AdditionalParams	DB_Talend_Context_AdditionalParams?	false
DB_Talend_Context_Database	DB_Talend_Context_Database?	false
DB_Talend_Context_Login	DB_Talend_Context_Login?	false
DB_Talend_Context_Password	DB_Talend_Context_Password?	false
DB_Talend_Context_Port	DB_Talend_Context_Port?	false
DB_Talend_Context_Schema	DB_Talend_Context_Schema?	false
DB_Talend_Context_Server	DB_Talend_Context_Server?	false
NAV_Contact	NAV_Contact?	false
NAV_Customer	NAV_Customer?	false
RM_Customer_Encoding	RM_Customer_Encoding?	false
RM_Customer_FieldSeparator	RM_Customer_FieldSeparator?	false
RM_Customer_File	RM_Customer_File?	false

| RM_Customer_RowSeparator | RM_Customer_RowSeparator? | false |

Component List

Component Name	Component Type
jlet_CustomLogging_NAV_1	jlet_CustomLogging_NAV
tContextLoad_1	tContextLoad
tCreateTable_1	tCreateTable
tDBCommit_1	tMSSqlCommit
tDBCommit_2	tMSSqlCommit
tDBCommit_3	tMSSqlCommit
tDBConnection_1	tMSSqlConnection
tDBConnection_2	tMSSqlConnection
tDBInput_1	tMSSqlInput
tDBOutput_1	tMSSqlOutput
tFileInputPositional_1	tFileInputPositional
tFileList_1	tFileList
tFixedFlowInput_2	tFixedFlowInput

tFlowToIterate_2	tFlowToIterate
tJava_1	tJava
tJava_2	tJava
tLogCatcher_1	tLogCatcher
tLogRow_3	tLogRow
tMap_4	tMap
tPostjob_1	tPostjob
tPrejob_1	tPrejob
tSetKeystore_1	tSetKeystore

Components Description

Component   tContextLoad

	UNIQUE NAME	tContextLoad_1	INPUT(S)	tDBInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLogRow_1 , tDBConnection_1

Component Parameters:

Properties	Values
Unique Name	tContextLoad_1
Component Name	tContextLoad

Version	0.101 (ALPHA)
Family	Misc
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tContextLoad
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
If a variable loaded, but not in the context	Warning
If a variable in the context, but not loaded	Warning
Print operations	false
Disable errors	true
Disable warnings	true
Disable info	true
Die on error	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tContextLoad_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
key	false	String	255		true	
value	false	String	255		true	

Original Function Parameters:
Component   tCreateTable

	UNIQUE NAME	tCreateTable_1	INPUT(S)	tDBConnection_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBCommit_3

Component Parameters:

Properties	Values
Unique Name	tCreateTable_1
Component Name	tCreateTable
Version	0.102 (ALPHA)
Family	Databases
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tCreateTable
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
Database Type	MSSQL
Table Action	DROP_IF_EXIST_CREATE
Case Sensitive	false
Use an existing connection	true
Host	""

Database Name	""
Local Service Name	""
URL	"jdbc:oracle:oci:/@db10g_test"
UserName	""
Password	**
Port	""
Schema	""
Access File	"C:/Talend/7.0.1/studio/workspace-remote-dev-multi-compa
DB Version	jt400_V6R1.jar
Firebird File	"C:/Talend/7.0.1/studio/workspace-remote-dev-multi-compa
Running Mode	HSQLDB_SERVER
Use TLS/SSL Sockets	false
DB Path	""
Database Name	""
DB Alias	""
Instance	""
Interbase File	"C:/Talend/7.0.1/studio/workspace-remote-dev-multi-compa

Framework Type	EMBEDED
Has been connected to a network server	false
Database Name	""
DB Root Path	""
	tDBConnection_1
JDBC Provider	JTDS
Temporary Table	false
DB Version	MYSQL_5
Connection Type	ORACLE_SID
URL	""
DB Version	ORACLE_12
DB Version	PRIOR_TO_V9
SQLite File	"C:/Talend/7.0.1/studio/workspace-remote-dev-multi-compa
DB Version	SYBSEIQ_16
ODBC Name	""
Use "drop cascade"	true
DB Version	vertica_3.0_jdk_5.jar

Table Name	"NAV_Customer"
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Mapping	id_MSSQL
Create	SET
Additional JDBC Parameters	"prompt=false"
!!!ENCODING.NAME!!!	"ISO-8859-15"
Create projection	true
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tCreateTable_1 :

Column	Key	Type	Length	Precision	Nullable	Comment

CustomerNo	false	String	255		false	
ShippingNo	false	String	255		true	
Name	false	String	255		true	
Address	false	String	255		true	
Address_2	false	String	255		true	
Region_Code	false	String	255		true	
ZIP	false	String	255		true	
Phone	false	String	255		true	
Tax_Area_Code	false	String	255		true	
Shipping_Address	false	String	255		true	
Shipping_Address2	false	String	255		true	
Shipping_Region_Code	false	String	255		true	
Shipping_City	false	String	255		true	
Shipping_ZIP	false	String	255		true	
Shipping_Phone	false	String	255		true	
Shipping_Tax_Area	false	String	255		true	
Customer_Buying_Group_Code	false	String	255		true	

Payment_Terms_Code	false	String	255		true	
Bill_to_Customer_No	false	String	255		true	
Order_Rule_Group	false	String	255		true	
Credit_Limit_LCY	false	BigDecimal	38	6	true	
Minimum_Sales_Order_Amount	false	BigDecimal	38	6	true	
Guaranteed_Order	false	Integer	30		true	
Blocked	false	Integer	30		true	
Invoice_Copies	false	Integer	30		true	
Payment_Method_Code	false	String	255		true	
Store_Identification	false	String	255		true	
Retail_Price_Group	false	String	255		true	
Latitude	false	BigDecimal	38	6	true	
Longitude	false	BigDecimal	38	6	true	
Customer_Invoice_Service_Type	false	Integer	30		true	
DiscountPercent	false	BigDecimal	38	6	true	
ROUTE	false	String	255		true	
FACILITY	false	String	255		true	

LOCATION	false	String	255		true	
ROUTEGROUP	false	String	255		true	
CRC	false	long	30		false	
ProcessTimeStamp	false	String	255		false	

Original Function Parameters:
Component   tMSSqlCommit

	UNIQUE NAME	tDBCommit_1	INPUT(S)	tJava_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBCommit_2

Component Parameters:

Properties	Values
Database	tMSSqlCommit
Unique Name	tDBCommit_1
Component Name	tMSSqlCommit
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	true

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlCommit
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Component List	tDBConnection_1
Close Connection	true
Schema	Built-In
Label format	__UNIQUE_NAME__

Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBCommit_1 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tMSSqlCommit

	UNIQUE NAME	tDBCommit_2	INPUT(S)	tDBCommit_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tMSSqlCommit
Unique Name	tDBCommit_2
Component Name	tMSSqlCommit
Version	0.102 (ALPHA)

Family	Databases/DB Specifics/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlCommit
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

Component List	tDBConnection_2
Close Connection	true
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBCommit_2 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tMSSqlCommit

	UNIQUE NAME	tDBCommit_3	INPUT(S)	tCreateTable_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values

Database	tMSSqlCommit
Unique Name	tDBCommit_3
Component Name	tMSSqlCommit
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlCommit
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	

Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Component List	tDBConnection_1
Close Connection	false
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBCommit_3 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tMSSqlConnection

	UNIQUE NAME	tDBConnection_1	INPUT(S)	tContextLoad_1
	LABEL	ERP_DSD_Integration	OUTPUT(S)	tDBConnection_2, tCreateTable_1

Component Parameters:

Properties	Values
Database	tMSSqlConnection
Unique Name	tDBConnection_1
Component Name	tMSSqlConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server|ELT/Connections
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false

Help	org.talend.help.tMSSqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MSSQL):DB_ERP_DSD_Integration
JDBC Provider	JTDS
Host	context.DB_ERP_DSD_Integration_Server
Database Driver	MSSQL
Port	context.DB_ERP_DSD_Integration_Port
Schema	context.DB_ERP_DSD_Integration_Schema
Database	context.DB_ERP_DSD_Integration_Database
Username	context.DB_ERP_DSD_Integration_Login

Password	context.DB_ERP_DSD_Integration_Password
Encoding	"ISO-8859-15"
Additional JDBC Parameters	context.DB_ERP_DSD_Integration_AdditionalParams
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	false
Data source alias	""
Auto Commit	false
Share identity insert in multi table	false
Label format	ERP_DSD_Integration
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	

Original Function Parameters:
Component   tMSSqlConnection

	UNIQUE NAME	tDBConnection_2	INPUT(S)	tDBConnection_1
	LABEL	DB_Navision	OUTPUT(S)	tSetKeystore_1

Component Parameters:

Properties	Values
Database	tMSSqlConnection
Unique Name	tDBConnection_2
Component Name	tMSSqlConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server|ELT/Connections
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MSSQL):DB_Navision
JDBC Provider	MSSQL_PROP
Host	context.DB_Navision_Server
Database Driver	MSSQL
Port	context.DB_Navision_Port
Schema	context.DB_Navision_Schema

Database	context.DB_Navision_Database
Username	context.DB_Navision_Login
Password	context.DB_Navision_Password
Encoding	"ISO-8859-15"
Additional JDBC Parameters	context.DB_Navision_AdditionalParams
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	false
Data source alias	""
Auto Commit	false
Share identity insert in multi table	false
Label format	DB_Navision
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component tMSSqlInput

	UNIQUE NAME	tDBInput_1	INPUT(S)	tJava_2
	LABEL	DB_Talend_Context	OUTPUT(S)	tContextLoad_1

Component Parameters:

Properties	Values
Database	tMSSqlInput
Unique Name	tDBInput_1
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	true

END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Use an existing connection	false
Component List	
Property Type	repository: DB (MSSQL):DB_Talend_Context
Host	context.DB_Talend_Context_Server

JDBC Provider	JTDS
Database Driver	MSSQL
Port	context.DB_Talend_Context_Port
Schema	context.DB_Talend_Context_Schema
Database	context.DB_Talend_Context_Database
Username	context.DB_Talend_Context_Login
Password	context.DB_Talend_Context_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	""
Query Type	Built-In
Guess Schema	""
Query	"SELECT [key] ,[value] FROM [" +context.DB_Talend_Context_Database+ "].[" +context.DB_Talend_Context_Schema+ "].[IMPLICIT_CONTEXT_" +context.implicit_db_environme where (instance='"+context.source+"_"+context.instance.substring or (instance='RM_"+context.instance.substring(4,6)+"' and like '%Customer%' or [key] = 'directory'))"
Specify a data source alias	false
Data source alias	""

Mapping	id_MSSQL
Additional JDBC Parameters	context.DB_Talend_Context_AdditionalParams
Encoding	"ISO-8859-15"
Trim all the String/Char columns	true
Trim column	[{SCHEMA_COLUMN=key, TRIM=false}, {SCHEMA_COLUMN=value, TRIM=false}]
Label format	DB_Talend_Context
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBInput_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
key	false	String	255		true	
value	false	String	255		true	

Original Function Parameters:
Component   tMSSqlOutput

	UNIQUE NAME	tDBOutput_1	INPUT(S)	tMap_4
	LABEL	Delta	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tMSSqlOutput
Unique Name	tDBOutput_1
Component Name	tMSSqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlOutput
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MSSQL):DB_ERP_DSD_Integration
Use an existing connection	true
Component List	tDBConnection_1
JDBC Provider	JTDS
Host	context.DB_ERP_DSD_Integration_Server
Port	context.DB_ERP_DSD_Integration_Port
Schema	context.DB_ERP_DSD_Integration_Schema
Database	context.DB_ERP_DSD_Integration_Database
Database Driver	MSSQL
Username	context.DB_ERP_DSD_Integration_Login

Password	context.DB_ERP_DSD_Integration_Password
Table	"NAV_Customer_PriceTab_All"
Action on table	CREATE_IF_NOT_EXISTS
Turn on Identity insert	false
Action on data	INSERT
Specify identity field	false
Identity field	DB_CUST_CUST_NUMBER
Start value	1
Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	context.DB_ERP_DSD_Integration_AdditionalParams

Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=DB_CUST_CUST_NUMBER, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=DB_CUST_WHOLESALE_PRICE_T UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Instance, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=tr {SCHEMA_COLUMN=DB_CUST_CUST_NUMBER_Origir UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Ignore date out of range	false
Enable debug mode	false
Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	10000
Label format	Delta
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBOutput_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
DB_CUST_CUST_NUMBER	false	String	20		false	
DB_CUST_WHOLESALE_PRICE_TAB	false	Integer	4		true	
Instance	false	String	20		true	
DB_CUST_CUST_NUMBER_Original	false	Integer	9		true	

Original Function Parameters:
Component   tFileInputPositional

	UNIQUE NAME	tFileInputPositional_1	INPUT(S)	tFileList_1
	LABEL	Customer File	OUTPUT(S)	tMap_4

Component Parameters:

Properties	Values
Unique Name	tFileInputPositional_1
Component Name	tFileInputPositional
Version	0.102 (ALPHA)

Family	File/Input
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	true
Help	org.talend.help.tFileInputPositional
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

Property Type	Built-In
Use existing dynamic	false
Component List	
File name/Stream	((String)globalMap.get("tFileList_1_CURRENT_FILEPATH
Row Separator	"\n"
Customize	false
Pattern	context.RM_Customer_FieldSeparator
Pattern units	SYMBOLS
	[{SCHEMA_COLUMN=DB_CUST_CUST_NUMBER, SIZE PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_NAME, SIZE=30, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_ADDR2, SIZE=30 PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_ADDR3, SIZE=30 PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_CITY, SIZE=20, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_STATE, SIZE=2, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_ZIP_CODE, SIZE PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_AREA_CODE, SI: PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_PHONE_3, SIZE= PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_SHIP_PHONE_4, SIZE= PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_ACCOUNT_TYPE, SIZE PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_ACTIVE_SWITCH, SIZE PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_PAYMENT_TYPE, SIZE PADDING_CHAR=' ', ALIGN='L'},

{SCHEMA_COLUMN=DB_CUST_WHOLESALE_PRICE_T
SIZE=4, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_RETAIL_PRICE_TABLE
SIZE=4, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_DELIVERY_DAYS, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CHAIN_NUMBER, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_AR_NUMBER, SIZE=9,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_GROUP_CODE, SIZE=2
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_COMM_TYPE, SIZE=1,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_COMP_BID_SHR_TABL
SIZE=4, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_DSTB_BID_SHR_TABL
SIZE=4, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_LBS_PRICE_TABLE, SI
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_STORE_NUMBER, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_ROUTE_NUMBER, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BILL_NAME, SIZE=30,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BILL_ADDR2, SIZE=30,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BILL_ADDR3, SIZE=30,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BILL_CITY, SIZE=20,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BILL_STATE, SIZE=2,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BILL_ZIP_CODE, SIZE=
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BILL_AREA_CODE, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BILL_PHONE_3, SIZE=
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BILL_PHONE_4, SIZE=
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PRINT_INVOICE, SIZE=
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_NO_OF_INVOICE_COP
SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PAGE_PER_CATG, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SUBTOTAL_CATG, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PRINT_CREDIT_INVOI

SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_MESSAGE_1, SIZE=20,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_MESSAGE_2, SIZE=20,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_1, SIZE=7,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_2, SIZE=7,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_3, SIZE=7,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_4, SIZE=7,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_5, SIZE=7,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_6, SIZE=7,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_7, SIZE=7,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_8, SIZE=7,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_9, SIZE=7,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CAT_DISC_10, SIZE=7,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PRINT_WHSLE_PRICE,
SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BALANCE_METHOD, S
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_TERMS_DISC_PERCEI
SIZE=7, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_TERMS_DISC_DAYS,
SIZE=5, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_TERMS_NET_DAYS, S
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CREDIT_LIMIT, SIZE=1
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BILLING_FREQ, SIZE=
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SALES_TAX_CODE, SI
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_UNIT_BILLING, SIZE=1
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PRINT_STATEMENTS,
SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_UNIT_HISTORY, SIZE=
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_ADDITIONAL_DISC, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_LBS_BILLING, SIZE=1,
PADDING_CHAR=' ', ALIGN='L'},

| Formats | {SCHEMA_COLUMN=DB_CUST_LAST_PMT_DATE, SIZE PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_LAST_PMT_AMOUNT, SIZE=11, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CHECK_AUTH_PROD_ SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_STOP_NO, SIZE=4, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_TAX_RATE, SIZE=5, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CONTRACT_POINTER SIZE=3, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_STOP_INV_DISC_PCT, SIZE=5, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_ONHAND_METHOD, SI PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PRINT_UPC, SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PRINT_PRICE_CTRL, SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PRINT_RETAIL, SIZE=1 PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_STAMP_SIG_SWITCH, SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_RETURN_CTRL, SIZE= PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_AUTH_PROD, SIZE=2, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_INV_PRICE_GROUP, S PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BALANCE_CORRECTI(SIZE=10, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_REDIST_CTRL, SIZE=1 PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PICK_LIST_FLAG, SIZE PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PREORDER_FLAG, SIZ PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_GST_EXEMPT_FLAG, SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_DEX_FLAG, SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PRINT_MARGIN_CTRL SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_FAMILY_GROUP_COD SIZE=2, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_MASTER_CHAIN, SIZE PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_COMM_TABLE, SIZE=2 PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_FORECASTING_TABLE |

SIZE=3, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_ORDER_ADJ_CONTRO
SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BALANCE_TYPE, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_AUTH_PROD_TBL, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_STATEMENT_GROUP,
SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_AR_CUST_SW, SIZE=1
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CHAIN_CUST_SW, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_MAST_CHAIN_CUST_S
SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CONTACT_PERSON,
SIZE=20, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SH_FAX_AREA_CODE
SIZE=3, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SH_FAX_PHONE_3, SI
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SH_FAX_PHONE_4, SI
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BL_FAX_AREA_CODE,
SIZE=3, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BL_FAX_PHONE_3, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BL_FAX_PHONE_4, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_INACTIVE_DATE, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_ACCOUNT_DATE, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=OCCURS_7_TIMES, SIZE=21,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SS_UNIT_CASE, SIZE=
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_STALE_PRICING_SW,
SIZE=1, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_PREVIOUS_LINK, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_LOAD_SEQUENCE, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_INV_ACCNT_NUMBER
SIZE=9, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_ESCL_DISC_TYPE, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SETTL_COMM_RTE_N
SIZE=4, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_IVR_FLAG, SIZE=1,
PADDING_CHAR=' ', ALIGN='L'},

{SCHEMA_COLUMN=DB_CUST_IVR_PASSWORD, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SALES_MANAGER, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SALES_MANAGER_DE
SIZE=25, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SALES_REP, SIZE=3,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_SALES_REP_DESC,
SIZE=25, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_BUYING_GROUP_COD
SIZE=3, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_STOP_RATE, SIZE=8,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_LITRE_RATE, SIZE=11,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_DEPT_INVOICE, SIZE=
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_LBS_TABLE, SIZE=4,
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_COMM_TABLE_NEW,
SIZE=4, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_RET_CAP_TABLE, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_SALES_MODE_FLAG, SIZE=1
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_LAST_SERVICE_DATE
SIZE=8, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_LANGUAGE_CODE, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_DEI_ACTIVE_SW, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_EDI_TRANS_SET_1, SI
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_EDI_TRANS_SET_2, SI
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_EDI_PARTNER_DUNS_
SIZE=9, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_EDI_PARTNER_SUFFIX
SIZE=4, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_EDI_PARTNER_TRADI
SIZE=13, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_EDI_PARTNER_ID_CO
SIZE=2, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_EDI_PARTNER_ID, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_RETAIL_DISC_TABLE, SIZE=4
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_MERCHANDISER_ACCT, SIZE
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_DROP_ROUTE_NUMBER, SIZ

PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_MIN_ORDER_CONTROL_TAB
SIZE=4, PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_INV_ALT_NUMBER, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_ANTI_DISC_TABLE, SIZ
PADDING_CHAR=' ', ALIGN='L'},
{SCHEMA_COLUMN=DB_CUST_CPART_PRICE_TABLE

	SIZE=4, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=DB_CUST_END_OF_RECORD, SIZ PADDING_CHAR=' ', ALIGN='L'}]
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Header	0
Footer	0
Limit	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
Needed to process rows longer than 100 000 characters	false
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
Trim all columns	true
Validate date	false
	[{SCHEMA_COLUMN=DB_CUST_CUST_NUMBER,

TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SHIP_NAM
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SHIP_ADD
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SHIP_ADD
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SHIP_CITY
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SHIP_STA
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_SHIP_ZIP_CODE,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_SHIP_AREA_CODE,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SHIP_PHC
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SHIP_PHC
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_ACCOUNT_TYPE,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_ACTIVE_SWITCH,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_PAYMENT_TYPE,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_WHOLESALE_PRICE_T
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_RETAIL_PRICE_TABLE
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_DELIVERY_DAYS,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_CHAIN_NUMBER,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_AR_NUME
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_GROUP_C
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_COMM_TY
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_COMP_BID_SHR_TABL
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_DSTB_BID_SHR_TABL
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_LBS_PRICE_TABLE,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_STORE_NUMBER,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_ROUTE_NUMBER,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_BILL_NAM
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_BILL_ADD
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_BILL_ADD
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_BILL_CITY
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_BILL_STAT
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_BILL_ZIP_CODE,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_BILL_AREA_CODE,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_BILL_PHC
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_BILL_PHC
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_PRINT_INVOICE,

TRIM=false},
{SCHEMA_COLUMN=DB_CUST_NO_OF_INVOICE_COF
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_PAGE_PER_CATG,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_SUBTOTAL_CATG,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_PRINT_CREDIT_INVOI
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_MESSAGE
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_MESSAGE
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_CAT_DISC
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_CAT_DISC
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_CAT_DISC
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_CAT_DISC
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_CAT_DISC
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_CAT_DISC
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_CAT_DISC
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_CAT_DISC
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_CAT_DISC
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_CAT_DISC
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_PRINT_WHSLE_PRICE
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_BALANCE_METHOD,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_TERMS_DISC_PERCEI
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_TERMS_DISC_DAYS,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_TERMS_NET_DAYS,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_CREDIT_L
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_BILLING_F
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_SALES_TAX_CODE,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_UNIT_BILL
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_PRINT_STATEMENTS,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_UNIT_HIST
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_ADDITIONAL_DISC,
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_LBS_BILLI
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_LAST_PMT_DATE,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_LAST_PMT_AMOUNT,
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_CHECK_AUTH_PROD_
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_STOP_NO
TRIM=false}, {SCHEMA_COLUMN=DB_CUST_TAX_RATI
TRIM=false},
{SCHEMA_COLUMN=DB_CUST_CONTRACT_POINTER

| Check column to trim | TRIM=false}, {SCHEMA_COLUMN=DB_CUST_STOP_INV_DISC_PCT, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_ONHAND_METHOD, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_PRINT_UF TRIM=false}, {SCHEMA_COLUMN=DB_CUST_PRINT_PRICE_CTRL, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_PRINT_RE TRIM=false}, {SCHEMA_COLUMN=DB_CUST_STAMP_SIG_SWITCH, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_RETURN_ TRIM=false}, {SCHEMA_COLUMN=DB_CUST_AUTH_PR TRIM=false}, {SCHEMA_COLUMN=DB_CUST_INV_PRICE_GROUP, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_BALANCE_CORRECTI(TRIM=false}, {SCHEMA_COLUMN=DB_CUST_REDIST_(TRIM=false}, {SCHEMA_COLUMN=DB_CUST_PICK_LIST_FLAG, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_PREORDER_FLAG, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_GST_EXEMPT_FLAG, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_DEX_FLA(TRIM=false}, {SCHEMA_COLUMN=DB_CUST_PRINT_MARGIN_CTRL TRIM=false}, {SCHEMA_COLUMN=DB_CUST_FAMILY_GROUP_COD TRIM=false}, {SCHEMA_COLUMN=DB_CUST_MASTER_CHAIN, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_COMM_T/ TRIM=false}, {SCHEMA_COLUMN=DB_CUST_FORECASTING_TABLE TRIM=false}, {SCHEMA_COLUMN=DB_CUST_ORDER_ADJ_CONTR(TRIM=false}, {SCHEMA_COLUMN=DB_CUST_BALANCE_TYPE, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_AUTH_PROD_TBL, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_STATEMENT_GROUP, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_AR_CUST TRIM=false}, {SCHEMA_COLUMN=DB_CUST_CHAIN_CUST_SW, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_MAST_CHAIN_CUST_S TRIM=false}, {SCHEMA_COLUMN=DB_CUST_CONTACT_PERSON, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SH_FAX_AREA_CODE TRIM=false}, |

{SCHEMA_COLUMN=DB_CUST_SH_FAX_PHONE_3, TRIM=false},
{SCHEMA_COLUMN=DB_CUST_SH_FAX_PHONE_4, TRIM=false},
{SCHEMA_COLUMN=DB_CUST_BL_FAX_AREA_CODE, TRIM=false},
{SCHEMA_COLUMN=DB_CUST_BL_FAX_PHONE_3, TRIM=false},
{SCHEMA_COLUMN=DB_CUST_BL_FAX_PHONE_4, TRIM=false},
{SCHEMA_COLUMN=DB_CUST_INACTIVE_DATE, TRIM=false},
{SCHEMA_COLUMN=DB_CUST_ACCOUNT_DATE, TRIM=false}, {SCHEMA_COLUMN=OCCURS_7_TIMES, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SS_UNIT_ TRIM=false},
{SCHEMA_COLUMN=DB_CUST_STALE_PRICING_SW, TRIM=false},
{SCHEMA_COLUMN=DB_CUST_PREVIOUS_LINK, TRIM=false},
{SCHEMA_COLUMN=DB_CUST_LOAD_SEQUENCE, TRIM=false},
{SCHEMA_COLUMN=DB_CUST_INV_ACCNT_NUMBER TRIM=false},
{SCHEMA_COLUMN=DB_CUST_ESCL_DISC_TYPE, TRIM=false},
{SCHEMA_COLUMN=DB_CUST_SETTL_COMM_RTE_N TRIM=false}, {SCHEMA_COLUMN=DB_CUST_IVR_FLAG TRIM=false},
{SCHEMA_COLUMN=DB_CUST_IVR_PASSWORD, TRIM=false},
{SCHEMA_COLUMN=DB_CUST_SALES_MANAGER, TRIM=false},
{SCHEMA_COLUMN=DB_CUST_SALES_MANAGER_DE TRIM=false}, {SCHEMA_COLUMN=DB_CUST_SALES_RI TRIM=false},
{SCHEMA_COLUMN=DB_CUST_SALES_REP_DESC, TRIM=false},
{SCHEMA_COLUMN=DB_CUST_BUYING_GROUP_COD TRIM=false}, {SCHEMA_COLUMN=DB_CUST_STOP_RA TRIM=false}, {SCHEMA_COLUMN=DB_CUST_LITRE_RA TRIM=false}, {SCHEMA_COLUMN=DB_CUST_DEPT_IN\ TRIM=false}, {SCHEMA_COLUMN=DB_CUST_LBS_TABl TRIM=false},
{SCHEMA_COLUMN=DB_CUST_COMM_TABLE_NEW, TRIM=false},
{SCHEMA_COLUMN=DB_CUST_RET_CAP_TABLE, TRIM=false}, {SCHEMA_COLUMN=DB_SALES_MODE_F TRIM=false},
{SCHEMA_COLUMN=DB_CUST_LAST_SERVICE_DATE TRIM=false},

	{SCHEMA_COLUMN=DB_CUST_LANGUAGE_CODE, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_DEI_ACTIVE_SW, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_EDI_TRANS_SET_1, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_EDI_TRANS_SET_2, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_EDI_PARTNER_DUNS_ TRIM=false}, {SCHEMA_COLUMN=DB_CUST_EDI_PARTNER_SUFFIX TRIM=false}, {SCHEMA_COLUMN=DB_CUST_EDI_PARTNER_TRADII TRIM=false}, {SCHEMA_COLUMN=DB_CUST_EDI_PARTNER_ID_CO TRIM=false}, {SCHEMA_COLUMN=DB_CUST_EDI_PARTNER_ID, TRIM=false}, {SCHEMA_COLUMN=DB_RETAIL_DISC_T/ TRIM=false}, {SCHEMA_COLUMN=DB_MERCHANDISER_ACCT, TRIM=false}, {SCHEMA_COLUMN=DB_DROP_ROUTE_NUMBER, TRIM=false}, {SCHEMA_COLUMN=DB_MIN_ORDER_CONTROL_TAB TRIM=false}, {SCHEMA_COLUMN=DB_CUST_INV_ALT_NUMBER, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_ANTI_DISC_TABLE, TRIM=false}, {SCHEMA_COLUMN=DB_CUST_CPART_PRICE_TABLE TRIM=false}, {SCHEMA_COLUMN=DB_CUST_END_OF_RECORD, TRIM=false}]
Encoding	context.RM_Customer_Encoding
Label format	Customer File
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for Customer :

Column	Key	Type	Length	Precision	Nullable	Comment
DB_CUST_CUST_NUMBER	false	Integer	9		true	
DB_CUST_SHIP_NAME	false	String	30		true	
DB_CUST_SHIP_ADDR2	false	String	30		true	
DB_CUST_SHIP_ADDR3	false	String	30		true	
DB_CUST_SHIP_CITY	false	String	20		true	
DB_CUST_SHIP_STATE	false	String	2		true	
DB_CUST_SHIP_ZIP_CODE	false	String	10		true	
DB_CUST_SHIP_AREA_CODE	false	String	3		true	
DB_CUST_SHIP_PHONE_3	false	String	3		true	
DB_CUST_SHIP_PHONE_4	false	String	4		true	
DB_CUST_ACCOUNT_TYPE	false	Integer	2		true	
DB_CUST_ACTIVE_SWITCH	false	String	1		true	

DB_CUST_PAYMENT_TYPE	false	String	1		true	
DB_CUST_WHOLESALE_PRICE_TAB	false	Integer	4		true	
DB_CUST_RETAIL_PRICE_TABLE	false	Integer	4		true	
DB_CUST_DELIVERY_DAYS	false	String	7		true	
DB_CUST_CHAIN_NUMBER	false	Integer	9		true	
DB_CUST_AR_NUMBER	false	Integer	9		true	
DB_CUST_GROUP_CODE	false	String	2		true	
DB_CUST_COMM_TYPE	false	String	1		true	
DB_CUST_COMP_BID_SHR_TABLE	false	Integer	4		true	
DB_CUST_DSTB_BID_SHR_TABLE	false	Integer	4		true	
DB_CUST_LBS_PRICE_TABLE	false	Integer	4		true	
DB_CUST_STORE_NUMBER	false	String	10		true	
DB_CUST_ROUTE_NUMBER	false	Integer	9		true	
DB_CUST_BILL_NAME	false	String	30		true	
DB_CUST_BILL_ADDR2	false	String	30		true	
DB_CUST_BILL_ADDR3	false	String	30		true	
DB_CUST_BILL_CITY	false	String	20		true	

DB_CUST_BILL_STATE	false	String	2		true	
DB_CUST_BILL_ZIP_CODE	false	String	10		true	
DB_CUST_BILL_AREA_CODE	false	Integer	3		true	
DB_CUST_BILL_PHONE_3	false	Integer	3		true	
DB_CUST_BILL_PHONE_4	false	Integer	4		true	
DB_CUST_PRINT_INVOICE	false	String	1		true	
DB_CUST_NO_OF_INVOICE_COPIES	false	Integer	1		true	
DB_CUST_PAGE_PER_CATG	false	String	1		true	
DB_CUST_SUBTOTAL_CATG	false	String	1		true	
DB_CUST_PRINT_CREDIT_INVOICE	false	String	1		true	
DB_CUST_MESSAGE_1	false	String	20		true	
DB_CUST_MESSAGE_2	false	String	20		true	
DB_CUST_CAT_DISC_1	false	Float	7	4	true	
DB_CUST_CAT_DISC_2	false	Float	7	4	true	
DB_CUST_CAT_DISC_3	false	Float	7	4	true	
DB_CUST_CAT_DISC_4	false	Float	7	4	true	
DB_CUST_CAT_DISC_5	false	Float	7	4	true	

DB_CUST_CAT_DISC_6	false	Float	7	4	true	
DB_CUST_CAT_DISC_7	false	Float	7	4	true	
DB_CUST_CAT_DISC_8	false	Float	7	4	true	
DB_CUST_CAT_DISC_9	false	Float	7	4	true	
DB_CUST_CAT_DISC_10	false	Float	7	4	true	
DB_CUST_PRINT_WHSLE_PRICE	false	String	1		true	
DB_CUST_BALANCE_METHOD	false	String	1		true	
DB_CUST_TERMS_DISC_PERCENT	false	Float	7	3	true	
DB_CUST_TERMS_DISC_DAYS	false	Integer	5		true	
DB_CUST_TERMS_NET_DAYS	false	Integer	5		true	
DB_CUST_CREDIT_LIMIT	false	Integer	10		true	
DB_CUST_BILLING_FREQ	false	String	1		true	
DB_CUST_SALES_TAX_CODE	false	String	2		true	
DB_CUST_UNIT_BILLING	false	String	1		true	
DB_CUST_PRINT_STATEMENTS	false	String	1		true	
DB_CUST_UNIT_HISTORY	false	String	1		true	
DB_CUST_ADDITIONAL_DISC	false	String	1		true	

DB_CUST_LBS_BILLING	false	String	1		true	
DB_CUST_LAST_PMT_DATE	false	String	8		true	
DB_CUST_LAST_PMT_AMOUNT	false	Float	11	4	true	
DB_CUST_CHECK_AUTH_PROD_SW	false	String	1		true	
DB_CUST_STOP_NO	false	String	4		true	
DB_CUST_TAX_RATE	false	Float	5	3	true	
DB_CUST_CONTRACT_POINTER	false	String	3		true	
DB_CUST_STOP_INV_DISC_PCT	false	Float	5	3	true	
DB_CUST_ONHAND_METHOD	false	Integer	1		true	
DB_CUST_PRINT_UPC	false	String	1		true	
DB_CUST_PRINT_PRICE_CTRL	false	Integer	1		true	
DB_CUST_PRINT_RETAIL	false	String	1		true	
DB_CUST_STAMP_SIG_SWITCH	false	Integer	1		true	
DB_CUST_RETURN_CTRL	false	Integer	1		true	
DB_CUST_AUTH_PROD	false	Integer	2		true	
DB_CUST_INV_PRICE_GROUP	false	String	1		true	
DB_CUST_BALANCE_CORRECTION	false	Float	10	3	true	

DB_CUST_REDIST_CTRL	false	Integer	1		true	
DB_CUST_PICK_LIST_FLAG	false	String	1		true	
DB_CUST_PREORDER_FLAG	false	String	1		true	
DB_CUST_GST_EXEMPT_FLAG	false	String	1		true	
DB_CUST_DEX_FLAG	false	String	1		true	
DB_CUST_PRINT_MARGIN_CTRL	false	Integer	1		true	
DB_CUST_FAMILY_GROUP_CODE	false	String	2		true	
DB_CUST_MASTER_CHAIN	false	Integer	9		true	
DB_CUST_COMM_TABLE	false	String	2		true	
DB_CUST_FORECASTING_TABLE	false	Integer	3		true	
DB_CUST_ORDER_ADJ_CONTROL	false	String	1		true	
DB_CUST_BALANCE_TYPE	false	String	1		true	
DB_CUST_AUTH_PROD_TBL	false	Integer	5		true	
DB_CUST_STATEMENT_GROUP	false	Integer	1		true	
DB_CUST_AR_CUST_SW	false	String	1		true	
DB_CUST_CHAIN_CUST_SW	false	String	1		true	
DB_CUST_MAST_CHAIN_CUST_SW	false	String	1		true	

DB_CUST_CONTACT_PERSON	false	String	20		true	
DB_CUST_SH_FAX_AREA_CODE	false	Integer	3		true	
DB_CUST_SH_FAX_PHONE_3	false	Integer	3		true	
DB_CUST_SH_FAX_PHONE_4	false	Integer	4		true	
DB_CUST_BL_FAX_AREA_CODE	false	Integer	3		true	
DB_CUST_BL_FAX_PHONE_3	false	Integer	3		true	
DB_CUST_BL_FAX_PHONE_4	false	Integer	4		true	
DB_CUST_INACTIVE_DATE	false	String	8		true	
DB_CUST_ACCOUNT_DATE	false	String	8		true	
OCCURS_7_TIMES	false	String	21		true	
DB_CUST_SS_UNIT_CASE	false	String	1		true	
DB_CUST_STALE_PRICING_SW	false	String	1		true	
DB_CUST_PREVIOUS_LINK	false	String	9		true	
DB_CUST_LOAD_SEQUENCE	false	Integer	1		true	
DB_CUST_INV_ACCNT_NUMBER	false	Integer	9		true	
DB_CUST_ESCL_DISC_TYPE	false	Integer	2		true	
DB_CUST_SETTL_COMM_RTE_NUM	false	Integer	4		true	

DB_CUST_IVR_FLAG	false	String	1		true	
DB_CUST_IVR_PASSWORD	false	String	7		true	
DB_CUST_SALES_MANAGER	false	Integer	3		true	
DB_CUST_SALES_MANAGER_DESC	false	String	25		true	
DB_CUST_SALES_REP	false	Integer	3		true	
DB_CUST_SALES_REP_DESC	false	String	25		true	
DB_CUST_BUYING_GROUP_CODE	false	String	3		true	
DB_CUST_STOP_RATE	false	Float	8		true	
DB_CUST_LITRE_RATE	false	Float	11		true	
DB_CUST_DEPT_INVOICE	false	Integer	1		true	
DB_CUST_LBS_TABLE	false	Integer	4		true	
DB_CUST_COMM_TABLE_NEW	false	Integer	4		true	
DB_CUST_RET_CAP_TABLE	false	Integer	4		true	
DB_SALES_MODE_FLAG	false	Integer	1		true	
DB_CUST_LAST_SERVICE_DATE	false	String	8		true	
DB_CUST_LANGUAGE_CODE	false	Integer	1		true	
DB_CUST_DEI_ACTIVE_SW	false	Integer	1		true	

DB_CUST_EDI_TRANS_SET_1	false	Integer	3		true	
DB_CUST_EDI_TRANS_SET_2	false	Integer	3		true	
DB_CUST_EDI_PARTNER_DUNS_NO	false	Integer	9		true	
DB_CUST_EDI_PARTNER_SUFFIX	false	Integer	4		true	
DB_CUST_EDI_PARTNER_TRADING_ID	false	String	13		true	
DB_CUST_EDI_PARTNER_ID_CODE	false	String	2		true	
DB_CUST_EDI_PARTNER_ID	false	String	15		true	
DB_RETAIL_DISC_TABLE	false	Integer	4		true	
DB_MERCHANDISER_ACCT	false	String	1		true	
DB_DROP_ROUTE_NUMBER	false	Integer	4		true	
DB_MIN_ORDER_CONTROL_TABLE	false	Integer	4		true	
DB_CUST_INV_ALT_NUMBER	false	String	12		true	
DB_CUST_ANTI_DISC_TABLE	false	Integer	4		true	
DB_CUST_CPART_PRICE_TABLE	false	Integer	4		true	
DB_CUST_END_OF_RECORD	false	String	1		true	

Original Function Parameters:
Component   tFileList

	UNIQUE NAME	tFileList_1	INPUT(S)	tFlowToIterate_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFileInputPositional_1

Component Parameters:

Properties	Values
Unique Name	tFileList_1
Component Name	tFileList
Version	0.102 (ALPHA)
Family	File/Management|Orchestration
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileList
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Directory	context.directory.replace("CUST04",(String)globalMap.get("row16.instance"))
FileList Type	FILES
Includes subdirectories	false
Case Sensitive	YES
Generate Error if no file found	false
Use Glob Expressions as Filemask (Unchecked means Perl5 Regex Expressions)	true
Files	[{FILEMASK="*CUST*"}]
By default	true

By file name	false
By file size	false
By modified date	false
ASC	true
DESC	false
Use Exclude Filemask	false
Exclude Filemask	"*.txt"
Format file path to slash(/) style (useful on Windows)	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__
__COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tFixedFlowInput

	UNIQUE NAME	tFixedFlowInput_2	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLogRow_3

Component Parameters:

Properties	Values
Unique Name	tFixedFlowInput_2
Component Name	tFixedFlowInput
Version	0.102 (ALPHA)
Family	Misc
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFixedFlowInput
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Number of rows	1
Use Single Table	false
Values	[{SCHEMA_COLUMN=instance, VALUE=}]
Use Inline Table	true
Inline Table	[{instance="CUST01"}, {instance="CUST02"}, {instance="CUST04"}, {instance="CUST05"}]
Use Inline Content(delimited file)	false
Row Separator	"\n"
Field Separator	";"

Content	
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFixedFlowInput_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
instance	false	String			true	

Original Function Parameters:
Component   tFlowToIterate

	UNIQUE NAME	tFlowToIterate_2	INPUT(S)	tLogRow_3
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFileList_1

Component Parameters:

Properties	Values
Unique Name	tFlowToIterate_2

Component Name	tFlowToIterate
Version	0.101 (ALPHA)
Family	Orchestration
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFlowToIterate
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

	false
Use the default (key, value) in global variables.	true
Customize	[]
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFlowToIterate_2 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tJava

	UNIQUE NAME	tJava_1	INPUT(S)	tPostjob_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBCommit_1

Component Parameters:

Properties	Values
Unique Name	tJava_1
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	

Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Code	String foo = "bar";
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_1 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tJava

	UNIQUE NAME	tJava_2	INPUT(S)	tPrejob_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBInput_1

Component Parameters:

Properties	Values
Unique Name	tJava_2
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Code	context.ProcessTimeStamp=TalendDate.formatDate("yyyy-MM-dd HH:mm:ss", TalendDate.getCurrentDate()); System.out.println("\n\nPool: "+context.Pool+"\nProcessTimestamp: "+context.ProcessTimeStamp+"\n\n\n");
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_2 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tLogCatcher

	UNIQUE NAME	tLogCatcher_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	jlet_CustomLogging_NAV_1

Component Parameters:

Properties	Values
Unique Name	tLogCatcher_1
Component Name	tLogCatcher
Version	0.101 (ALPHA)
Family	Logs_Errors
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogCatcher
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Catch Java Exception	true
Catch tDie	true
Catch tWarn	true

Catch tJobFailure	true
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogCatcher_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
root_pid	false	String	20		true	
father_pid	false	String	20		true	
project	false	String	50		true	
job	false	String	255		true	
context	false	String	50		true	

priority	false	Integer	3		true	
type	false	String	255		true	
origin	false	String	255		true	
message	false	String	255		true	
code	false	Integer	3		true	

Original Function Parameters:
Component   tLogRow

	UNIQUE NAME	tLogRow_3	INPUT(S)	tFixedFlowInput_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFlowToIterate_2

Component Parameters:

Properties	Values
Unique Name	tLogRow_3
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	false

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false

Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	"|"
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=instance, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
instance	false	String			true	

Original Function Parameters:
Component   tPostjob

	UNIQUE NAME	tPostjob_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tJava_1

Component Parameters:

Properties	Values
Unique Name	tPostjob_1
Component Name	tPostjob
Version	0.102 (ALPHA)
Family	Orchestration
Start	true
Startable	true
SUBTREE_START	true

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	!!!HELP!!!
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	255;220;180
Title color	230;100;0
Enable parallel execution	false
Number of parallel executions	2
	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tPrejob

	UNIQUE NAME	tPrejob_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tJava_2

Component Parameters:

Properties	Values
Unique Name	tPrejob_1
Component Name	tPrejob
Version	0.102 (ALPHA)
Family	Orchestration
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPrejob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	255;220;180
Title color	230;100;0
Enable parallel execution	false
Number of parallel executions	2
	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tSetKeystore

	UNIQUE NAME	tSetKeystore_1	INPUT(S)	tDBConnection_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tSetKeystore_1
Component Name	tSetKeystore
Version	0.102 (ALPHA)
Family	Internet
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	!!!HELP!!!
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
TrustStore type	JKS
TrustStore file	context.keystore
TrustStore password	**
Need Client authentication	false
KeyStore type	JKS
KeyStore file	"C:/client.keystore"

KeyStore password	**********
Check server identity	true
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   jlet_CustomLogging_NAV

	UNIQUE NAME	jlet_CustomLogging_NAV_1	INPUT(S)	tLogCatcher_1
	LABEL	jlet_CustomLogging_NAV	OUTPUT(S)	none

Component Parameters:

Properties	Values
Version	Latest
Schema	INPUT_1:moment pid root_pid father_pid project job context priority type origin message code

Show Information	false
Comment	

Schema for jlet_CustomLogging_NAV_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
root_pid	false	String	20		true	
father_pid	false	String	20		true	
project	false	String	50		true	
job	false	String	255		true	
context	false	String	50		true	
priority	false	Integer	3		true	
type	false	String	255		true	
origin	false	String	255		true	
message	false	String	255		true	
code	false	Integer	3		true	

Component   tMap

UNIQUE NAME	tMap_4	INPUT(S)	tFileInputPositional_1
LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBOutput_1

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false

Comment	
Use an existing validation rule	false

Mapper table for tMap_4 (input):

Mapper table Properties(xrow1):

Properties	Values
Name	xrow1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(xrow1):

Name	Type	Expression	isNullable
DB_CUST_CUST_NUMBER	Integer		true
DB_CUST_SHIP_NAME	String		true
DB_CUST_SHIP_ADDR2	String		true
DB_CUST_SHIP_ADDR3	String		true

DB_CUST_SHIP_CITY	String		true
DB_CUST_SHIP_STATE	String		true
DB_CUST_SHIP_ZIP_CODE	String		true
DB_CUST_SHIP_AREA_CODE	String		true
DB_CUST_SHIP_PHONE_3	String		true
DB_CUST_SHIP_PHONE_4	String		true
DB_CUST_ACCOUNT_TYPE	Integer		true
DB_CUST_ACTIVE_SWITCH	String		true
DB_CUST_PAYMENT_TYPE	String		true
DB_CUST_WHOLESALE_PRICE_TAB	Integer		true
DB_CUST_RETAIL_PRICE_TABLE	Integer		true
DB_CUST_DELIVERY_DAYS	String		true
DB_CUST_CHAIN_NUMBER	Integer		true
DB_CUST_AR_NUMBER	Integer		true
DB_CUST_GROUP_CODE	String		true
DB_CUST_COMM_TYPE	String		true
DB_CUST_COMP_BID_SHR_TABLE	Integer		true

DB_CUST_DSTB_BID_SHR_TABLE	Integer		true
DB_CUST_LBS_PRICE_TABLE	Integer		true
DB_CUST_STORE_NUMBER	String		true
DB_CUST_ROUTE_NUMBER	Integer		true
DB_CUST_BILL_NAME	String		true
DB_CUST_BILL_ADDR2	String		true
DB_CUST_BILL_ADDR3	String		true
DB_CUST_BILL_CITY	String		true
DB_CUST_BILL_STATE	String		true
DB_CUST_BILL_ZIP_CODE	String		true
DB_CUST_BILL_AREA_CODE	Integer		true
DB_CUST_BILL_PHONE_3	Integer		true
DB_CUST_BILL_PHONE_4	Integer		true
DB_CUST_PRINT_INVOICE	String		true
DB_CUST_NO_OF_INVOICE_COPIES	Integer		true
DB_CUST_PAGE_PER_CATG	String		true
DB_CUST_SUBTOTAL_CATG	String		true

DB_CUST_PRINT_CREDIT_INVOICE	String		true
DB_CUST_MESSAGE_1	String		true
DB_CUST_MESSAGE_2	String		true
DB_CUST_CAT_DISC_1	Float		true
DB_CUST_CAT_DISC_2	Float		true
DB_CUST_CAT_DISC_3	Float		true
DB_CUST_CAT_DISC_4	Float		true
DB_CUST_CAT_DISC_5	Float		true
DB_CUST_CAT_DISC_6	Float		true
DB_CUST_CAT_DISC_7	Float		true
DB_CUST_CAT_DISC_8	Float		true
DB_CUST_CAT_DISC_9	Float		true
DB_CUST_CAT_DISC_10	Float		true
DB_CUST_PRINT_WHSLE_PRICE	String		true
DB_CUST_BALANCE_METHOD	String		true
DB_CUST_TERMS_DISC_PERCENT	Float		true
DB_CUST_TERMS_DISC_DAYS	Integer		true

DB_CUST_TERMS_NET_DAYS	Integer		true
DB_CUST_CREDIT_LIMIT	Integer		true
DB_CUST_BILLING_FREQ	String		true
DB_CUST_SALES_TAX_CODE	String		true
DB_CUST_UNIT_BILLING	String		true
DB_CUST_PRINT_STATEMENTS	String		true
DB_CUST_UNIT_HISTORY	String		true
DB_CUST_ADDITIONAL_DISC	String		true
DB_CUST_LBS_BILLING	String		true
DB_CUST_LAST_PMT_DATE	String		true
DB_CUST_LAST_PMT_AMOUNT	Float		true
DB_CUST_CHECK_AUTH_PROD_SW	String		true
DB_CUST_STOP_NO	String		true
DB_CUST_TAX_RATE	Float		true
DB_CUST_CONTRACT_POINTER	String		true
DB_CUST_STOP_INV_DISC_PCT	Float		true
DB_CUST_ONHAND_METHOD	Integer		true

DB_CUST_PRINT_UPC	String		true
DB_CUST_PRINT_PRICE_CTRL	Integer		true
DB_CUST_PRINT_RETAIL	String		true
DB_CUST_STAMP_SIG_SWITCH	Integer		true
DB_CUST_RETURN_CTRL	Integer		true
DB_CUST_AUTH_PROD	Integer		true
DB_CUST_INV_PRICE_GROUP	String		true
DB_CUST_BALANCE_CORRECTION	Float		true
DB_CUST_REDIST_CTRL	Integer		true
DB_CUST_PICK_LIST_FLAG	String		true
DB_CUST_PREORDER_FLAG	String		true
DB_CUST_GST_EXEMPT_FLAG	String		true
DB_CUST_DEX_FLAG	String		true
DB_CUST_PRINT_MARGIN_CTRL	Integer		true
DB_CUST_FAMILY_GROUP_CODE	String		true
DB_CUST_MASTER_CHAIN	Integer		true
DB_CUST_COMM_TABLE	String		true

DB_CUST_FORECASTING_TABLE	Integer		true
DB_CUST_ORDER_ADJ_CONTROL	String		true
DB_CUST_BALANCE_TYPE	String		true
DB_CUST_AUTH_PROD_TBL	Integer		true
DB_CUST_STATEMENT_GROUP	Integer		true
DB_CUST_AR_CUST_SW	String		true
DB_CUST_CHAIN_CUST_SW	String		true
DB_CUST_MAST_CHAIN_CUST_SW	String		true
DB_CUST_CONTACT_PERSON	String		true
DB_CUST_SH_FAX_AREA_CODE	Integer		true
DB_CUST_SH_FAX_PHONE_3	Integer		true
DB_CUST_SH_FAX_PHONE_4	Integer		true
DB_CUST_BL_FAX_AREA_CODE	Integer		true
DB_CUST_BL_FAX_PHONE_3	Integer		true
DB_CUST_BL_FAX_PHONE_4	Integer		true
DB_CUST_INACTIVE_DATE	String		true
DB_CUST_ACCOUNT_DATE	String		true

OCCURS_7_TIMES	String		true
DB_CUST_SS_UNIT_CASE	String		true
DB_CUST_STALE_PRICING_SW	String		true
DB_CUST_PREVIOUS_LINK	String		true
DB_CUST_LOAD_SEQUENCE	Integer		true
DB_CUST_INV_ACCNT_NUMBER	Integer		true
DB_CUST_ESCL_DISC_TYPE	Integer		true
DB_CUST_SETTL_COMM_RTE_NUM	Integer		true
DB_CUST_IVR_FLAG	String		true
DB_CUST_IVR_PASSWORD	String		true
DB_CUST_SALES_MANAGER	Integer		true
DB_CUST_SALES_MANAGER_DESC	String		true
DB_CUST_SALES_REP	Integer		true
DB_CUST_SALES_REP_DESC	String		true
DB_CUST_BUYING_GROUP_CODE	String		true
DB_CUST_STOP_RATE	Float		true
DB_CUST_LITRE_RATE	Float		true

DB_CUST_DEPT_INVOICE	Integer		true
DB_CUST_LBS_TABLE	Integer		true
DB_CUST_COMM_TABLE_NEW	Integer		true
DB_CUST_RET_CAP_TABLE	Integer		true
DB_SALES_MODE_FLAG	Integer		true
DB_CUST_LAST_SERVICE_DATE	String		true
DB_CUST_LANGUAGE_CODE	Integer		true
DB_CUST_DEI_ACTIVE_SW	Integer		true
DB_CUST_EDI_TRANS_SET_1	Integer		true
DB_CUST_EDI_TRANS_SET_2	Integer		true
DB_CUST_EDI_PARTNER_DUNS_NO	Integer		true
DB_CUST_EDI_PARTNER_SUFFIX	Integer		true
DB_CUST_EDI_PARTNER_TRADING_ID	String		true
DB_CUST_EDI_PARTNER_ID_CODE	String		true
DB_CUST_EDI_PARTNER_ID	String		true
DB_RETAIL_DISC_TABLE	Integer		true
DB_MERCHANDISER_ACCT	String		true

DB_DROP_ROUTE_NUMBER	Integer		true
DB_MIN_ORDER_CONTROL_TABLE	Integer		true
DB_CUST_INV_ALT_NUMBER	String		true
DB_CUST_ANTI_DISC_TABLE	Integer		true
DB_CUST_CPART_PRICE_TABLE	Integer		true
DB_CUST_END_OF_RECORD	String		true

Constraint Table Entries(xrow1):

Name	Type	Expression	isNullable

Mapper table for tMap_4 (output):

Mapper table Properties(out12):

Properties	Values
Name	out12
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(out12):

Name	Type	Expression	isNullab
DB_CUST_CUST_NUMBER	String	Var.DB_CUST_CUST_NUMBER	false
DB_CUST_WHOLESALE_PRICE_TAB	Integer	xrow1.DB_CUST_WHOLESALE_PRICE_TAB	true
Instance	String	(String)globalMap.get("row16.instance")	true
DB_CUST_CUST_NUMBER_Original	Integer	xrow1.DB_CUST_CUST_NUMBER	true

Constraint Table Entries(out12):

Name	Type	Expression	isNullable

Mapper table for tMap_4 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression
DB_CUST_CUST_NUMBER	String	((String)globalMap.get("row16.instance")).replace("CUST0","")+xr

Constraint Table Entries(Var):

Name	Type	Expression	isN