



Joblets

Generated by Talend Data Management Platform

| | | | |
|--------------|----------------|--|-----------------------------|
| Project Name | NAV_MOV | GENERATION DATE | Dec 17, 2019 12:54:06 PM |
| AUTHOR | Phillips, Cody | Talend Data Management Platform VERSION | 7.0.1.20180411_1414 |

Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)

Project Description


| Properties | Values |
|------------|---------|
| Name | NAV_MOV |
| Language | java |

| | |
|-------------|--|
| Description | |
|-------------|--|

Description

| Properties | Values |
|--------------|------------------------|
| Name | jlet_ResponseLogging |
| Author | Phillips, Cody |
| Version | 0.1 |
| Purpose | |
| Status | |
| Description | |
| Creation | Oct 5, 2016 7:50:17 PM |
| Modification | Mar 9, 2019 9:56:18 AM |

Preview Picture



Settings

Extra settings

| Name | Value |
|-----------|-------|
| Startable | true |

Context List

ContextDefault

| Name | Prompt | Need Prompt |
|---------------------------------|----------------------------------|-------------|
| DB_ERP_DSD_Integration_Login | DB_ERP_DSD_Integration_Login? | false |
| DB_ERP_DSD_Integration_Port | DB_ERP_DSD_Integration_Port? | false |
| DB_ERP_DSD_Integration_Database | DB_ERP_DSD_Integration_Database? | false |
| DB_ERP_DSD_Integration_Password | DB_ERP_DSD_Integration_Password? | false |

| | | |
|---|--|-------|
| DB_ERP_DSD_Integration_Schema | DB_ERP_DSD_Integration_Schema? | false |
| DB_ERP_DSD_Integration_Server | DB_ERP_DSD_Integration_Server? | false |
| DB_ERP_DSD_Integration_AdditionalParams | DB_ERP_DSD_Integration_AdditionalParams? | false |

ContextQA

| Name | Prompt | Need Prompt |
|---|--|-------------|
| DB_ERP_DSD_Integration_Login | DB_ERP_DSD_Integration_Login? | false |
| DB_ERP_DSD_Integration_Port | DB_ERP_DSD_Integration_Port? | false |
| DB_ERP_DSD_Integration_Database | DB_ERP_DSD_Integration_Database? | false |
| DB_ERP_DSD_Integration_Password | DB_ERP_DSD_Integration_Password? | false |
| DB_ERP_DSD_Integration_Schema | DB_ERP_DSD_Integration_Schema? | false |
| DB_ERP_DSD_Integration_Server | DB_ERP_DSD_Integration_Server? | false |
| DB_ERP_DSD_Integration_AdditionalParams | DB_ERP_DSD_Integration_AdditionalParams? | false |

ContextPREPROD

| Name | Prompt | Need Prompt |
|------------------------------|-------------------------------|-------------|
| DB_ERP_DSD_Integration_Login | DB_ERP_DSD_Integration_Login? | false |
| DB_ERP_DSD_Integration_Port | DB_ERP_DSD_Integration_Port? | false |


| | | |
|---|--|-------|
| DB_ERP_DSD_Integration_Database | DB_ERP_DSD_Integration_Database? | false |
| DB_ERP_DSD_Integration_Password | DB_ERP_DSD_Integration_Password? | false |
| DB_ERP_DSD_Integration_Schema | DB_ERP_DSD_Integration_Schema? | false |
| DB_ERP_DSD_Integration_Server | DB_ERP_DSD_Integration_Server? | false |
| DB_ERP_DSD_Integration_AdditionalParams | DB_ERP_DSD_Integration_AdditionalParams? | false |

Component List

| Component Name | Component Type |
|--------------------|------------------|
| tReplicate_1 | tReplicate |
| tUnite_1 | tUnite |
| tMap_1 | tMap |
| tExtractXMLField_1 | tExtractXMLField |
| tExtractXMLField_2 | tExtractXMLField |
| tBufferOutput_1 | tBufferOutput |
| tBufferInput_1 | tBufferInput |
| tMSSqlOutput_1 | tMSSqlOutput |
| INPUT_1 | INPUT |

Components Description

Component tReplicate

| | | | | |
|---|-------------|--------------|-----------|--|
|  | UNIQUE NAME | tReplicate_1 | INPUT(S) | INPUT_1 |
| | LABEL | tReplicate_1 | OUTPUT(S) | tExtractXMLField_2 , tExtractXMLField_1 |

Component Parameters:


| Properties | Values |
|-------------------------|----------------------------|
| Unique Name | tReplicate_1 |
| Component Name | tReplicate |
| Version | 0.101 (ALPHA) |
| Family | Orchestration |
| Startable | false |
| SUBTREE_START | false |
| END_OF_FLOW | false |
| Activate | true |
| DUMMY | false |
| tStatCatcher Statistics | false |
| Help | org.talend.help.tReplicate |

| | |
|---------------------------------|---|
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | C:\Talend\7.0.1\studio\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| | false |
| REPOSITORY_ALLOW_AUTO_SWITCH | true |
| Schema | Built-In |
| Label format | tReplicate_1 |
| Hint format | __UNIQUE_NAME__ __COMMENT__ |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for tReplicate_1 :

| Column | Key | Type | Length | Precision | Nullable | Comment |
|-------------|-------|--------|--------|-----------|----------|---------|
| responseXML | false | String | | | true | |

Original Function Parameters:
Component tUnite

| | | | | |
|---|-------------|----------|-----------|--|
|  | UNIQUE NAME | tUnite_1 | INPUT(S) | tExtractXMLField_2 , tBufferInput_1 |
| | LABEL | tUnite_1 | OUTPUT(S) | tMap_1 |

Component Parameters:

| Properties | Values |
|----------------|---------------|
| Unique Name | tUnite_1 |
| Component Name | tUnite |
| Version | 0.101 (ALPHA) |
| Family | Orchestration |
| Startable | false |
| SUBTREE_START | false |
| END_OF_FLOW | false |
| Activate | true |
| DUMMY | false |


| | |
|-------------------------------|---|
| tStatCatcher Statistics | false |
| Help | org.talend.help.Unite |
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | C:\Talend\7.0.1\studio\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| | false |
| REPOSITORY_ALLOW_AUTO_SWITCH | true |
| Schema | Built-In |
| Label format | tUnite_1 |
| Hint format | __UNIQUE_NAME__ __COMMENT__ |
| Connection format | row |
| Show Information | false |
| Comment | |

| | |
|---------------------------------|-------|
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for tUnite_1 :

| Column | Key | Type | Length | Precision | Nullable | Comment |
|---------------------|-------|--------|--------|-----------|----------|---------|
| Pool | false | String | | | true | |
| Group | false | String | | | true | |
| Key | false | String | | | true | |
| Timestamp | false | String | | | true | |
| isReference | false | String | | | true | |
| ValidationErrorCode | false | String | | | true | |
| Message | false | String | | | true | |

Original Function Parameters:
Component tExtractXMLField

| | | | | |
|---|-------------|--------------------|-----------|--------------|
|  | UNIQUE NAME | tExtractXMLField_1 | INPUT(S) | tReplicate_1 |
| | LABEL | tExtractXMLField_2 | OUTPUT(S) | tUnite_1 |

Component Parameters:

| Properties | Values |
|-------------|--------------------|
| Unique Name | tExtractXMLField_1 |

| | |
|-------------------------------|---|
| Component Name | tExtractXMLField |
| Version | 0.102 (ALPHA) |
| Family | XML Processing/Fields |
| Startable | false |
| SUBTREE_START | false |
| END_OF_FLOW | false |
| Activate | true |
| DUMMY | false |
| tStatCatcher Statistics | false |
| Help | org.talend.help.tFileInputXML |
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | C:\Talend\7.0.1\studio\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |

| | |
|------------------------------|---|
| | false |
| Property Type | Built-In |
| REPOSITORY_ALLOW_AUTO_SWITCH | true |
| Schema | Built-In |
| XML field | responseXML |
| !!!USE_ITEMS.NAME!!! | false |
| !!!LOOP_QUERY_BASE.NAME!!! | "" |
| Loop XPath query | "/MovilizerResponse/masterdataAck/" |
| Mapping | <pre>[{SCHEMA_COLUMN=Pool, QUERY="@pool", NODECHECK=false}, {SCHEMA_COLUMN=Group, QUERY="@group", NODECHECK=false}, {SCHEMA_COLUMN=Key, QUERY="@key", NODECHECK=false}, {SCHEMA_COLUMN=Timestamp, QUERY="@timestamp", NODECHECK=false}, {SCHEMA_COLUMN=isReference, QUERY="@isReference", NODECHECK=false}, {SCHEMA_COLUMN=ValidationErrorCode, QUERY="@validationErrorCode", NODECHECK=false}, {SCHEMA_COLUMN=Message, QUERY="@message", NODECHECK=false}]</pre> |
| Limit | |
| Die on error | false |
| Schema | Built-In |
| Use static Field | false |


| | |
|------------------------------------|---------------------------------------|
| XML Record | "" |
| XPath Prefix | "" |
| Min column number of optimize code | 100 |
| Ignore the namespaces | false |
| Label format | tExtractXMLField_2 |
| Hint format | __UNIQUE_NAME__ __COMMENT__ |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for tExtractXMLField_1 :

| Column | Key | Type | Length | Precision | Nullable | Comment |
|-----------|-------|--------|--------|-----------|----------|---------|
| Pool | false | String | | | true | |
| Group | false | String | | | true | |
| Key | false | String | | | true | |
| Timestamp | false | String | | | true | |

| | | | | | | |
|---------------------|-------|--------|--|--|------|--|
| isReference | false | String | | | true | |
| ValidationErrorCode | false | String | | | true | |
| Message | false | String | | | true | |

Original Function Parameters:
Component tExtractXMLField

| | | | | |
|---|-------------|--------------------|-----------|-----------------|
|  | UNIQUE NAME | tExtractXMLField_2 | INPUT(S) | tReplicate_1 |
| | LABEL | tExtractXMLField_1 | OUTPUT(S) | tBufferOutput_1 |

Component Parameters:

| Properties | Values |
|----------------|-----------------------|
| Unique Name | tExtractXMLField_2 |
| Component Name | tExtractXMLField |
| Version | 0.102 (ALPHA) |
| Family | XML Processing/Fields |
| Startable | false |
| SUBTREE_START | false |
| END_OF_FLOW | false |
| Activate | true |
| DUMMY | false |

| | |
|-------------------------------|---|
| tStatCatcher Statistics | false |
| Help | org.talend.help.tFileInputXML |
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | C:\Talend\7.0.1\studio\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| | false |
| Property Type | Built-In |
| REPOSITORY_ALLOW_AUTO_SWITCH | true |
| Schema | Built-In |
| XML field | responseXML |
| !!!USE_ITEMS.NAME!!! | false |
| !!!LOOP_QUERY_BASE.NAME!!! | "" |
| Loop XPath query | "/MovilizerResponse/masterdataError/" |


| | |
|------------------------------------|--|
| Mapping | <pre> [{SCHEMA_COLUMN=Pool, QUERY="@pool", NODECHECK=false}, {SCHEMA_COLUMN=Group, QUERY="@group", NODECHECK=false}, {SCHEMA_COLUMN=Key, QUERY="@key", NODECHECK=false}, {SCHEMA_COLUMN=Timestamp, QUERY="@timestamp", NODECHECK=false}, {SCHEMA_COLUMN=isReference, QUERY="@isReference", NODECHECK=false}, {SCHEMA_COLUMN=ValidationErrorCode, QUERY="@validationErrorCode", NODECHECK=false}, {SCHEMA_COLUMN=Message, QUERY="@message", NODECHECK=false}] </pre> |
| Limit | |
| Die on error | false |
| Schema | Built-In |
| Use static Field | false |
| XML Record | "" |
| XPath Prefix | "" |
| Min column number of optimize code | 100 |
| Ignore the namespaces | false |
| Label format | tExtractXMLField_1 |
| Hint format | __UNIQUE_NAME__ __COMMENT__ |
| Connection format | row |
| Show Information | false |

| | |
|---------------------------------|-------|
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for tExtractXMLField_2 :

| Column | Key | Type | Length | Precision | Nullable | Comment |
|---------------------|-------|--------|--------|-----------|----------|---------|
| Pool | false | String | | | true | |
| Group | false | String | | | true | |
| Key | false | String | | | true | |
| Timestamp | false | String | | | true | |
| isReference | false | String | | | true | |
| ValidationErrorCode | false | String | | | true | |
| Message | false | String | | | true | |

Original Function Parameters:
Component tBufferOutput

| | | | | |
|---|-------------|-----------------|-----------|--|
|  | UNIQUE NAME | tBufferOutput_1 | INPUT(S) | tExtractXMLField_2 , tBufferInput_1 |
| | LABEL | tBufferOutput_1 | OUTPUT(S) | none |

Component Parameters:

| Properties | Values |
|------------|--------|
|------------|--------|

| | |
|---------------------------|---|
| Unique Name | tBufferOutput_1 |
| Component Name | tBufferOutput |
| Version | 0.101 (ALPHA) |
| Family | Misc |
| Startable | false |
| SUBTREE_START | false |
| END_OF_FLOW | true |
| Activate | true |
| DUMMY | false |
| tStatCatcher Statistics | false |
| Help | org.talend.help.tBufferOutput |
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | C:\Talend\7.0.1\studio\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |


| | |
|---------------------------------|---------------------------------------|
| Number of parallel executions | 2 |
| | false |
| REPOSITORY_ALLOW_AUTO_SWITCH | true |
| Schema | Built-In |
| Label format | tBufferOutput_1 |
| Hint format | __UNIQUE_NAME__ __COMMENT__ |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for tBufferOutput_1 :

| Column | Key | Type | Length | Precision | Nullable | Comment |
|-----------|-------|--------|--------|-----------|----------|---------|
| Pool | false | String | | | true | |
| Group | false | String | | | true | |
| Key | false | String | | | true | |
| Timestamp | false | String | | | true | |

| | | | | | | |
|---------------------|-------|--------|--|--|------|--|
| isReference | false | String | | | true | |
| ValidationErrorCode | false | String | | | true | |
| Message | false | String | | | true | |

Original Function Parameters:
Component tBufferInput

| | | | | |
|---|-------------|----------------|-----------|----------|
|  | UNIQUE NAME | tBufferInput_1 | INPUT(S) | none |
| | LABEL | tBufferInput_1 | OUTPUT(S) | tUnite_1 |

Component Parameters:

| Properties | Values |
|----------------|----------------|
| Unique Name | tBufferInput_1 |
| Component Name | tBufferInput |
| Version | 0.102 (ALPHA) |
| Family | Misc |
| Start | false |
| Startable | true |
| SUBTREE_START | false |
| END_OF_FLOW | false |
| Activate | true |


| | |
|----------------------------------|---|
| DUMMY | false |
| tStatCatcher Statistics | false |
| Help | org.talend.help.tBufferInput |
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | C:\Talend\7.0.1\studio\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| | false |
| REPOSITORY_ALLOW_AUTO_SWITCH | true |
| Schema | Built-In |
| Advanced separator (for numbers) | false |
| Thousands separator | " , " |
| Decimal separator | " . " |
| Encoding | "ISO-8859-15" |

| | |
|---------------------------------|---------------------------------------|
| Label format | tBufferInput_1 |
| Hint format | __UNIQUE_NAME__ __COMMENT__ |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for tBufferInput_1 :

| Column | Key | Type | Length | Precision | Nullable | Comment |
|---------------------|-------|--------|--------|-----------|----------|---------|
| Pool | false | String | | | true | |
| Group | false | String | | | true | |
| Key | false | String | | | true | |
| Timestamp | false | String | | | true | |
| isReference | false | String | | | true | |
| ValidationErrorCode | false | String | | | true | |
| Message | false | String | | | true | |

Original Function Parameters:
Component tMSSqlOutput

| | | | | |
|---|-------------|----------------|-----------|--------|
|  | UNIQUE NAME | tMSSqlOutput_1 | INPUT(S) | tMap_1 |
| | LABEL | tMSSqlOutput_4 | OUTPUT(S) | none |

Component Parameters:

| Properties | Values |
|-------------------------|--------------------------------------|
| Database | tMSSqlOutput |
| Unique Name | tMSSqlOutput_1 |
| Component Name | tMSSqlOutput |
| Version | 0.102 (ALPHA) |
| Family | Databases/DB Specifics/MS_SQL_Server |
| Startable | false |
| SUBTREE_START | false |
| END_OF_FLOW | true |
| Activate | true |
| DUMMY | false |
| tStatCatcher Statistics | false |
| Help | org.talend.help.tMSSqlOutput |
| Update components | true |

| | |
|-------------------------------|---|
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | C:\Talend\7.0.1\studio\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| | false |
| Property Type | repository: DB (MSSQL):DB_ERP_DSD_Integration |
| Use an existing connection | false |
| Component List | |
| JDBC Provider | JTDS |
| Host | context.DB_ERP_DSD_Integration_Server |
| Port | context.DB_ERP_DSD_Integration_Port |
| Schema | context.DB_ERP_DSD_Integration_Schema |
| Database | context.DB_ERP_DSD_Integration_Database |
| Database Driver | MSSQL |
| Username | context.DB_ERP_DSD_Integration_Login |

| | |
|------------------------------|---|
| Password | context.DB_ERP_DSD_Integration_Password |
| Table | "Custom_Logging" |
| Action on table | CREATE_IF_NOT_EXISTS |
| Turn on Identity insert | false |
| Action on data | INSERT |
| Specify identity field | false |
| Identity field | moment |
| Start value | 1 |
| Step | 1 |
| REPOSITORY_ALLOW_AUTO_SWITCH | true |
| Schema | Built-In |
| Reject Schema | Built-In |
| Specify a data source alias | false |
| Data source alias | "" |
| Die on error | false |
| Mapping | id_MSSQL |
| Additional JDBC Parameters | context.DB_ERP_DSD_Integration_AdditionalParams |

| | |
|--------------------|---|
| Encoding | "ISO-8859-15" |
| Commit every | 10000 |
| Additional columns | [] |
| Use field options | false |
| | <pre> {{SCHEMA_COLUMN=moment, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=root_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=father_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=project, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=job, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=context, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=priority, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=type, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=origin, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=errorMessage, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=code, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Environment, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Source, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Filepath, </pre> |

Field options

```
UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true},
{SCHEMA_COLUMN=Instance,
UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true},
{SCHEMA_COLUMN=Table_View,
UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true},
{SCHEMA_COLUMN=Database,
UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true},
{SCHEMA_COLUMN=Object_Id,
UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true},
{SCHEMA_COLUMN=Object_Name,
UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true},
{SCHEMA_COLUMN=Object_Type,
UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true},
{SCHEMA_COLUMN=Pool, UPDATE_KEY=false,
DELETE_KEY=false, UPDATABLE=true,
INSERTABLE=true}, {SCHEMA_COLUMN=Group,
UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true},
{SCHEMA_COLUMN=Key, UPDATE_KEY=false,
DELETE_KEY=false, UPDATABLE=true,
INSERTABLE=true},
{SCHEMA_COLUMN=ResponseTimestamp,
UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true},
```

| | |
|---------------------------------------|--|
| | {SCHEMA_COLUMN=ProcessTimeStamp, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}} |
| Ignore date out of range | false |
| Enable debug mode | false |
| Support null in "SQL WHERE" statement | false |
| Use Batch Size | true |
| Batch Size | 10000 |
| Label format | tMSSqlOutput_4 |
| Hint format | __UNIQUE_NAME__ __COMMENT__ |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |


Schema for loginfo :

| Column | Key | Type | Length | Precision | Nullable | Comment |
|--------|-------|----------------|--------|-----------|----------|---------|
| moment | false | java.util.Date | 255 | | true | |
| pid | false | String | 255 | | true | |

| | | | | | | |
|--------------|-------|---------|-----|--|------|--|
| root_pid | false | String | 255 | | true | |
| father_pid | false | String | 255 | | true | |
| project | false | String | 255 | | true | |
| job | false | String | 255 | | true | |
| context | false | String | 255 | | true | |
| priority | false | Integer | 3 | | true | |
| type | false | String | 255 | | true | |
| origin | false | String | 255 | | true | |
| errorMessage | false | String | 255 | | true | |
| code | false | String | 255 | | true | |
| Environment | false | String | 30 | | true | |
| Source | false | String | 255 | | true | |
| Filepath | false | String | 255 | | true | |
| Instance | false | String | 255 | | true | |
| Table_View | false | String | 255 | | true | |
| Database | false | String | 255 | | true | |
| Object_Id | false | String | 255 | | true | |

| | | | | | | |
|-------------------|-------|----------------|-----|--|------|--|
| Object_Name | false | String | 255 | | true | |
| Object_Type | false | String | 255 | | true | |
| Pool | false | String | 255 | | true | |
| Group | false | String | 255 | | true | |
| Key | false | String | 255 | | true | |
| ResponseTimestamp | false | java.util.Date | 255 | | true | |
| ProcessTimeStamp | false | java.util.Date | 255 | | true | |

Original Function Parameters:
Component INPUT

| | | | | |
|---|-------------|---------|-----------|------------------------------|
|  | UNIQUE NAME | INPUT_1 | INPUT(S) | none |
| | LABEL | INPUT_1 | OUTPUT(S) | tReplicate_1 |

Component Parameters:


| Properties | Values |
|-------------------|----------|
| Unique Name | INPUT_1 |
| STARTABLE | true |
| Start | true |
| Schema | Built-In |
| Update components | true |

| | |
|-------------------|---------------------------------------|
| Label format | INPUT_1 |
| Hint format | __UNIQUE_NAME__ __COMMENT__ |
| Connection format | row |
| Show Information | false |
| Comment | |

Schema for INPUT_1 :

| Column | Key | Type | Length | Precision | Nullable | Comment |
|-------------|-------|--------|--------|-----------|----------|---------|
| responseXML | false | String | | | true | |

Original Function Parameters: Component tMap

| | | | | |
|---|-------------|--------|-----------|----------------|
|  | UNIQUE NAME | tMap_1 | INPUT(S) | tUnite_1 |
| | LABEL | tMap_1 | OUTPUT(S) | tMSSqlOutput_1 |

Component Parameters:

| Properties | Values |
|---------------------------|--------|
| tStatCatcher Statistics | false |
| Enable parallel execution | false |
| Mapping links display as: | AUTO |
| Temp data directory path: | |

| | |
|--------------------------------------|---------|
| Max buffer size (nb of rows): | 2000000 |
| Ignore trailing zeros for BigDecimal | false |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |

Mapper table for tMap_1 (input):
Mapper table Properties(row5):

| Properties | Values |
|-------------------|--------------|
| Name | row5 |
| Matching-mode | UNIQUE_MATCH |
| isMinimized | false |
| isReject | false |
| isRejectInnerJoin | false |
| isInnerJoin | false |
| expressionFilter | null |

Metadata Table Entries(row5):

| Name | Type | Expression | isNullable |
|---------------------|--------|------------|------------|
| Pool | String | | true |
| Group | String | | true |
| Key | String | | true |
| Timestamp | String | | true |
| isReference | String | | true |
| ValidationErrorCode | String | | true |
| Message | String | | true |

Constraint Table Entries(row5):

| Name | Type | Expression | isNullable |
|------|------|------------|------------|
|------|------|------------|------------|

Mapper table for tMap_1 (output):

Mapper table Properties(responseXML):

| Properties | Values |
|-------------------|-------------|
| Name | responseXML |
| Matching-mode | |
| isMinimized | false |
| isReject | false |
| isRejectInnerJoin | false |
| isInnerJoin | false |
| expressionFilter | null |

Metadata Table Entries(responseXML):

| Name | Type | Expression | isNullable |
|------------|----------------|-----------------------------|------------|
| moment | java.util.Date | TalendDate.getCurrentDate() | true |
| pid | String | pid | true |
| root_pid | String | rootPid | true |
| father_pid | String | fatherPid | true |
| project | String | projectName | true |
| job | String | jobName | true |
| context | String | contextStr | true |

| | | | |
|--------------|---------|--------------------------|------|
| priority | Integer | 6 | true |
| type | String | Var.type | true |
| origin | String | "jlet_Response_Logging" | true |
| errorMessage | String | row5.Message | true |
| code | String | row5.ValidationErrorCode | true |
| Environment | String | context.environment | true |
| Source | String | context.source | true |
| Filepath | String | context.filepath | true |
| Instance | String | context.instance | true |
| Table_View | String | context.table_view | true |
| Database | String | context.database | true |
| Object_Id | String | context.objectId | true |
| Object_Name | String | context.objectName | true |
| Object_Type | String | context.objectType | true |
| Pool | String | context.Pool | true |
| Group | String | context.group | true |
| Key | String | context.key | true |

| | | | |
|-------------------|----------------|----------------------|------|
| ResponseTimestamp | java.util.Date | Var.Timestamp | true |
| ProcessTimeStamp | java.util.Date | Var.ProcessTimeStamp | true |

Constraint Table Entries(responseXML):

| Name | Type | Expression | isNullable |
|------|------|------------|------------|
|------|------|------------|------------|

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

| Properties | Values |
|-------------------|--------|
| Name | Var |
| Matching-mode | |
| isMinimized | false |
| isReject | false |
| isRejectInnerJoin | false |
| isInnerJoin | false |
| expressionFilter | null |

Metadata Table Entries(Var):

| Name | Type | Expression |
|------------------|----------------|--|
| Timestamp | java.util.Date | (row5.Timestamp.length())>1&&row5.Timestamp.indexOf("T")>=0&&HH:mm:ss.SSS",row5.Timestamp.substring(0,row5.Timestamp.inde "+row5.Timestamp.substring(row5.Timestamp.indexOf("T")+1,row5. HH:mm:ss", "9999-01-01 00:00:00",false) |
| type | String | (row5.ValidationErrorCode==null && row5.Message==null)?"Movili; |
| ProcessTimeStamp | java.util.Date | context.ProcessTimeStamp.length()>1?TalendDate.parseDate("yyy HH:mm:ss",context.ProcessTimeStamp,false):TalendDate.parseDa |

Constraint Table Entries(Var):

| Name | Type | Expression |
|------|------|------------|
|------|------|------------|