

Joblets

Generated by Talend Data Management Platform

Project Name	NAV_MOV	GENERATION DATE	Dec 17, 2019 1:15:28 PM
AUTHOR	Shah, Kashyap	Talend Data Management Platform VERSION	7.0.1.20180411_1414

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description


Properties	Values
Name	NAV_MOV
Language	java

Description	

Description

Properties	Values
Name	jlet_NAV_ResponseLogging
Author	Shah, Kashyap
Version	0.1
Purpose	
Status	
Description	
Creation	Mar 4, 2019 3:05:08 AM
Modification	Apr 16, 2019 7:19:26 AM

Preview Picture



Settings

Extra settings

Name	Value
Startable	true

Context List

ContextDefault

Name	Prompt	Need Prompt
DB_ERP_DSD_Integration_Login	DB_ERP_DSD_Integration_Login?	false
DB_ERP_DSD_Integration_Port	DB_ERP_DSD_Integration_Port?	false
DB_ERP_DSD_Integration_Database	DB_ERP_DSD_Integration_Database?	false

DB_ERP_DSD_Integration_Password	DB_ERP_DSD_Integration_Password?	false
DB_ERP_DSD_Integration_Schema	DB_ERP_DSD_Integration_Schema?	false
DB_ERP_DSD_Integration_Server	DB_ERP_DSD_Integration_Server?	false
DB_ERP_DSD_Integration_AdditionalParams	DB_ERP_DSD_Integration_AdditionalParams?	false

ContextQA

Name	Prompt	Need Prompt
DB_ERP_DSD_Integration_Login	DB_ERP_DSD_Integration_Login?	false
DB_ERP_DSD_Integration_Port	DB_ERP_DSD_Integration_Port?	false
DB_ERP_DSD_Integration_Database	DB_ERP_DSD_Integration_Database?	false
DB_ERP_DSD_Integration_Password	DB_ERP_DSD_Integration_Password?	false
DB_ERP_DSD_Integration_Schema	DB_ERP_DSD_Integration_Schema?	false
DB_ERP_DSD_Integration_Server	DB_ERP_DSD_Integration_Server?	false
DB_ERP_DSD_Integration_AdditionalParams	DB_ERP_DSD_Integration_AdditionalParams?	false

ContextPREPROD

Name	Prompt	Need Prompt
DB_ERP_DSD_Integration_Login	DB_ERP_DSD_Integration_Login?	false

DB_ERP_DSD_Integration_Port	DB_ERP_DSD_Integration_Port?	false
DB_ERP_DSD_Integration_Database	DB_ERP_DSD_Integration_Database?	false
DB_ERP_DSD_Integration_Password	DB_ERP_DSD_Integration_Password?	false
DB_ERP_DSD_Integration_Schema	DB_ERP_DSD_Integration_Schema?	false
DB_ERP_DSD_Integration_Server	DB_ERP_DSD_Integration_Server?	false
DB_ERP_DSD_Integration_AdditionalParams	DB_ERP_DSD_Integration_AdditionalParams?	false

Component List

Component Name	Component Type
tBufferInput_1	tBufferInput
tUnite_1	tUnite
tFilterRow_11	tFilterRow
tFilterRow_27	tFilterRow
tReplicate_1	tReplicate
tExtractXMLField_1	tExtractXMLField
tExtractXMLField_3	tExtractXMLField
tBufferOutput_1	tBufferOutput

tFilterRow_13	tFilterRow
tMap_5	tMap
tMSSqlOutput_3	tMSSqlOutput
INPUT_1	INPUT

Components Description

Component tBufferInput

UNIQUE NAME	tBufferInput_1	INPUT(S)	none
LABEL	tBufferInput_1	OUTPUT(S)	tFilterRow_11

Component Farameters.				
Properties	Values			
Unique Name	tBufferInput_1			
Component Name	tBufferInput			
Version	0.102 (ALPHA)			
Family	Misc			
Start	true			
Startable	true			
SUBTREE_START	true			

false
true
false
false
org.talend.help.tBufferInput
true
C:\Talend\7.0.1\studio\configuration\lib\java
false
2
false
true
Built-In
false
п п ,

Decimal separator	"."			
Encoding	"ISO-8859-15"			
Label format	tBufferInput_1			
Hint format	UNIQUE_NAME COMMENT			
Connection format	row			
Show Information	false			
Comment				
Use an existing validation rule	false			
Validation Rule Type				

Schema for tBufferInput_1 :

Contonia for tBarror	ochema for tbunerinput_1.					
Column	Key	Туре	Length	Precision	Nullable	Comment
Pool	false	String			true	
Group	false	String			true	
Key	false	String			true	
Timestamp	false	String			true	
isReference	false	String			true	
ValidationErrorCode	false	String			true	

Message	false	String		true	

Original Function Parameters: Component tUnite

>	UNIQUE NAME	tUnite_1	INPUT(S)	tExtractXMLField_3 , tFilterRow_13
	LABEL	tUnite_1	OUTPUT(S)	tMap_5

Component Parameters:				
Properties	Values			
Unique Name	tUnite_1			
Component Name	tUnite			
Version	0.101 (ALPHA)			
Family	Orchestration			
Startable	false			
SUBTREE_START	false			
END_OF_FLOW	false			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.Unite			

true
C:\Talend\7.0.1\studio\configuration\lib\java
false
2
false
true
Built-In
tUnite_1
UNIQUE_NAME COMMENT
row
false
false

Schema for tUnite_1 :

Column		Туре	Length	Precision	Nullable	Comment
Pool	false	String			true	
Group	false	String			true	
Key	false	String			true	
Timestamp	false	String			true	
isReference	false	String			true	
ValidationErrorCode	false	String			true	
Message	false	String			true	

Original Function Parameters: Component tFilterRow

Tr .	UNIQUE NAME	tFilterRow_11	INPUT(S)	tBufferInput_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tUnite_1

Component Parameters:	
Properties	Values
Unique Name	tFilterRow_11
Component Name	tFilterRow
Version	0.102 (ALPHA)
Family	Processing

Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFilterRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In

Schema	Built-In
Schema	Built-In
Logical operator used to combine conditions	&&
Conditions	
Use advanced mode	true
Advanced	!(row13.Key == null row13.Key.isEmpty())
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFilterRow_11:

Column	Key	Туре	Length	Precision	Nullable	Comment
Pool	false	String			true	
Group	false	String			true	

Key	false	String		true	
Timestamp	false	String		true	
isReference	false	String		true	
ValidationErrorCode	false	String		true	
Message	false	String		true	

Original Function Parameters: Component tFilterRow

· · · · · · · · · · · · · · · · · · ·	UNIQUE NAME	tFilterRow_27	INPUT(S)	INPUT_1
	LABEL	tFilterRow_27	OUTPUT(S)	tReplicate_1

Component Parameters:			
Properties	Values		
Unique Name	tFilterRow_27		
Component Name	tFilterRow		
Version	0.102 (ALPHA)		
Family	Processing		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	false		

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFilterRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
Schema	Built-In
Logical operator used to combine conditions	&&

Conditions	
Use advanced mode	true
Advanced	!row15.responseXML.isEmpty()
Label format	tFilterRow_27
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFilterRow_27:

Column	Key	Туре	Length	Precision	Nullable	Comment
responseXML	false	String			true	

Original Function Parameters: Component tReplicate

	UNIQUE NAME	tReplicate_1	INPUT(S)	tFilterRow_27
	LABEL	tReplicate_1		tExtractXMLField_1 , tExtractXMLField_3

Properties	Values
Unique Name	tReplicate_1
Component Name	tReplicate
Version	0.101 (ALPHA)
Family	Orchestration
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tReplicate
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	

Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Label format	tReplicate_1
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tReplicate_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
responseXML	false	String			true	

Original Function Parameters: Component tExtractXMLField

ХМ	UNIQUE NAME	tExtractXMLField_1	INPUT(S)	tReplicate_1

LABEL tExtractXMLField_2OUTPUT(S) tBufferOutput_1	
---	--

Properties	Values
Unique Name	tExtractXMLField_1
Component Name	tExtractXMLField
Version	0.102 (ALPHA)
Family	XML Processing/Fields
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputXML
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java

Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
XML field	responseXML
!!!USE_ITEMS.NAME!!!	false
!!!LOOP_QUERY_BASE.NAME!!!	пп
Loop XPath query	"/MovilizerResponse/masterdataError"
Mapping	[{SCHEMA_COLUMN=Pool, QUERY="@pool", NODECHECK=false}, {SCHEMA_COLUMN=Group, QUERY="@group", NODECHECK=false}, {SCHEMA_COLUMN=Key, QUERY="@key", NODECHECK=false}, {SCHEMA_COLUMN=Timestamp, QUERY="@timestamp", NODECHECK=false}, {SCHEMA_COLUMN=isReference, QUERY="@isReference", NODECHECK=false}, {SCHEMA_COLUMN=ValidationErrorCode, QUERY="@validationErrorCode", NODECHECK=false}, {SCHEMA_COLUMN=Message, QUERY="@message", NODECHECK=false}]

Limit	
Die on error	false
Schema	Built-In
Use static Field	false
XML Record	нн
XPath Prefix	1111
Min column number of optimize code	100
Ignore the namespaces	true
Label format	tExtractXMLField_2
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tExtractXMLField_1:

Column	Key	Туре	Length	Precision	Nullable	Comment

Pool	false	String		true	
Group	false	String		true	
Key	false	String		true	
Timestamp	false	String		true	
isReference	false	String		true	
ValidationErrorCode	false	String		true	
Message	false	String		true	

Original Function Parameters: Component tExtractXMLField

XMI	UNIQUE NAME	tExtractXMLField_3	INPUT(S)	tReplicate_1
	LABEL	metadata	OUTPUT(S)	tFilterRow_13

Properties	Values
Unique Name	tExtractXMLField_3
Component Name	tExtractXMLField
Version	0.102 (ALPHA)
Family	XML Processing/Fields
Startable	false

SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputXML
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In

XML field	responseXML
!!!USE_ITEMS.NAME!!!	false
!!!LOOP_QUERY_BASE.NAME!!!	1111
Loop XPath query	"/MovilizerResponse/masterdataAck"
Mapping	[{SCHEMA_COLUMN=Pool, QUERY="@pool", NODECHECK=false}, {SCHEMA_COLUMN=Group, QUERY="@group", NODECHECK=false}, {SCHEMA_COLUMN=Key, QUERY="@key", NODECHECK=false}, {SCHEMA_COLUMN=Timestamp, QUERY="@timestamp", NODECHECK=false}, {SCHEMA_COLUMN=isReference, QUERY="@isReference", NODECHECK=}, {SCHEMA_COLUMN=ValidationErrorCode, QUERY="@validationErrorCode", NODECHECK=false}, {SCHEMA_COLUMN=Message, QUERY="@message", NODECHECK=false}]
Limit	
Die on error	false
Schema	repository: XML:ResponseSchema - metadata
Use static Field	false
XML Record	1111
XPath Prefix	11 11
Min column number of optimize code	100
Ignore the namespaces	true

Label format	metadata
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata :

Column	Key	Туре	Length	Precision	Nullable	Comment
Pool	false	String			true	
Group	false	String			true	
Key	false	String			true	
Timestamp	false	String			true	
isReference	false	String			true	
ValidationErrorCode	false	String			true	
Message	false	String			true	

Original Function Parameters: Component tBufferOutput

1 7	UNIQUE NAME	tBufferOutput_1	INPUT(S)	tExtractXMLField_1
	LABEL	tBufferOutput_1	OUTPUT(S)	none

Component Parameters:					
Properties	Values				
Unique Name	tBufferOutput_1				
Component Name	tBufferOutput				
Version	0.101 (ALPHA)				
Family	Misc				
Startable	false				
SUBTREE_START	false				
END_OF_FLOW	true				
Activate	true				
DUMMY	false				
tStatCatcher Statistics	false				
Help	org.talend.help.tBufferOutput				
Update components	true				
IREPORT_PATH					

JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Label format	tBufferOutput_1
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tBufferOutput_1:

Column	Key	Туре	Length	Precision	Nullable	Comment

Pool	false	String		true	
Group	false	String		true	
Key	false	String		true	
Timestamp	false	String		true	
isReference	false	String		true	
ValidationErrorCode	false	String		true	
Message	false	String		true	

Original Function Parameters: Component tFilterRow

 UNIQUE NAME	tFilterRow_13	INPUT(S)	tExtractXMLField_3 , tFilterRow_13
LABEL	UNIQUE_NAME	OUTPUT(S)	tUnite_1

Properties	Values
Unique Name	tFilterRow_13
Component Name	tFilterRow
Version	0.102 (ALPHA)
Family	Processing
Startable	false

SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFilterRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In

Schema	Built-In
Logical operator used to combine conditions	&&
Conditions	
Use advanced mode	true
Advanced	!(row11.Key == null row11.Key.isEmpty())
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFilterRow_13:

Concina for thintern						
Column	Key	Туре	Length	Precision	Nullable	Comment
Pool	false	String			true	
Group	false	String			true	
Key	false	String			true	

Timestamp	false	String		true	
isReference	false	String		true	
ValidationErrorCode	false	String		true	
Message	false	String		true	

Original Function Parameters: Component tMSSqlOutput

UNIQUE NAME	tMSSqlOutput_3INPUT(S	tMap_5
LABEL	tMSSqlOutput_4	(S) none

Component Parameters:				
Properties	Values			
Database	tMSSqlOutput			
Unique Name	tMSSqlOutput_3			
Component Name	tMSSqlOutput			
Version	0.102 (ALPHA)			
Family	Databases/DB Specifics/MS_SQL_Server			
Startable	false			
SUBTREE_START	false			
END_OF_FLOW	true			

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MSSQL):DB_ERP_DSD_Integration
Use an existing connection	false
Component List	
JDBC Provider	JTDS
Host	context.DB_ERP_DSD_Integration_Server

Port	context.DB_ERP_DSD_Integration_Port
Schema	context.DB_ERP_DSD_Integration_Schema
Database	context.DB_ERP_DSD_Integration_Database
Database Driver	MSSQL
Username	context.DB_ERP_DSD_Integration_Login
Password	context.DB_ERP_DSD_Integration_Password
Table	"NAV_Custom_Logging"
Action on table	CREATE_IF_NOT_EXISTS
Turn on Identity insert	false
Action on data	INSERT
Specify identity field	false
Identity field	moment
Start value	1
Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In

Specify a data source alias	false
Data source alias	пп
Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	context.DB_ERP_DSD_Integration_AdditionalParams
Encoding	"ISO-8859-15"
Commit every	1000
Additional columns	
Use field options	false
	[{SCHEMA_COLUMN=moment, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=root_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=father_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=project, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=job, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=context, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=priority, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=type, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true,

Field options

INSERTABLE=true}, {SCHEMA_COLUMN=origin, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=errorMessage, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA COLUMN=code, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA COLUMN=Environment, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, SCHEMA COLUMN=Source, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA COLUMN=Filepath, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true. INSERTABLE=true}. {SCHEMA COLUMN=Instance, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, SCHEMA COLUMN=Table View, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Database, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA COLUMN=Object Id, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Object_Name, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA COLUMN=Object Type, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, SCHEMA COLUMN=Pool, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA COLUMN=Group, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, SCHEMA COLUMN=Key, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA COLUMN=ResponseTimestamp, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}.

	{SCHEMA_COLUMN=ProcessTimeStamp, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Ignore date out of range	false
Enable debug mode	false
Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	1000
Label format	tMSSqlOutput_4
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for loginfo:

ochema for logimo						
Column	Key	Туре	Length	Precision	Nullable	Comment
moment	false	java.util.Date	255		true	
pid	false	String	255		true	

root_pid	false	String	255	true
father_pid	false	String	255	true
project	false	String	255	true
job	false	String	255	true
context	false	String	255	true
priority	false	Integer	3	true
type	false	String	255	true
origin	false	String	255	true
errorMessage	false	String	255	true
code	false	String	255	true
Environment	false	String	30	true
Source	false	String	255	true
Filepath	false	String	255	true
Instance	false	String	255	true
Table_View	false	String	255	true
Database	false	String	255	true
Object_Id	false	String	255	true

Object_Name	false	String	255	true	
Object_Type	false	String	255	true	
Pool	false	String	255	true	
Group	false	String	255	true	
Key	false	String	255	true	
ResponseTimestamp	false	java.util.Date	255	true	
ProcessTimeStamp	false	java.util.Date	255	true	

Original Function Parameters: Component INPUT

 UNIQUE NAME	INPUT_1	INPUT(S)	none
LABEL	INPUT_1	OUTPUT(S)	tFilterRow_27

Component i diameters.				
Properties	Values			
Unique Name	INPUT_1			
STARTABLE	true			
Start	false			
Schema	Built-In			
Update components	true			

Label format	INPUT_1
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	

Schema for INPUT_1:

Column	Key	Туре	Length	Precision	Nullable	Comment
responseXML	false	String			true	

Original Function Parameters: Component tMap

 UNIQUE NAME	tMap_5	INPUT(S)	tUnite_1
LABEL	tMap_5	OUTPUT(S)	tMSSqlOutput_3

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	

Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_5 (input):

Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Туре	Expression	isNullable
Pool	String		true
Group	String		true
Key	String		true
Timestamp	String		true
isReference	String		true
ValidationErrorCode	String		true
Message	String		true

Constraint Table Entries(row1):

Name	Туре	Expression	isNullable	

Mapper table for tMap_5 (output):
Mapper table Properties(responseXML):

Properties	Values
Name	responseXML
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(responseXML):

	100(100ponooxii	· - /·	
Name	Туре	Expression	isNullable
moment	java.util.Date	TalendDate.getCurrentDate()	true
pid	String	pid	true
root_pid	String	rootPid	true
father_pid	String	fatherPid	true
project	String	projectName	true
job	String	jobName	true
context	String	contextStr	true

<u> </u>			
priority	Integer	6	true
type	String	Var.type	true
origin	String	"jlet_Response_Logging"	true
errorMessage	String	row1.Message	true
code	String	row1.ValidationErrorCode	true
Environment	String	context.environment	true
Source	String	context.source	true
Filepath	String	context.filepath	true
Instance	String	context.instance	true
Table_View	String	context.table_view	true
Database	String	context.database	true
Object_Id	String	context.objectId	true
Object_Name	String	context.objectName	true
Object_Type	String	context.objectType	true
Pool	String	row1.Pool	true
Group	String	row1.Group	true
Key	String	row1.Key	true

ResponseTimestamp	java.util.Date	Var.Timestamp	true
ProcessTimeStamp	java.util.Date	Var.ProcessTimeStamp	true

Constraint Table Entries(responseXML):

Name	Туре	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_5 (var):

Mapper table Properties (Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

	11111	
Name	Туре	Expression
Timestamp	java.util.Date	(row1.Timestamp.length()>1&&row1.Timestamp.indexOf("T")>=0&8 HH:mm:ss.SSS",row1.Timestamp.substring(0,row1.Timestamp.inde"+row1.Timestamp.substring(row1.Timestamp.indexOf("T")+1,row1. HH:mm:ss","9999-01-01 00:00:00",false)
type	String	(row1.ValidationErrorCode==null && row1.Message==null)?"Movilia
ProcessTimeStamp	java.util.Date	context.ProcessTimeStamp.length()>1?TalendDate.parseDate("yyy HH:mm:ss",context.ProcessTimeStamp,false):TalendDate.parseDa

Constraint Table Entries(Var):

Name	Туре	Expression	