

## **Joblets**

# Generated by Talend Data Management Platform

Project Name	NAV_MOV	GENERATION DATE	Dec 17, 2019 1:04:07 PM
AUTHOR	Phillips, Cody	Talend Data Management Platform VERSION	7.0.1.20180411_1414

### **Summary**

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

### **Project Description**


Properties	Values
Name	NAV_MOV
Language	java

Description	

## **Description**

Properties	Values	
Name	jlet_ResponseLogging	
Author	Phillips, Cody	
Version	0.1	
Purpose		
Status		
Description		
Creation	Oct 5, 2016 7:50:17 PM	
Modification	Mar 9, 2019 9:56:18 AM	

### **Preview Picture**



## **Settings**

#### **Extra settings**

Name	Value
Startable	true

### **Context List**

#### ContextDefault

Name	Prompt	Need Prompt
DB_ERP_DSD_Integration_Login	DB_ERP_DSD_Integration_Login?	false
DB_ERP_DSD_Integration_Port	DB_ERP_DSD_Integration_Port?	false
DB_ERP_DSD_Integration_Database	DB_ERP_DSD_Integration_Database?	false
DB_ERP_DSD_Integration_Password	DB_ERP_DSD_Integration_Password?	false

DB_ERP_DSD_Integration_Schema	DB_ERP_DSD_Integration_Schema?	false
DB_ERP_DSD_Integration_Server	DB_ERP_DSD_Integration_Server?	false
DB_ERP_DSD_Integration_AdditionalParams	DB_ERP_DSD_Integration_AdditionalParams?	false

#### ContextQA

Name	Prompt	Need Prompt
DB_ERP_DSD_Integration_Login	DB_ERP_DSD_Integration_Login?	false
DB_ERP_DSD_Integration_Port	DB_ERP_DSD_Integration_Port?	false
DB_ERP_DSD_Integration_Database	DB_ERP_DSD_Integration_Database?	false
DB_ERP_DSD_Integration_Password	DB_ERP_DSD_Integration_Password?	false
DB_ERP_DSD_Integration_Schema	DB_ERP_DSD_Integration_Schema?	false
DB_ERP_DSD_Integration_Server	DB_ERP_DSD_Integration_Server?	false
DB_ERP_DSD_Integration_AdditionalParams	DB_ERP_DSD_Integration_AdditionalParams?	false

#### ContextPREPROD

Name	Prompt	Need Prompt
DB_ERP_DSD_Integration_Login	DB_ERP_DSD_Integration_Login?	false
DB_ERP_DSD_Integration_Port	DB_ERP_DSD_Integration_Port?	false

DB_ERP_DSD_Integration_Database	DB_ERP_DSD_Integration_Database?	false
DB_ERP_DSD_Integration_Password	DB_ERP_DSD_Integration_Password?	false
DB_ERP_DSD_Integration_Schema	DB_ERP_DSD_Integration_Schema?	false
DB_ERP_DSD_Integration_Server	DB_ERP_DSD_Integration_Server?	false
DB_ERP_DSD_Integration_AdditionalParams	DB_ERP_DSD_Integration_AdditionalParams?	false

## **Component List**

Component Name	Component Type
tReplicate_1	tReplicate
tUnite_1	tUnite
tMap_1	tMap
tExtractXMLField_1	tExtractXMLField
tExtractXMLField_2	tExtractXMLField
tBufferOutput_1	tBufferOutput
tBufferInput_1	tBufferInput
tMSSqlOutput_1	tMSSqlOutput
INPUT_1	INPUT

## **Components Description**

### Component tReplicate

*	UNIQUE NAME	tReplicate_1	INPUT(S)	INPUT_1
	LABEL	tReplicate_1		tExtractXMLField_2 , tExtractXMLField_1

Component Parameters:			
Properties	Values		
Unique Name	tReplicate_1		
Component Name	tReplicate		
Version	0.101 (ALPHA)		
Family	Orchestration		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tReplicate		

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Label format	tReplicate_1
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tReplicate\_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
responseXML	false	String			true	

## Original Function Parameters: Component tUnite

	UNIQUE NAME	tUnite_1	INPUT(S)	tExtractXMLField_2 , tBufferInput_1
	LABEL	tUnite_1	OUTPUT(S)	tMap_1

Component Parameters:			
Properties	Values		
Unique Name	tUnite_1		
Component Name	tUnite		
Version	0.101 (ALPHA)		
Family	Orchestration		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		

tStatCatcher Statistics	false
Help	org.talend.help.Unite
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Label format	tUnite_1
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Schema for tUnite 1:

Schema for tonite_	1.					
Column	Key	Туре	Length	Precision	Nullable	Comment
Pool	false	String			true	
Group	false	String			true	
Key	false	String			true	
Timestamp	false	String			true	
isReference	false	String			true	
ValidationErrorCode	false	String			true	
Message	false	String			true	

# Original Function Parameters: Component tExtractXMLField

XMI	UNIQUE NAME	tExtractXMLField_1	INPUT(S)	tReplicate_1
	LABEL	tExtractXMLField_2	OUTPUT(S)	tUnite_1

Component i aramotoro:	
Properties	Values
Unique Name	tExtractXMLField_1

Component Name	tExtractXMLField
Version	0.102 (ALPHA)
Family	XML Processing/Fields
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputXML
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
XML field	responseXML
!!!USE_ITEMS.NAME!!!	false
!!!LOOP_QUERY_BASE.NAME!!!	ни
Loop XPath query	"/MovilizerResponse/masterdataAck/"
Mapping	[{SCHEMA_COLUMN=Pool, QUERY="@pool", NODECHECK=false}, {SCHEMA_COLUMN=Group, QUERY="@group", NODECHECK=false}, {SCHEMA_COLUMN=Key, QUERY="@key", NODECHECK=false}, {SCHEMA_COLUMN=Timestamp, QUERY="@timestamp", NODECHECK=false}, {SCHEMA_COLUMN=isReference, QUERY="@isReference", NODECHECK=false}, {SCHEMA_COLUMN=ValidationErrorCode, QUERY="@validationErrorCode", NODECHECK=false}, {SCHEMA_COLUMN=Message, QUERY="@message", NODECHECK=false}]
Limit	
Die on error	false
Schema	Built-In
Use static Field	false

XML Record	nn
XPath Prefix	1111
Min column number of optimize code	100
Ignore the namespaces	false
Label format	tExtractXMLField_2
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tExtractXMLField 1:

Scrienia for textrac	VIVIAITI ICIO	<u>'-' '                                 </u>				
Column	Key	Туре	Length	Precision	Nullable	Comment
Pool	false	String			true	
Group	false	String			true	
Key	false	String			true	
Timestamp	false	String			true	

isReference	false	String		true	
ValidationErrorCode	false	String		true	
Message	false	String		true	

# Original Function Parameters: Component tExtractXMLField

XMI	UNIQUE NAME	tExtractXMLField_2	INPUT(S)	tReplicate_1
	LABEL	tExtractXMLField_1	OUTPUT(S)	tBufferOutput_1

Component Parameters:			
Properties	Values		
Unique Name	tExtractXMLField_2		
Component Name	tExtractXMLField		
Version	0.102 (ALPHA)		
Family	XML Processing/Fields		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		

tStatCatcher Statistics	false
Help	org.talend.help.tFileInputXML
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
XML field	responseXML
!!!USE_ITEMS.NAME!!!	false
!!!LOOP_QUERY_BASE.NAME!!!	пп
Loop XPath query	"/MovilizerResponse/masterdataError/"
	I

Mapping	[{SCHEMA_COLUMN=Pool, QUERY="@pool", NODECHECK=false}, {SCHEMA_COLUMN=Group, QUERY="@group", NODECHECK=false}, {SCHEMA_COLUMN=Key, QUERY="@key", NODECHECK=false}, {SCHEMA_COLUMN=Timestamp, QUERY="@timestamp", NODECHECK=false}, {SCHEMA_COLUMN=isReference, QUERY="@isReference", NODECHECK=false}, {SCHEMA_COLUMN=ValidationErrorCode, QUERY="@validationErrorCode", NODECHECK=false}, {SCHEMA_COLUMN=Message, QUERY="@message", NODECHECK=false}]
Limit	
Die on error	false
Schema	Built-In
Use static Field	false
XML Record	1111
XPath Prefix	
Min column number of optimize code	100
Ignore the namespaces	false
Label format	tExtractXMLField_1
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false

Comment		
Use an existing validation rule	false	
Validation Rule Type		

#### Schema for tExtractXMLField\_2:

ochema for textrac	CXIVIEI IOIG	! <u></u>				
Column	Key	Туре	Length	Precision	Nullable	Comment
Pool	false	String			true	
Group	false	String			true	
Key	false	String			true	
Timestamp	false	String			true	
isReference	false	String			true	
ValidationErrorCode	false	String			true	
Message	false	String			true	

## Original Function Parameters: Component tBufferOutput

1 7	UNIQUE NAME	tBufferOutput_1		tExtractXMLField_2 , tBufferInput_1
	LABEL	tBufferOutput_1	OUTPUT(S)	none

Properties	Values
------------	--------

Unique Name	tBufferOutput_1
Component Name	tBufferOutput
Version	0.101 (ALPHA)
Family	Misc
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tBufferOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false

Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Label format	tBufferOutput_1
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tBufferOutput\_1:

	Carpar					
Column	Key	Туре	Length	Precision	Nullable	Comment
Pool	false	String			true	
Group	false	String			true	
Key	false	String			true	
Timestamp	false	String			true	

isReference	false	String		true	
ValidationErrorCode	false	String		true	
Message	false	String		true	

### Original Function Parameters: Component tBufferInput

UNIQUE NAME	tBufferInput_1	INPUT(S)	none
LABEL	tBufferInput_1	OUTPUT(S)	tUnite_1

Component Parameters:			
Properties	Values		
Unique Name	tBufferInput_1		
Component Name	tBufferInput		
Version	0.102 (ALPHA)		
Family	Misc		
Start	false		
Startable	true		
SUBTREE_START	false		
END_OF_FLOW	false		
Activate	true		

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tBufferInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	II II
Decimal separator	" "
Encoding	"ISO-8859-15"

Label format	tBufferInput_1
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tBufferInput\_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
Pool	false	String			true	
Group	false	String			true	
Key	false	String			true	
Timestamp	false	String			true	
isReference	false	String			true	
ValidationErrorCode	false	String			true	
Message	false	String			true	

# Original Function Parameters: Component tMSSqlOutput

	UNIQUE NAME	tMSSqlOutput_1	INPUT(S)	tMap_1	
	LABEL	tMSSqlOutput_4	OUTPUT(S)	none	

Component Parameters:			
Properties	Values		
Database	tMSSqlOutput		
Unique Name	tMSSqlOutput_1		
Component Name	tMSSqlOutput		
Version	0.102 (ALPHA)		
Family	Databases/DB Specifics/MS_SQL_Server		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tMSSqlOutput		
Update components	true		

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.0.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MSSQL):DB_ERP_DSD_Integration
Use an existing connection	false
Component List	
JDBC Provider	JTDS
Host	context.DB_ERP_DSD_Integration_Server
Port	context.DB_ERP_DSD_Integration_Port
Schema	context.DB_ERP_DSD_Integration_Schema
Database	context.DB_ERP_DSD_Integration_Database
Database Driver	MSSQL
Username	context.DB_ERP_DSD_Integration_Login

,
context.DB_ERP_DSD_Integration_Password
"Custom_Logging"
CREATE_IF_NOT_EXISTS
false
INSERT
false
moment
1
1
true
Built-In
Built-In
false
пп
false
id_MSSQL
context.DB_ERP_DSD_Integration_AdditionalParams

Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	0
Use field options	false
	[{SCHEMA_COLUMN=moment, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=root_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, {SCHEMA_COLUMN=root_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=father_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=project, UPDATE_KEY=false, DELETE_KEY=false, UPDATE_KEY=false, UPDATBLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=job, UPDATE_KEY=false, UPDATABLE=true, INSERTABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=errorMessage, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=errorMessage, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=code, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, {SCHEMA_COLUMN=Environment, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, {SCHEMA_COLUMN=Environment, UPDATE_KEY=false, DELETE_KEY=false, UPDATBLE=true}, {SCHEMA_COLUMN=Environment, UPDATE_KEY=false, UPDATABLE=true}, {SCHEMA_COLUMN=Environment, UPDATE_KEY=false, UPDATBLE=true}, {SCHEMA_COLUMN=Source, UPDATE_KEY=false, UPDATBLE=true}, {SCHEMA_COLUMN=Filepath, INSERTABLE=true}, {SCHEMA_COLUMN=Filepath, INSERTABLE=true}, {SCHEMA_COLUMN=Filepath, INSERTABLE=true}, {SCHEMA_COLUMN=Filepath, INSERTABLE=true}, {SCHEMA_COLUMN=Filepath, INSERTABLE=true}, {SCHEMA_COLUMN=Filepath, INSERTABLE=true}, {SCHEMA_COLUMN=File

Field options

UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA COLUMN=Instance, UPDATE\_KEY=false, DELETE\_KEY=false, UPDATABLE=true, INSERTABLE=true}, SCHEMA COLUMN=Table View, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA COLUMN=Database, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA\_COLUMN=Object\_Id, UPDATE KEY=false. DELETE KEY=false. UPDATABLE=true, INSERTABLE=true}, SCHEMA COLUMN=Object Name. UPDATE\_KEY=false, DELETE\_KEY=false, UPDATABLE=true, INSERTABLE=true}, SCHEMA COLUMN=Object Type. UPDATE\_KEY=false, DELETE KEY=false. UPDATABLE=true, INSERTABLE=true}, SCHEMA COLUMN=Pool, UPDATE KEY=false, DELETE\_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA COLUMN=Group, UPDATE\_KEY=false, DELETE\_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA\_COLUMN=Key, UPDATE\_KEY=false, DELETE\_KEY=false, UPDATABLE=true. INSERTABLE=true}, {SCHEMA COLUMN=ResponseTimestamp, UPDATE\_KEY=false, DELETE\_KEY=false, UPDATABLE=true, INSERTABLE=true},

	{SCHEMA_COLUMN=ProcessTimeStamp, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Ignore date out of range	false
Enable debug mode	false
Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	10000
Label format	tMSSqlOutput_4
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for loginfo:

ochema for logimo						
Column	Key	Туре	Length	Precision	Nullable	Comment
moment	false	java.util.Date	255		true	
pid	false	String	255		true	

root_pid	false	String	255	true
father_pid	false	String	255	true
project	false	String	255	true
job	false	String	255	true
context	false	String	255	true
priority	false	Integer	3	true
type	false	String	255	true
origin	false	String	255	true
errorMessage	false	String	255	true
code	false	String	255	true
Environment	false	String	30	true
Source	false	String	255	true
Filepath	false	String	255	true
Instance	false	String	255	true
Table_View	false	String	255	true
Database	false	String	255	true
Object_Id	false	String	255	true

Object_Name	false	String	255	true	
Object_Type	false	String	255	true	
Pool	false	String	255	true	
Group	false	String	255	true	
Key	false	String	255	true	
ResponseTimestamp	false	java.util.Date	255	true	
ProcessTimeStamp	false	java.util.Date	255	true	

# Original Function Parameters: Component INPUT

 UNIQUE NAME	INPUT_1	INPUT(S)	none
LABEL	INPUT_1	OUTPUT(S)	tReplicate_1

Component Parameters:					
Properties	Values				
Unique Name	INPUT_1				
STARTABLE	true				
Start	true				
Schema	Built-In				
Update components	true				

Label format	INPUT_1
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	

### Schema for INPUT\_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
responseXML	false	String			true	

# Original Function Parameters: Component tMap

 UNIQUE NAME	tMap_1	INPUT(S)	tUnite_1
LABEL	tMap_1	OUTPUT(S)	tMSSqlOutput_1

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	

Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap\_1 ( input ):

Mapper table Properties( row5 ):

Properties	Values
Name	row5
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

#### **Metadata Table Entries( row5 ):**

Name	Туре	Expression	isNullable
Pool	String		true
Group	String		true
Key	String		true
Timestamp	String		true
isReference	String		true
ValidationErrorCode	String		true
Message	String		true

Constraint Table Entries( row5 ):

Name	Туре	Expression	isNullable	

Mapper table for tMap\_1 ( output ):
Mapper table Properties( responseXML ):

Properties	Values
Name	responseXML
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( responseXML ):** 

	100( 100ponooxii	· <del>-</del> /·	
Name	Туре	Expression	isNullable
moment	java.util.Date	TalendDate.getCurrentDate()	true
pid	String	pid	true
root_pid	String	rootPid	true
father_pid	String	fatherPid	true
project	String	projectName	true
job	String	jobName	true
context	String	contextStr	true

priority	Integer	6	true
type	String	Var.type	true
origin	String	"jlet_Response_Logging"	true
errorMessage	String	row5.Message	true
code	String	row5.ValidationErrorCode	true
Environment	String	context.environment	true
Source	String	context.source	true
Filepath	String	context.filepath	true
Instance	String	context.instance	true
Table_View	String	context.table_view	true
Database	String	context.database	true
Object_Id	String	context.objectId	true
Object_Name	String	context.objectName	true
Object_Type	String	context.objectType	true
Pool	String	context.Pool	true
Group	String	context.group	true
Key	String	context.key	true

ResponseTimestamp	java.util.Date	Var.Timestamp	true	
ProcessTimeStamp	java.util.Date	Var.ProcessTimeStamp	true	

Constraint Table Entries( responseXML ):

Name Type		Expression	isNullable
-----------	--	------------	------------

### Mapper table for tMap\_1 ( var ):

Mapper table Properties( Var ):

Properties	Values
Name	Var
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( Var ):

Name	Туре	Expression
Timestamp	java.util.Date	(row5.Timestamp.length()>1&&row5.Timestamp.indexOf("T")>=0&8 HH:mm:ss.SSS",row5.Timestamp.substring(0,row5.Timestamp.inde "+row5.Timestamp.substring(row5.Timestamp.indexOf("T")+1,row5. HH:mm:ss","9999-01-01 00:00:00",false)
type	String	(row5.ValidationErrorCode==null && row5.Message==null )?"Movilia
ProcessTimeStamp	java.util.Date	context.ProcessTimeStamp.length()>1?TalendDate.parseDate("yyy HH:mm:ss",context.ProcessTimeStamp,false):TalendDate.parseDate

Constraint Table Entries( Var ):

Name	Туре	Expression	