## Round 10

## 1. PHYSICS

#### **Toss Up: Multiple Choice**

Monochromatic light is normally incident on a diffraction grating that is 1cm wide and has 10,000 slits. The first order line is deviated at a 30° angle. What is the wavelength, in nm, of the incident light?

W) 300

X) 500

Y) 877

Z) 1000

#### Toss Up Answer: X

\_\_\_\_\_\_

### **Bonus: Multiple Choice**

A spectral line of a certain star is observed to be "red shifted" from a wavelength of 500nm to a wavelength of 1500nm. Interpreting this as a Doppler effect, the speed of recession of this star is:

W) .33c

X) .5c

Y) .71c

Z) .8c

Bonus Answer: Z

\_\_\_\_\_\_

### 2. EARTH and SPACE

#### Toss Up: Multiple Choice

What is the name for the apparent line dividing night and day

W) Seperator

X) Day-Night Meridian

Y) Terminator

Z) Prime Meridian

Toss Up Answer: Y

\_\_\_\_\_

#### **Bonus: Short Answer**

What Gas Giant emits the least amount of energy percentage-wise, based on the total amount of energy it recieves from the sun?

**Bonus Answer: Uranus** 

\_\_\_\_\_

### 3. PHYSICS

### Toss Up: Multiple Choice

The equation of continuity for fluid flow can be derived from the conservation of:

W) Energy

X) Mass

Y) Angular momentum

Z) Volume

#### Toss Up Answer: X

#### **Bonus: Multiple Choice**

A coil has a resistance of  $60\Omega$  and an impedance of  $100\Omega$ . Its reactance, in ohms, is:

W) 40

X) 60

Z) 117

#### Bonus Answer: Y

\_\_\_\_\_\_

#### 4. ENERGY

### Toss Up: Multiple Choice

16) Which uranium oxide is most commonly used in light water reactors?

W) uranium(IV) oxide

- X) uranium(V) oxide
- Y) uranium(VI) oxide
- Z) Yellowcake

### Toss Up Answer: W

\_\_\_\_\_\_

### **Bonus: Multiple Choice**

If a 1 kg mouse runs at 5 m/s, what is its approximate energy in electronvolts?

W) 4.8x10^-3

X) 2.9x10<sup>15</sup>

Y) 7.8x10<sup>1</sup>9

Z) 4.4x10<sup>2</sup>2

**Bonus Answer: Y** 

\_\_\_\_\_\_

#### 5. CHEMISTRY

#### Toss Up: Multiple Choice

Which of the follow is true regarding complex ions?

- W) Their formation constants are usually very small and they often form colored coordination compounds.
- X) Their formation constants are usually very small and they often form colorless coordination compounds.
- Y) Their formation constants are usually very large and they often form colored coordination compounds.
- Z) Their formation constants are usually very large and they often form colorless coordination compounds.

Toss Up Answer: Y

\_\_\_\_\_\_

#### **Bonus: Multiple Choice**

Which of the following is a monodentate ligand?

- W) Oxalate
- X) Chloride Ion
- Y) Aluminum (III) Ion
- Z) Ammonium Ion

**Bonus Answer: X** 

\_\_\_\_\_

## 6. EARTH and SPACE

Toss Up: Short Answer

What star has the greatest apparent magnitude

**Bonus Answer: Sun** 

\_\_\_\_\_\_

**Bonus: Multiple Choice** 

Which planet or planets rotate in retrograde?

- W) Venus
- X) Uranus
- Y) Venus and Uranus
- Z) Uranus and Jupiter

**Bonus Answer: Y** 

\_\_\_\_\_\_\_

#### 7. BIOLOGY

Toss Up: Multiple Choice

Which mollusk does not possess a radula?

W) Squid

X) Scallop

Y) Snail

Z) Chiton

Toss Up Answer: X

·

**Bonus: Short Answer** 

What is the scientific name for the job or role an organism plays in its habitat?

**Bonus Answer: Niche** 

\_\_\_\_\_\_

#### 8. MATHEMATICS

Toss Up: Short Answer

Compute the dot product of the following vectors:

<2,1,3> and <10,-1,-5>

Bonus Answer: 4

#### **Bonus: Multiple Choice**

 $(64 + 196 + 81)(49 + 256 + 49) > (56 + 224 + 63)^2$  [Read "the quantity 64+196+81 times the quantity 49+256+49 strictly greater than the quantity 56+224+63 squared] is most directly an example of what inequality?

- W) Triangle inequality
- X) Power Mean Inequality
- Y) Cauchy-Schwarz inequality [COW-SHEE sch-WARTS]
- Z) Jensen's inequality [YEN-SIN]

**Bonus Answer: Y** 

\_\_\_\_\_

### 9. EARTH and SPACE

Toss Up: Short Answer

Which planet has the least eccentric orbit?

**Bonus Answer: Venus** 

\_\_\_\_\_\_

**Bonus: Short Answer** 

What are the two densest planets in our solar system? Bonus Answer: Earth and Mercury (accept in any order)

#### 10. MATHEMATICS

Toss Up: Short Answer

If the log of n is 10, what is the log of 100n?

**Bonus Answer: 12** 

\_\_\_\_\_\_

**Bonus: Short Answer** 

How many ways are there to seat 5 people around a circular table, if rotations are ignored?

**Bonus Answer: 24** 

\_\_\_\_\_\_

#### 11. PHYSICS

### Toss Up: Short Answer

The Curie temperature is the temperature at which ferromagnets become paramagnets. What is the name for the point at which antiferromagnets become paramagnets?

Bonus Answer: The Neel temperature

#### **Bonus: Multiple Choice**

A hall probe measures which of the following:

W) Capcitance

X) Viscosity

Y) Magnetic Field

Z) Electric Field

**Bonus Answer: Y** 

\_\_\_\_\_

### 12. MATHEMATICS

Toss Up: Short Answer

If the first term in an arithmetic sequence is 2 and the third term is 6, find the 10th term.

Bonus Answer: 20

**Bonus: Short Answer** 

Compute the sum of the first 100 positive integers.

Bonus Answer: 5050

\_\_\_\_\_\_

### 13. BIOLOGY

## Toss Up: Multiple Choice

What branching nerve fibers receive messages?

- W) Axons
- X) Axes
- Y) Dendrons
- Z) Dendrites

Toss Up Answer: Z

\_\_\_\_\_

## **Bonus: Multiple Choice**

What protein was first isolated in red blood cells?

- W) Myoglobin
- X) Hemocyanin
- Y) Spectrin
- Z) Collagen

Bonus Answer: Y

\_\_\_\_\_\_

## 14. MATHEMATICS

#### Toss Up: Short Answer

Find the perimeter of a right triangle with legs 11 and 60.

Bonus Answer: 132

**Bonus: Short Answer** 

In a 15-75-90 degrees right triangle with hypotenuse 4, what are the lengths of the shorter and longer leg,

respectively? Exact answers please.

Bonus Answer: radical 6 - radical 2, radical 6 + radical 2

#### 15. PHYSICS

Toss Up: Short Answer

What is the name for the effect that explains the small attractive force that acts between two close parallel uncharged conducting plates in a vacuum?

**Bonus Answer: The Casimir Effect** 

\_\_\_\_\_

### **Bonus: Multiple Choice**

According to Beer's law:

W) the energy of a photon of light is inversely proportional to its wavelength

- X) the concentration of a species that absorbs light can be measured by the amount of light absorbed
- Y) the energy of characteristic X-rays increases with increasing atomic number of the emitting element
- Z) excitation of the electrons in a molecule takes place on a shorter time scale than motion of the nuclei

**Bonus Answer: X** 

\_\_\_\_\_\_

#### 16. EARTH and SPACE

Toss Up: Short Answer

What type of rock comes in layers?

**Bonus Answer: Sedimentary** 

\_\_\_\_\_\_

**Bonus: Short Answer** 

What color is a flame of lithium?

Bonus Answer: red

#### 17. CHEMISTRY

**Toss Up: Short Answer** 

In complex of manganese (II) ion exhibiting a low spin state, how many d electrons are paired?

**Bonus Answer: Four** 

\_\_\_\_\_

**Bonus: Short Answer** 

What is the conjugate base of HPO4(2-) (Read as: Hydrogen Phosphate)?

Bonus Answer: PO4(3-) (Accept: Phosphate, PO four 3 minus)

\_\_\_\_\_\_

#### 18. BIOLOGY

Toss Up: Short Answer

Give the genus and species name of the organism that Beadle and Tatum worked with.

Bonus Answer: Neurospora crassa

\_\_\_\_\_

**Bonus: Short Answer** 

Archibald Garrod is credited with the discovery of which disease, characterized by blackened urine?

Bonus Answer: Alkaptonuria

\_\_\_\_\_\_

#### 19. CHEMISTRY

#### Toss Up: Multiple Choice

For compounds with the same number of carbon atoms, the compound with the lowest boiling point is expected to be

W) a ketone

X) an amine

Y) an ether

Z) an alcohol

### Toss Up Answer: Y

\_\_\_\_\_

#### **Bonus: Multiple Choice**

To have cis and trans isomers, a compound must have

W) sp bonded carbon atoms

X) sp3 bonded carbon atoms

Y) sp2 bonded carbon atoms

Z) (W) and (X)

**Bonus Answer: Y** 

\_\_\_\_\_

#### 20. PHYSICS

Toss Up: Short Answer

How many bosons are in a regular hydrogen atom?

Bonus Answer: 1 (it's the electron)

#### **Bonus: Short Answer**

Two forces have magnitudes of 15 newtons and 5 newtons. Using interval notation, what is the range of the possible magnitudes of their sum?

Bonus Answer: [10, 20], accept: between 10 and 20 Newtons inclusive

\_\_\_\_\_\_

### 21. CHEMISTRY

### Toss Up: Multiple Choice

Which of the following pairs of constants are NOT mathematically related to each other?

- W) Equilibrium constant and Gibbs free energy
- X) Rate constant and activation energy
- Y) Standard cell voltage and equilibrium constant
- Z) Standard cell voltage and rate constant

Toss Up Answer: Z

\_\_\_\_\_\_

### **Bonus: Multiple Choice**

Which of the following is FALSE?

- W) Reduction involves a gain of electrons
- X) Batteries are galvanic cells
- Y) A thermodynamically favored reaction always has a positive E
- Z) Electrolysis reactions always produce a gas at at least one electrode.

**Bonus Answer: Z** 

\_\_\_\_\_\_

#### 22. BIOLOGY

#### Toss Up: Short Answer

Name the two types of cell death.

Bonus Answer: Apoptosis, Necrosis

**Bonus: Short Answer** 

In C4 and CAM photosynthesis, which specific enzyme is used to fix CO2 in lieu of RuBisCO?

Bonus Answer: PEP Carboxylase

\_\_\_\_\_\_

### 23. CHEMISTRY

#### Toss Up: Multiple Choice

The evaporation of any liquid is expected to have

W) a positive delta H and a negative delta S

X) a negative delta H and a negative delta S

Y) a positive delta H and a positive delta S

Z) a positive delta H and a negative delta S

Toss Up Answer: Y

·

### **Bonus: Multiple Choice**

Which of the following is most likely to be true?

W) Combustion of organic compounds has a negative delta H

- X) A positive delta G indicates a thermodynamically favorable reaction.
- Y) A positive delta S always means that the reaction is thermodynamically favored.
- Z) A thermodynamically favored reaction always goes to completion.

Bonus Answer: W

\_\_\_\_\_

#### 24. CHEMISTRY

#### Toss Up: Multiple Choice

Diamond is classified as

W) a covalent crystal

X) an ionic crystal

Y) a molecular crystal

Z) a metallic crystal

Toss Up Answer: W

•

## **Bonus: Multiple Choice**

A liquid substance that exhibits low intermolecular attractions is expected to have

W) low viscosity, low boiling point, and low heat of vaporization

X) high viscosity, low boiling point, and low heat of vaporization

- Y) low viscosity, high boiling point, and low heat of vaporization
- Z) low viscosity, low boiling point, and high heat of vaporization

**Bonus Answer: W** 

\_\_\_\_\_\_

#### 25. CHEMISTRY

## Toss Up: Multiple Choice

Modern automobiles use a catalytic converter to

- W) increase horsepower by burning more gasoline
- X) absorb pollutants from the exhaust
- Y) complete the combustion of unburned gases

## Z) cool the exhaust gases

## Toss Up Answer: Y

\_\_\_\_\_

# **Bonus: Multiple Choice**

A catalyst will NOT

- W) increase the forward reaction rate
- X) shift the equilibrium to favor the products
- Y) alter the reaction pathway
- Z) increase the speed at which equilibrium will be achieved

Bonus Answer: X

\_\_\_\_\_\_