CHEMISTRY

1. CHEMISTRY

Writer: Nicholas Adit Toss Up: Multiple Choice

Which of these compounds is not a saturated compound?

W) ethaneX) propanol

Y) butanal

Z) acetyleneToss Up Answer: Z

Bonus: Short Answer

What are the two compounds formed when ethanoic acid and ethanol react?

Bonus Answer: Ethyl ethanoate and water

2. CHEMISTRY

Writer: Nicholas Adit Toss Up: Multiple Choice

What is the fourth most abundant element on Earth?

W) OxygenX) CarbonY) Sulfur

Z) Argon

Toss Up Answer: X

Bonus: Short Answer

What metal forms compounds that give a grayish-white color?

Bonus Answer: Lead

3. CHEMISTRY

Writer: Ashneel Das Toss Up: Short Answer

How many mL of 0.5 M Barium Hydroxide are needed to neutralize 500 mL of 1 M Hydrochloric Acid completely?

Bonus Answer: 500 mL

Bonus: Short Answer

Calculate the pOH of a solution given the H+ concentration is 1.0 * 10^-5

Bonus Answer: 9

4. CHEMISTRY

Writer: Ashneel Das

Toss Up: Multiple Choice

How many carbon atoms and hydrogen atoms are present in one molecule of hexane?

W) 6 hydrogen, 14 carbon

X) 6 carbon, 14 hydrogen

Y) 6 carbon, 12 hydrogen

Z) 6 carbon, 10 hydrogen

Toss Up Answer: X

Bonus: Short Answer

Identify which of the following statements about carbon dioxide are true: 1) It has a molar mass of approximately 44 g/mol 2) It is a polar molecule 3) It has two double bonds

Bonus Answer: 1 and 3

5. CHEMISTRY

Writer: Ashneel Das Toss Up: Multiple Choice

What type of bond is formed between two atoms with an electronegativity difference of 1.0?

W) Polar Covalent

X) Nonpolar Covalent

Y) Ionic

Z) Hydrogen

Toss Up Answer: W

Bonus: Short Answer

Of the following, which increase with atomic number in group 5 of the periodic table? 1) Atomic Radius 2) Atomic

mass 3) First Ionization Energy

Bonus Answer: 1 and 2

6. CHEMISTRY

Writer: Jason Mohabir Toss Up: Multiple Choice

How many electrons occupy the bonding molecular orbitals of a CN triple bond?

W) 2

X) 4

Y) 6

Z) 8

Toss Up Answer: Y

Bonus: Multiple Choice

Which of the following compounds would have the highest boiling point?

W) CH3CH2CH2CH3

X) CH3NH2

Y) CH2F2

Z) CH3OH

Bonus Answer: Z

7. CHEMISTRY

Writer: Jason Mohabir Toss Up: Multiple Choice

The H-C-O bond angle in H2C=O (formaldehyde) is approximately:

W) 90

X) 109

Y) 120

Z) 180

Toss Up Answer: Y

Bonus: Short Answer

In which compound does carbon have the highest oxidation state?

1. CH4

2. HCN

3. H2CO

4. CH2Cl2

Bonus Answer: 2. HCN

8. CHEMISTRY

Writer: Ashneel Das Toss Up: Multiple Choice

Which of the following has the highest electronegativity?

W) Francium

X) Carbon

Y) Fluorine

Z) Oxygen

Toss Up Answer: Y

Bonus: Short Answer

How many times faster does hydrogen diffuse through a hole than oxygen?

Bonus Answer: 4

9. CHEMISTRY

Writer: Ivan Zhang

Toss Up: Multiple Choice

What does Pauli's Exclusion Principle state?

W) Electrons of an atom must have the same spin

X) No two electrons of an atom travel in the same orbital

Y) no two electrons in an atom can be at the same time in the same state or configuration

Z) Electrons can switch spin automatically

Toss Up Answer: Y

Bonus: Short Answer

What law states that electrons in the same orbitals reorganize themselves to maximize spin?

Bonus Answer: Hund's law

10. CHEMISTRY

Writer: Ivan Zhang Toss Up: Short Answer

What is the largest ion with an equal amount of protons and neutrons?

Bonus Answer: Ca20+

Bonus: Short Answer

Who is regarded as the father of the modern periodic table? (1st and last name)

Bonus Answer: Dmitri Mendeleev

11. CHEMISTRY

Writer: Ashneel Das Toss Up: Multiple Choice

Which of the following radioactive isotopes is used in the treatment of thyroid cancer?

W) Carbon-12

X) Iodine-131

Y) Uranium-238

Z) Technetium-99

Toss Up Answer: X

Bonus: Short Answer

If a radioactive isotope has a half life of 2 years, how long would it take for 1/8 of the original material to remain?

Bonus Answer: 6 years

12. CHEMISTRY

Writer: Zoe Orlin

Toss Up: Short Answer

What element has the largest atomic radius?

Bonus Answer: Francium

Bonus: Multiple Choice

What is the most electronegative element?

W) Francium

X) Beryllium

Y) Fluorine

Z) Lithium

Bonus Answer: Y

13. CHEMISTRY

Writer: Calvin Aw

Toss Up: Multiple Choice

Which of the following isoelectronic ions has the largest ionic radius?

W) Sulfur: 2-X) Chlorine: 1-Y) Potassium: 1+ Z) Calcium: 2+

Toss Up Answer: W

Bonus: Short Answer

Complete the sentence with one word: As the nuclear charge of an ion increases, the ionic radius ______

Bonus Answer: decreases (Do not accept decrease)

14. CHEMISTRY

Writer: Calvin Aw

Toss Up: Multiple Choice

Which of the following is false about metals?

W) Metals are malleable and ductile

- X) Metals tend to lose electrons to become cations
- Y) Metallic reactivity increases as you go down a group.
- Z) All metals are solid at room temperature

Toss Up Answer: Z

Bonus: Multiple Choice

Which of the following metals isn't solid at room temperature?

W) Mercury

X) Tantalum

- Y) Barium
- Z) Chromium

Bonus Answer: W

15. CHEMISTRY

Writer: Calvin Aw

Toss Up: Short Answer

How many orientation of f orbitals are there?

Bonus Answer: 7

Bonus: Short Answer

The Pauli Exclusion Principle states that at most how many electrons can occupy a single atomic orbital?

Bonus Answer: 2

16. CHEMISTRY

Writer: Janine Goh Toss Up: Short Answer

Which group of the periodic table has a fully filled d orbital?

Bonus Answer: Group 12

Bonus: Short Answer

Name 2 elements that behave both as a metal and non-metal

Bonus Answer: Any 2: Boron, silicon, germanium, arsenic, antimony, tellerium, (polonium)

17. CHEMISTRY

Writer: Janine Goh Toss Up: Short Answer

Which group of elements has the lowest ionization energy?

Bonus Answer: Alkali metals

Bonus: Short Answer

What are the elements in group 5 called?

Bonus Answer: Pnictogens

18. CHEMISTRY

Writer: Janine Goh

Toss Up: Multiple Choice

Which of the following elements are Lanthanides?

W) Lawrencium

X) Meltnerium

Y) Seaborgium

Z) Terbium

Toss Up Answer: Z

Bonus: Short Answer

What unit does electronegativity use?

Bonus Answer: No unit

19. CHEMISTRY

Writer: Andrew Chen
Toss Up: Short Answer

Order the following in terms of the rate of diffusion along them, from fastest to slowest. 1: Open Surface. 2: Through an amorphous material. 3: Through a crystal.

Bonus Answer: 1, 3, 2

Bonus: Multiple Choice

Which of the following is a thermal conductor, but not an electrical one?

W) Graphite

X) Graphene

Y) Diamond

Z) Polystyrene

Bonus Answer: Y

20. CHEMISTRY

Writer: Ashneel Das Toss Up: Short Answer

If you have a 1 L of a 10 M solution of HCl and you want 2 L of a 5 M solution of HCl, how much water must you add?

Bonus Answer: 1 L

Bonus: Short Answer

If the pOH of a solution is 6, what is the concentration of H+ ions?

Bonus Answer: 1.0 * 10^-8 (also 0.00000001)

21. CHEMISTRY

Writer: Kerwin Chen Toss Up: Short Answer

Roger Y. Tsien, Osamu Shimomura, and Martin Chalfie were awarded the 2008 Nobel Prize in Chemistry for the

discovery and development of which protein?

Bonus Answer: Green Fluorescent Protein, GFP

Bonus: Multiple Choice

Which organism was the Green Fluorescent Protein first isolated from?

W) Anglerfish

X) Jellyfish

Y) Squids

Z) Gulper Eels

Bonus Answer: X

22. CHEMISTRY

Writer: Kerwin Chen

Toss Up: Multiple Choice

Which element is most electronegative?

W) Chlorine

X) Fluorine

Y) Astatine

Z) Cesium

Toss Up Answer: X

Bonus: Multiple Choice

What is the range of electronegativity values?

W) 0.0 to 1.0 X) 0.0 to 2.0

Y) 0.0 to 3.0

Z) 0.0 to 4.0

Bonus Answer: Z

23. CHEMISTRY

Writer: Kerwin Chen
Toss Up: Multiple Choice

How many orbitals does the p sublevel have?

W) 1

X) 2

Y) 3

Z) 4

Toss Up Answer: Y

Bonus: Short Answer

which element has the electron configuration 1s^22s^22p^63s^1 in its ground state?

Bonus Answer: Sodium, Na

24. CHEMISTRY

Writer: Ashneel Das Toss Up: Short Answer

Where does oxidation occur in an electrochemical cell?

Bonus Answer: Anode

Bonus: Short Answer

In the redox reaction 2H2 + O2 -> 2H2O how many electrons are transferred?

Bonus Answer: 4

25. CHEMISTRY

Writer: Andrew Chen (Senior)

Toss Up: Multiple Choice

When 50 mL of stock solution of 6M NaCl (aq) is diluted into a 150 mL solution what will be the molarity of the diluted solution?

W) 3M

X) 2M

Y) 1M

z) 6M

Toss Up Answer: X

....

Bonus: Short Answer

What is the given equation for calculating molarity?

Bonus Answer: Moles of solute divided by liters of solution

26. CHEMISTRY

Writer: Andrew Chen (Senior) Toss Up: Multiple Choice

Given the following ions, Na+, Br-, Ag+, and Cu2+ which ion has the greatest atomic radius?

W) Na+

X) Br-

Y) Ag+

Z) Cu2+

Toss Up Answer: Y

Bonus: Short Answer

Name the group of elements with the least electronegativity.

Bonus Answer: Noble gases (Group 18)

27. CHEMISTRY

Writer: Andrew Chen (Senior) Toss Up: Multiple Choice

Choose the strongest acid from the choices below.

W) Hydrochloric acid

X) Hydrobromic acid

Y) Hydroiodic acid

Z) Hydrofluoric acid

Toss Up Answer: Y

Bonus: Short Answer

What are the conjugate bases of HCl, HBr, and HI?

Bonus Answer: Cl-, Br-, I-

28. CHEMISTRY

Writer: Andrew Chen
Toss Up: Multiple Choice

From what two molecules is an ester synthesized?

W) alcohol and ester

X) alcohol and aldehyde

Y) carboxylic acid and ester

Z) carboxylic acid and alcohol

Toss Up Answer: Z

Bonus: Short Answer

If one mole of an acid is dissolved in a liter of water, and the acid has a pKa of 10, what is the pH of the solution?

Bonus Answer: 7

29. CHEMISTRY

Writer: Andrew Chen Toss Up: Multiple Choice

Which of the following exhibits diamagnetism?

W) bronze

X) water

Y) liquid oxygen

Z) diamond

Toss Up Answer: X

Bonus: Short Answer

Order the following by second ionization energy, from lowest to highest: Sodium, Magnesium, Aluminum

Bonus Answer: Magnesium, Aluminum, Sodium

30. CHEMISTRY

Writer: Andrew Chen
Toss Up: Multiple Choice

Why is diamond a thermal conductor, even though it isn't an electrical conductor?

W) heat vibrations can move along the rigid structure

X) carbon has a low heat capacity

- Y) there are no impurities which increase resistance
- Z) carbon has a high heat capacity

Toss Up Answer: W

Bonus: Multiple Choice

Which of the following has the highest carbon content?

W) wrought iron

X) cast iron

Y) pig iron

Z) slag

Bonus Answer: Y

31. CHEMISTRY

Writer: Ashneel Das Toss Up: Multiple Choice

Which of the following describes the carbon dioxide molecule?

W) Polar and Linear

X) Polar and Bent

Y) Nonpolar and Linear

Z) Nonpolar and Bent

Bonus: Short Answer

Toss Up Answer: Y

What hybridization is typically found in linear molecules?

Bonus Answer: sp

32. CHEMISTRY

Writer: Ashneel Das

Toss Up: Multiple Choice

In the reaction A + B -> C + D, which of the following occurs when reactant B is added?

W) The concentration of A decreases

X) The concentration of C decreases

Y) The concentration of D decreases

Z) The reaction shifts to the left

Toss Up Answer: W

Bonus: Short Answer

Given the specific heat capacity of water is 4.18 Joule/gram*C, if you have 20 grams of water and want to heat it from

10 degrees C to 15 degrees C, how many joules must be added?

Bonus Answer: 418 Joules

33. CHEMISTRY

Writer: Ashneel Das Toss Up: Multiple Choice

The conjugate base of HCl is which of the following?

W) A weak acid

X) A strong acid

Y) A weak base

Z) A strong base

Toss Up Answer: Y

·

Bonus: Short Answer

How many sigma and pi bonds does carbon dioxide have?

Bonus Answer: 2 sigma, 2 pi

34. CHEMISTRY

Writer: Ashneel Das

Toss Up: Multiple Choice

Which of the following substances cannot be decomposed further chemically?

W) Carbon Dioxide

X) Water

Y) Silicon

Z) Ammonia

Toss Up Answer: Y

·

Bonus: Short Answer

If 0.5 moles of NaCl are dissolved in 2 kg of water, what is the molality of the resulting solution?

Bonus Answer: 0.25 or 1/4

35. CHEMISTRY

Writer: Jason Weng Toss Up: Short Answer

What is the oxidation number of chromium in the dichromate ion?

Bonus Answer: +6

Bonus: Short Answer

Name the following: CuCr2O7.

Bonus Answer: Copper (II) dichromate; or Cupric dichromate

36. CHEMISTRY

Writer: Jason Weng

Toss Up: Multiple Choice

What is the most reasonable pH of the solution when the salt formed by reacting hydrochloric acid and aluminum

hydroxide is dissolved in water?

W) 7

X) 4

Y) 10

Z) 0

Toss Up Answer: X

Bonus: Short Answer

125 mL from a 4M perchloric acid stock solution is reacted with excess sodium hydroxide. How many moles of the salt are formed if the system is 50% efficient?

Bonus Answer: 0.25 mol; 1/4 mol

37. CHEMISTRY

Writer: Jason Weng Toss Up: Short Answer

How many hydrogen atoms does a molecule of acetone have?

Bonus Answer: 6

Bonus: Short Answer

What is the electron configuration of Cr3+ using noble gas notation?

Bonus Answer: [Ar]3d^3

38. CHEMISTRY

Writer: Calvin Vuong Toss Up: Multiple Choice

The relation between pressure and temperature of two ideal gases is stated in

W) Gay-Lussac's Law

X) Boyle's Law

Y) Charles's Law

Z) Avogadro's Law

Toss Up Answer: W

·

Bonus: Short Answer

What are the dimensions of the gas constant R in SI base units? Bonus Answer: kg m^2 mol^-1 K^-1 s^-2 (accept as a fraction)

39. CHEMISTRY

Writer: Olivia Gallager Toss Up: Multiple Choice

Which of the following describes the reaction that involves a hydrocarbon chain and H2 gas yielding two shorter

hydrocarbon chains?

W) Synthesis

X) Cracking

Y) Hydrocracking

Z) Substitution

Toss Up Answer: Y

Bonus: Short Answer

What electron geometry does ammonia(NH3) have? Bonus Answer: tetrahedral, tetrahedron also accepted

40. CHEMISTRY

Writer: Olivia Gallager Toss Up: Multiple Choice

Which of the following has the largest ionic radius?

W) Li X) Be Y) Na

Z) Mg

Toss Up Answer: X

Bonus: Short Answer

Why does Oxygen have a smaller atomic radius than boron?

Bonus Answer: Effective nuclear charge

41. CHEMISTRY

Writer: Olivia Gallager
Toss Up: Short Answer

What are the numbers of sigma bonds and pi bonds, in ethyne, respectively?

Bonus Answer: 3 sigma bonds, 2 pi bonds

Bonus: Short Answer

Pi bonds are created by the overlap of what type of orbital?

Bonus Answer: p, p orbitals

42. CHEMISTRY

Writer: Nicholas Adit Toss Up: Multiple Choice

The shape of a PCI3 molecule is described as

W) bent

X) trigonal pyramidal

Y) linear

Z) trigonal planar

Toss Up Answer: X

Bonus: Short Answer

Twenty-five percent of element X exists as 210(superscript) X and 75 percent of it exists as 214(superscript) X. What is the atomic weight of element X?

Bonus Answer: 211

43. CHEMISTRY

Writer: Raafiul Hossain Toss Up: Short Answer Is HCL a strong acid? Bonus Answer: Yes

Bonus: Short Answer
Is NAOH a strong base?
Bonus Answer: Yes

44. CHEMISTRY

Writer: Nicholas Adit Toss Up: Multiple Choice

Which of the following species is amphoteric?

W) Na3PO4 X) HSO4-Y) KOH

Z) HNO3

Toss Up Answer: X

Bonus: Short Answer

A 600-milliliter container holds 2 moles of O2(g), 3 moles of H2(g), and 1 mole of He(g). Total pressure within the container is 760 torr. What is the partial pressure of O2?

Bonus Answer: 253 torr

45. CHEMISTRY

Writer: Prangon Ghose Toss Up: Multiple Choice

What is the correct term(s) used to determine if a system has come to equilibrium?

W) Ka and Q

X) Ksp

Y) Q

Z) Kc

Toss Up Answer: Y

·

Bonus: Multiple Choice

Chemical equilibrium may be used to describe

W) gas phase chemical reactions

X) acid and based ionization

Y) Solubility

Z) All of the Above

Bonus Answer: Z

46. CHEMISTRY

Writer: Prangon Ghose Toss Up: Multiple Choice

The term(s) most useful in determining the solubility of a substance is (are)

W) Ka and Q

X) Ksp

Y) Q and Le Chatelier's Principle

Z) Kc

Toss Up Answer: X

Bonus: Multiple Choice

The effect of temperature on a chemical system is best described using

W) Ka and Q

X) Ksp

Y) Le Chatelier's Principle

Z) Kc

Bonus Answer: Y

47. CHEMISTRY

Writer: Nicholas Adit Toss Up: Multiple Choice

Which of the following is closest in mass to a proton?

W) Alpha Particle

X) Positron

Y) Neutron

Z) Hydrogen Molecule

Toss Up Answer: Y

Bonus: Short Answer

What is the amount of calories of heat transferred to the water is when the temperature of a 20-gram sample of water is increased from 10°C to 30°C?

Bonus Answer: 400

48. CHEMISTRY

Writer: Prangon Ghose Toss Up: Multiple Choice

Which of the following elements has the largest number of possible oxidation states?

W) Fe

X) CI

Y) Ca

Z) Mn

Toss Up Answer: X

Bonus: Multiple Choice

What is the minimum number of electrons needed to balance the following half-reaction with whole number coefficients?

IO(3-) -> I2

W) 1 e-

X) 2 e-

Y) 5 e-

Z) 10 e-

Bonus Answer: Z

49. CHEMISTRY

Writer: Nicholas Adit

Toss Up: Short Answer

In 12.4 hours, a 100 gram sample of an element decays so that its mass is 25 grams. What is the approximate half-life of this radioactive substance?

Bonus Answer: 6.2 hours

Bonus: Multiple Choice

Which of the following will raise the boiling point of a sample of water?

- W) Heat the water
- X) Mix gasoline into the water
- Y) Bring the water to a higher altitude
- Z) Dissolve table sugar in the water

Bonus Answer: Z

50. CHEMISTRY

Writer: Prangon Ghose Toss Up: Multiple Choice

What kind of process is the loss of electrons?

- W) electrolysis
- X) thermodynamically favored
- Y) reduction
- Z) oxidation

Toss Up Answer: Z

Bonus: Multiple Choice

Which of the following metals does not react with water to produce hydrogen?

W) Zn

X) Li

Y) Ca

Z) Na

Bonus Answer: W

51. CHEMISTRY

Writer: Prangon Ghose Toss Up: Multiple Choice

Which of the following is not commonly produced by eletrolysis?

W) NaOCI

X) AI

Y) Fe

Z) NaOH

Toss Up Answer: Y

Bonus: Multiple Choice

Which of the following pairs of constants are not mathematically related to eachother?

- W) Equilibrium constant and Gibbs Free Energy
- X) Rate Constant and Activation Energy
- Y) Standard Cell Voltage and Equilibrium Constant
- Z) Standard Cell Voltage and Rate Constant

Bonus Answer: Z

Writer: Nicholas Adit Toss Up: Short Answer

An ideal gas in a closed inflexible container has a pressure of 6 atmospheres and a temperature of 27°C. What will be the new pressure of the gas if the temperature is decreased to –73°C?

Bonus Answer: 4 atmospheres

Bonus: Multiple Choice

When CO2 is bubbled through distilled water at 25°C, which of the following is most likely to occur?

- W) Solid carbon will form
- X) The pH of the solution will be reduced
- Y) The water will boil
- Z) Methane gas will be formed

Bonus Answer: X

53. CHEMISTRY

Writer: Prangon Ghose Toss Up: Multiple Choice

Which would be the easiest way to burn an iron nail?

- W) Hold an iron nail with crucible tongs, and heat strongly in the flame of a bunsen burner.
- X) Use the above method with an oxyacetylene torch to reach highest temperatures.
- Y) Grind the nail into very small, dust-sized particles and spray them into a flame.
- Z) Dissolve the nail in acid to make the oxide.

Toss Up Answer: Y

Bonus: Multiple Choice

What is a reasonable and safe substitute for zinc in reduction reactions in aqueous solutions?

W) S

X) F2

Y) K

Z) Cd

Bonus Answer: Z

54. CHEMISTRY

Writer: Nicholas Adit Toss Up: Multiple Choice

Which of the following is a nonpolar molecule?

- W) Carbon dioxide
- X) Water
- Y) Ammonia
- Z) Hydrochloric acid Toss Up Answer: W

Bonus: Short Answer

Which of the following forms of radioactive decay has (or have) no electrical charges? 1) Alpha Decay 2) Beta Decay

3) Gamma Decay

Bonus Answer: 3 only

55. CHEMISTRY

Writer: Prangon Ghose Toss Up: Multiple Choice

Which of these gases is expected to condense at the lowest pressure, assuming that the temperature is constant?

W) Bromomethane

X) Dibromomethane

Y) Tetrabromomethane

Z) They all condense at the same temperature

Toss Up Answer: Y

Bonus: Short Answer

Which attractive force is the major cause of condensation?

Bonus Answer: London Dispersion Forces (accept: London Forces)

56. CHEMISTRY

Writer: Prangon Ghose Toss Up: Multiple Choice

The evaporation of any liquid is expected to have

W) a positive delta H and a negative delta S

X) a negative delta H and a negative delta S

Y) a positive delta H and a positive delta S

Z) a positive delta H and a negative delta S

Toss Up Answer: Y

Bonus: Multiple Choice

The rate of reaction will be large if

W) delta G is a large negative number

X) delta S is a large negative number

Y) delta H is a large negative number

Z) None of the above

Bonus Answer: Z

57. CHEMISTRY

Writer: Prangon Ghose Toss Up: Multiple Choice

Which of the following can be precisely determined for a chemical substance?

W) Entropy

X) Enthalpy

Y) Free Energy

Z) All of the Above **Toss Up Answer: W**

Bonus: Short Answer

In a rate law, what are the units of k when the order is 3?

Bonus Answer: L^2 mol^-2 s^-1

58. CHEMISTRY

Writer: Nicholas Adit

Toss Up: Multiple Choice

Which of the following statements is NOT true for the element of sodium?

W) It has an oxidation state of +1

X) It forms a basic solution with water

Y) It gives off a bright red color when burned

Z) It reacts with a halogen to form a salt

Toss Up Answer: Y

Bonus: Short Answer

Which of the following are products made from the reaction H2SO4(aq) + Ba(OH)2(aq) → ? I) O2(g) II) H2O(I) III)

BaSO4(s)

Bonus Answer: II and III

59. CHEMISTRY

Writer: Prangon Ghose Toss Up: Short Answer

In a rate law, what are the units of k when the order is 1?

Bonus Answer: s^-1

Bonus: Short Answer

In a rate law, what are the units of k when the order is 5?

Bonus Answer: L^4 mol^-4 s^-1

60. CHEMISTRY

Writer: Prangon Ghose Toss Up: Short Answer

What is the chemical formula of tetraphosphorus decaoxide?

Bonus Answer: P4O10

Bonus: Short Answer

What is the bond order of the central atom in CO3^(-2)?

Bonus Answer: 4/3 (accept: 1 1/3)

61. CHEMISTRY

Writer: Nicholas Adit Toss Up: Multiple Choice

What happens in a hydrogen atom when an electron jumps from an excited energy state to a more stable energy state?

W) electromagnetic radiation is emitted by the atom

- X) electromagnetic radiation is absorbed by the atom
- Y) the atom becomes a positively charged ion
- Z) the atom becomes a negatively charged ion

Toss Up Answer: W

.

Bonus: Short Answer

A closed 5-liter vessel contains a sample of neon gas. The temperature inside the container is 25°C, and the pressure is 1.5 atmospheres. (The gas constant, R, is equal to 0.08 L?atm/mol?K.) If the neon gas in the vessel is replaced with an equal molar quantity of helium gas, which of the following properties of the gas in the container will be changed?

I. Pressure

II. Temperature

III. Density

Bonus Answer: III only

62. CHEMISTRY

Writer: Nicholas Adit Toss Up: Multiple Choice

A solution of H2SO3 is found to have a hydrogen ion concentration of 1 × 10–3 molar at 25°C. What is the hydroxide

ion concentration in the solution?

W) 1 x 10^-1

X) 1 x 10⁻³ Y) 1 x 10⁻¹¹

Z) 1 x 10^-13

Toss Up Answer: Y

Bonus: Short Answer

If the pH of a solution is changed from 1 to 3 with the addition of an antacid, what percentage of [H+] was neutralized?

Bonus Answer: 99%

63. CHEMISTRY

Writer: Siam Muquit
Toss Up: Short Answer

What is the molecular geometry of ammonia (NH3)?

Bonus Answer: Trigonal Pyramidal

Bonus: Multiple Choice

How many lone pairs are in Xenon tetrafluoride (XeF4)?

W) 0

X) 1

Y) 2

Z) 3

Bonus Answer: Y

64. CHEMISTRY

Writer: Siam Muquit
Toss Up: Multiple Choice

Which of the following does not exhibit resonance stabilization?

W) Ozone

X) SO2

Y) NO3

Z) H2O

Toss Up Answer: Z

·

Bonus: Short Answer

What is the bond order of H2O?

Bonus Answer: 2

65. CHEMISTRY

Writer: Ahmad Alnasser Toss Up: Short Answer

At room temperature, what is the only metal that is in liquid form?

Bonus Answer: Mercury (Hg)

Bonus: Multiple Choice

What is the third most common gas found in the air in the atmosphere?

W) Argon

- X) Hydrogen
- Y) Oxygen
- Z) Helium

Bonus Answer: W

66. CHEMISTRY

Writer: Ahmad Alnasser Toss Up: Multiple Choice

A molecule is considered a lewis acid if

- W) accepts a pair of electrons to form a bond
- X) accepts a proton from water
- Y) donates a pair of electrons to form a bond
- Z) donates a proton to water

Toss Up Answer: W

Bonus: Multiple Choice

Which of the following is a binary compound?

- W) Hydrogen Sulfate
- X) Hydrogen Sulfide
- Y) Ammonium Sulfide
- Z) Ammonium Sulfate

Bonus Answer: X

67. CHEMISTRY

Writer: Olivia Gallager Toss Up: Short Answer

What is the name for a molecule with tetrahedral electron geometry but only three substituent groups?

Bonus Answer: trigonal pyramidal

Bonus: Multiple Choice

Which of the following is not an ionic compound?

- W) NaCl
- X) HF
- Y) FeCl3
- Z) H2SO4

Bonus Answer: X

68. CHEMISTRY

Writer: Olivia Gallager

Toss Up: Multiple Choice

cis 1,2 chloro-ethene and trans 1,2 chloro-ethene differ in which of the following?

W) electron geometry

X) enthalpy

Y) entropy

Z) boiling point

Toss Up Answer: Z

Bonus: Short Answer

In an acid/base reaction, which (acid or base) is the electrophile?

Bonus Answer: acid

69. CHEMISTRY

Writer: Jason Mohabir Toss Up: Short Answer

During glycolysis, electrons removed from glucose are passed to

Bonus Answer: NAD+

Bonus: Multiple Choice

A biological redox reaction always involves

W) an oxidizing agent

X) a gain of electrons

Y) a reducing agent

Z) All of the Above

Bonus Answer: Z

70. CHEMISTRY

Writer: Jason Mohabir Toss Up: Multiple Choice

For the unfolding reaction of Protein G, ΔH° =210.6 kJ/mol, this means that

W) unfolding is favored enthalpically

X) unfolding is favored enthalpically

Y) the entropy is positive at all temperatures

Z) the entropy is negative at all temperatures

Toss Up Answer: X

·

Bonus: Multiple Choice

At the midpoint of a temperature transition curve,

W) half of the protein is denatured

- X) Keq = 1.0 and $\Delta G = 0$
- Y) [Native] = [Unfolded] (Read as concentration of Native = concentration of Unfolded)
- Z) All of these

Bonus Answer: Z

Writer: Jason Mohabir Toss Up: Multiple Choice

The Standard Gibb's free energy, ΔG° , is

- W) the residual energy present in the reactants at equilibrium
- X) the residual energy present in the products at equilibrium
- Y) the energy required to convert one mole of reactants to one mole of products
- Z) the difference in the residual energy of reactants and products at equilibrium

Toss Up Answer: X

Bonus: Multiple Choice

If the enthalpy change for a reaction is zero, ΔG° is equal to

W) TΔS°

X) TΔS°

Y) -ΔH°

Z) InKeq

Bonus Answer: X

72. CHEMISTRY

Writer: Siam Muquit
Toss Up: Multiple Choice

What is the oxidation state of Manganese in the permanganate ion?

W) +5

X) +7

Y) +2

Z) -2

Toss Up Answer: X

Bonus: Short Answer

What is the oxidation state of molecular oxygen?

Bonus Answer: 0

73. CHEMISTRY

Writer: Nicholas Adit
Toss Up: Multiple Choice

Which of the following hydrocarbons have the highest boiling point.

W) CH4

X) C2H6

Y) C3H8

Z) C4H10

Toss Up Answer: Z

Bonus: Multiple Choice

Alloys are mixtures of metallic substances. Which of the following pairs are matched INCORRECTLY?

W) Steel - iron and copper

- X) Brass copper and zinc
- Y) Pewter tin, copper, bismuth, and antimony
- Z) Sterling silver silver and copper

Bonus Answer: W

74. CHEMISTRY

Writer: Siam Muquit
Toss Up: Multiple Choice

Which is the strongest type of intermolecular force?

W) Hydrogen bonding

X) Dipole-dipole

Y) Van der Waals

Z) Metallic bonding

Toss Up Answer: X

Bonus: Short Answer

By name or number, which of the following elements can form hydrogen bonds?

Oxygen, Chlorine, Fluorine, Nitrogen, Sulfur

Bonus Answer: Oxygen, Fluorine, Nitrogen or (1, 3, and 4)

75. CHEMISTRY

Writer: Siam Muquit
Toss Up: Multiple Choice

What is the principal quantum number of Sodium?

W) 0

X) 1

Y) 2

Z) 3

Toss Up Answer: Z

Bonus: Short Answer

What are the possible angular momentum quantum numbers for sodium?

Bonus Answer: 0, 1, 2

76. CHEMISTRY

Writer: George Papastefanou

Toss Up: Short Answer

What is the common name of the chemical with formula C(sub)9-H(sub)8-O(sub)4

Bonus Answer: Aspirin

Bonus: Short Answer

What is the molar mass, to the nearest whole number, of three molecules of the above chemical?

Bonus Answer: 540 g/mol

77. CHEMISTRY

Writer: Shihab Karim Toss Up: Multiple Choice

Which of the one of the following salts is insoluble?

W) NH4CI

X) Ca(NO3)2

Y) BaCO3

Z) Na2S

Toss Up Answer: Y

Bonus: Short Answer

What is the empirical formula for glucose?

Bonus Answer: CH2O

78. CHEMISTRY

Writer: Shihab Karim Toss Up: Short Answer

What is the common oxidation state of Oxygen?

Bonus Answer: -2

Bonus: Multiple Choice

Which of the following elements is a halogen?

W) Lithium X) Potassium

Y) NeonZ) Chlorine

Bonus Answer: Z

79. CHEMISTRY

Writer: Shihab Karim Toss Up: Multiple Choice

What is the name given to the equation P1V1=P2V2?

W) Ideal Gas Law X) Charles's Law Y) Boyle's Law

Z) Gay-Lusacc's Law **Toss Up Answer: Y**

Bonus: Short Answer

What are bond angles of a tetrahedral?

Bonus Answer: 109.5 degrees

80. CHEMISTRY

Writer: Shihab Karim Toss Up: Short Answer

What is the hybridization of CH4?

Bonus Answer: sp3

Bonus: Short Answer

What intermolecular forces exist in HF?
Bonus Answer: Hydrogen Bonding

81. CHEMISTRY

Writer: Shihab Karim Toss Up: Multiple Choice

How many moles of nitrogen are in 35 grams of nitrogen?

W) 3

X) 3.5

Y) 4

Z) 2.5

Toss Up Answer: Z

Bonus: Short Answer

What group is Magnesium a part of?

Bonus Answer: Alkaline Earth Metals

82. CHEMISTRY

Writer: Jan Wojcik

Toss Up: Multiple Choice

According to VSEPR theory, which of the following molecules DOES NOT have a trigonal pyramidal geometry?

W) NH3 (read as: Ammonia)

X) BF3 (read as: Barium trifluoride)Y) XeF3 (read as: Xenon trifluoride)Z) PCl3 (read as: Phosphorus trichloride)

Toss Up Answer: X

Bonus: Short Answer

By name of number, which of the following molecules have a bent molecular structure? SO2, CO2, OF2

Bonus Answer: SO2 and OF2 (accept 1 and 3)

83. CHEMISTRY

Writer: Henry Zheng
Toss Up: Multiple Choice

A lead chromate solution is typically what color?

W) blue

X) red

Y) yellow

Z) green

Toss Up Answer: Y

Bonus: Multiple Choice

Which of the following molecules exhibits a dipole moment?

W) CH4

X) H2S

Y) CO2

Z) SO3

Bonus Answer: X

84. CHEMISTRY

Writer: Shihab Karim Toss Up: Short Answer

List the following atoms in order of increasing electronegativity: flourine, chlorine, and bromine

Bonus Answer: Flourine

Bonus: Short Answer

Which element has the highest electronegativity?

Bonus Answer: Flourine

85. CHEMISTRY

Writer: Shihab Karim Toss Up: Short Answer

What term describes the process when a solid phase changes directly to the gas phase?

Bonus Answer: Sublimation

Bonus: Short Answer

The angle between any two boron-hydrogen bonds in a boron trihydride molecule is how many degrees?

Bonus Answer: 120 degrees

86. CHEMISTRY

Writer: Henry Zheng Toss Up: Short Answer

A stable suspension of fine particles in a liquid is called a:

Bonus Answer: colloid

Bonus: Multiple Choice

Which of the following compounds is used as a fuel additive in what is commonly known as "dry gas" by solubilizing water to reduce its contamination in gasoline?

W) isooctane

X) glycerol

Y) MTBE

Z) isopropyl alcohol

Bonus Answer: Z

87. CHEMISTRY

Writer: George Papastefanou

Toss Up: Short Answer

Using noble gas abbreviation, what is the electron configuration of a silver atom?

Bonus Answer: [Kr] 4d^10 5s^1

Bonus: Short Answer

What is the most electropositive element in group 1A?

Bonus Answer: Francium

88. CHEMISTRY

Writer: George Papastefanou

Toss Up: Short Answer

What is the last element of the periodic table to occur naturally on Earth?

Bonus Answer: Plutonium, element 94

Bonus: Short Answer

Which element is most abundant in the entire Earth?

Bonus Answer: Iron (do not accept Oxygen, that's just the crust)

89. CHEMISTRY

Writer: Siam Muquit

Toss Up: Multiple Choice

A precipitation reaction is an example of which of the following reactions?

W) Combustion

X) Substitution

Y) Single Displacement

Z) Double Displacement

Toss Up Answer: Z

Bonus: Short Answer

By name or number, which of the following would be a precipitate in aqueous solution? Silver sulfide, Potassium nitrate, Strontium hydroxide, Lead(II) fluoride

Bonus Answer: Silver sulfide, Lead(II) fluoride OR (1, 4 only)

90. CHEMISTRY

Writer: Siam Muquit
Toss Up: Multiple Choice

Which of these is a weak electrolyte?

W) C6H12O6

X) MgCl2

Y) NaC2H3O2

Z) NH4OH

Toss Up Answer: Z

·

Bonus: Short Answer

By name or number, which of the following can conduct electricity in solution? Hydrocarbons, salts, weak acids, strong

Bonus Answer: Salts, weak acids, strong acids (2, 3, and 4 only)

91. CHEMISTRY

Writer: Seiji Yawata Toss Up: Multiple Choice

What is the pH of distilled water?

W) 6.5 X) 6.7

Y) 7

Z) Depends on the temperature

Toss Up Answer: Z

Bonus: Multiple Choice

What is one of the hydrolysis product when Magnesium carbide is hydrolysed with water?

- W) Propadiene
- X) Propyne
- Y) Methane
- Z) There is insufficient information

Bonus Answer: Z

Writer: Ashneel Das

Toss Up: Multiple Choice

Which of the following molecules has the greatest Van't Hoff factor?

W) CaCl2

X) NaCl

Y) C6H12O6

Z) KBr

Toss Up Answer: W

·

Bonus: Multiple Choice

Which of the following has the highest melting point?

W) NaCl

X) Carbon

Y) Water

Z) Helium

Bonus Answer: X

93. CHEMISTRY

Writer: Siam Muquit

Toss Up: Multiple Choice

Which of the following is an example of a strong nucleophile but a weak base?

W) CH3OH

X) OH-

Y) I-

Z) F-

Toss Up Answer: Y

Bonus: Short Answer

By name or number, which of the following are second order reactions? Sn1, Sn2, E1, E2

Bonus Answer: Sn2 and E2 only (accept 2, 4 only)

94. CHEMISTRY

Writer: Siam Muquit
Toss Up: Short Answer

By name or number, which of the following is associated with inversion of stereochemistry? Sn1, Sn2, E1, E2

Bonus Answer: Sn2 only (2 only)

Bonus: Short Answer

Which rule states that in E1 and E2 reactions, the more substituted double bond is more likely to occur?

Bonus Answer: Saytzeff rule

95. CHEMISTRY

Writer: Jason Weng

Toss Up: Multiple Choice

If 2 moles if Ar and 5 moles of Xe are placed into one container. What is the partial pressure of Ar is the container is at

14 atm?

W) 2 atm

X) 5 atm

Y) 4 atm

Z) 10 atm

Toss Up Answer: Y

Bonus: Short Answer

How much faster is the effusion of helium gas compared to ammonia gas, to the nearest whole number?

Bonus Answer: 2

96. CHEMISTRY

Writer: Banpreet Singh Toss Up: Multiple Choice

What is the second most electronegative element?

W) Fluorine

X) Oxygen

Y) Chlorine

Z) Neon

Toss Up Answer: X

Bonus: Multiple Choice

Which of the following is a weak electrolyte?

W) Ammonium Hydroxide

X) Glucose

Y) Water

Z) Nitric Acid

Bonus Answer: W

97. CHEMISTRY

Writer: Banpreet Singh Toss Up: Multiple Choice

Which of the following is insoluble in water?

W) Magnesium Chloride

X) Ammonium Hydroxide

Y) Potassium Carbonate

Z) Barium Sulfate

Toss Up Answer: Z

Bonus: Short Answer

What is the chemical name and formula of the compound that makes up quartz?

Bonus Answer: Silicon Dioxide SiO 2

98. CHEMISTRY

Writer: Hanna Yang

Toss Up: Multiple Choice

Which of the following is the lightest element with no stable isotopes?

W) Tellurium

X) Technetium

Y) Promethium

Z) Radon

Toss Up Answer: X
Bonus: Multiple Choice Which of the following is the strongest intermolecular force? W) Hydrogen Bonding X) Ionic Bonding Y) London Dispersion Force Z) Covalent Bonding Bonus Answer: W
99. CHEMISTRY Writer: Hanna Yang Toss Up: Short Answer Name the most reactive nonmetal. Bonus Answer: Fluorine
Bonus: Short Answer Name the transition metal whose carbide is known to be one of the hardest, is used in drills, saws, and lightbulbs, and has the highest melting point of all pure metals. Bonus Answer: Tungsten
100. CHEMISTRY Writer: Hanna Yang Toss Up: Short Answer Name the most reactive member of the alkaline earth metals. Bonus Answer: Radium
Bonus: Short Answer By name or by number, Identify the ion(s) that has/have the smallest ionic radius? Ca 2+, Sr 2+, Mg 2 +, Na +, F - Bonus Answer: Mg 2+
101. CHEMISTRY Writer: Hanna Yang Toss Up: Multiple Choice Which of the following is a polar molecule? W) SO2 X) CH4 Y) SF6 Z) BF4 Toss Up Answer: W
Bonus: Short Answer Fill in the blanks in the following statement to make it true. Ionic compounds are conductors in their solid state, but conductors when dissolved in water. Bonus Answer: poor; good

Writer: Nten Nylam

Toss Up: Multiple Choice

Which scientist performed an experiment in which he fired alpha particles at a thin sheet of gold foil?

W) Niels Bohr

X) Ernest Rutherford

Y) J.J. Thomson

Z) Max Planck

Toss Up Answer: X

·

Bonus: Multiple Choice

What is the name of the compound FeO?

W) iron monoxide

X) iron oxide

Y) iron (I) oxide

Z) iron (II) oxide

Bonus Answer: Z

103. CHEMISTRY

Writer: Nten Nylam

Toss Up: Multiple Choice

Which of the following is amphoteric?

W) hydrogen fluoride

X) ammonia

Y) water

Z) magnesium oxide **Toss Up Answer: Y**

Bonus: Short Answer

What is the molecular geometry of nitrogen trichloride?

Bonus Answer: trigonal pyramidal (also accept trigonal pyramid)

104. CHEMISTRY

Writer: Kerwin Chen Toss Up: Short Answer

Which group of elements produce colored ions?

Bonus Answer: Transition metals

Bonus: Short Answer

Which scientist won a Nobel prize in Physics in 1918, whose constant is used to determine the amount of energy,

given the wavelength of a wave?

Bonus Answer: Max Planck, Planck

105. CHEMISTRY

Writer: Andrew Chen (Senior)
Toss Up: Multiple Choice

Certain atoms exhibit paramagnetic or diamagnetic bonding. Of the following below which choice is classified as paramagnetic?

W) Zinc (Zn)

X) Krypton (Kr)

Y) Helium (He)

Z) Oxygen (O)

Toss Up Answer: Z

Bonus: Short Answer

Melting point is effected by bond strength. Order the following compounds in increasing order of melting point:

graphite, methane, lithium, sodium chloride.

Bonus Answer: Methane, lithium, sodium chloride, graphite (2, 3, 4, 1)

106. CHEMISTRY

Writer: Janine Goh
Toss Up: Short Answer

What activates pepsinogen to change into pepsin?

Bonus Answer: Hydrochloric acid

.

Bonus: Short Answer

What is the pH of gastric juice?

Bonus Answer: 1.5 to 2.5 (or any number in between)

107. CHEMISTRY

Writer: Janine Goh Toss Up: Short Answer

What colour does Xenon release when energised?

Bonus Answer: White light (all colours)

Bonus: Short Answer

What is the difference between electronegativity and electron affinity?

Bonus Answer: Electron affinity: the amount of energy in kJ/mol needed to add an electron to an element

Electronegativity: how much an atom wants an electron (no unit)

108. CHEMISTRY

Writer: Andrew Chen (Senior)

Toss Up: Short Answer

Each element has its own electron configuration. What is the electron configuration of chromium (Cr).

Bonus Answer: [Ar] 3d^5 4s^1 (Also accept 1s^2 2s^2 2p^6 3s^2 3p^6 3d^5 4s^1)

Bonus: Multiple Choice

There are various numbers of pi and sigma bonds in certain compounds. Which of the choices below best describes the number of pi and sigma bonds ethyne (acetylene) has?

W) 2 pi bonds and 1 sigma bonds

X) 3 pi bonds and 2 sigma bonds

Y) 2 pi bonds and 3 sigma bonds

Z) 4 pi bonds

Bonus Answer: Y

109. CHEMISTRY

Writer: Janine Goh

Toss Up: Multiple Choice

Who discovered electronegativity?

W) Linus Pauling

X) Ernest Rutherford

Y) Harold Urey

Z) Carl Bosch

Toss Up Answer: W

Bonus: Short Answer

List 2 gases used in the Miller-Urey experiment

Bonus Answer: Hydrogen, Water, Ammonia, Methane

110. CHEMISTRY

Writer: Olivia Gallager
Toss Up: Short Answer

In organisms, the bonds in polypeptide chains are formed between which two ends of the amino acid?

Bonus Answer: Carboxyl, amino OR the side with the NH2 group, the side with the COOH group

Bonus: Short Answer

Fatty acids have three carbon chains attached to what type of molecule?

Bonus Answer: glycerol

111. CHEMISTRY

Writer: Olivia Gallager Toss Up: Multiple Choice

Which of the following is a strong nucleophile?

W) ethanol

X) butanol

Y) Bromide

Z) t-butoxide

Toss Up Answer: Y

Bonus: Multiple Choice

What causes Coordination compounds to be different colors

W) ΔE

X) s orbital overlap

Y) VESPR

Z) p orbital overlap

Bonus Answer: W

112. CHEMISTRY

Writer: Siam Muquit
Toss Up: Multiple Choice

The modified form of the Ideal Gas Law includes which of the following?

W) Higher pressure, Higher Volume

X) Higher pressure, Lower volume

Y) Lower Pressure, Higher volume

Z) Lower pressure, Lower volume

Toss Up Answer: Y

Bonus: Short Answer

Rank the following gases in order from least ideal to most ideal: He, N2, HCl, SF6

Bonus Answer: He, N2, SF6, HCI (accept 1,2,4,3)

113. CHEMISTRY

Writer: Ivan Zhang

Toss Up: Multiple Choice

Which of the following is the most electronegative element?

W) CarbonX) Vanadium

Y) Selenium

Z) Fluorine

Toss Up Answer: Z

Bonus: Short Answer

What is the name given to the hybrid orbital created with a steric number of 3?

Bonus Answer: 2sp^2

114. CHEMISTRY

Writer: Ivan Zhang

Toss Up: Multiple Choice

Which of the following forces is the only force that bonds noble gases?

W) Dipole-Dipole

X) Ionic

Y) Covalent

Z) London Dispersion Forces

Toss Up Answer: Z

Bonus: Short Answer

What term is used to describe the energy released by the bonding of gaseous ions to form one mole of a substance?

Bonus Answer: lattice energy

115. CHEMISTRY

Writer: Ivan Zhang

Toss Up: Multiple Choice

Which of the following elements has the highest reflectivity?

W) Gold

X) Silver

Y) Mercury

Z) Gallium

Toss Up Answer: X

·

Bonus: Short Answer

What is Avogadro number to the nearest ten-thousandths?

Bonus Answer: 6.0221 * 10 ^ 23

116. CHEMISTRY

Writer: Ivan Zhang

Toss Up: Multiple Choice

Which element breaks the octet rule?

W) Ga

X) Xe

Y) Cu

Z) F

Toss Up Answer: X

Bonus: Short Answer

What is the empirical formula of C6H11?

Bonus Answer: C6H11

117. CHEMISTRY

Writer: Olivia Gallager
Toss Up: Short Answer

For E2 reactions to occur, the Hydrogen has to be what to the leaving group?

Bonus Answer: antiperiplanar

Bonus: Short Answer

List the following formations in order of lowest stability to highest: Trans, Geminal, Cis

Bonus Answer: cis, geminal, trans

118. CHEMISTRY

Writer: Andrew Chen (Senior) Toss Up: Multiple Choice

In the following redox reaction: CH4 + 2O2 --> CO2 + 2H2O which compound is the oxidizing agent?

W) O2

X) CH4

Y) CO2

Z) H2O

Toss Up Answer: W

Bonus: Short Answer

Given the organic molecule C6H14 how many different structural isomers can be formed?

Bonus Answer: Five

119. CHEMISTRY

Writer: Andrew Chen (Senior) Toss Up: Multiple Choice

Certain compounds are insoluble in solution. Which of the following choices below is soluble in aqueous solution?

W) BaSO4

X) AgCI

Y) AgNO3

Z) NiCO3

Toss Up Answer: Y

Bonus: Short Answer

There is a variety of lab techniques that could be used to separate precipitates from the supernatant liquid. Which of the following lab techniques: centrifuge, distillation, chromatography, and titration can be used to separate them.

Bonus Answer: Centrifuge (1)

120. CHEMISTRY

Writer: Andrew Chen (Senior)

Toss Up: Short Answer

Please balance the given equation ___ CO3^2- + 2H^+ ---> ___H2O + ___CO2

Bonus Answer: 1,1,1

Bonus: Multiple Choice

There are various pieces of chemical equipment. What is a piece of glassware designed specifically for usage in creating solutions?

- W) Erlenmeyer flask
- X) Florence flask
- Y) Volumetric flask
- Z) Graduated cylinder

Bonus Answer: Y

121. CHEMISTRY

Writer: Banpreet Singh Toss Up: Multiple Choice

Under what conditions would 1.0 mol of CO_2(g) behave most like an ideal gas?

W) 100 K and 100 atm

X) 800 K and 0.1 atm

Y) 800 K and 1 atm

Z) 800 K and 100 atm

Toss Up Answer: X

Bonus: Short Answer

A sample of 9.00 grams Al(s) is added to excess HCl(aq). What is the volume of the hydrogen gas produced at STP?

Bonus Answer: 11.2 L

122. CHEMISTRY

Writer: Banpreet Singh Toss Up: Multiple Choice

As the temperature is raised from 20 degrees Celsius to 40 degrees Celsius, the average energy of a sample of neon atoms changes by a factor of

W) 1/2

X) sqrt(313/293)

Y) 313/293

Z) 2

Toss Up Answer: Y

·

Bonus: Short Answer

A sample of oxygen gas occupies 8.00 L at 127 degrees Celsius and 775 mmHg. It is heated at constant pressure and expands to 20.00 L. In Celsius what is the new temperature?

Bonus Answer: 727 degrees celsius

123. CHEMISTRY

Writer: Banpreet Singh
Toss Up: Multiple Choice

Which gas effuses at approximately one half as fast as ammonia?

W) He

X) CO_2

Y) Cl_2

Z) CH_4

Toss Up Answer: Y

Bonus: Multiple Choice

For which of two gases are the rates of effusion 2:1?

W) Ne and Kr

X) He and O₂

Y) H_2 and He

Z) N₂ and Ar

Bonus Answer: W

124. CHEMISTRY

Writer: Banpreet Singh Toss Up: Short Answer

At what temperature Kelvin does water freeze?

Bonus Answer: 273 K

Bonus: Short Answer

Who came up with the caloric theory? Bonus Answer: Antoine Lavoisier

125. CHEMISTRY

Writer: Olivia Gallager Toss Up: Multiple Choice

Which of the following has a coordinate covalent bond?

W) butanol

X) CO2

Y) Methane

Z) NH4+

Toss Up Answer: Z

Bonus: Short Answer

What is the formal charge of Nitrogen in an ammonia molecule?

Bonus Answer: 0

126. CHEMISTRY

Writer: Seiji Yawata

Toss Up: Multiple Choice

Which of the following compounds does not exist?

W) PF_5

X) P_4O_10

Y) P_4O_6

Z) PH_5

Toss Up Answer: Y

Bonus: Short Answer

Order the following hydrogen halides from the one with the lowest boiling point to one with the highest: HI, HCI, HBr,

HF

Bonus Answer: HCI, HBr, HI, HF (2, 3, 1, 4)

127. CHEMISTRY

Writer: Seiji Yawata

Toss Up: Multiple Choice

Which of the following is the most acidic?

W) o-methoxy benzoic acid

X) benzoic acid

Y) m-methoxy benzoic acid

Z) p-methoxy benzoic acid

Toss Up Answer: W

Bonus: Short Answer

What is the equivalent weight of HNO_3 in the reaction: Cu reacts with HNO_3, forming Cu(NO_3)_2, NO and water.

Bonus Answer: 84

128. CHEMISTRY

Writer: Seiji Yawata

Toss Up: Multiple Choice

The last electron of lanthanum enters in the:

W) d orbital

X) s orbital

Y) p orbital

Z) f orbital

Toss Up Answer: W

Bonus: Multiple Choice

Which of the following is true for B_3N_3H_6

W) Its name is Nitroborane

X) All the atoms are sp-hybridised

Y) It has 3 lone pairs of electrons

Z) It is isostructural with benzene

Bonus Answer: Z

129. CHEMISTRY

Writer: Seiji Yawata

Toss Up: Multiple Choice

Which of the following statements is true?

- W) Hydrogen peroxide has a planar structure
- X) Tritium is radioactive and emits alpha particles
- Y) H_2 is insoluble in water
- Z) Hydrogen constitutes 70% of the Earth's crust by mass

Toss Up Answer: Y

Bonus: Multiple Choice

Which of the following gas mixtures is not applicable to Dalton's law of Partial Pressures?

W) CO_2 and N_2

X) CO_2 and CO

Y) SO_2 and O_2

Z) N_2 and CO

Bonus Answer: Y

130. CHEMISTRY

Writer: Andrew Chen (Senior)

Toss Up: Short Answer

Given the equation HCl (aq) + NaOH (aq) --> NaCl (aq) + H2O (I) and that 10.00 mL of 1.5 M HCl was reacted with

20.00 mL of 0.80 M of NaOH, which compound is the limiting reactant?

Bonus Answer: HCI (Hydrochloric acid)

Bonus: Multiple Choice

In organic chemistry what is the name of the functional group consisting of a central carbon singly bonded to two carbon atoms and doubly bonded to an oxygen atom?

W) amine

X) amide

Y) ether

Z) ketone

Bonus Answer: Z

131. CHEMISTRY

Writer: Olivia Gallager Toss Up: Short Answer

How many sigma and pi bonds does 1,3 butdiene have, respectively?

Bonus Answer: 3 sigma, 2 pi

Bonus: Short Answer

S orbital overlap has what shape? Bonus Answer: spherical, sphere

132. CHEMISTRY

Writer: Mohammed Haque Toss Up: Short Answer

What is the electron configuration for Fluorine?

Bonus Answer: 1s^2 2s^2 2p^5

Bonus: Short Answer

What is the noble gas configuration of Fluorine?

Bonus Answer: [He]2s^2 2p^5

133. CHEMISTRY

Writer: Ahmad Alnasser Toss Up: Short Answer

Which element is the more electronegative?

Bonus Answer: Flourine

Bonus: Short Answer

Name all the atoms that are diatomic.

Bonus Answer: Hydrogen (H2)

Nitrogen (N2)
Oxygen (O2)
Fluorine (F2)
Chlorine (Cl2)
Iodine (I2)

Bromine (Br2)

134. CHEMISTRY

Writer: Mohammed Haque Toss Up: Short Answer

How did Mendeleev arrange the elements of the periodic table?

Bonus Answer: In order of increasing atomic mass.

Bonus: Short Answer

How did Moseley change the periodic table?

Bonus Answer: He arranged the elements in increasing atomic numbers.

135. CHEMISTRY

Writer: Ahmad Alnasser Toss Up: Short Answer

What is the word that describes a substance that reacts with both strong acids and strong bases?

Bonus Answer: Amphoteric

Bonus: Multiple Choice

The triple bond between the carbon atoms causes acetylene, C2H2, to have which of the following shapes?

- W) Trigonal planar (pron: try-gon-al)
- X) Linear
- Y) Tetrahedral
- Z) Trigonal bipyramidal

Bonus Answer: X

136. CHEMISTRY

Writer: Calvin Aw Toss Up: Short Answer

Find the molecular geometry for a NH3 ion

Bonus Answer: Trigonal Pyramidal

Bonus: Short Answer

State all the group numbers which consist of the representative elements.

Bonus Answer: 1,2,13,14,15,16,17, and 18 (Accept 1-2, 13-18)

137. CHEMISTRY

Writer: Ahmad Alnasser Toss Up: Short Answer

What is the name of a cyclic molecule with 6 carbons?

Bonus Answer: cyclohexane

Bonus: Multiple Choice

Which of the following compounds contains a double bond?

W) butene

X) acetylene

Y) butane

Z) butyne

Bonus Answer: W

138. CHEMISTRY

Writer: Ahmad Alnasser Toss Up: Multiple Choice

What is the name given to the non-superimposable mirror image forms of chiral

compounds?

W) Diastereomers

X) Stereoisomers

Y) Enantiomers

Z) Cis-trans isomers

Toss Up Answer: Y

Bonus: Short Answer

What metal is used as a reducing agent to obtain iron from iron oxide in the Thermite process?

Bonus Answer: Aluminum

139. CHEMISTRY

Writer: Elias Milborn Toss Up: Multiple Choice

Which of the following elements, in gaseous state, has the highest electron affinity?

W) Fluorine

X) bromine

Y) sulfur

Z) chlorine

Toss Up Answer: W

Bonus: Multiple Choice

In order to calculate the heat of fusion for a piece of ice placed in warm water, you must know:

- W) The energy released by the warm water and the mass of the water
- X) The energy released by the warm water and the mass of the ice
- Y) the energy released by the ice and the mass of the warm water
- Z) the energy released by the ice and the mass of the ice

Bonus Answer: X

140. CHEMISTRY

Writer: Elias Milborn
Toss Up: Multiple Choice

What is the mass of an electron relative to a proton?

W) 9.1*10^-31

X) 8.2*10^-14

Y) 1/1836

Z) 0.51

Toss Up Answer: Y

Bonus: Multiple Choice

Which of the following is not a component of a phospholipid?

W) water

X) glycerol

Y) fatty acid

Z) phosphate group

Bonus Answer: W

141. CHEMISTRY

Writer: Elias Milborn
Toss Up: Short Answer

What is the IUPAC name for SnCl2 · 6H2O? Bonus Answer: Tin (II) Chloride Hexahydrate

Bonus: Multiple Choice

Which of the following elements has the valence electron configuration of 3s2 3p3?

W) Phosphorous

X) Oxygen

Y) Bromine

Z) Nitrogen

Bonus Answer: W

142. CHEMISTRY

Writer: Elias Milborn

Toss Up: Multiple Choice

Which of the following is a weak electrolyte?

W) ammonia

X) dilute sulfuric acid

Y) 1 Molar sulfuric acid

Z) dilute perchloric acid

Toss Up Answer: W

Bonus: Short Answer

What is the most common name for the conformation for the ring structure of cyclohexane adopts to reach a strain-

Bonus Answer: Chair

free value?

143. CHEMISTRY

Writer: Shantanu Jha Toss Up: Multiple Choice Which quantum number describes the specific orbital of an electron within a subshell?

- W) Spin Projection
- X) Magnetic
- Y) Principal
- Z) Azimuthal

Toss Up Answer: X

Bonus: Short Answer

What scientist disproved the caloric theory, which stated that an invisible gas transferred heat between objects?

Bonus Answer: James Prescott Joule (accept: James Joule)